



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 12:50 AM UTC

PDB ID : 3GLC / pdb_00003glc
Title : Crystal Structure of E. coli LsrF in complex with Ribose-5-phosphate
Authors : Miller, S.T.; Diaz, Z.C.
Deposited on : 2009-03-11
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	
1	B	295	
1	C	295	
1	D	295	
1	E	295	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	295	 80% 13% • 6%
1	G	295	 79% 14% • 6%
1	H	295	 76% 17% 6%
1	I	295	 78% 15% 6%
1	J	295	 76% 16% • 6%
1	K	295	 81% 13% 6%
1	L	295	 79% 14% • 6%
1	M	295	 81% 12% • 6%
1	N	295	 78% 16% 6%
1	O	295	 79% 14% • 6%
1	P	295	 77% 16% • 6%
1	Q	295	 78% 15% • 6%
1	R	295	 77% 16% 6%
1	S	295	 80% 13% • 6%
1	T	295	 78% 15% • 6%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 42874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldolase lsrF.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	2113	1331	373	392	17	0	0	0
1	B	276	2113	1331	373	392	17	0	0	0
1	C	276	2113	1331	373	392	17	0	0	0
1	D	276	2113	1331	373	392	17	0	0	0
1	E	276	2113	1331	373	392	17	0	0	0
1	F	276	2113	1331	373	392	17	0	0	0
1	G	276	2113	1331	373	392	17	0	0	0
1	H	276	2113	1331	373	392	17	0	0	0
1	I	276	2113	1331	373	392	17	0	0	0
1	J	276	2113	1331	373	392	17	0	0	0
1	K	276	2113	1331	373	392	17	0	0	0
1	L	276	2113	1331	373	392	17	0	0	0
1	M	276	2113	1331	373	392	17	0	0	0
1	N	276	2113	1331	373	392	17	0	0	0
1	O	276	2113	1331	373	392	17	0	0	0
1	P	276	2113	1331	373	392	17	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	Q	276	2113	1331	373	392	17	0	0	0
1	R	276	2113	1331	373	392	17	0	0	0
1	S	276	2113	1331	373	392	17	0	0	0
1	T	276	2113	1331	373	392	17	0	0	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P76143
A	-2	SER	-	expression tag	UNP P76143
A	-1	PHE	-	expression tag	UNP P76143
A	0	THR	-	expression tag	UNP P76143
B	-3	GLY	-	expression tag	UNP P76143
B	-2	SER	-	expression tag	UNP P76143
B	-1	PHE	-	expression tag	UNP P76143
B	0	THR	-	expression tag	UNP P76143
C	-3	GLY	-	expression tag	UNP P76143
C	-2	SER	-	expression tag	UNP P76143
C	-1	PHE	-	expression tag	UNP P76143
C	0	THR	-	expression tag	UNP P76143
D	-3	GLY	-	expression tag	UNP P76143
D	-2	SER	-	expression tag	UNP P76143
D	-1	PHE	-	expression tag	UNP P76143
D	0	THR	-	expression tag	UNP P76143
E	-3	GLY	-	expression tag	UNP P76143
E	-2	SER	-	expression tag	UNP P76143
E	-1	PHE	-	expression tag	UNP P76143
E	0	THR	-	expression tag	UNP P76143
F	-3	GLY	-	expression tag	UNP P76143
F	-2	SER	-	expression tag	UNP P76143
F	-1	PHE	-	expression tag	UNP P76143
F	0	THR	-	expression tag	UNP P76143
G	-3	GLY	-	expression tag	UNP P76143
G	-2	SER	-	expression tag	UNP P76143
G	-1	PHE	-	expression tag	UNP P76143
G	0	THR	-	expression tag	UNP P76143
H	-3	GLY	-	expression tag	UNP P76143
H	-2	SER	-	expression tag	UNP P76143
H	-1	PHE	-	expression tag	UNP P76143

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	0	THR	-	expression tag	UNP P76143
I	-3	GLY	-	expression tag	UNP P76143
I	-2	SER	-	expression tag	UNP P76143
I	-1	PHE	-	expression tag	UNP P76143
I	0	THR	-	expression tag	UNP P76143
J	-3	GLY	-	expression tag	UNP P76143
J	-2	SER	-	expression tag	UNP P76143
J	-1	PHE	-	expression tag	UNP P76143
J	0	THR	-	expression tag	UNP P76143
K	-3	GLY	-	expression tag	UNP P76143
K	-2	SER	-	expression tag	UNP P76143
K	-1	PHE	-	expression tag	UNP P76143
K	0	THR	-	expression tag	UNP P76143
L	-3	GLY	-	expression tag	UNP P76143
L	-2	SER	-	expression tag	UNP P76143
L	-1	PHE	-	expression tag	UNP P76143
L	0	THR	-	expression tag	UNP P76143
M	-3	GLY	-	expression tag	UNP P76143
M	-2	SER	-	expression tag	UNP P76143
M	-1	PHE	-	expression tag	UNP P76143
M	0	THR	-	expression tag	UNP P76143
N	-3	GLY	-	expression tag	UNP P76143
N	-2	SER	-	expression tag	UNP P76143
N	-1	PHE	-	expression tag	UNP P76143
N	0	THR	-	expression tag	UNP P76143
O	-3	GLY	-	expression tag	UNP P76143
O	-2	SER	-	expression tag	UNP P76143
O	-1	PHE	-	expression tag	UNP P76143
O	0	THR	-	expression tag	UNP P76143
P	-3	GLY	-	expression tag	UNP P76143
P	-2	SER	-	expression tag	UNP P76143
P	-1	PHE	-	expression tag	UNP P76143
P	0	THR	-	expression tag	UNP P76143
Q	-3	GLY	-	expression tag	UNP P76143
Q	-2	SER	-	expression tag	UNP P76143
Q	-1	PHE	-	expression tag	UNP P76143
Q	0	THR	-	expression tag	UNP P76143
R	-3	GLY	-	expression tag	UNP P76143
R	-2	SER	-	expression tag	UNP P76143
R	-1	PHE	-	expression tag	UNP P76143
R	0	THR	-	expression tag	UNP P76143
S	-3	GLY	-	expression tag	UNP P76143

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	-2	SER	-	expression tag	UNP P76143
S	-1	PHE	-	expression tag	UNP P76143
S	0	THR	-	expression tag	UNP P76143
T	-3	GLY	-	expression tag	UNP P76143
T	-2	SER	-	expression tag	UNP P76143
T	-1	PHE	-	expression tag	UNP P76143
T	0	THR	-	expression tag	UNP P76143

- Molecule 2 is RIBOSE-5-PHOSPHATE (CCD ID: R5P) (formula: C₅H₁₁O₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			14	5	8	1		
2	B	1	Total	C	O	P	0	0
			14	5	8	1		
2	C	1	Total	C	O	P	0	0
			14	5	8	1		
2	D	1	Total	C	O	P	0	0
			14	5	8	1		
2	E	1	Total	C	O	P	0	0
			14	5	8	1		
2	F	1	Total	C	O	P	0	0
			14	5	8	1		
2	G	1	Total	C	O	P	0	0
			14	5	8	1		
2	H	1	Total	C	O	P	0	0
			14	5	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	I	1	Total	C	O	P	0	0
			14	5	8	1		
2	J	1	Total	C	O	P	0	0
			14	5	8	1		
2	K	1	Total	C	O	P	0	0
			14	5	8	1		
2	L	1	Total	C	O	P	0	0
			14	5	8	1		
2	M	1	Total	C	O	P	0	0
			14	5	8	1		
2	N	1	Total	C	O	P	0	0
			14	5	8	1		
2	O	1	Total	C	O	P	0	0
			14	5	8	1		
2	P	1	Total	C	O	P	0	0
			14	5	8	1		
2	Q	1	Total	C	O	P	0	0
			14	5	8	1		
2	R	1	Total	C	O	P	0	0
			14	5	8	1		
2	S	1	Total	C	O	P	0	0
			14	5	8	1		
2	T	1	Total	C	O	P	0	0
			14	5	8	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	15	Total	O	0	0
			15	15		
3	B	9	Total	O	0	0
			9	9		
3	C	16	Total	O	0	0
			16	16		
3	D	28	Total	O	0	0
			28	28		
3	E	23	Total	O	0	0
			23	23		
3	F	19	Total	O	0	0
			19	19		
3	G	11	Total	O	0	0
			11	11		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	23	Total 23	O 23	0	0
3	I	18	Total 18	O 18	0	0
3	J	11	Total 11	O 11	0	0
3	K	16	Total 16	O 16	0	0
3	L	10	Total 10	O 10	0	0
3	M	18	Total 18	O 18	0	0
3	N	22	Total 22	O 22	0	0
3	O	20	Total 20	O 20	0	0
3	P	21	Total 21	O 21	0	0
3	Q	17	Total 17	O 17	0	0
3	R	13	Total 13	O 13	0	0
3	S	11	Total 11	O 11	0	0
3	T	13	Total 13	O 13	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aldolase lsrF

Chain A: 





- Molecule 1: Aldolase lsrF

Chain B: 




- Molecule 1: Aldolase lsrF

Chain C: 






- Molecule 1: Aldolase lsrF

Chain D: 








- Molecule 1: Aldolase lsrF




- Molecule 1: Aldolase lsrF




- Molecule 1: Aldolase lsrF




- Molecule 1: Aldolase lsrF





- Molecule 1: Aldolase lsrF








● Molecule 1: Aldolase lsrF




● Molecule 1: Aldolase lsrF



● Molecule 1: Aldolase lsrF





● Molecule 1: Aldolase lsrF




● Molecule 1: Aldolase lsrF


- Molecule 1: Aldolase lsrF

Chain S:  %



- Molecule 1: Aldolase lsrF

Chain T:  %



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	78.35Å 105.45Å 173.41Å 89.51° 79.79° 90.34°	Depositor
Resolution (Å)	55.73 – 2.50 55.73 – 2.50	Depositor EDS
% Data completeness (in resolution range)	67.4 (55.73-2.50) 67.4 (55.73-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.51Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.205 , 0.235 0.199 , 0.228	Depositor DCC
R_{free} test set	7743 reflections (4.10%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtrriage
Anisotropy	0.187	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 32.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.025 for h,-k,h-l 0.032 for -h,k,-l 0.013 for -h,-k,-h+l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	42874	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: R5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.86	1/2151 (0.0%)	0.94	1/2910 (0.0%)
1	B	0.81	0/2151	0.94	0/2910
1	C	0.84	0/2151	0.95	2/2910 (0.1%)
1	D	0.88	0/2151	0.95	1/2910 (0.0%)
1	E	0.86	0/2151	0.95	1/2910 (0.0%)
1	F	0.84	0/2151	0.93	0/2910
1	G	0.85	0/2151	0.92	1/2910 (0.0%)
1	H	0.89	0/2151	0.97	2/2910 (0.1%)
1	I	0.86	0/2151	0.97	2/2910 (0.1%)
1	J	0.87	2/2151 (0.1%)	0.95	2/2910 (0.1%)
1	K	0.83	0/2151	0.95	0/2910
1	L	0.85	1/2151 (0.0%)	0.94	3/2910 (0.1%)
1	M	0.85	0/2151	0.94	0/2910
1	N	0.87	0/2151	0.96	0/2910
1	O	0.82	0/2151	0.92	1/2910 (0.0%)
1	P	0.82	0/2151	0.96	0/2910
1	Q	0.83	0/2151	0.94	0/2910
1	R	0.87	0/2151	0.95	1/2910 (0.0%)
1	S	0.86	0/2151	0.96	0/2910
1	T	0.84	0/2151	0.95	0/2910
All	All	0.85	4/43020 (0.0%)	0.95	17/58200 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	220	VAL	CA-CB	6.79	1.62	1.54
1	J	172	ALA	CA-CB	-5.52	1.45	1.53
1	A	172	ALA	CA-CB	-5.35	1.45	1.53
1	J	250	VAL	CA-C	-5.14	1.46	1.52

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	95	VAL	N-CA-C	7.61	120.50	113.20
1	I	95	VAL	N-CA-C	6.97	119.89	113.20
1	G	95	VAL	N-CA-C	6.68	119.61	113.20
1	H	22	ILE	N-CA-C	6.65	113.61	107.56
1	J	95	VAL	CA-C-N	-6.20	118.39	122.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2113	0	2122	30	0
1	B	2113	0	2122	33	0
1	C	2113	0	2122	31	0
1	D	2113	0	2122	33	0
1	E	2113	0	2122	44	0
1	F	2113	0	2122	33	0
1	G	2113	0	2122	34	1
1	H	2113	0	2122	36	0
1	I	2113	0	2122	30	2
1	J	2113	0	2122	37	0
1	K	2113	0	2122	31	0
1	L	2113	0	2122	31	0
1	M	2113	0	2122	32	0
1	N	2113	0	2122	43	1
1	O	2113	0	2122	33	0
1	P	2113	0	2122	37	0
1	Q	2113	0	2122	36	0
1	R	2113	0	2122	36	0
1	S	2113	0	2122	30	0
1	T	2113	0	2122	34	0
2	A	14	0	9	2	0
2	B	14	0	9	2	0
2	C	14	0	9	2	0
2	D	14	0	9	2	0
2	E	14	0	9	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	14	0	9	2	0
2	G	14	0	9	2	0
2	H	14	0	9	2	0
2	I	14	0	9	1	0
2	J	14	0	9	2	0
2	K	14	0	9	1	0
2	L	14	0	9	2	0
2	M	14	0	9	2	0
2	N	14	0	9	2	0
2	O	14	0	9	2	0
2	P	14	0	9	2	0
2	Q	14	0	9	3	0
2	R	14	0	9	2	0
2	S	14	0	9	2	0
2	T	14	0	9	1	0
3	A	15	0	0	0	0
3	B	9	0	0	1	0
3	C	16	0	0	1	0
3	D	28	0	0	2	0
3	E	23	0	0	1	0
3	F	19	0	0	0	0
3	G	11	0	0	0	0
3	H	23	0	0	0	0
3	I	18	0	0	0	0
3	J	11	0	0	1	0
3	K	16	0	0	0	0
3	L	10	0	0	0	0
3	M	18	0	0	0	0
3	N	22	0	0	1	0
3	O	20	0	0	1	0
3	P	21	0	0	1	0
3	Q	17	0	0	0	0
3	R	13	0	0	1	0
3	S	11	0	0	1	0
3	T	13	0	0	0	0
All	All	42874	0	42620	596	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 596 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:281:ARG:HD2	1:N:233:ARG:NH2	1.30	1.43
1:E:281:ARG:CD	1:N:233:ARG:HH22	1.51	1.22
1:E:281:ARG:HH12	1:N:234:GLU:HG3	1.30	0.96
1:E:281:ARG:HH12	1:N:234:GLU:CG	1.79	0.95
1:C:164:MET:CE	1:C:200:GLN:HE22	1.93	0.81

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:276:ASN:ND2	1:N:281:ARG:NH1[1_565]	2.06	0.14
1:G:277:GLU:OE1	1:I:233:ARG:NH2[1_545]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	B	272/295 (92%)	262 (96%)	10 (4%)	0	100	100
1	C	272/295 (92%)	263 (97%)	9 (3%)	0	100	100
1	D	272/295 (92%)	262 (96%)	10 (4%)	0	100	100
1	E	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	F	272/295 (92%)	265 (97%)	7 (3%)	0	100	100
1	G	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	H	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	I	272/295 (92%)	262 (96%)	10 (4%)	0	100	100
1	J	272/295 (92%)	262 (96%)	10 (4%)	0	100	100
1	K	272/295 (92%)	263 (97%)	9 (3%)	0	100	100
1	L	272/295 (92%)	266 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	272/295 (92%)	260 (96%)	12 (4%)	0	100	100
1	N	272/295 (92%)	265 (97%)	7 (3%)	0	100	100
1	O	272/295 (92%)	263 (97%)	9 (3%)	0	100	100
1	P	272/295 (92%)	266 (98%)	6 (2%)	0	100	100
1	Q	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	R	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	S	272/295 (92%)	264 (97%)	8 (3%)	0	100	100
1	T	272/295 (92%)	261 (96%)	11 (4%)	0	100	100
All	All	5440/5900 (92%)	5268 (97%)	172 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/240 (93%)	215 (96%)	9 (4%)	28	54
1	B	224/240 (93%)	216 (96%)	8 (4%)	31	58
1	C	224/240 (93%)	214 (96%)	10 (4%)	24	49
1	D	224/240 (93%)	216 (96%)	8 (4%)	31	58
1	E	224/240 (93%)	217 (97%)	7 (3%)	35	62
1	F	224/240 (93%)	216 (96%)	8 (4%)	31	58
1	G	224/240 (93%)	216 (96%)	8 (4%)	31	58
1	H	224/240 (93%)	214 (96%)	10 (4%)	24	49
1	I	224/240 (93%)	217 (97%)	7 (3%)	35	62
1	J	224/240 (93%)	214 (96%)	10 (4%)	24	49
1	K	224/240 (93%)	216 (96%)	8 (4%)	31	58
1	L	224/240 (93%)	215 (96%)	9 (4%)	28	54
1	M	224/240 (93%)	216 (96%)	8 (4%)	31	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	N	224/240 (93%)	217 (97%)	7 (3%)	35 62
1	O	224/240 (93%)	212 (95%)	12 (5%)	20 41
1	P	224/240 (93%)	217 (97%)	7 (3%)	35 62
1	Q	224/240 (93%)	215 (96%)	9 (4%)	28 54
1	R	224/240 (93%)	216 (96%)	8 (4%)	31 58
1	S	224/240 (93%)	215 (96%)	9 (4%)	28 54
1	T	224/240 (93%)	216 (96%)	8 (4%)	31 58
All	All	4480/4800 (93%)	4310 (96%)	170 (4%)	29 56

5 of 170 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	176	VAL
1	Q	222	ILE
1	O	102	ARG
1	P	84	VAL
1	R	166	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 55 such sidechains are listed below:

Mol	Chain	Res	Type
1	J	81	HIS
1	L	200	GLN
1	T	58	HIS
1	R	134	ASN
1	J	134	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	R5P	S	400	-	12,13,13	2.16	4 (33%)	16,18,18	1.09	0
2	R5P	R	400	-	12,13,13	2.18	4 (33%)	16,18,18	1.07	0
2	R5P	L	400	-	12,13,13	2.21	5 (41%)	16,18,18	1.09	2 (12%)
2	R5P	G	400	-	12,13,13	2.23	5 (41%)	16,18,18	1.17	0
2	R5P	C	400	-	12,13,13	2.26	5 (41%)	16,18,18	1.21	2 (12%)
2	R5P	D	400	-	12,13,13	2.21	5 (41%)	16,18,18	1.17	1 (6%)
2	R5P	O	400	-	12,13,13	2.23	5 (41%)	16,18,18	1.03	0
2	R5P	E	400	-	12,13,13	2.17	3 (25%)	16,18,18	1.09	0
2	R5P	N	400	-	12,13,13	2.21	5 (41%)	16,18,18	1.11	0
2	R5P	T	400	-	12,13,13	2.22	5 (41%)	16,18,18	1.10	1 (6%)
2	R5P	P	400	-	12,13,13	2.24	5 (41%)	16,18,18	0.99	0
2	R5P	I	400	-	12,13,13	2.13	4 (33%)	16,18,18	1.20	2 (12%)
2	R5P	Q	400	-	12,13,13	2.08	1 (8%)	16,18,18	1.03	0
2	R5P	A	400	-	12,13,13	2.23	5 (41%)	16,18,18	1.09	0
2	R5P	F	400	-	12,13,13	2.14	3 (25%)	16,18,18	0.99	0
2	R5P	H	400	-	12,13,13	2.23	5 (41%)	16,18,18	1.01	1 (6%)
2	R5P	B	400	-	12,13,13	2.16	5 (41%)	16,18,18	1.13	2 (12%)
2	R5P	J	400	-	12,13,13	2.23	5 (41%)	16,18,18	1.00	0
2	R5P	M	400	-	12,13,13	2.18	5 (41%)	16,18,18	1.13	1 (6%)
2	R5P	K	400	-	12,13,13	2.27	5 (41%)	16,18,18	1.11	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R5P	S	400	-	-	2/15/16/16	-
2	R5P	R	400	-	-	1/15/16/16	-
2	R5P	L	400	-	-	3/15/16/16	-
2	R5P	G	400	-	-	2/15/16/16	-
2	R5P	C	400	-	-	3/15/16/16	-
2	R5P	D	400	-	-	2/15/16/16	-
2	R5P	O	400	-	-	2/15/16/16	-
2	R5P	E	400	-	-	3/15/16/16	-
2	R5P	N	400	-	-	3/15/16/16	-
2	R5P	T	400	-	-	2/15/16/16	-
2	R5P	P	400	-	-	3/15/16/16	-
2	R5P	I	400	-	-	2/15/16/16	-
2	R5P	Q	400	-	-	2/15/16/16	-
2	R5P	A	400	-	-	3/15/16/16	-
2	R5P	F	400	-	-	2/15/16/16	-
2	R5P	H	400	-	-	2/15/16/16	-
2	R5P	B	400	-	-	2/15/16/16	-
2	R5P	J	400	-	-	2/15/16/16	-
2	R5P	M	400	-	-	1/15/16/16	-
2	R5P	K	400	-	-	2/15/16/16	-

The worst 5 of 89 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	400	R5P	O1-C1	5.74	1.41	1.20
2	K	400	R5P	O1-C1	5.71	1.41	1.20
2	A	400	R5P	O1-C1	5.71	1.41	1.20
2	T	400	R5P	O1-C1	5.66	1.41	1.20
2	P	400	R5P	O1-C1	5.63	1.41	1.20

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	400	R5P	O3P-P-O5	2.52	113.23	106.67
2	C	400	R5P	O5-C5-C4	2.35	115.64	109.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	400	R5P	O5-C5-C4	2.27	115.41	109.36
2	T	400	R5P	C5-C4-C3	2.22	116.41	112.22
2	I	400	R5P	O5-C5-C4	2.19	115.22	109.36

There are no chirality outliers.

5 of 44 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	P	400	R5P	C4-C5-O5-P
2	B	400	R5P	C4-C5-O5-P
2	C	400	R5P	C4-C5-O5-P
2	E	400	R5P	C4-C5-O5-P
2	F	400	R5P	C4-C5-O5-P

There are no ring outliers.

20 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	S	400	R5P	2	0
2	R	400	R5P	2	0
2	L	400	R5P	2	0
2	G	400	R5P	2	0
2	C	400	R5P	2	0
2	D	400	R5P	2	0
2	O	400	R5P	2	0
2	E	400	R5P	1	0
2	N	400	R5P	2	0
2	T	400	R5P	1	0
2	P	400	R5P	2	0
2	I	400	R5P	1	0
2	Q	400	R5P	3	0
2	A	400	R5P	2	0
2	F	400	R5P	2	0
2	H	400	R5P	2	0
2	B	400	R5P	2	0
2	J	400	R5P	2	0
2	M	400	R5P	2	0
2	K	400	R5P	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/295 (93%)	-0.18	1 (0%) 88 86	19, 32, 59, 78	0
1	B	276/295 (93%)	-0.17	1 (0%) 88 86	19, 32, 59, 78	0
1	C	276/295 (93%)	-0.22	2 (0%) 84 81	19, 32, 59, 78	0
1	D	276/295 (93%)	-0.17	1 (0%) 88 86	19, 32, 59, 78	0
1	E	276/295 (93%)	-0.14	3 (1%) 78 75	19, 32, 59, 78	0
1	F	276/295 (93%)	-0.14	4 (1%) 73 70	19, 32, 59, 78	0
1	G	276/295 (93%)	-0.19	1 (0%) 88 86	19, 32, 59, 78	0
1	H	276/295 (93%)	0.01	6 (2%) 62 58	19, 32, 59, 78	0
1	I	276/295 (93%)	-0.10	2 (0%) 84 81	19, 32, 59, 78	0
1	J	276/295 (93%)	-0.09	2 (0%) 84 81	19, 32, 59, 78	0
1	K	276/295 (93%)	-0.21	2 (0%) 84 81	19, 32, 59, 78	0
1	L	276/295 (93%)	-0.23	1 (0%) 88 86	19, 32, 59, 78	0
1	M	276/295 (93%)	-0.16	2 (0%) 84 81	19, 32, 59, 78	0
1	N	276/295 (93%)	-0.05	4 (1%) 73 70	19, 32, 59, 78	0
1	O	276/295 (93%)	-0.15	2 (0%) 84 81	19, 32, 59, 78	0
1	P	276/295 (93%)	-0.10	4 (1%) 73 70	19, 32, 59, 78	0
1	Q	276/295 (93%)	-0.11	3 (1%) 78 75	19, 32, 59, 78	0
1	R	276/295 (93%)	-0.20	1 (0%) 88 86	19, 32, 59, 78	0
1	S	276/295 (93%)	-0.15	2 (0%) 84 81	19, 32, 59, 78	0
1	T	276/295 (93%)	-0.12	3 (1%) 78 75	19, 32, 59, 78	0
All	All	5520/5900 (93%)	-0.14	47 (0%) 81 78	19, 32, 60, 78	0

The worst 5 of 47 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	181	VAL	5.2
1	P	181	VAL	4.8
1	O	284	GLU	3.9
1	B	181	VAL	3.7
1	M	10	GLY	3.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	R5P	A	400	14/14	0.60	0.19	75,79,82,82	0
2	R5P	G	400	14/14	0.74	0.19	75,79,82,82	0
2	R5P	L	400	14/14	0.77	0.14	75,79,82,82	0
2	R5P	N	400	14/14	0.77	0.17	75,79,82,82	0
2	R5P	E	400	14/14	0.78	0.14	75,79,82,82	0
2	R5P	J	400	14/14	0.79	0.15	75,79,82,82	0
2	R5P	C	400	14/14	0.79	0.15	75,79,82,82	0
2	R5P	I	400	14/14	0.79	0.15	75,79,82,82	0
2	R5P	Q	400	14/14	0.79	0.14	75,79,82,82	0
2	R5P	R	400	14/14	0.81	0.17	75,79,82,82	0
2	R5P	P	400	14/14	0.82	0.15	75,79,82,82	0
2	R5P	K	400	14/14	0.83	0.18	75,79,82,82	0
2	R5P	H	400	14/14	0.84	0.14	75,79,82,82	0
2	R5P	B	400	14/14	0.84	0.12	75,79,82,82	0
2	R5P	D	400	14/14	0.84	0.14	75,79,82,82	0
2	R5P	T	400	14/14	0.84	0.12	75,79,82,82	0
2	R5P	M	400	14/14	0.85	0.16	75,79,82,82	0
2	R5P	F	400	14/14	0.85	0.12	75,79,82,82	0
2	R5P	S	400	14/14	0.87	0.12	75,79,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	R5P	O	400	14/14	0.88	0.11	75,79,82,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.