



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:07 PM UTC

PDB ID : 4GLP / pdb_00004glp
Title : The crystal structure of soluble human CD14 reveals a bent solenoid with a hydrophobic amino-terminal pocket.
Authors : Kelley, S.L.; Lukk, T.; Nair, S.K.; Tapping, R.I.
Deposited on : 2012-08-14
Resolution : 4.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1082 (4.20-3.80)
Clashscore	190562	1129 (4.20-3.80)
Ramachandran outliers	187476	1064 (4.20-3.80)
Sidechain outliers	187428	1055 (4.20-3.80)
RSRZ outliers	180081	1082 (4.20-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	13% 41% 45% 13%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2346 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Monocyte differentiation antigen CD14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	310	Total	C	N	O	S	0	0	0
			2346	1479	415	441	11			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	306	SER	CYS	engineered mutation	UNP P08571

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Monocyte differentiation antigen CD14



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	147.52Å 147.52Å 44.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.88 – 4.00 27.88 – 4.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (27.88-4.00) 99.6 (27.88-4.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	421.48 (at 3.98Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.283 , 0.321 0.295 , 0.333	Depositor DCC
R_{free} test set	216 reflections (4.51%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 86.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.059 for -h,-k,l	Xtriage
F_o, F_c correlation	0.76	EDS
Total number of atoms	2346	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	1/2396 (0.0%)	1.17	26/3271 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	143	ALA	CA-CB	-7.13	1.41	1.53

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	ALA	N-CA-C	7.93	118.72	109.60
1	A	210	ARG	NE-CZ-NH1	-6.97	114.53	121.50
1	A	266	ASN	CA-C-N	6.89	128.45	119.84
1	A	266	ASN	C-N-CA	6.89	128.45	119.84
1	A	312	ALA	CA-C-N	6.83	128.37	119.84
1	A	312	ALA	C-N-CA	6.83	128.37	119.84
1	A	331	PHE	N-CA-C	-6.62	105.21	113.55
1	A	174	VAL	N-CA-C	6.47	117.34	107.77
1	A	182	SER	CA-C-N	6.30	127.71	119.84
1	A	182	SER	C-N-CA	6.30	127.71	119.84
1	A	67	GLU	CA-C-N	-6.19	112.11	119.84
1	A	67	GLU	C-N-CA	-6.19	112.11	119.84
1	A	111	ARG	N-CA-C	5.92	117.41	111.07
1	A	175	LEU	N-CA-C	5.62	117.85	108.02
1	A	135	LEU	CA-C-N	5.49	126.70	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	LEU	C-N-CA	5.49	126.70	119.84
1	A	132	MET	CA-C-N	5.42	125.96	120.38
1	A	132	MET	C-N-CA	5.42	125.96	120.38
1	A	217	CYS	CA-C-N	-5.35	115.07	120.31
1	A	217	CYS	C-N-CA	-5.35	115.07	120.31
1	A	289	GLU	CB-CA-C	5.27	120.90	110.42
1	A	133	PRO	CA-C-N	5.15	125.13	120.03
1	A	133	PRO	C-N-CA	5.15	125.13	120.03
1	A	76	ASP	N-CA-C	5.13	119.43	112.04
1	A	175	LEU	CB-CA-C	-5.11	102.52	110.74
1	A	279	ASN	CB-CA-C	-5.03	109.20	116.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	75	ALA	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2346	0	2353	125	0
All	All	2346	0	2353	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:PHE:HB3	1:A:224:ILE:HD11	1.60	0.81
1:A:79:PRO:HG2	1:A:82:TYR:H	1.44	0.80
1:A:295:LEU:HD23	1:A:319:PRO:HD3	1.64	0.79
1:A:235:GLU:O	1:A:261:LEU:HD12	1.84	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:ALA:HB2	1:A:169:LYS:HE2	1.67	0.76
1:A:189:GLN:N	1:A:189:GLN:OE1	2.18	0.76
1:A:76:ASP:OD2	1:A:76:ASP:N	2.18	0.76
1:A:73:VAL:HG23	1:A:76:ASP:HB3	1.70	0.73
1:A:304:LEU:O	1:A:307:ASN:ND2	2.24	0.70
1:A:274:TRP:NE1	1:A:294:GLY:O	2.24	0.70
1:A:122:THR:HG22	1:A:148:ARG:HB2	1.73	0.70
1:A:301:VAL:HA	1:A:323:ASN:HD21	1.57	0.69
1:A:38:PHE:O	1:A:39:SER:OG	2.09	0.69
1:A:89:LEU:O	1:A:91:VAL:N	2.27	0.68
1:A:138:GLU:HG2	1:A:139:ALA:H	1.58	0.67
1:A:137:LEU:HD12	1:A:137:LEU:N	2.11	0.65
1:A:93:ARG:HG3	1:A:93:ARG:HH11	1.63	0.64
1:A:190:VAL:HG12	1:A:220:LYS:CE	2.27	0.64
1:A:240:VAL:O	1:A:244:LEU:HD13	1.98	0.64
1:A:264:THR:OG1	1:A:265:VAL:N	2.29	0.64
1:A:158:ARG:O	1:A:185:PHE:HA	1.98	0.63
1:A:58:GLU:OE1	1:A:59:ILE:N	2.33	0.61
1:A:186:SER:OG	1:A:189:GLN:OE1	2.18	0.61
1:A:191:ARG:C	1:A:220:LYS:HZ3	2.09	0.60
1:A:318:LEU:HD12	1:A:319:PRO:HD2	1.82	0.60
1:A:257:SER:O	1:A:258:HIS:ND1	2.34	0.60
1:A:301:VAL:HG12	1:A:323:ASN:OD1	2.02	0.60
1:A:191:ARG:O	1:A:220:LYS:NZ	2.34	0.59
1:A:218:PRO:C	1:A:220:LYS:H	2.10	0.59
1:A:278:LEU:HD21	1:A:281:LEU:HD11	1.85	0.58
1:A:67:GLU:OE2	1:A:100:GLN:NE2	2.36	0.58
1:A:321:VAL:HG22	1:A:322:ASP:H	1.68	0.58
1:A:151:ASN:H	1:A:179:GLN:HB2	1.69	0.58
1:A:279:ASN:O	1:A:299:LEU:HD12	2.03	0.57
1:A:28:ASP:OD2	1:A:28:ASP:N	2.37	0.57
1:A:204:ASN:O	1:A:206:GLY:N	2.38	0.56
1:A:111:ARG:HH11	1:A:167:TRP:HZ3	1.55	0.55
1:A:200:ASP:OD1	1:A:202:SER:OG	2.16	0.55
1:A:314:GLN:HB2	1:A:317:GLU:HG2	1.89	0.54
1:A:67:GLU:N	1:A:67:GLU:OE1	2.41	0.54
1:A:73:VAL:HG13	1:A:105:LEU:HD12	1.89	0.54
1:A:188:GLU:HG3	1:A:189:GLN:OE1	2.08	0.54
1:A:255:ASP:C	1:A:256:LEU:HD12	2.33	0.54
1:A:176:SER:HA	1:A:200:ASP:HB3	1.90	0.54
1:A:58:GLU:OE1	1:A:58:GLU:C	2.51	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:VAL:HG12	1:A:37:ASN:H	1.74	0.53
1:A:309:LEU:O	1:A:330:PRO:HG2	2.09	0.53
1:A:323:ASN:HD22	1:A:323:ASN:N	2.06	0.53
1:A:301:VAL:HA	1:A:323:ASN:ND2	2.23	0.53
1:A:35:VAL:HG12	1:A:37:ASN:N	2.24	0.53
1:A:43:PRO:HB2	1:A:45:TRP:CE2	2.45	0.52
1:A:108:GLY:O	1:A:112:VAL:HG12	2.09	0.52
1:A:185:PHE:CD2	1:A:185:PHE:N	2.79	0.51
1:A:220:LYS:HG3	1:A:221:PHE:HD1	1.75	0.51
1:A:79:PRO:HD2	1:A:83:ALA:HB2	1.92	0.50
1:A:333:VAL:N	1:A:334:PRO:HD2	2.26	0.50
1:A:64:LEU:HD23	1:A:65:ASN:C	2.36	0.50
1:A:302:LEU:O	1:A:324:LEU:HD12	2.10	0.50
1:A:333:VAL:H	1:A:334:PRO:HD2	1.76	0.50
1:A:142:LEU:C	1:A:169:LYS:HG3	2.37	0.50
1:A:175:LEU:O	1:A:200:ASP:N	2.28	0.49
1:A:305:SER:O	1:A:307:ASN:ND2	2.45	0.49
1:A:135:LEU:HD23	1:A:135:LEU:H	1.77	0.49
1:A:159:SER:O	1:A:159:SER:OG	2.29	0.49
1:A:272:CYS:O	1:A:274:TRP:N	2.44	0.49
1:A:52:VAL:HG22	1:A:89:LEU:HD11	1.95	0.49
1:A:77:ALA:HB2	1:A:111:ARG:HH21	1.77	0.49
1:A:68:PRO:O	1:A:70:LEU:HD22	2.13	0.48
1:A:280:SER:HA	1:A:301:VAL:O	2.14	0.48
1:A:303:ASP:OD1	1:A:304:LEU:N	2.46	0.48
1:A:53:SER:O	1:A:53:SER:OG	2.30	0.48
1:A:165:GLN:HE22	1:A:220:LYS:HZ1	1.61	0.48
1:A:297:ALA:HA	1:A:319:PRO:HB2	1.95	0.48
1:A:241:CYS:HB2	1:A:274:TRP:CE2	2.49	0.48
1:A:142:LEU:HD12	1:A:144:LEU:HD13	1.96	0.48
1:A:168:LEU:HD23	1:A:172:LEU:HD22	1.95	0.48
1:A:220:LYS:HG3	1:A:221:PHE:CD1	2.49	0.47
1:A:291:VAL:CG1	1:A:295:LEU:HD21	2.45	0.47
1:A:193:PHE:CD1	1:A:221:PHE:CE1	3.03	0.46
1:A:218:PRO:C	1:A:220:LYS:N	2.71	0.46
1:A:321:VAL:HG21	1:A:324:LEU:HB2	1.96	0.46
1:A:200:ASP:CG	1:A:202:SER:HG	2.16	0.46
1:A:47:GLU:N	1:A:47:GLU:OE1	2.49	0.46
1:A:282:ASN:O	1:A:283:LEU:HD23	2.16	0.46
1:A:121:LEU:HB2	1:A:144:LEU:HD11	1.98	0.45
1:A:46:SER:O	1:A:49:PHE:HD2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:CYS:HB2	1:A:274:TRP:CZ2	2.52	0.45
1:A:190:VAL:HG12	1:A:220:LYS:HE2	1.98	0.45
1:A:275:SER:O	1:A:277:ALA:N	2.51	0.44
1:A:291:VAL:HA	1:A:292:PRO:HD3	1.83	0.44
1:A:298:LYS:O	1:A:299:LEU:HD13	2.17	0.44
1:A:71:LYS:HB3	1:A:71:LYS:HE3	1.76	0.44
1:A:175:LEU:HB3	1:A:199:LEU:HD12	1.99	0.44
1:A:186:SER:OG	1:A:186:SER:O	2.22	0.44
1:A:133:PRO:HA	1:A:134:PRO:HD3	1.80	0.44
1:A:227:LEU:HD23	1:A:254:LEU:CD1	2.48	0.44
1:A:58:GLU:CD	1:A:60:HIS:ND1	2.76	0.44
1:A:126:LEU:HB3	1:A:127:LYS:H	1.72	0.44
1:A:119:LYS:O	1:A:145:SER:N	2.40	0.44
1:A:295:LEU:HB3	1:A:319:PRO:HG3	1.99	0.43
1:A:66:LEU:HD23	1:A:66:LEU:O	2.18	0.43
1:A:289:GLU:CD	1:A:289:GLU:C	2.87	0.43
1:A:144:LEU:HD12	1:A:144:LEU:HA	1.65	0.43
1:A:137:LEU:HD11	1:A:140:THR:CG2	2.49	0.43
1:A:58:GLU:OE2	1:A:60:HIS:ND1	2.51	0.43
1:A:218:PRO:O	1:A:220:LYS:N	2.50	0.43
1:A:137:LEU:CD1	1:A:140:THR:CG2	2.97	0.42
1:A:299:LEU:HB3	1:A:300:ARG:H	1.65	0.42
1:A:326:LEU:HD12	1:A:326:LEU:HA	1.90	0.42
1:A:193:PHE:CD1	1:A:220:LYS:NZ	2.85	0.42
1:A:190:VAL:HG12	1:A:220:LYS:HE3	1.98	0.42
1:A:259:ASN:HB2	1:A:261:LEU:HD11	2.02	0.41
1:A:306:SER:H	1:A:328:GLY:HA3	1.85	0.41
1:A:94:LEU:HD23	1:A:121:LEU:CD1	2.49	0.41
1:A:114:ALA:HA	1:A:142:LEU:HB3	2.02	0.41
1:A:256:LEU:O	1:A:258:HIS:N	2.47	0.41
1:A:281:LEU:O	1:A:302:LEU:HD12	2.21	0.41
1:A:71:LYS:HB3	1:A:72:ARG:HA	2.02	0.41
1:A:160:TRP:HH2	1:A:177:ILE:HD13	1.85	0.41
1:A:197:THR:OG1	1:A:198:SER:N	2.53	0.41
1:A:151:ASN:N	1:A:179:GLN:HB2	2.34	0.40
1:A:213:MET:HG2	1:A:243:ALA:HB1	2.02	0.40
1:A:311:ARG:HB2	1:A:312:ALA:H	1.63	0.40
1:A:101:VAL:O	1:A:128:ILE:HA	2.21	0.40
1:A:234:MET:HE2	1:A:234:MET:HB3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	308/310 (99%)	210 (68%)	70 (23%)	28 (9%)	0	10

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	39	SER
1	A	73	VAL
1	A	77	ALA
1	A	90	ARG
1	A	136	PRO
1	A	137	LEU
1	A	139	ALA
1	A	230	ARG
1	A	257	SER
1	A	273	MET
1	A	276	SER
1	A	35	VAL
1	A	45	TRP
1	A	98	ALA
1	A	187	CYS
1	A	219	HIS
1	A	248	GLY
1	A	75	ALA
1	A	179	GLN
1	A	196	LEU
1	A	206	GLY
1	A	247	ALA
1	A	313	PRO
1	A	205	PRO
1	A	321	VAL
1	A	323	ASN
1	A	79	PRO
1	A	62	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	255/256 (100%)	219 (86%)	36 (14%)	3 17

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	34	CYS
1	A	36	CYS
1	A	47	GLU
1	A	57	VAL
1	A	58	GLU
1	A	66	LEU
1	A	70	LEU
1	A	74	ASP
1	A	76	ASP
1	A	82	TYR
1	A	105	LEU
1	A	112	VAL
1	A	123	LEU
1	A	131	THR
1	A	132	MET
1	A	137	LEU
1	A	172	LEU
1	A	175	LEU
1	A	181	HIS
1	A	185	PHE
1	A	186	SER
1	A	216	LEU
1	A	221	PHE
1	A	244	LEU
1	A	252	HIS
1	A	261	LEU
1	A	262	ARG
1	A	273	MET
1	A	288	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	295	LEU
1	A	304	LEU
1	A	309	LEU
1	A	310	ASN
1	A	322	ASP
1	A	323	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	GLN
1	A	179	GLN
1	A	323	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	310/310 (100%)	1.05	39 (12%) 8 12	9, 51, 100, 126	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	267	PRO	5.5
1	A	280	SER	5.4
1	A	287	GLY	4.2
1	A	289	GLU	4.1
1	A	56	GLU	3.9
1	A	266	ASN	3.4
1	A	79	PRO	3.0
1	A	139	ALA	3.0
1	A	89	LEU	2.9
1	A	269	ALA	2.9
1	A	264	THR	2.8
1	A	293	LYS	2.7
1	A	183	PRO	2.7
1	A	316	ASP	2.6
1	A	301	VAL	2.6
1	A	88	ALA	2.6
1	A	310	ASN	2.5
1	A	67	GLU	2.5
1	A	184	ALA	2.5
1	A	309	LEU	2.5
1	A	334	PRO	2.5
1	A	281	LEU	2.4
1	A	268	SER	2.4
1	A	68	PRO	2.4
1	A	248	GLY	2.4
1	A	134	PRO	2.4
1	A	335	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	286	ALA	2.2
1	A	140	THR	2.2
1	A	211	GLY	2.2
1	A	73	VAL	2.2
1	A	90	ARG	2.2
1	A	141	GLY	2.2
1	A	72	ARG	2.1
1	A	296	PRO	2.1
1	A	238	THR	2.1
1	A	307	ASN	2.0
1	A	181	HIS	2.0
1	A	320	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.