



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 04:05 AM UTC

PDB ID : 5GMP / pdb_00005gmp
Title : Crystal structure of EGFR 696-1022 T790M in complex with XTF-262
Authors : Yan, X.E.; Yun, C.H.
Deposited on : 2016-07-14
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	14% 45% 36% 11% 8%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2437 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	305	2367	1522	397	429	19	0	1	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	692	GLY	-	expression tag	UNP P00533
A	693	ALA	-	expression tag	UNP P00533
A	694	MET	-	expression tag	UNP P00533
A	695	GLY	-	expression tag	UNP P00533
A	790	MET	THR	engineered mutation	UNP P00533

- Molecule 2 is N-[3-[2-[[2-methoxy-4-(4-methylpiperazin-1-yl)phenyl]amino]-5-methyl-7-oxidanylidene-pyrido[2,3-d]pyrimidin-8-yl]phenyl]prop-2-enamide (CCD ID: F62) (formula: C₂₉H₃₁N₇O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			39	29	7	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	31	Total	O	0	0
			31	31		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Epidermal growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	145.34Å 145.34Å 145.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.96 – 2.80 45.96 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (45.96-2.80) 99.4 (45.96-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.212 , 0.241 0.225 , 0.244	Depositor DCC
R_{free} test set	622 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	48.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 58.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.034 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2437	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: F62

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	1/2419 (0.0%)	1.02	10/3283 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	735	GLY	C-N	-6.88	1.24	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	797	CYS	N-CA-CB	-6.07	100.66	109.83
1	A	986	ARG	N-CA-C	6.03	117.85	111.28
1	A	1006	ASP	N-CA-C	5.99	117.81	111.28
1	A	1007	MET	N-CA-C	5.65	118.46	109.24
1	A	722	ALA	CB-CA-C	-5.48	110.27	116.63
1	A	987	MET	N-CA-C	5.38	118.03	110.23
1	A	734	GLU	CB-CA-C	-5.33	110.42	116.54
1	A	750	ALA	CB-CA-C	-5.20	110.56	116.54
1	A	808	ASN	N-CA-C	5.14	119.24	112.92
1	A	855	ASP	N-CA-C	5.12	118.19	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2367	0	2352	146	0
2	A	39	0	0	2	0
3	A	31	0	0	2	0
All	All	2437	0	2352	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:715:ILE:HG21	1:A:1003:ASP:CB	1.71	1.21
1:A:715:ILE:HD13	1:A:1003:ASP:CB	1.77	1.13
1:A:795:PHE:HB2	1:A:845:VAL:HG22	1.28	1.10
1:A:759:ILE:HD11	1:A:788:LEU:HD22	1.32	1.06
1:A:734:GLU:OE2	1:A:734:GLU:HA	1.53	1.05
1:A:780:ILE:CD1	1:A:788:LEU:HD12	1.88	1.04
1:A:780:ILE:HD13	1:A:788:LEU:HD12	1.40	0.98
1:A:877:PRO:O	1:A:881:MET:HG3	1.64	0.97
1:A:759:ILE:CD1	1:A:788:LEU:HD22	1.96	0.95
1:A:842:ASN:O	1:A:854:THR:HG22	1.66	0.94
1:A:739:LYS:HD2	1:A:1007:MET:CB	1.97	0.94
1:A:765:VAL:HG13	1:A:833:LEU:HD21	1.51	0.92
1:A:780:ILE:CD1	1:A:788:LEU:CD1	2.47	0.91
1:A:765:VAL:CG1	1:A:833:LEU:HD21	2.02	0.90
1:A:831:ARG:O	1:A:832:ARG:HG3	1.79	0.83
1:A:747:LEU:HD22	1:A:747:LEU:N	1.94	0.81
1:A:792:LEU:O	1:A:794:PRO:HD3	1.80	0.81
1:A:737:LYS:O	1:A:737:LYS:CG	2.30	0.79
1:A:795:PHE:HB2	1:A:845:VAL:CG2	2.10	0.78
1:A:734:GLU:OE2	1:A:734:GLU:CA	2.30	0.78
1:A:863:GLY:O	1:A:864:ALA:CB	2.30	0.77
1:A:835:HIS:CE1	1:A:837:ASP:O	2.38	0.76
1:A:766:MET:HE1	1:A:790:MET:SD	2.27	0.75
1:A:715:ILE:CG2	1:A:1003:ASP:CB	2.61	0.74
1:A:1018:ILE:HD12	1:A:1019:PRO:HD2	1.71	0.72
1:A:799:LEU:O	1:A:803:ARG:HG3	1.90	0.71
1:A:926:ILE:HG22	1:A:931:GLU:HG2	1.72	0.70
2:A:1101:F62:OAF	2:A:1101:F62:CAJ	2.39	0.70
1:A:878:ILE:HG21	1:A:920:ALA:CB	2.20	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:747:LEU:N	1:A:747:LEU:CD2	2.56	0.68
1:A:883:LEU:HD13	1:A:927:LEU:HB2	1.76	0.68
1:A:765:VAL:HG13	1:A:833:LEU:CD2	2.22	0.68
1:A:863:GLY:O	1:A:864:ALA:HB2	1.95	0.67
1:A:1018:ILE:HD12	3:A:1229:HOH:O	1.95	0.66
1:A:737:LYS:O	1:A:737:LYS:HG3	1.95	0.66
1:A:904:VAL:HG12	1:A:947:MET:HE2	1.78	0.66
1:A:999:ARG:O	1:A:1000:ALA:HB3	1.96	0.65
2:A:1101:F62:CAM	2:A:1101:F62:N3	2.54	0.65
1:A:795:PHE:CB	1:A:845:VAL:HG22	2.18	0.65
1:A:831:ARG:O	1:A:832:ARG:CG	2.43	0.65
1:A:878:ILE:HG21	1:A:920:ALA:HB1	1.78	0.64
1:A:961:PHE:O	1:A:965:ILE:HG13	1.98	0.64
1:A:780:ILE:CD1	1:A:788:LEU:HD11	2.27	0.64
1:A:926:ILE:CG2	1:A:931:GLU:HG2	2.27	0.63
1:A:831:ARG:O	1:A:832:ARG:CB	2.49	0.60
1:A:747:LEU:CD2	1:A:747:LEU:H	2.14	0.60
1:A:731:TRP:HZ3	1:A:778:LEU:HD22	1.67	0.59
1:A:759:ILE:HD12	1:A:759:ILE:O	2.01	0.59
1:A:780:ILE:HD11	1:A:788:LEU:CD1	2.31	0.59
1:A:980:VAL:CG2	1:A:980:VAL:O	2.51	0.59
1:A:707:LEU:HD12	1:A:789:ILE:HD13	1.85	0.59
1:A:931:GLU:HG3	1:A:932:ARG:N	2.18	0.59
1:A:919:PRO:O	1:A:922:GLU:HB2	2.03	0.58
1:A:765:VAL:HG11	1:A:833:LEU:HD21	1.84	0.58
1:A:879:LYS:HG2	1:A:915:TYR:HD2	1.68	0.58
1:A:780:ILE:HD11	1:A:788:LEU:HD11	1.86	0.57
1:A:724:GLY:HA2	1:A:748:ARG:H	1.69	0.57
1:A:759:ILE:CD1	1:A:788:LEU:CD2	2.76	0.57
1:A:845:VAL:HG22	1:A:845:VAL:O	2.03	0.57
1:A:879:LYS:HG2	1:A:915:TYR:CD2	2.41	0.56
1:A:715:ILE:CD1	1:A:1003:ASP:CB	2.69	0.56
1:A:739:LYS:CD	1:A:1007:MET:CB	2.78	0.55
1:A:878:ILE:HG21	1:A:920:ALA:HB2	1.87	0.55
1:A:728:LYS:HZ2	1:A:1002:MET:HB2	1.71	0.55
1:A:898:TRP:CZ2	1:A:927:LEU:HD13	2.42	0.55
1:A:756:ASN:O	1:A:759:ILE:HG22	2.06	0.55
1:A:776:ARG:HH11	1:A:776:ARG:HB3	1.72	0.54
1:A:737:LYS:O	1:A:737:LYS:HG2	2.08	0.54
1:A:747:LEU:HD22	1:A:747:LEU:H	1.73	0.53
1:A:898:TRP:C	1:A:898:TRP:CD1	2.86	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:776:ARG:NE	1:A:1014:ASP:OD1	2.40	0.53
1:A:747:LEU:O	1:A:785:THR:HG21	2.09	0.53
1:A:793:MET:HE2	1:A:852:LYS:HB2	1.90	0.53
1:A:890:ILE:O	1:A:890:ILE:HG22	2.09	0.52
1:A:893:HIS:O	1:A:896:ASP:HB2	2.09	0.52
1:A:920:ALA:HA	1:A:923:ILE:HG13	1.91	0.52
1:A:831:ARG:C	1:A:832:ARG:CG	2.79	0.51
1:A:733:PRO:O	1:A:736:GLU:CG	2.59	0.51
1:A:728:LYS:NZ	1:A:1002:MET:HB2	2.25	0.50
1:A:1002:MET:SD	1:A:1002:MET:N	2.84	0.50
1:A:971:MET:HE2	1:A:978:TYR:CD2	2.46	0.50
1:A:717:VAL:O	1:A:717:VAL:HG12	2.12	0.50
1:A:1018:ILE:O	1:A:1019:PRO:O	2.30	0.50
1:A:736:GLU:OE2	1:A:1016:TYR:OH	2.30	0.50
1:A:791:GLN:NE2	1:A:1012:ASP:OD2	2.44	0.49
1:A:835:HIS:HE1	1:A:837:ASP:O	1.90	0.49
1:A:999:ARG:O	1:A:1000:ALA:CB	2.61	0.49
1:A:845:VAL:CG2	1:A:845:VAL:O	2.59	0.49
1:A:731:TRP:CZ3	1:A:778:LEU:HD22	2.47	0.49
1:A:925:SER:O	1:A:929:LYS:N	2.42	0.49
1:A:714:LYS:HD2	1:A:727:TYR:CG	2.48	0.49
1:A:759:ILE:CG2	1:A:760:LEU:N	2.75	0.49
1:A:803:ARG:HG2	1:A:911:GLY:HA3	1.94	0.49
1:A:815:LEU:O	1:A:819:VAL:HG23	2.13	0.49
1:A:718:LEU:HD21	1:A:728:LYS:HB2	1.95	0.48
1:A:1002:MET:O	1:A:1003:ASP:CB	2.61	0.48
1:A:709:GLU:OE1	1:A:783:THR:HG21	2.13	0.48
1:A:863:GLY:O	1:A:864:ALA:HB3	2.11	0.48
1:A:884:GLU:OE2	1:A:958:ARG:CZ	2.61	0.48
1:A:972:ALA:O	1:A:975:PRO:HD3	2.14	0.47
1:A:878:ILE:HD11	1:A:886:ILE:HD13	1.96	0.47
1:A:733:PRO:HB2	1:A:736:GLU:HG3	1.96	0.47
1:A:797:CYS:HB3	1:A:800:ASP:HB2	1.97	0.47
1:A:846:LYS:NZ	1:A:1014:ASP:OD2	2.46	0.47
1:A:714:LYS:HD2	1:A:727:TYR:CD2	2.50	0.46
1:A:733:PRO:O	1:A:736:GLU:HG2	2.15	0.46
1:A:817:TRP:O	1:A:821:ILE:HD12	2.14	0.46
1:A:802:VAL:HA	1:A:809:ILE:CD1	2.44	0.46
1:A:926:ILE:HG22	1:A:931:GLU:CG	2.42	0.46
1:A:739:LYS:O	1:A:1010:VAL:HA	2.17	0.45
1:A:881:MET:HE3	1:A:885:SER:HB3	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:989:LEU:O	1:A:990:PRO:C	2.58	0.45
1:A:734:GLU:HB3	1:A:735:GLY:H	1.41	0.45
1:A:897:VAL:O	1:A:900:TYR:HB3	2.16	0.45
1:A:1018:ILE:CD1	3:A:1229:HOH:O	2.58	0.45
1:A:733:PRO:O	1:A:736:GLU:HG3	2.17	0.45
1:A:759:ILE:HD13	1:A:759:ILE:HA	1.77	0.45
1:A:740:ILE:HG22	1:A:742:VAL:HG13	1.99	0.44
1:A:792:LEU:C	1:A:794:PRO:HD3	2.43	0.44
1:A:835:HIS:ND1	1:A:837:ASP:C	2.75	0.44
1:A:842:ASN:C	1:A:854:THR:HG22	2.36	0.44
1:A:831:ARG:C	1:A:832:ARG:HG3	2.38	0.44
1:A:898:TRP:CH2	1:A:927:LEU:HD13	2.52	0.44
1:A:736:GLU:HG2	1:A:736:GLU:H	1.52	0.44
1:A:877:PRO:O	1:A:881:MET:CG	2.52	0.44
1:A:781:CYS:HB3	1:A:787:GLN:HB2	1.99	0.44
1:A:759:ILE:HD12	1:A:788:LEU:CD2	2.47	0.43
1:A:980:VAL:O	1:A:980:VAL:HG22	2.19	0.43
1:A:732:ILE:HD13	1:A:739:LYS:HG2	2.01	0.43
1:A:1018:ILE:HD13	1:A:1018:ILE:HA	1.74	0.43
1:A:926:ILE:CG2	1:A:931:GLU:CG	2.94	0.43
1:A:961:PHE:HA	1:A:964:LEU:HD12	2.01	0.43
1:A:926:ILE:HG22	1:A:931:GLU:HB3	2.02	0.42
1:A:942:ASP:OD2	1:A:942:ASP:N	2.51	0.42
1:A:847:THR:OG1	1:A:849:GLN:HG2	2.20	0.42
1:A:726:VAL:HA	1:A:744:ILE:O	2.18	0.41
1:A:835:HIS:C	1:A:837:ASP:H	2.28	0.41
1:A:887:LEU:C	1:A:888:HIS:ND1	2.77	0.41
1:A:918:ILE:CD1	1:A:926:ILE:CD1	2.98	0.41
1:A:922:GLU:OE1	1:A:922:GLU:HA	2.20	0.41
1:A:884:GLU:H	1:A:884:GLU:HG3	1.26	0.41
1:A:892:THR:OG1	1:A:893:HIS:N	2.53	0.41
1:A:831:ARG:HA	1:A:831:ARG:HD2	1.40	0.41
1:A:795:PHE:CB	1:A:845:VAL:CG2	2.92	0.40
1:A:776:ARG:HH11	1:A:776:ARG:CB	2.34	0.40
1:A:793:MET:HE3	1:A:846:LYS:N	2.36	0.40
1:A:780:ILE:HD12	1:A:788:LEU:CD1	2.43	0.40
1:A:909:THR:HB	1:A:912:SER:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/331 (91%)	292 (97%)	8 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/288 (87%)	191 (76%)	60 (24%)	1	3

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	697	GLU
1	A	703	LEU
1	A	708	LYS
1	A	714	LYS
1	A	717	VAL
1	A	725	THR
1	A	726	VAL
1	A	730	LEU
1	A	732	ILE
1	A	734	GLU
1	A	736	GLU
1	A	737	LYS
1	A	738	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	740	ILE
1	A	745	LYS
1	A	747	LEU
1	A	748	ARG
1	A	752	SER
1	A	759	ILE
1	A	766	MET
1	A	768	SER
1	A	776	ARG
1	A	777	LEU
1	A	784	SER
1	A	785	THR
1	A	786	VAL
1	A	788	LEU
1	A	792	LEU
1	A	806	LYS
1	A	808	ASN
1	A	831	ARG
1	A	845	VAL
1	A	849	GLN
1	A	855	ASP
1	A	861	LEU
1	A	884	GLU
1	A	889	ARG
1	A	890	ILE
1	A	892	THR
1	A	895	SER
1	A	918	ILE
1	A	921	SER
1	A	922	GLU
1	A	924	SER
1	A	925	SER
1	A	926	ILE
1	A	928	GLU
1	A	931	GLU
1	A	941	ILE
1	A	942	ASP
1	A	946	ILE
1	A	953	ILE
1	A	960	LYS
1	A	962	ARG
1	A	966	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	973	ARG
1	A	980	VAL
1	A	987	MET
1	A	1002	MET
1	A	1018	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	771	ASN
1	A	894	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	F62	A	1101	1	42,43,43	2.41	11 (26%)	59,61,61	2.85	20 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F62	A	1101	1	-	2/20/30/30	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	F62	CBJ-NBS	-8.72	1.32	1.44
2	A	1101	F62	CAB-CBF	-6.08	1.38	1.50
2	A	1101	F62	C4-NBS	-4.61	1.33	1.40
2	A	1101	F62	CAR-CAS	4.49	1.51	1.30
2	A	1101	F62	CBG-NBA	-4.36	1.32	1.41
2	A	1101	F62	C5-CBF	-3.93	1.39	1.45
2	A	1101	F62	CBK-NBB	-3.03	1.31	1.39
2	A	1101	F62	CAS-CBE	2.48	1.52	1.48
2	A	1101	F62	CAQ-CBF	2.31	1.38	1.35
2	A	1101	F62	CBI-NBR	-2.04	1.33	1.38
2	A	1101	F62	CAQ-CBM	-2.03	1.38	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1101	F62	CAR-CAS-CBE	-12.26	108.75	122.22
2	A	1101	F62	CBG-NBA-CBE	-6.12	116.56	128.07
2	A	1101	F62	CAQ-CBM-NBS	5.50	121.26	113.46
2	A	1101	F62	N1-C2-N3	-5.42	121.18	126.42
2	A	1101	F62	CAA-OBC-CBL	-4.80	110.47	117.51
2	A	1101	F62	CAW-NBR-CAV	4.66	122.05	111.57
2	A	1101	F62	C6-C5-C4	4.61	118.65	114.54
2	A	1101	F62	C5-C6-N1	-4.03	118.64	124.32
2	A	1101	F62	C5-C4-N3	-3.93	120.40	124.06
2	A	1101	F62	CAK-CBJ-NBS	3.93	124.23	119.72
2	A	1101	F62	CAO-CBJ-NBS	-3.86	115.43	119.42
2	A	1101	F62	CBM-CAQ-CBF	-3.81	118.71	123.48
2	A	1101	F62	C6-N1-C2	3.45	120.54	115.81
2	A	1101	F62	CAP-CBI-NBR	-3.06	118.03	121.33
2	A	1101	F62	CBK-NBB-C2	-2.93	120.27	129.22
2	A	1101	F62	OAG-CBM-CAQ	-2.70	118.95	125.61
2	A	1101	F62	CAS-CBE-NBA	2.70	115.67	113.84
2	A	1101	F62	CBJ-CAO-CBG	2.09	121.42	118.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1101	F62	N3-C4-NBS	2.07	120.15	117.31
2	A	1101	F62	C2-N3-C4	2.06	120.58	113.99

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1101	F62	CAR-CAS-CBE-OAF
2	A	1101	F62	CAR-CAS-CBE-NBA

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1101	F62	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/331 (92%)	0.62	45 (14%) 5 4	12, 38, 100, 149	2 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	753	PRO	7.9
1	A	1003	ASP	6.3
1	A	750	ALA	5.8
1	A	749	GLU	4.5
1	A	860	LYS	4.5
1	A	985	GLU	4.2
1	A	861	LEU	4.2
1	A	752	SER	4.1
1	A	755	ALA	4.1
1	A	1004	GLU	4.1
1	A	863	GLY	4.1
1	A	857	GLY	4.0
1	A	876	VAL	3.9
1	A	748	ARG	3.8
1	A	862	LEU	3.6
1	A	722	ALA	3.6
1	A	922	GLU	3.5
1	A	999	ARG	3.5
1	A	1019	PRO	3.4
1	A	856	PHE	3.4
1	A	1000	ALA	3.3
1	A	1006	ASP	3.3
1	A	990	PRO	3.2
1	A	832	ARG	3.2
1	A	1001	LEU	3.0
1	A	696	GLY	2.9
1	A	734	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	986	ARG	2.8
1	A	1002	MET	2.7
1	A	831	ARG	2.7
1	A	988	HIS	2.7
1	A	723	PHE	2.6
1	A	920	ALA	2.6
1	A	720	SER	2.6
1	A	747	LEU	2.5
1	A	721	GLY	2.4
1	A	751	THR	2.3
1	A	754	LYS	2.3
1	A	756	ASN	2.1
1	A	735	GLY	2.1
1	A	834	VAL	2.1
1	A	776	ARG	2.1
1	A	1008	ASP	2.0
1	A	833	LEU	2.0
1	A	930	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	F62	A	1101	39/39	0.92	0.11	26,43,70,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around F62 A 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.