



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:29 AM UTC

PDB ID : 2GN4 / pdb_00002gn4
Title : Crystal structure of UDP-GlcNAc inverting 4,6-dehydratase in complex with NADPH and UDP-GlcNAc
Authors : Ishiyama, N.; Creuzenet, C.; Lam, J.S.; Berghuis, A.M.
Deposited on : 2006-04-09
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	344	23% 67% 28% • •
1	B	344	15% 70% 24% • 5%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5719 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-GlcNAc C6 dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	3	0
			2615	1670	445	484	16			
1	B	327	Total	C	N	O	S	0	3	0
			2598	1661	441	480	16			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	cloning artifact	UNP O25511
A	-9	HIS	-	expression tag	UNP O25511
A	-8	HIS	-	expression tag	UNP O25511
A	-7	HIS	-	expression tag	UNP O25511
A	-6	HIS	-	expression tag	UNP O25511
A	-5	HIS	-	expression tag	UNP O25511
A	-4	HIS	-	expression tag	UNP O25511
A	-3	GLY	-	cloning artifact	UNP O25511
A	-2	SER	-	cloning artifact	UNP O25511
A	-1	MET	-	cloning artifact	UNP O25511
A	0	SER	-	cloning artifact	UNP O25511
B	-10	MET	-	cloning artifact	UNP O25511
B	-9	HIS	-	expression tag	UNP O25511
B	-8	HIS	-	expression tag	UNP O25511
B	-7	HIS	-	expression tag	UNP O25511
B	-6	HIS	-	expression tag	UNP O25511
B	-5	HIS	-	expression tag	UNP O25511
B	-4	HIS	-	expression tag	UNP O25511
B	-3	GLY	-	cloning artifact	UNP O25511
B	-2	SER	-	cloning artifact	UNP O25511
B	-1	MET	-	cloning artifact	UNP O25511
B	0	SER	-	cloning artifact	UNP O25511

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is URIDINE-DIPHOSPHATE-N-ACETYLGLUCOSAMINE (CCD ID: UD1) (formula: C₁₇H₂₇N₃O₁₇P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			39	17	3	17	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			39	17	3	17	2		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	145	Total	O	0	0
			145	145		
5	B	163	Total	O	0	0
			163	163		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UDP-GlcNAc C6 dehydratase



• Molecule 1: UDP-GlcNAc C6 dehydratase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	111.36Å 111.36Å 107.99Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 1.90 50.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.7 (50.00-1.90) 95.7 (50.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 1.90Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.197 , 0.229 0.200 , 0.232	Depositor DCC
R_{free} test set	6016 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.325	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.042 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5719	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MES, UD1, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2667	0.86	7/3603 (0.2%)
1	B	0.35	0/2650	0.89	7/3580 (0.2%)
All	All	0.35	0/5317	0.88	14/7183 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	224	MET	N-CA-C	8.31	121.96	110.24
1	B	90	LEU	N-CA-C	-7.99	95.50	108.52
1	A	90	LEU	N-CA-C	-7.88	95.89	108.73
1	B	225	HIS	N-CA-C	-7.63	104.20	113.97
1	B	44	ARG	N-CA-C	7.26	120.62	111.69
1	B	45	ASP	N-CA-C	6.52	119.22	109.25
1	A	225	HIS	N-CA-C	-6.24	105.98	113.97
1	B	229	ILE	N-CA-C	-6.16	97.49	107.28
1	A	45	ASP	N-CA-C	6.13	118.63	109.25
1	A	138	ILE	N-CA-C	-6.04	107.61	113.53
1	A	65	ILE	N-CA-C	-5.77	101.28	108.89
1	A	44	ARG	N-CA-C	5.62	120.26	112.45
1	B	181	VAL	N-CA-C	5.29	115.50	110.53
1	A	181	VAL	N-CA-C	5.26	116.04	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2615	0	2656	91	0
1	B	2598	0	2642	81	0
2	A	48	0	26	2	0
2	B	48	0	26	1	0
3	A	39	0	25	2	0
3	B	39	0	25	1	0
4	B	24	0	26	0	0
5	A	145	0	0	6	0
5	B	163	0	0	7	0
All	All	5719	0	5426	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:LEU:HD13	1:B:329:LEU:HD21	1.42	1.02
1:A:189:VAL:HA	1:A:193:ALA:HB2	1.45	0.99
1:A:223:ARG:HB2	1:A:300:THR:HB	1.54	0.88
1:B:8:LEU:HD12	1:B:34:THR:HG21	1.61	0.80
1:A:92[A]:HIS:CE1	1:A:94:PRO:HG2	2.17	0.79
1:A:223:ARG:HA	1:A:301:LYS:HB2	1.68	0.74
1:B:231:VAL:HG13	1:B:267:MET:HG2	1.71	0.71
1:B:174:VAL:HG11	1:B:210:LEU:HD13	1.73	0.70
1:B:184:PHE:HA	1:B:187:LYS:HE2	1.72	0.70
1:B:237:MET:SD	1:B:329:LEU:HD22	2.32	0.70
1:B:196:ILE:HB	1:B:252:THR:HG22	1.73	0.70
1:B:100:PRO:HA	1:B:140:LEU:HD22	1.73	0.70
1:B:231:VAL:CG1	1:B:267:MET:HG2	2.21	0.69
1:A:38:LYS:HD2	1:A:62:ARG:HG3	1.73	0.69
1:A:197:PRO:HB3	1:A:255:ILE:HD12	1.74	0.69
1:B:176:GLY:HA2	1:B:183:PRO:HD3	1.75	0.68
1:A:309:VAL:HG12	1:A:310:ALA:H	1.60	0.67
1:A:182:VAL:HB	1:A:183:PRO:HD3	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:LEU:HD12	1:A:329:LEU:HD22	1.76	0.66
1:A:173:ASN:H	1:A:173:ASN:HD22	1.43	0.66
1:B:159:LYS:HE3	1:B:292:GLN:HB2	1.77	0.66
1:B:38:LYS:NZ	1:B:62:ARG:HH11	1.94	0.66
1:B:55:GLU:HG3	1:B:56:PHE:CD1	2.31	0.66
1:B:237:MET:HE1	1:B:329:LEU:HB2	1.78	0.66
1:A:100:PRO:HA	1:A:140:LEU:HD22	1.79	0.65
1:A:196:ILE:HD11	1:A:247:ALA:HB3	1.78	0.65
1:A:237:MET:HE3	1:A:324:LEU:O	1.97	0.65
1:A:173:ASN:HD22	1:A:173:ASN:N	1.95	0.65
1:A:8:LEU:HD11	1:A:13:ILE:HD11	1.77	0.65
1:B:119:LEU:HD22	1:B:158:PHE:CD2	2.32	0.65
1:A:325:GLU:HB3	1:A:326:PRO:HD2	1.78	0.65
1:B:136:ASN:HD21	1:B:269:PRO:HB3	1.61	0.64
1:B:316:SER:HB2	1:B:319:ASN:OD1	1.97	0.64
1:B:186:LYS:NZ	1:B:333:LEU:HG	2.13	0.64
1:A:225:HIS:ND1	1:A:301:LYS:HE3	2.13	0.63
1:B:55:GLU:HG3	1:B:56:PHE:HD1	1.62	0.63
1:A:200:ASP:HB3	1:A:203:MET:HE2	1.81	0.63
1:A:130:SER:O	2:A:334:NDP:H6N	1.98	0.62
1:A:174:VAL:HG11	1:A:210:LEU:HD13	1.81	0.62
1:B:184:PHE:HA	1:B:187:LYS:CE	2.32	0.60
1:B:100:PRO:HA	1:B:140:LEU:CD2	2.31	0.59
1:B:93:VAL:HB	1:B:94:PRO:HD3	1.85	0.58
1:A:235:PRO:HA	1:A:322:GLN:HG3	1.84	0.58
1:B:52:MET:HA	1:B:55:GLU:HG2	1.85	0.57
1:B:242:LEU:HD13	1:B:329:LEU:CD2	2.27	0.57
1:A:195:GLU:HG2	1:A:253:LYS:HB2	1.86	0.57
1:A:242:LEU:HD12	1:A:329:LEU:CD2	2.35	0.57
1:B:38:LYS:HZ1	1:B:62:ARG:HH11	1.54	0.56
1:A:309:VAL:HG11	1:A:313:PHE:CG	2.40	0.56
1:B:219:LYS:HD2	5:B:486:HOH:O	2.06	0.56
1:A:91:LYS:HB2	3:A:335:UD1:O3'	2.06	0.56
1:B:92[B]:HIS:ND1	1:B:94:PRO:HD2	2.21	0.56
1:A:231:VAL:CG1	1:A:267:MET:HG2	2.36	0.55
1:B:209:THR:OG1	1:B:212:GLU:HG3	2.07	0.55
1:B:244:LYS:O	1:B:248:PRO:HG3	2.07	0.55
1:A:309:VAL:HG12	1:A:310:ALA:N	2.22	0.55
1:B:186:LYS:HZ1	1:B:333:LEU:HG	1.71	0.55
1:B:136:ASN:ND2	1:B:269:PRO:HB3	2.22	0.55
1:B:122:ALA:HB1	1:B:162:SER:HB2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92[A]:HIS:HE1	1:A:94:PRO:HG2	1.69	0.55
1:B:72[A]:GLU:HG3	5:B:370:HOH:O	2.06	0.54
1:B:159:LYS:HG2	5:B:485:HOH:O	2.07	0.54
1:A:48:LYS:NZ	5:A:471:HOH:O	2.40	0.54
1:A:132:ASP:OD2	1:A:172:GLY:HA2	2.08	0.54
1:A:72[A]:GLU:HG3	5:A:362:HOH:O	2.07	0.53
1:A:8:LEU:HD12	1:A:11:GLN:HB2	1.90	0.53
1:A:45:ASP:HB3	1:A:48:LYS:HE3	1.90	0.53
1:B:91:LYS:HB2	3:B:335:UD1:O3'	2.09	0.53
1:B:197:PRO:HB2	1:B:255:ILE:HD13	1.91	0.53
1:A:209:THR:OG1	1:A:212:GLU:HG3	2.08	0.52
1:B:173:ASN:H	1:B:173:ASN:HD22	1.56	0.52
1:A:231:VAL:HG13	1:A:267:MET:HG2	1.91	0.52
1:A:333:LEU:C	1:A:333:LEU:HD23	2.35	0.51
1:B:92[A]:HIS:HE1	5:B:382:HOH:O	1.92	0.51
1:B:242:LEU:O	1:B:242:LEU:HD12	2.10	0.51
1:A:235:PRO:N	1:A:322:GLN:HE21	2.08	0.51
1:B:234:ILE:HD11	1:B:267:MET:HE1	1.93	0.51
1:A:119:LEU:HD22	1:A:158:PHE:CD2	2.45	0.51
1:A:92[A]:HIS:HB3	1:A:95:ILE:HB	1.92	0.51
1:B:185:PHE:O	1:B:189:VAL:HG23	2.11	0.51
1:A:189:VAL:HG21	1:A:246:LEU:O	2.11	0.50
1:A:299:LEU:HD23	1:A:300:THR:O	2.11	0.50
1:A:196:ILE:HD11	1:A:247:ALA:CB	2.41	0.50
1:A:100:PRO:HA	1:A:140:LEU:CD2	2.41	0.50
1:A:233:LYS:HD2	1:A:281:ASP:HA	1.94	0.50
1:A:140:LEU:O	1:A:140:LEU:HG	2.09	0.49
1:A:195:GLU:CD	1:A:253:LYS:HB2	2.37	0.49
1:B:181:VAL:HG13	1:B:182:VAL:N	2.26	0.49
1:A:38:LYS:HD2	1:A:62:ARG:CG	2.42	0.49
1:A:139:ASN:HB3	1:A:260:GLY:O	2.12	0.48
1:A:195:GLU:CG	1:A:253:LYS:HB2	2.43	0.48
1:A:239:MET:HE1	1:A:242:LEU:HD23	1.95	0.48
1:A:235:PRO:HG3	1:A:322:GLN:HE21	1.79	0.47
1:B:325:GLU:HB2	1:B:328:ASP:HB2	1.94	0.47
1:B:253:LYS:HG2	1:B:254:ILE:N	2.29	0.47
1:A:8:LEU:HD13	1:A:83:ILE:HD12	1.97	0.47
1:A:58:ASP:HB3	1:A:61:MET:HG2	1.96	0.47
1:A:330:LEU:C	1:A:332:LEU:H	2.22	0.47
1:B:100:PRO:CA	1:B:140:LEU:HD22	2.44	0.47
1:A:299:LEU:CD2	1:A:303:HIS:HA	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:ASN:HD22	1:B:173:ASN:N	2.13	0.46
1:B:204:THR:HB	1:B:264:HIS:ND1	2.30	0.46
1:A:198:ILE:O	1:A:254:ILE:HA	2.15	0.46
1:A:299:LEU:HD21	1:A:303:HIS:HA	1.96	0.46
1:B:181:VAL:HG21	1:B:239:MET:HE2	1.97	0.46
1:B:207:TRP:CD1	1:B:237:MET:HB3	2.51	0.46
1:B:231:VAL:HG11	1:B:267:MET:HG2	1.96	0.46
1:A:278:GLU:HG3	1:A:283:PHE:CE1	2.51	0.45
1:B:92[B]:HIS:CE1	1:B:94:PRO:HD2	2.52	0.45
1:A:206:PHE:CE1	1:A:317:SER:HB3	2.51	0.45
1:B:163:GLN:NE2	5:B:429:HOH:O	2.49	0.45
1:B:8:LEU:HD22	1:B:13:ILE:HD11	1.98	0.45
1:A:195:GLU:HA	1:A:251:PRO:O	2.17	0.45
1:B:15:ILE:HG23	1:B:15:ILE:O	2.17	0.45
1:A:133:LYS:HE2	3:A:335:UD1:O1'	2.17	0.44
1:A:195:GLU:OE1	1:A:253:LYS:HD3	2.16	0.44
1:B:58:ASP:OD1	1:B:60:ARG:HG2	2.18	0.44
1:B:186:LYS:HE2	1:B:333:LEU:CD1	2.47	0.44
1:A:228:GLU:HG3	1:A:297:TYR:CE2	2.53	0.44
1:A:100:PRO:CA	1:A:140:LEU:HD22	2.48	0.44
1:B:52:MET:HA	1:B:55:GLU:CG	2.47	0.43
1:A:185:PHE:O	1:A:189:VAL:HG23	2.18	0.43
1:B:140:LEU:O	1:B:140:LEU:HG	2.15	0.43
1:B:229:ILE:HB	1:B:285:ILE:HB	2.00	0.43
1:A:235:PRO:CG	1:A:322:GLN:HE21	2.32	0.43
5:A:389:HOH:O	1:B:47:LEU:HD23	2.17	0.43
1:B:135:ALA:O	1:B:136:ASN:C	2.62	0.43
1:B:130:SER:O	2:B:334:NDP:H6N	2.19	0.43
1:B:294:PRO:O	1:B:295:LYS:HD3	2.19	0.43
1:A:25[B]:CYS:SG	1:A:210:LEU:HD23	2.58	0.43
1:A:207:TRP:CD1	1:A:237:MET:HB3	2.54	0.43
1:B:14:LEU:HD23	1:B:14:LEU:C	2.44	0.43
1:A:197:PRO:HB3	1:A:255:ILE:CD1	2.45	0.43
1:A:47:LEU:O	1:A:51:GLU:HG3	2.18	0.42
1:A:280:GLU:HB3	5:A:473:HOH:O	2.18	0.42
1:A:327:ASP:O	1:A:331:LYS:HG3	2.18	0.42
1:B:159:LYS:CE	1:B:292:GLN:HB2	2.47	0.42
1:B:58:ASP:OD1	1:B:60:ARG:CG	2.67	0.42
1:B:187:LYS:HG3	5:B:473:HOH:O	2.19	0.42
1:A:28:ARG:HD2	1:A:32:ASP:OD1	2.19	0.42
1:A:92[A]:HIS:ND1	1:A:94:PRO:HG2	2.32	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:239:MET:CE	1:B:242:LEU:HD23	2.49	0.42
1:A:235:PRO:CD	1:A:322:GLN:HE21	2.33	0.42
1:A:255:ILE:HG23	5:A:447:HOH:O	2.20	0.42
1:B:7:MET:C	1:B:9:ASP:H	2.27	0.42
1:B:159:LYS:HE2	5:B:485:HOH:O	2.20	0.42
1:A:21:SER:OG	1:A:178:ARG:HB2	2.20	0.42
1:A:199:THR:OG1	1:A:203:MET:HE3	2.19	0.42
1:A:235:PRO:HG3	1:A:322:GLN:NE2	2.34	0.42
1:A:326:PRO:O	1:A:330:LEU:HG	2.19	0.42
1:B:38:LYS:HZ2	1:B:62:ARG:HH11	1.67	0.42
1:B:159:LYS:NZ	1:B:293:THR:HB	2.35	0.42
1:B:234:ILE:HA	1:B:235:PRO:HD3	1.89	0.42
1:A:173:ASN:ND2	5:A:419:HOH:O	2.53	0.41
1:B:47:LEU:HD13	1:B:47:LEU:C	2.45	0.41
1:A:45:ASP:OD1	1:A:48:LYS:HE2	2.19	0.41
1:A:45:ASP:HB3	2:A:334:NDP:O1X	2.20	0.41
1:A:201:ILE:HD11	1:A:254:ILE:HD11	2.01	0.41
1:B:181:VAL:O	1:B:184:PHE:HB3	2.20	0.41
1:B:183:PRO:O	1:B:187:LYS:HG3	2.20	0.41
1:A:219:LYS:O	1:A:223:ARG:HG2	2.19	0.41
1:A:255:ILE:O	1:A:255:ILE:HG22	2.21	0.41
1:B:38:LYS:HE2	1:B:40:ILE:HG12	2.03	0.41
1:B:122:ALA:HB1	1:B:162:SER:CB	2.50	0.41
1:A:186:LYS:NZ	1:A:333:LEU:HD23	2.35	0.41
1:A:8:LEU:HD12	1:A:11:GLN:CB	2.51	0.41
1:A:196:ILE:CD1	1:A:247:ALA:HB3	2.49	0.41
1:B:325:GLU:HB2	1:B:328:ASP:CB	2.51	0.41
1:B:227:GLY:O	1:B:287:PRO:HG3	2.21	0.41
1:A:25[B]:CYS:SG	1:A:210:LEU:CD2	3.09	0.40
1:B:293:THR:O	1:B:293:THR:HG23	2.21	0.40
1:A:206:PHE:CD1	1:A:317:SER:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/344 (96%)	315 (96%)	14 (4%)	1 (0%)	36	29
1	B	328/344 (95%)	320 (98%)	7 (2%)	1 (0%)	36	29
All	All	658/688 (96%)	635 (96%)	21 (3%)	2 (0%)	36	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	B	249	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/304 (96%)	289 (99%)	4 (1%)	59	59
1	B	291/304 (96%)	288 (99%)	3 (1%)	68	70
All	All	584/608 (96%)	577 (99%)	7 (1%)	63	63

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	157	ASN
1	A	173	ASN
1	A	218	LEU
1	A	267	MET
1	B	131	THR
1	B	173	ASN
1	B	267	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	136	ASN
1	A	173	ASN
1	A	191	ASN
1	A	274	HIS
1	A	307	GLN
1	A	322	GLN
1	B	35	ASN
1	B	75	ASN
1	B	125	GLN
1	B	136	ASN
1	B	165	GLN
1	B	173	ASN
1	B	274	HIS
1	B	322	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UD1	A	335	-	40,41,41	1.23	5 (12%)	59,62,62	1.32	4 (6%)
2	NDP	B	334	-	51,52,52	1.37	6 (11%)	71,80,80	1.65	12 (16%)
4	MES	B	336	-	12,12,12	0.73	0	15,16,16	1.15	1 (6%)
2	NDP	A	334	-	51,52,52	1.39	7 (13%)	71,80,80	1.66	13 (18%)
3	UD1	B	335	-	40,41,41	1.24	5 (12%)	59,62,62	1.29	2 (3%)
4	MES	B	337	-	12,12,12	0.70	0	15,16,16	1.04	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UD1	A	335	-	-	3/26/63/63	0/3/3/3
2	NDP	B	334	-	-	3/34/77/77	0/5/5/5
4	MES	B	336	-	-	0/6/14/14	0/1/1/1
2	NDP	A	334	-	-	6/34/77/77	0/5/5/5
3	UD1	B	335	-	-	2/26/63/63	0/3/3/3
4	MES	B	337	-	-	0/6/14/14	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	334	NDP	C2A-N1A	3.38	1.39	1.33
3	A	335	UD1	PB-O1B	3.29	1.62	1.50
2	A	334	NDP	PA-O1A	3.27	1.62	1.50
2	B	334	NDP	PA-O1A	3.23	1.62	1.50
3	A	335	UD1	PA-O1A	3.22	1.62	1.50
2	B	334	NDP	C2A-N1A	3.20	1.39	1.33
3	B	335	UD1	PA-O1A	3.19	1.61	1.50
3	B	335	UD1	PB-O1B	3.19	1.61	1.50
3	B	335	UD1	C5-C4	3.16	1.50	1.43
3	A	335	UD1	C5-C4	3.13	1.50	1.43
2	A	334	NDP	P2B-O1X	3.04	1.59	1.50
2	A	334	NDP	PN-O1N	3.00	1.61	1.50
2	B	334	NDP	P2B-O1X	2.88	1.59	1.50
2	B	334	NDP	PN-O1N	2.85	1.60	1.50
2	A	334	NDP	C4A-N9A	-2.80	1.31	1.37
2	B	334	NDP	C4A-N9A	-2.72	1.32	1.37
2	A	334	NDP	C4A-N3A	2.41	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	335	UD1	PA-O3A	2.30	1.62	1.59
3	A	335	UD1	PB-O3A	2.22	1.61	1.59
3	B	335	UD1	PB-O3A	2.18	1.61	1.59
2	B	334	NDP	C4A-N3A	2.17	1.38	1.34
2	A	334	NDP	C8A-N7A	2.13	1.35	1.31
3	A	335	UD1	PA-O3A	2.07	1.61	1.59

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	334	NDP	C4A-N9A-C8A	7.37	113.48	105.74
2	B	334	NDP	C4A-N9A-C8A	7.32	113.43	105.74
3	A	335	UD1	O5'-C1'-O1'	-6.68	102.63	111.36
3	B	335	UD1	O5'-C1'-O1'	-6.43	102.95	111.36
2	A	334	NDP	N9A-C8A-N7A	-3.93	108.36	113.94
2	B	334	NDP	N9A-C8A-N7A	-3.81	108.53	113.94
2	A	334	NDP	N3A-C4A-N9A	3.74	133.53	127.17
2	B	334	NDP	N3A-C4A-N9A	3.67	133.40	127.17
2	B	334	NDP	C6N-N1N-C2N	3.49	123.06	119.32
2	A	334	NDP	C6N-N1N-C2N	3.08	122.61	119.32
4	B	336	MES	O2S-S-C8	-2.69	102.67	106.73
2	A	334	NDP	C5A-C4A-N3A	-2.60	123.14	126.72
2	B	334	NDP	C5A-C4A-N3A	-2.58	123.17	126.72
2	A	334	NDP	N6A-C6A-N1A	2.53	124.02	118.38
2	A	334	NDP	C3N-C2N-N1N	-2.52	119.50	123.20
2	B	334	NDP	N6A-C6A-N1A	2.41	123.74	118.38
2	A	334	NDP	C6A-C5A-C4A	2.30	120.32	117.18
2	B	334	NDP	O3B-C3B-C4B	-2.30	104.48	111.08
2	A	334	NDP	C5A-C4A-N9A	-2.27	103.33	105.81
3	A	335	UD1	O4-C4-N3	2.25	122.53	119.27
3	B	335	UD1	O4-C4-N3	2.23	122.50	119.27
2	B	334	NDP	C6A-C5A-C4A	2.22	120.20	117.18
2	B	334	NDP	C3N-C2N-N1N	-2.19	119.99	123.20
2	B	334	NDP	C5A-C4A-N9A	-2.18	103.43	105.81
2	A	334	NDP	C1D-N1N-C6N	-2.11	116.30	120.77
2	B	334	NDP	C1D-N1N-C6N	-2.11	116.31	120.77
2	A	334	NDP	O4D-C1D-N1N	2.11	112.10	108.08
2	B	334	NDP	C4A-N9A-C1B	-2.10	121.73	126.63
3	A	335	UD1	C3B-C2B-C1B	2.09	105.41	101.46
4	B	337	MES	O1-C6-C5	-2.05	107.36	111.77
2	A	334	NDP	C4A-N9A-C1B	-2.04	121.85	126.63
3	A	335	UD1	C4'-C3'-C2'	-2.04	107.43	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	334	NDP	O3B-C3B-C4B	-2.02	105.27	111.08

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	335	UD1	C1'-O1'-PB-O3A
3	B	335	UD1	C1'-O1'-PB-O3A
3	A	335	UD1	C1'-O1'-PB-O1B
3	B	335	UD1	C1'-O1'-PB-O1B
2	A	334	NDP	C5D-O5D-PN-O3
2	B	334	NDP	C5D-O5D-PN-O3
3	A	335	UD1	C4'-C5'-C6'-O6'
2	A	334	NDP	C2B-O2B-P2B-O2X
2	A	334	NDP	O4D-C1D-N1N-C6N
2	A	334	NDP	C2N-C3N-C7N-N7N
2	B	334	NDP	O4D-C1D-N1N-C6N
2	A	334	NDP	C2D-C1D-N1N-C6N
2	B	334	NDP	C2D-C1D-N1N-C6N
2	A	334	NDP	C2B-O2B-P2B-O1X


There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	335	UD1	2	0
2	B	334	NDP	1	0
2	A	334	NDP	2	0
3	B	335	UD1	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/344 (95%)	1.00	79 (24%) 2 1	12, 36, 80, 80	3 (0%)
1	B	327/344 (95%)	0.71	53 (16%) 4 4	11, 32, 74, 80	3 (0%)
All	All	656/688 (95%)	0.86	132 (20%) 3 2	11, 34, 78, 80	6 (0%)

All (132) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	243	ALA	6.3
1	A	333	LEU	5.7
1	A	196	ILE	5.5
1	A	7	MET	5.4
1	A	243	ALA	5.2
1	A	247	ALA	5.2
1	A	324	LEU	5.2
1	A	162	SER	5.1
1	A	326	PRO	5.1
1	A	189	VAL	5.0
1	A	323	TRP	5.0
1	B	250	THR	4.9
1	B	246	LEU	4.8
1	A	254	ILE	4.8
1	B	201	ILE	4.6
1	A	8	LEU	4.6
1	B	324	LEU	4.6
1	B	333	LEU	4.6
1	A	158	PHE	4.4
1	A	6	ASN	4.3
1	B	245	ALA	4.2
1	B	247	ALA	4.2
1	A	159	LYS	4.0
1	A	246	LEU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	237	MET	4.0
1	B	323	TRP	3.9
1	B	326	PRO	3.9
1	B	198	ILE	3.9
1	B	254	ILE	3.9
1	A	252	THR	3.8
1	A	160	GLY	3.8
1	B	160	GLY	3.8
1	A	193	ALA	3.8
1	B	242	LEU	3.7
1	B	329	LEU	3.7
1	B	189	VAL	3.7
1	A	242	LEU	3.7
1	A	329	LEU	3.6
1	A	198	ILE	3.5
1	B	328	ASP	3.5
1	A	332	LEU	3.5
1	B	161	SER	3.4
1	A	161	SER	3.4
1	B	162	SER	3.4
1	A	299	LEU	3.3
1	B	196	ILE	3.2
1	B	163	GLN	3.1
1	A	207	TRP	3.1
1	A	249	ASN	3.1
1	A	250	THR	3.0
1	A	260	GLY	3.0
1	B	159	LYS	3.0
1	A	185	PHE	3.0
1	B	255	ILE	3.0
1	B	332	LEU	2.9
1	A	184	PHE	2.9
1	B	251	PRO	2.9
1	A	201	ILE	2.9
1	B	248	PRO	2.9
1	A	302	LEU	2.9
1	A	293	THR	2.9
1	A	295	LYS	2.9
1	A	248	PRO	2.8
1	A	194	SER	2.8
1	A	237	MET	2.8
1	B	330	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	303	HIS	2.8
1	B	193	ALA	2.8
1	A	192	LYS	2.7
1	B	249	ASN	2.7
1	B	240	THR	2.7
1	A	263	LEU	2.7
1	B	7	MET	2.7
1	A	309	VAL	2.7
1	A	163	GLN	2.6
1	B	204	THR	2.6
1	A	191	ASN	2.6
1	A	319	ASN	2.6
1	A	251	PRO	2.6
1	A	188	LEU	2.6
1	A	9	ASP	2.6
1	A	176	GLY	2.6
1	B	9	ASP	2.6
1	B	310	ALA	2.6
1	A	318	HIS	2.5
1	A	197	PRO	2.5
1	A	245	ALA	2.5
1	A	5	GLN	2.5
1	A	313	PHE	2.4
1	B	293	THR	2.4
1	A	330	LEU	2.4
1	B	187	LYS	2.4
1	A	327	ASP	2.4
1	B	327	ASP	2.4
1	B	252	THR	2.4
1	B	195	GLU	2.4
1	B	322	GLN	2.4
1	A	311	PRO	2.4
1	B	207	TRP	2.4
1	A	298	THR	2.3
1	A	320	ASN	2.3
1	A	266	VAL	2.3
1	B	257	ILE	2.3
1	A	321	ASN	2.3
1	A	239	MET	2.3
1	B	244	LYS	2.3
1	A	312	ASP	2.3
1	A	175	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	182	VAL	2.3
1	B	185	PHE	2.2
1	A	255	ILE	2.2
1	B	263	LEU	2.2
1	B	197	PRO	2.2
1	A	257	ILE	2.2
1	A	238	LYS	2.2
1	A	307	GLN	2.2
1	B	194	SER	2.2
1	B	239	MET	2.1
1	A	199	THR	2.1
1	B	188	LEU	2.1
1	A	300	THR	2.1
1	B	273	SER	2.1
1	A	244	LYS	2.1
1	A	325	GLU	2.1
1	A	206	PHE	2.1
1	A	253	LYS	2.1
1	B	191	ASN	2.1
1	A	211	ASP	2.1
1	A	314	GLU	2.0
1	A	310	ALA	2.0
1	A	284	ILE	2.0
1	A	292	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MES	B	337	12/12	0.72	0.20	47,50,55,58	0
3	UD1	A	335	39/39	0.88	0.13	35,47,51,55	0
3	UD1	B	335	39/39	0.89	0.13	33,43,49,53	0
4	MES	B	336	12/12	0.93	0.10	32,37,39,41	0
2	NDP	A	334	48/48	0.97	0.07	13,28,39,45	0
2	NDP	B	334	48/48	0.97	0.07	14,27,35,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around UD1 B 335:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 334:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.