



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:28 AM UTC

PDB ID : 8GNE / pdb_00008gne
Title : Crystal structure of human adenosine A2A receptor in complex with an insurmountable inverse agonist, KW-6356.
Authors : Suzuki, M.; Saito, J.; Miyagi, H.; Yasunaga, M.
Deposited on : 2022-08-23
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine receptor A2a,Soluble cytochrome b562.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total	C	N	O	S	0	2	0
			3026	1976	509	520	21			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	ASP	-	expression tag	UNP P29274
A	-7	TYR	-	expression tag	UNP P29274
A	-6	ASP	-	expression tag	UNP P29274
A	-5	ASP	-	expression tag	UNP P29274
A	-4	ASP	-	expression tag	UNP P29274
A	-3	ASP	-	expression tag	UNP P29274
A	-2	LYS	-	expression tag	UNP P29274
A	-1	GLY	-	expression tag	UNP P29274
A	0	ALA	-	expression tag	UNP P29274
A	1	PRO	-	expression tag	UNP P29274
A	154	GLN	ASN	engineered mutation	UNP P29274
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	engineered mutation	UNP P0ABE7
A	1106	LEU	ARG	engineered mutation	UNP P0ABE7
A	317	HIS	-	expression tag	UNP P29274
A	318	HIS	-	expression tag	UNP P29274
A	319	HIS	-	expression tag	UNP P29274
A	320	HIS	-	expression tag	UNP P29274
A	321	HIS	-	expression tag	UNP P29274
A	322	HIS	-	expression tag	UNP P29274
A	323	HIS	-	expression tag	UNP P29274
A	324	HIS	-	expression tag	UNP P29274
A	325	HIS	-	expression tag	UNP P29274
A	326	HIS	-	expression tag	UNP P29274


- Molecule 2 is {N}-[4-(furan-2-yl)-5-(oxan-4-ylcarbonyl)-1,3-thiazol-2-yl]-6-methyl-pyridin e-3-carboxamide (CCD ID: JQR) (formula: C₂₀H₁₉N₃O₄S) (labeled as "Ligand of Interest")

by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			28	20	3	4	1		

- Molecule 3 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		
3	A	1	Total	C	O	0	0
			28	27	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	12	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			21	17	4		
4	A	1	Total	C	O	0	0
			21	17	4		
4	A	1	Total	C	O	0	0
			19	15	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			19	15	4		
4	A	1	Total	C	O	0	0
			19	15	4		
4	A	1	Total	C	O	0	0
			19	15	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	12	4		
4	A	1	Total	C	O	0	0
			21	17	4		
4	A	1	Total	C	O	0	0
			22	18	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			14	10	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			21	17	4		

- Molecule 5 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (CCD ID: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	7	4		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	Na 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	63	Total 63	O 63	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosine receptor A2a,Soluble cytochrome b562

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	39.35Å 180.51Å 141.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.17 – 2.30 45.17 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.4 (45.17-2.30) 99.4 (45.17-2.30)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.190 , 0.235 0.198 , 0.233	Depositor DCC
R_{free} test set	1119 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	40.4	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 57.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3585	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: JQR, NA, PE4, CLR, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	2/3093 (0.1%)	1.58	16/4209 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	202	LEU	C-O	-5.16	1.18	1.24
1	A	260	PRO	C-O	-5.11	1.17	1.24

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	105	ALA	CA-C-O	-5.84	114.36	120.55
1	A	1024	ALA	CA-C-N	5.48	127.89	120.44
1	A	1024	ALA	C-N-CA	5.48	127.89	120.44
1	A	278	HIS	CA-C-N	5.37	128.02	120.28
1	A	278	HIS	C-N-CA	5.37	128.02	120.28
1	A	222	ARG	CA-C-N	5.37	127.42	120.44
1	A	222	ARG	C-N-CA	5.37	127.42	120.44
1	A	117	THR	CA-C-N	5.23	125.90	119.99
1	A	117	THR	C-N-CA	5.23	125.90	119.99
1	A	1004	GLU	CA-C-N	5.18	127.18	120.44
1	A	1004	GLU	C-N-CA	5.18	127.18	120.44
1	A	286	PHE	CA-C-O	-5.18	114.93	120.42
1	A	254	CYS	CA-C-O	-5.18	115.38	120.82
1	A	1060	ASP	CA-CB-CG	5.13	117.73	112.60
1	A	-1	GLY	CA-C-N	5.11	129.03	120.86
1	A	-1	GLY	C-N-CA	5.11	129.03	120.86

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3026	0	3079	31	0
2	A	28	0	0	1	0
3	A	84	0	138	2	0
4	A	372	0	531	6	0
5	A	11	0	13	0	0
6	A	1	0	0	0	0
7	A	63	0	0	2	0
All	All	3585	0	3761	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1211:OLC:O23	7:A:1301:HOH:O	1.87	0.93
1:A:304:ARG:O	1:A:308:LEU:HB3	1.81	0.81
1:A:110[B]:LEU:HD23	1:A:110[B]:LEU:H	1.49	0.76
1:A:80:ILE:HD11	3:A:1203:CLR:H182	1.72	0.70
1:A:1022:ASN:HD22	1:A:1023:ALA:H	1.39	0.70
1:A:278:HIS:NE2	7:A:1302:HOH:O	2.27	0.67
1:A:1023:ALA:HB2	1:A:1084:VAL:HG22	1.76	0.66
1:A:40:VAL:HG11	1:A:116:VAL:CG1	2.32	0.59
1:A:80:ILE:HD11	3:A:1203:CLR:C18	2.33	0.58
1:A:1078:LEU:HD13	1:A:1086:GLU:HB3	1.84	0.57
1:A:1023:ALA:HB2	1:A:1084:VAL:CG2	2.33	0.57
1:A:1027:LYS:O	1:A:1031:THR:HG23	2.05	0.56
2:A:1201:JQR:O7'	2:A:1201:JQR:S1	2.63	0.56
1:A:75:HIS:HB2	4:A:1213:OLC:H24	1.92	0.52
1:A:55:VAL:HA	1:A:59:ALA:HB3	1.92	0.51
1:A:1106:LEU:HD11	1:A:222:ARG:NH2	2.27	0.49
1:A:108:ILE:HG13	1:A:108:ILE:O	2.12	0.48
1:A:3:ILE:HA	1:A:6:SER:HB3	1.95	0.48
1:A:40:VAL:HG11	1:A:116:VAL:HG12	1.95	0.47
1:A:122:LYS:HB3	1:A:122:LYS:HE2	1.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:THR:HG22	1:A:70:PHE:CE1	2.51	0.46
1:A:3:ILE:O	1:A:3:ILE:HG12	2.17	0.45
1:A:33:LEU:HD21	4:A:1222:OLC:C21	2.47	0.44
1:A:1014:LEU:HD12	1:A:1095:LYS:HE3	1.99	0.43
1:A:1030:LEU:HD11	1:A:1075:ALA:HB1	2.01	0.43
1:A:29:TRP:CE2	4:A:1222:OLC:H3A	2.54	0.43
1:A:157:GLN:HE21	1:A:157:GLN:HB3	1.68	0.42
1:A:33:LEU:HD21	4:A:1222:OLC:H21	1.99	0.42
1:A:75:HIS:HB2	4:A:1213:OLC:C24	2.50	0.42
1:A:265:ALA:HB1	1:A:269:LEU:HD23	2.01	0.42
1:A:1022:ASN:HD22	1:A:1023:ALA:N	2.10	0.42
1:A:305:SER:HB2	1:A:306:HIS:CD2	2.55	0.41
1:A:1014:LEU:CD2	1:A:1033:MET:CE	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	387/431 (90%)	374 (97%)	12 (3%)	1 (0%)	36	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	305	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/360 (88%)	302 (96%)	13 (4%)	27	41

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ILE
1	A	106	ILE
1	A	151	GLU
1	A	1010	LEU
1	A	1038	LEU
1	A	1076	LEU
1	A	1096	THR
1	A	1104	LYS
1	A	1106	LEU
1	A	233	LYS
1	A	244	LEU
1	A	279	THR
1	A	301	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	157	GLN
1	A	1022	ASN
1	A	306	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 1 is monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OLC	A	1209	-	18,18,24	1.17	1 (5%)	19,19,25	1.11	2 (10%)
4	OLC	A	1212	-	18,18,24	1.12	1 (5%)	19,19,25	1.11	1 (5%)
4	OLC	A	1216	-	20,20,24	1.07	1 (5%)	21,21,25	0.88	2 (9%)
4	OLC	A	1220	-	24,24,24	0.97	1 (4%)	25,25,25	1.06	2 (8%)
3	CLR	A	1204	-	31,31,31	0.30	0	48,48,48	0.46	0
4	OLC	A	1213	-	18,18,24	1.22	1 (5%)	19,19,25	1.10	2 (10%)
4	OLC	A	1219	-	13,13,24	1.34	1 (7%)	14,14,25	1.51	2 (14%)
4	OLC	A	1218	-	24,24,24	1.19	1 (4%)	25,25,25	0.87	2 (8%)
2	JQR	A	1201	-	31,31,31	1.32	5 (16%)	40,43,43	2.21	12 (30%)
4	OLC	A	1205	-	15,15,24	0.97	1 (6%)	16,16,25	1.19	2 (12%)
3	CLR	A	1203	-	31,31,31	0.33	0	48,48,48	0.51	0
5	PE4	A	1223	-	10,10,23	0.33	0	9,9,22	0.17	0
4	OLC	A	1207	-	20,20,24	1.14	1 (5%)	21,21,25	0.85	1 (4%)
4	OLC	A	1222	-	20,20,24	1.10	1 (5%)	21,21,25	0.90	1 (4%)
4	OLC	A	1217	-	21,21,24	1.07	1 (4%)	22,22,25	0.69	1 (4%)
4	OLC	A	1214	-	18,18,24	1.22	1 (5%)	19,19,25	1.06	1 (5%)
4	OLC	A	1208	-	20,20,24	1.02	1 (5%)	21,21,25	0.85	2 (9%)
3	CLR	A	1202	-	31,31,31	0.36	0	48,48,48	0.46	0
4	OLC	A	1206	-	24,24,24	1.04	1 (4%)	25,25,25	1.27	3 (12%)
4	OLC	A	1215	-	15,15,24	1.27	1 (6%)	16,16,25	1.02	1 (6%)
4	OLC	A	1210	-	24,24,24	1.06	1 (4%)	25,25,25	0.93	1 (4%)
4	OLC	A	1211	-	18,18,24	1.41	1 (5%)	19,19,25	1.26	2 (10%)
4	OLC	A	1221	-	24,24,24	0.86	1 (4%)	25,25,25	0.93	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OLC	A	1209	-	-	8/18/18/24	-
4	OLC	A	1212	-	-	8/18/18/24	-
4	OLC	A	1216	-	-	6/20/20/24	-
4	OLC	A	1220	-	-	8/24/24/24	-
3	CLR	A	1204	-	-	4/10/68/68	0/4/4/4
4	OLC	A	1213	-	-	11/18/18/24	-
4	OLC	A	1219	-	-	3/13/13/24	-
4	OLC	A	1218	-	-	9/24/24/24	-
2	JQR	A	1201	-	-	3/19/28/28	0/4/4/4
4	OLC	A	1205	-	-	7/15/15/24	-
3	CLR	A	1203	-	-	0/10/68/68	0/4/4/4
5	PE4	A	1223	-	-	4/8/8/21	-
4	OLC	A	1207	-	-	4/20/20/24	-
4	OLC	A	1222	-	-	8/20/20/24	-
4	OLC	A	1217	-	-	8/21/21/24	-
4	OLC	A	1214	-	-	9/18/18/24	-
4	OLC	A	1208	-	-	10/20/20/24	-
3	CLR	A	1202	-	-	3/10/68/68	0/4/4/4
4	OLC	A	1206	-	-	8/24/24/24	-
4	OLC	A	1215	-	-	9/15/15/24	-
4	OLC	A	1210	-	-	10/24/24/24	-
4	OLC	A	1211	-	-	7/18/18/24	-
4	OLC	A	1221	-	-	5/24/24/24	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1218	OLC	O20-C1	5.32	1.48	1.33
4	A	1211	OLC	O20-C1	5.27	1.48	1.33
4	A	1210	OLC	O20-C1	4.91	1.47	1.33
4	A	1207	OLC	O20-C1	4.89	1.47	1.33
4	A	1213	OLC	O20-C1	4.80	1.47	1.33
4	A	1214	OLC	O20-C1	4.76	1.47	1.33
4	A	1206	OLC	O20-C1	4.67	1.47	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1222	OLC	O20-C1	4.64	1.46	1.33
4	A	1215	OLC	O20-C1	4.61	1.46	1.33
4	A	1209	OLC	O20-C1	4.60	1.46	1.33
4	A	1217	OLC	O20-C1	4.56	1.46	1.33
4	A	1216	OLC	O20-C1	4.52	1.46	1.33
4	A	1212	OLC	O20-C1	4.50	1.46	1.33
4	A	1220	OLC	O20-C1	4.45	1.46	1.33
4	A	1219	OLC	O20-C1	4.43	1.46	1.33
4	A	1208	OLC	O20-C1	4.27	1.45	1.33
4	A	1221	OLC	O20-C1	3.93	1.44	1.33
4	A	1205	OLC	O20-C1	3.46	1.43	1.33
2	A	1201	JQR	C12-C11	2.51	1.55	1.49
2	A	1201	JQR	C11-C5	2.22	1.48	1.46
2	A	1201	JQR	C2-S1	2.21	1.77	1.73
2	A	1201	JQR	C17-C12	2.05	1.58	1.53
2	A	1201	JQR	C10-C6	2.04	1.40	1.35

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	JQR	C6-C4-C5	6.43	132.73	124.76
2	A	1201	JQR	C2-S1-C5	-5.79	85.09	88.34
2	A	1201	JQR	C3'-C7'-N7'	4.60	122.88	116.25
4	A	1206	OLC	O20-C1-C2	4.28	124.88	111.83
4	A	1219	OLC	O20-C1-C2	4.16	124.50	111.83
2	A	1201	JQR	O7'-C7'-C3'	-3.79	113.39	120.90
4	A	1220	OLC	O20-C1-C2	3.68	123.06	111.83
2	A	1201	JQR	S1-C2-N7'	-3.65	118.83	123.72
4	A	1211	OLC	O20-C1-C2	3.54	122.64	111.83
4	A	1209	OLC	O20-C1-C2	3.45	122.36	111.83
4	A	1212	OLC	O20-C1-C2	3.29	121.86	111.83
4	A	1214	OLC	O20-C1-C2	3.26	121.77	111.83
4	A	1205	OLC	O20-C1-C2	3.05	121.13	111.83
4	A	1206	OLC	O20-C1-O19	-3.04	116.03	123.63
4	A	1221	OLC	O20-C1-C2	2.90	120.67	111.83
2	A	1201	JQR	S1-C2-N3	2.89	118.37	115.78
4	A	1210	OLC	O20-C1-C2	2.89	120.63	111.83
4	A	1205	OLC	O20-C1-O19	-2.74	116.78	123.63
4	A	1216	OLC	O20-C1-C2	2.68	120.02	111.83
4	A	1213	OLC	O20-C1-C2	2.66	119.95	111.83
4	A	1208	OLC	O20-C1-C2	2.66	119.95	111.83
4	A	1218	OLC	O20-C1-C2	2.64	119.87	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1215	OLC	O20-C1-C2	2.63	119.84	111.83
4	A	1219	OLC	O20-C1-O19	-2.59	117.15	123.63
4	A	1207	OLC	O20-C1-C2	2.50	119.47	111.83
2	A	1201	JQR	C14-C13-C12	-2.46	106.23	110.32
2	A	1201	JQR	C5-C4-N3	-2.46	113.47	115.77
4	A	1206	OLC	O20-C21-C22	2.43	117.28	105.85
2	A	1201	JQR	C10-C6-C4	-2.41	128.97	133.83
4	A	1220	OLC	O20-C1-O19	-2.40	117.64	123.63
4	A	1211	OLC	O20-C21-C22	2.39	117.09	105.85
2	A	1201	JQR	C17-C12-C11	2.35	114.85	110.85
4	A	1222	OLC	C21-O20-C1	2.34	125.67	117.12
2	A	1201	JQR	C4-C5-S1	2.25	112.20	109.63
4	A	1209	OLC	O20-C1-O19	-2.17	118.20	123.63
4	A	1217	OLC	O20-C1-C2	2.17	118.45	111.83
2	A	1201	JQR	O11-C11-C5	2.17	122.87	121.19
4	A	1221	OLC	O20-C1-O19	-2.15	118.26	123.63
4	A	1208	OLC	O20-C1-O19	-2.14	118.29	123.63
4	A	1213	OLC	O20-C21-C22	2.13	115.88	105.85
4	A	1216	OLC	O20-C1-O19	-2.10	118.38	123.63
4	A	1218	OLC	C21-O20-C1	2.07	124.68	117.12

There are no chirality outliers.

All (152) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1201	JQR	O11-C11-C5-S1
4	A	1205	OLC	O20-C21-C22-O23
4	A	1209	OLC	O20-C21-C22-C24
4	A	1209	OLC	O20-C21-C22-O23
4	A	1211	OLC	C21-C22-C24-O25
4	A	1213	OLC	O20-C21-C22-C24
4	A	1213	OLC	O20-C21-C22-O23
4	A	1214	OLC	C21-C22-C24-O25
4	A	1214	OLC	O20-C21-C22-C24
4	A	1215	OLC	C21-C22-C24-O25
4	A	1222	OLC	C21-C22-C24-O25
4	A	1222	OLC	O23-C22-C24-O25
4	A	1219	OLC	O19-C1-O20-C21
4	A	1219	OLC	C2-C1-O20-C21
4	A	1211	OLC	O20-C21-C22-O23
4	A	1214	OLC	O20-C21-C22-O23
4	A	1220	OLC	O20-C21-C22-O23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1210	OLC	C2-C1-O20-C21
5	A	1223	PE4	O3-C5-C6-O4
4	A	1206	OLC	C2-C1-O20-C21
4	A	1208	OLC	C2-C1-O20-C21
4	A	1212	OLC	C2-C1-O20-C21
4	A	1217	OLC	C2-C1-O20-C21
4	A	1211	OLC	O20-C21-C22-C24
4	A	1212	OLC	O19-C1-O20-C21
4	A	1209	OLC	O23-C22-C24-O25
4	A	1214	OLC	O23-C22-C24-O25
4	A	1208	OLC	O19-C1-O20-C21
3	A	1204	CLR	C17-C20-C22-C23
4	A	1210	OLC	O19-C1-O20-C21
4	A	1217	OLC	O19-C1-O20-C21
4	A	1206	OLC	O19-C1-O20-C21
4	A	1215	OLC	O20-C21-C22-O23
4	A	1221	OLC	O20-C21-C22-O23
3	A	1204	CLR	C21-C20-C22-C23
5	A	1223	PE4	O1-C1-C2-O2
4	A	1205	OLC	C2-C1-O20-C21
4	A	1215	OLC	O20-C21-C22-C24
4	A	1208	OLC	O20-C21-C22-O23
4	A	1205	OLC	C21-C22-C24-O25
4	A	1209	OLC	C21-C22-C24-O25
4	A	1212	OLC	C21-C22-C24-O25
4	A	1213	OLC	C21-C22-C24-O25
4	A	1218	OLC	C21-C22-C24-O25
4	A	1206	OLC	C13-C14-C15-C16
4	A	1214	OLC	C5-C6-C7-C8
4	A	1216	OLC	C3-C4-C5-C6
3	A	1202	CLR	C22-C23-C24-C25
4	A	1213	OLC	C3-C4-C5-C6
4	A	1220	OLC	C4-C5-C6-C7
4	A	1206	OLC	C12-C13-C14-C15
4	A	1205	OLC	O19-C1-O20-C21
4	A	1218	OLC	C13-C14-C15-C16
4	A	1211	OLC	C2-C3-C4-C5
4	A	1213	OLC	C2-C1-O20-C21
4	A	1220	OLC	C5-C6-C7-C8
4	A	1210	OLC	C14-C15-C16-C17
4	A	1217	OLC	C4-C5-C6-C7
4	A	1220	OLC	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1204	CLR	C22-C23-C24-C25
4	A	1213	OLC	O19-C1-O20-C21
4	A	1210	OLC	C12-C13-C14-C15
4	A	1222	OLC	C2-C3-C4-C5
4	A	1208	OLC	O20-C21-C22-C24
4	A	1208	OLC	C4-C5-C6-C7
4	A	1211	OLC	C9-C10-C11-C12
4	A	1218	OLC	C5-C6-C7-C8
4	A	1216	OLC	C2-C1-O20-C21
4	A	1206	OLC	C11-C12-C13-C14
4	A	1218	OLC	C10-C11-C12-C13
4	A	1211	OLC	C5-C6-C7-C8
4	A	1210	OLC	C6-C7-C8-C9
4	A	1214	OLC	C2-C1-O20-C21
4	A	1210	OLC	C2-C3-C4-C5
4	A	1211	OLC	O23-C22-C24-O25
4	A	1215	OLC	O23-C22-C24-O25
4	A	1218	OLC	O23-C22-C24-O25
4	A	1216	OLC	C6-C7-C8-C9
4	A	1214	OLC	C1-C2-C3-C4
4	A	1208	OLC	C10-C11-C12-C13
4	A	1216	OLC	O19-C1-O20-C21
4	A	1217	OLC	C6-C7-C8-C9
4	A	1207	OLC	C2-C3-C4-C5
4	A	1217	OLC	C11-C12-C13-C14
4	A	1214	OLC	O19-C1-O20-C21
4	A	1220	OLC	C11-C12-C13-C14
4	A	1215	OLC	C2-C1-O20-C21
4	A	1218	OLC	C3-C4-C5-C6
2	A	1201	JQR	C12-C11-C5-S1
4	A	1215	OLC	C3-C4-C5-C6
4	A	1221	OLC	C4-C5-C6-C7
4	A	1213	OLC	C5-C6-C7-C8
5	A	1223	PE4	C5-C6-O4-C7
4	A	1215	OLC	O19-C1-O20-C21
4	A	1210	OLC	C3-C4-C5-C6
4	A	1212	OLC	C3-C4-C5-C6
4	A	1213	OLC	C9-C10-C11-C12
4	A	1214	OLC	C9-C10-C11-C12
4	A	1205	OLC	O23-C22-C24-O25
4	A	1213	OLC	O23-C22-C24-O25
4	A	1208	OLC	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1208	OLC	C3-C4-C5-C6
4	A	1220	OLC	C15-C16-C17-C18
4	A	1217	OLC	C12-C13-C14-C15
4	A	1210	OLC	C4-C5-C6-C7
4	A	1209	OLC	C3-C4-C5-C6
4	A	1222	OLC	C5-C6-C7-C8
4	A	1207	OLC	C10-C11-C12-C13
4	A	1215	OLC	C5-C6-C7-C8
4	A	1209	OLC	C6-C7-C8-C9
4	A	1213	OLC	C1-C2-C3-C4
4	A	1218	OLC	C11-C12-C13-C14
4	A	1212	OLC	O23-C22-C24-O25
4	A	1216	OLC	C5-C6-C7-C8
4	A	1205	OLC	O20-C21-C22-C24
4	A	1219	OLC	C4-C5-C6-C7
4	A	1209	OLC	C9-C10-C11-C12
5	A	1223	PE4	C1-C2-O2-C3
4	A	1216	OLC	C11-C12-C13-C14
2	A	1201	JQR	O11-C11-C12-C13
4	A	1206	OLC	C14-C15-C16-C17
4	A	1212	OLC	C2-C3-C4-C5
4	A	1207	OLC	C3-C4-C5-C6
4	A	1221	OLC	C10-C11-C12-C13
3	A	1202	CLR	C17-C20-C22-C23
4	A	1222	OLC	O20-C21-C22-O23
4	A	1209	OLC	C2-C3-C4-C5
4	A	1221	OLC	C9-C10-C11-C12
4	A	1222	OLC	C4-C5-C6-C7
4	A	1206	OLC	C4-C5-C6-C7
3	A	1202	CLR	C20-C22-C23-C24
4	A	1217	OLC	C5-C6-C7-C8
4	A	1212	OLC	C6-C7-C8-C9
4	A	1208	OLC	C9-C10-C11-C12
4	A	1212	OLC	C7-C8-C9-C10
4	A	1222	OLC	C9-C10-C11-C12
4	A	1210	OLC	C9-C10-C11-C12
4	A	1218	OLC	C7-C8-C9-C10
4	A	1220	OLC	C7-C8-C9-C10
4	A	1205	OLC	C6-C7-C8-C9
4	A	1210	OLC	C7-C8-C9-C10
4	A	1221	OLC	O20-C21-C22-C24
4	A	1206	OLC	C9-C10-C11-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	1207	OLC	C7-C8-C9-C10
4	A	1208	OLC	C7-C8-C9-C10
4	A	1220	OLC	O20-C21-C22-C24
3	A	1204	CLR	C23-C24-C25-C26
4	A	1222	OLC	O20-C1-C2-C3
4	A	1218	OLC	C15-C16-C17-C18
4	A	1213	OLC	C7-C8-C9-C10
4	A	1215	OLC	C6-C7-C8-C9
4	A	1217	OLC	C9-C10-C11-C12




There are no ring outliers.


5 monomers are involved in 9 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1213	OLC	2	0
2	A	1201	JQR	1	0
3	A	1203	CLR	2	0
4	A	1222	OLC	3	0
4	A	1211	OLC	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/431 (90%)	0.14	18 (4%) 37 39	24, 43, 96, 120	2 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	110[A]	LEU	5.1
1	A	308	LEU	4.2
1	A	1020	ALA	4.0
1	A	1058	MET	3.5
1	A	1024	ALA	3.2
1	A	1017	ILE	2.9
1	A	-1	GLY	2.6
1	A	305	SER	2.5
1	A	1090	ALA	2.5
1	A	1061	PHE	2.5
1	A	1106	LEU	2.4
1	A	1016	VAL	2.4
1	A	206[A]	ARG	2.4
1	A	307	VAL	2.3
1	A	1026	VAL	2.1
1	A	204	ALA	2.0
1	A	1075	ALA	2.0
1	A	1105	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	OLC	A	1222	21/25	0.72	0.20	81,94,100,103	0
4	OLC	A	1210	25/25	0.78	0.19	87,96,108,112	0
4	OLC	A	1215	16/25	0.79	0.18	76,92,99,102	0
4	OLC	A	1218	25/25	0.79	0.19	62,72,80,80	0
4	OLC	A	1211	19/25	0.79	0.18	48,67,78,83	0
4	OLC	A	1214	19/25	0.81	0.16	55,69,87,90	0
4	OLC	A	1213	19/25	0.81	0.20	70,79,101,102	0
4	OLC	A	1217	22/25	0.82	0.19	66,80,92,95	0
6	NA	A	1224	1/1	0.82	0.13	59,59,59,59	0
4	OLC	A	1206	25/25	0.84	0.18	56,74,83,86	0
4	OLC	A	1216	21/25	0.84	0.17	66,73,89,91	0
4	OLC	A	1207	21/25	0.86	0.15	54,61,97,104	0
4	OLC	A	1220	25/25	0.86	0.16	53,76,93,98	0
4	OLC	A	1208	21/25	0.88	0.15	71,75,89,91	0
4	OLC	A	1212	19/25	0.88	0.16	63,73,100,102	0
5	PE4	A	1223	11/24	0.88	0.15	58,67,75,77	0
4	OLC	A	1219	14/25	0.88	0.14	57,63,75,75	0
4	OLC	A	1209	19/25	0.89	0.13	64,69,84,84	0
4	OLC	A	1221	25/25	0.90	0.15	45,66,89,93	0
4	OLC	A	1205	16/25	0.91	0.12	47,55,74,75	0
3	CLR	A	1204	28/28	0.93	0.12	50,57,81,86	0
3	CLR	A	1203	28/28	0.94	0.10	37,42,73,79	0
3	CLR	A	1202	28/28	0.96	0.07	36,40,55,58	0
2	JQR	A	1201	28/28	0.98	0.05	29,33,44,51	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLC A 1222:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1210:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1215:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1218:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1211:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1214:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1213:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1217:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1216:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1207:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1220:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1208:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1212:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 A 1223:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1219:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1209:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1221:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1205:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 1204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLR A 1202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JQR A 1201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.