



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:02 PM UTC

PDB ID : 9GN3 / pdb_00009gn3
Title : The 3D structure of MsrR from Streptococcus pneumoniae
Authors : Moche, M.; Sala, B.M.; Sandalova, T.; Achour, A.
Deposited on : 2024-08-30
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	10% 75% 19% • •
1	B	307	7% 78% 17% • •
1	C	307	7% 80% 16% • •

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Regulatory protein MsrR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	1	0
			2295	1440	387	460	8			
1	B	294	Total	C	N	O	S	0	5	0
			2307	1445	389	465	8			
1	C	298	Total	C	N	O	S	0	3	0
			2330	1458	395	469	8			

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	129	MET	-	initiating methionine	UNP Q8DPD6
A	130	GLY	-	expression tag	UNP Q8DPD6
A	425	ALA	-	expression tag	UNP Q8DPD6
A	426	ALA	-	expression tag	UNP Q8DPD6
A	427	ALA	-	expression tag	UNP Q8DPD6
A	428	LEU	-	expression tag	UNP Q8DPD6
A	429	GLU	-	expression tag	UNP Q8DPD6
A	430	HIS	-	expression tag	UNP Q8DPD6
A	431	HIS	-	expression tag	UNP Q8DPD6
A	432	HIS	-	expression tag	UNP Q8DPD6
A	433	HIS	-	expression tag	UNP Q8DPD6
A	434	HIS	-	expression tag	UNP Q8DPD6
A	435	HIS	-	expression tag	UNP Q8DPD6
B	129	MET	-	initiating methionine	UNP Q8DPD6
B	130	GLY	-	expression tag	UNP Q8DPD6
B	425	ALA	-	expression tag	UNP Q8DPD6
B	426	ALA	-	expression tag	UNP Q8DPD6
B	427	ALA	-	expression tag	UNP Q8DPD6
B	428	LEU	-	expression tag	UNP Q8DPD6
B	429	GLU	-	expression tag	UNP Q8DPD6
B	430	HIS	-	expression tag	UNP Q8DPD6
B	431	HIS	-	expression tag	UNP Q8DPD6
B	432	HIS	-	expression tag	UNP Q8DPD6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	433	HIS	-	expression tag	UNP Q8DPD6
B	434	HIS	-	expression tag	UNP Q8DPD6
B	435	HIS	-	expression tag	UNP Q8DPD6
C	129	MET	-	initiating methionine	UNP Q8DPD6
C	130	GLY	-	expression tag	UNP Q8DPD6
C	425	ALA	-	expression tag	UNP Q8DPD6
C	426	ALA	-	expression tag	UNP Q8DPD6
C	427	ALA	-	expression tag	UNP Q8DPD6
C	428	LEU	-	expression tag	UNP Q8DPD6
C	429	GLU	-	expression tag	UNP Q8DPD6
C	430	HIS	-	expression tag	UNP Q8DPD6
C	431	HIS	-	expression tag	UNP Q8DPD6
C	432	HIS	-	expression tag	UNP Q8DPD6
C	433	HIS	-	expression tag	UNP Q8DPD6
C	434	HIS	-	expression tag	UNP Q8DPD6
C	435	HIS	-	expression tag	UNP Q8DPD6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	72	Total O 72 72	0	0
2	B	81	Total O 81 81	0	0
2	C	73	Total O 73 73	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Regulatory protein MsrR




• Molecule 1: Regulatory protein MsrR



• Molecule 1: Regulatory protein MsrR





4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	130.63Å 130.63Å 100.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.00 – 2.15 46.00 – 2.15	Depositor EDS
% Data completeness (in resolution range)	64.2 (46.00-2.15) 64.2 (46.00-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.204 , 0.259 0.211 , 0.264	Depositor DCC
R_{free} test set	1710 reflections (3.16%)	wwPDB-VP
Wilson B-factor (Å ²)	38.0	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.013 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7158	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.17 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7669e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/2324	1.04	1/3141 (0.0%)
1	B	0.57	0/2336	1.03	2/3157 (0.1%)
1	C	0.57	0/2360	1.02	2/3191 (0.1%)
All	All	0.58	0/7020	1.03	5/9489 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	165	ASP	CA-CB-CG	5.81	118.41	112.60
1	B	280	THR	CA-CB-OG1	-5.71	101.03	109.60
1	A	280	THR	CA-CB-OG1	-5.70	101.04	109.60
1	C	142	ASP	CA-CB-CG	5.46	118.06	112.60
1	B	235	PHE	CA-CB-CG	-5.20	108.60	113.80

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	154	ARG	Sidechain
1	A	163	ARG	Sidechain
1	A	186	ARG	Sidechain
1	A	202	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2295	0	2272	34	0
1	B	2307	0	2271	33	0
1	C	2330	0	2301	40	0
2	A	72	0	0	1	0
2	B	81	0	0	3	0
2	C	73	0	0	2	2
All	All	7158	0	6844	101	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:322:ASP:OD2	2:B:501:HOH:O	1.84	0.94
1:A:322:ASP:OD2	2:A:501:HOH:O	1.87	0.93
1:B:379:GLY:O	2:B:502:HOH:O	1.91	0.89
1:C:158:ASN:HB3	1:C:289:GLU:OE2	1.74	0.88
1:A:130:GLY:HA3	1:A:158:ASN:HB3	1.62	0.82
1:C:158:ASN:HB3	1:C:289:GLU:CD	2.05	0.80
1:C:158:ASN:CG	1:C:289:GLU:HG2	2.10	0.76
1:C:158:ASN:CB	1:C:289:GLU:OE2	2.34	0.75
1:C:424:ARG:O	1:C:425:ALA:C	2.34	0.70
1:A:281:VAL:HG21	1:A:311:ASN:HB3	1.73	0.69
1:B:176:ASP:CG	2:B:513:HOH:O	2.37	0.67
1:C:158:ASN:CB	1:C:289:GLU:CD	2.68	0.66
1:B:179:MET:HE1	1:B:337:LEU:HD13	1.78	0.65
1:C:343:PRO:HB3	1:C:377:LEU:HD12	1.78	0.64
1:A:396:VAL:HG11	1:B:408:LEU:HD21	1.79	0.64
1:C:149:MET:HE3	1:C:244[B]:LEU:HD22	1.79	0.64
1:C:245:VAL:HG22	1:C:246:ASP:O	1.98	0.64
1:A:287:ALA:O	1:A:291:GLU:HA	1.97	0.63
1:C:247:PHE:HB3	1:C:310:LEU:HD21	1.81	0.61
1:C:153:GLY:O	1:C:154:ARG:C	2.43	0.61
1:C:160:VAL:HG11	1:C:163:ARG:HG2	1.82	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:424:ARG:O	1:B:425:ALA:C	2.45	0.58
1:B:179:MET:HE1	1:B:337:LEU:CD1	2.33	0.58
1:A:172:VAL:HG12	1:A:179:MET:HG2	1.84	0.58
1:A:243:ALA:C	1:A:244[B]:LEU:HD23	2.30	0.56
1:B:247:PHE:HB3	1:B:310:LEU:HD21	1.87	0.56
1:B:149:MET:HB2	1:B:244[B]:LEU:HD22	1.86	0.56
1:C:139:ASP:O	2:C:501:HOH:O	2.18	0.55
1:C:157:GLN:HE21	1:C:163:ARG:HH21	1.56	0.54
1:B:159:SER:O	1:B:162:THR:HB	2.07	0.54
1:A:247:PHE:HB3	1:A:310:LEU:HD21	1.90	0.52
1:C:160:VAL:HG21	1:C:163:ARG:CZ	2.39	0.52
1:A:346:LEU:HB3	1:A:353:LEU:HD22	1.92	0.51
1:A:380:ALA:HA	1:A:384:ILE:HD11	1.91	0.51
1:A:424:ARG:O	1:A:425:ALA:C	2.53	0.51
1:C:156:GLY:C	1:C:158:ASN:N	2.69	0.51
1:B:152:ASP:OD2	1:B:163:ARG:HB2	2.11	0.50
1:B:154:ARG:HD3	1:B:248:GLN:HG2	1.92	0.50
1:B:391[B]:GLU:OE1	1:B:417:LYS:NZ	2.45	0.50
1:C:170:LEU:HD11	1:C:179:MET:HE3	1.93	0.50
1:C:214:GLU:HG2	2:C:503:HOH:O	2.12	0.50
1:A:343:PRO:HB3	1:A:377:LEU:HD12	1.93	0.49
1:A:343:PRO:HB3	1:A:377:LEU:CD1	2.43	0.49
1:B:281:VAL:HG21	1:B:311:ASN:HB3	1.94	0.49
1:C:195:TYR:CE2	1:C:215:LEU:HD22	2.48	0.48
1:A:347:PHE:O	1:A:348:THR:C	2.57	0.48
1:B:310:LEU:O	1:B:314:ARG:HG3	2.13	0.48
1:A:408:LEU:HD21	1:B:396:VAL:HG11	1.95	0.48
1:C:158:ASN:HB2	1:C:289:GLU:OE2	2.14	0.47
1:A:284:ASP:CG	1:A:314:ARG:HH22	2.23	0.47
1:A:210:ASN:O	1:A:214:GLU:OE2	2.33	0.47
1:C:310:LEU:O	1:C:314:ARG:HG3	2.15	0.47
1:A:149:MET:HE3	1:A:244[A]:LEU:HD12	1.96	0.46
1:A:310:LEU:O	1:A:314:ARG:HG3	2.15	0.46
1:B:195:TYR:CE2	1:B:215:LEU:HD22	2.51	0.46
1:C:185:MET:HE3	1:C:322:ASP:HB3	1.98	0.46
1:A:195:TYR:CE2	1:A:215:LEU:HD22	2.51	0.46
1:B:319:ASP:O	1:C:155:ILE:HD11	2.16	0.46
1:C:377:LEU:O	1:C:381:LYS:HD3	2.17	0.45
1:B:344:THR:HA	1:B:347:PHE:CD2	2.52	0.45
1:C:151:THR:O	1:C:246:ASP:HA	2.17	0.45
1:A:399:TYR:CE1	1:A:405:LEU:HD13	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:222:LYS:HB3	1:B:222:LYS:HE2	1.78	0.45
1:A:200:ASN:HB2	1:A:202:ARG:HH21	1.82	0.45
1:B:323:TYR:OH	1:C:289:GLU:HG3	2.16	0.45
1:A:189:LEU:HB3	1:A:205:THR:O	2.17	0.44
1:A:222:LYS:HB3	1:A:222:LYS:HE3	1.56	0.44
1:C:160:VAL:HG21	1:C:163:ARG:NH2	2.32	0.44
1:C:155:ILE:O	1:C:156:GLY:C	2.60	0.44
1:A:149:MET:HE3	1:A:244[B]:LEU:HD22	2.00	0.44
1:A:322:ASP:O	1:A:326:THR:HG23	2.18	0.43
1:C:189:LEU:HB3	1:C:205:THR:O	2.19	0.43
1:C:284:ASP:OD2	1:C:314:ARG:NH1	2.52	0.43
1:B:189:LEU:HB3	1:B:205:THR:O	2.19	0.43
1:B:399:TYR:CE1	1:B:405:LEU:HD13	2.54	0.43
1:B:170:LEU:HD11	1:B:179:MET:HE3	2.01	0.43
1:C:157:GLN:C	1:C:159:SER:H	2.27	0.43
1:B:212:ALA:O	1:B:226:MET:HG2	2.18	0.42
1:B:322:ASP:O	1:B:326:THR:HG23	2.19	0.42
1:B:151:THR:HB	1:B:162:THR:CG2	2.49	0.42
1:B:381:LYS:CD	1:B:381:LYS:C	2.92	0.42
1:A:179:MET:HB2	1:A:384:ILE:HD12	2.02	0.42
1:B:252:THR:HG21	1:B:359:MET:HE1	2.02	0.42
1:C:187:ASP:O	1:C:188:ASN:C	2.62	0.42
1:C:346:LEU:HG	1:C:353:LEU:HD22	2.02	0.42
1:A:141:ARG:NH1	1:C:260:ASP:CG	2.78	0.41
1:A:159:SER:O	1:A:162:THR:OG1	2.37	0.41
1:C:149:MET:HE3	1:C:244[A]:LEU:HD12	2.02	0.41
1:A:200:ASN:HB3	1:A:201:GLY:H	1.71	0.41
1:C:147:LEU:O	1:C:242:TYR:HA	2.20	0.41
1:B:395:TRP:CD1	1:B:395:TRP:C	2.99	0.41
1:A:187:ASP:O	1:A:188:ASN:C	2.63	0.41
1:C:160:VAL:CG1	1:C:163:ARG:HG2	2.49	0.41
1:A:395:TRP:HE1	1:B:202:ARG:HH12	1.68	0.41
1:B:187:ASP:O	1:B:188:ASN:C	2.63	0.40
1:C:149:MET:CE	1:C:244[B]:LEU:HD22	2.46	0.40
1:A:147:LEU:O	1:A:242:TYR:HA	2.22	0.40
1:C:424:ARG:O	1:C:426:ALA:N	2.55	0.40
1:A:395:TRP:CD1	1:A:395:TRP:C	3.00	0.40
1:B:149:MET:HE3	1:B:244[B]:LEU:HD22	2.04	0.40
1:C:206:ASP:HB2	1:C:401:VAL:HG13	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:523:HOH:O	2:C:553:HOH:O[5_556]	2.07	0.13
2:C:560:HOH:O	2:C:560:HOH:O[5_556]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/307 (95%)	276 (94%)	15 (5%)	2 (1%)	18	13
1	B	295/307 (96%)	284 (96%)	10 (3%)	1 (0%)	36	34
1	C	299/307 (97%)	283 (95%)	14 (5%)	2 (1%)	18	13
All	All	887/921 (96%)	843 (95%)	39 (4%)	5 (1%)	21	15

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	155	ILE
1	A	155	ILE
1	C	156	GLY
1	C	154	ARG
1	A	157	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/258 (96%)	232 (94%)	15 (6%)	17	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	248/258 (96%)	237 (96%)	11 (4%)	25	23
1	C	251/258 (97%)	244 (97%)	7 (3%)	38	40
All	All	746/774 (96%)	713 (96%)	33 (4%)	26	23

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	134	VAL
1	A	157	GLN
1	A	159	SER
1	A	161	GLU
1	A	162	THR
1	A	163	ARG
1	A	164	THR
1	A	199	ILE
1	A	211	VAL
1	A	221	GLN
1	A	222	LYS
1	A	245	VAL
1	A	355	LYS
1	A	409	VAL
1	A	412	ASN
1	B	162	THR
1	B	163	ARG
1	B	164	THR
1	B	211	VAL
1	B	221	GLN
1	B	244[A]	LEU
1	B	244[B]	LEU
1	B	327	LYS
1	B	350	SER
1	B	381	LYS
1	B	409	VAL
1	C	160	VAL
1	C	162	THR
1	C	164	THR
1	C	186	ARG
1	C	211	VAL
1	C	409	VAL
1	C	412	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	221	GLN
1	A	248	GLN
1	B	221	GLN
1	B	272	ASN
1	C	157	GLN
1	C	158	ASN
1	C	171	ASN
1	C	188	ASN
1	C	221	GLN
1	C	248	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	296/307 (96%)	0.54	32 (10%)	11 12	16, 46, 111, 144	1 (0%)
1	B	294/307 (95%)	0.43	22 (7%)	20 23	15, 46, 104, 132	5 (1%)
1	C	298/307 (97%)	0.54	22 (7%)	20 23	17, 49, 96, 134	3 (1%)
All	All	888/921 (96%)	0.50	76 (8%)	16 17	15, 48, 105, 144	9 (1%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	347	PHE	5.5
1	B	427	ALA	5.1
1	A	427	ALA	4.8
1	A	428	LEU	4.7
1	B	155	ILE	4.6
1	C	159	SER	4.5
1	C	425	ALA	4.5
1	C	155	ILE	4.3
1	A	346	LEU	4.2
1	A	160	VAL	4.2
1	B	130	GLY	4.1
1	B	160	VAL	4.0
1	C	347	PHE	4.0
1	A	155	ILE	4.0
1	B	346	LEU	3.9
1	C	156	GLY	3.7
1	A	285	LEU	3.5
1	C	130	GLY	3.4
1	C	346	LEU	3.4
1	A	130	GLY	3.3
1	A	425	ALA	3.2
1	A	347	PHE	3.2
1	C	349	GLY	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	160	VAL	3.1
1	B	287	ALA	3.1
1	A	156	GLY	3.1
1	B	285	LEU	3.0
1	A	287	ALA	2.9
1	A	153	GLY	2.8
1	A	280	THR	2.8
1	B	340	ILE	2.8
1	B	282	GLY	2.7
1	A	159	SER	2.7
1	C	427	ALA	2.7
1	C	343	PRO	2.7
1	A	162	THR	2.6
1	B	281	VAL	2.6
1	C	340	ILE	2.6
1	A	426	ALA	2.6
1	B	426	ALA	2.6
1	B	349	GLY	2.5
1	B	425	ALA	2.5
1	C	352	ALA	2.5
1	A	293	PRO	2.5
1	A	276	LEU	2.4
1	C	348	THR	2.4
1	A	154	ARG	2.4
1	C	285	LEU	2.4
1	A	282	GLY	2.4
1	C	195	TYR	2.4
1	A	281	VAL	2.4
1	C	344	THR	2.3
1	C	286	TYR	2.3
1	A	200	ASN	2.3
1	A	344	THR	2.3
1	C	426	ALA	2.2
1	A	272	ASN	2.2
1	C	199	ILE	2.2
1	C	350	SER	2.2
1	A	201	GLY	2.2
1	A	348	THR	2.2
1	B	156	GLY	2.1
1	A	355	LYS	2.1
1	A	158	ASN	2.1
1	B	343	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	245	VAL	2.1
1	B	376	VAL	2.1
1	B	344	THR	2.1
1	C	341	LYS	2.1
1	A	256	THR	2.1
1	A	343	PRO	2.1
1	B	356	VAL	2.1
1	A	353	LEU	2.0
1	B	158	ASN	2.0
1	B	293	PRO	2.0
1	A	349	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.