



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 04:45 PM UTC

PDB ID : 4GO2 / pdb_00004go2
Title : Crystal structure of the c-terminal domain of 10'formyltetrahydrofolate dehydrogenase in complex with Thio-NADP
Authors : Tsybovsky, Y.
Deposited on : 2012-08-18
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	517	% 87% 9% . .
1	B	517	% 88% 7% . .
1	C	517	% 85% 11% . .
1	D	517	% 87% 9% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 17137 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytosolic 10-formyltetrahydrofolate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	498	Total	C	N	O	S	26	22	0
			3930	2497	674	737	22			
1	B	498	Total	C	N	O	S	16	23	0
			3928	2494	675	737	22			
1	C	498	Total	C	N	O	S	17	20	0
			3914	2486	676	730	22			
1	D	498	Total	C	N	O	S	15	21	0
			3922	2492	672	736	22			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	386	MET	-	expression tag	UNP P28037
A	387	ARG	-	expression tag	UNP P28037
A	388	GLY	-	expression tag	UNP P28037
A	389	SER	-	expression tag	UNP P28037
A	390	HIS	-	expression tag	UNP P28037
A	391	HIS	-	expression tag	UNP P28037
A	392	HIS	-	expression tag	UNP P28037
A	393	HIS	-	expression tag	UNP P28037
A	394	HIS	-	expression tag	UNP P28037
A	395	THR	-	expression tag	UNP P28037
A	396	THR	-	expression tag	UNP P28037
B	386	MET	-	expression tag	UNP P28037
B	387	ARG	-	expression tag	UNP P28037
B	388	GLY	-	expression tag	UNP P28037
B	389	SER	-	expression tag	UNP P28037
B	390	HIS	-	expression tag	UNP P28037
B	391	HIS	-	expression tag	UNP P28037
B	392	HIS	-	expression tag	UNP P28037
B	393	HIS	-	expression tag	UNP P28037
B	394	HIS	-	expression tag	UNP P28037
B	395	THR	-	expression tag	UNP P28037

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	396	THR	-	expression tag	UNP P28037
C	386	MET	-	expression tag	UNP P28037
C	387	ARG	-	expression tag	UNP P28037
C	388	GLY	-	expression tag	UNP P28037
C	389	SER	-	expression tag	UNP P28037
C	390	HIS	-	expression tag	UNP P28037
C	391	HIS	-	expression tag	UNP P28037
C	392	HIS	-	expression tag	UNP P28037
C	393	HIS	-	expression tag	UNP P28037
C	394	HIS	-	expression tag	UNP P28037
C	395	THR	-	expression tag	UNP P28037
C	396	THR	-	expression tag	UNP P28037
D	386	MET	-	expression tag	UNP P28037
D	387	ARG	-	expression tag	UNP P28037
D	388	GLY	-	expression tag	UNP P28037
D	389	SER	-	expression tag	UNP P28037
D	390	HIS	-	expression tag	UNP P28037
D	391	HIS	-	expression tag	UNP P28037
D	392	HIS	-	expression tag	UNP P28037
D	393	HIS	-	expression tag	UNP P28037
D	394	HIS	-	expression tag	UNP P28037
D	395	THR	-	expression tag	UNP P28037
D	396	THR	-	expression tag	UNP P28037

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 7-THIONICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: TAP) (formula: $C_{21}H_{28}N_7O_{16}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 64	C 26	N 7	O 25	P 5	S 1	0	1
4	B	1	Total 64	C 26	N 7	O 25	P 5	S 1	0	1
4	C	1	Total 64	C 26	N 7	O 25	P 5	S 1	0	1
4	D	1	Total 64	C 26	N 7	O 25	P 5	S 1	0	1


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	248	Total O 248 248	0	0
5	B	247	Total O 247 247	0	0
5	C	283	Total O 283 283	0	0
5	D	245	Total O 245 245	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytosolic 10-formyltetrahydrofolate dehydrogenase





- Molecule 1: Cytosolic 10-formyltetrahydrofolate dehydrogenase



- Molecule 1: Cytosolic 10-formyltetrahydrofolate dehydrogenase



- Molecule 1: Cytosolic 10-formyltetrahydrofolate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	258.94Å 194.39Å 97.11Å 90.00° 109.02° 90.00°	Depositor
Resolution (Å)	49.88 – 2.28 49.88 – 2.28	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.88-2.28) 99.9 (49.88-2.28)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.177 , 0.196 0.176 , 0.196	Depositor DCC
R_{free} test set	10330 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	29.2	Xtriage
Anisotropy	0.161	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 41.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.010 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17137	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL, TAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	4/4093 (0.1%)	0.92	6/5532 (0.1%)
1	B	0.76	4/4102 (0.1%)	0.87	6/5544 (0.1%)
1	C	0.72	1/4076 (0.0%)	0.86	3/5509 (0.1%)
1	D	0.69	1/4083 (0.0%)	0.86	2/5519 (0.0%)
All	All	0.75	10/16354 (0.1%)	0.88	17/22104 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	756[A]	ARG	CD-NE	18.79	1.72	1.46
1	A	756[B]	ARG	CD-NE	18.79	1.72	1.46
1	B	725[A]	GLN	CG-CD	-14.39	1.16	1.52
1	B	725[B]	GLN	CG-CD	-14.39	1.16	1.52
1	A	725	GLN	CG-CD	-10.34	1.26	1.52
1	A	690	LYS	CG-CD	-9.29	1.24	1.52
1	D	690	LYS	CG-CD	-7.97	1.28	1.52
1	B	560[A]	LYS	CG-CD	-5.44	1.36	1.52
1	B	560[B]	LYS	CG-CD	-5.44	1.36	1.52
1	C	571	ILE	CA-CB	5.43	1.61	1.54

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	756[A]	ARG	CD-NE-CZ	17.22	148.50	124.40
1	A	756[B]	ARG	CD-NE-CZ	17.22	148.50	124.40
1	A	756[A]	ARG	CG-CD-NE	11.30	136.87	112.00
1	A	756[B]	ARG	CG-CD-NE	11.30	136.87	112.00
1	C	690	LYS	CB-CG-CD	7.95	129.59	111.30
1	B	725[A]	GLN	CB-CG-CD	7.53	125.41	112.60
1	B	725[B]	GLN	CB-CG-CD	7.53	125.41	112.60
1	B	820	VAL	N-CA-C	7.14	117.22	110.30
1	C	690	LYS	CG-CD-CE	-6.81	95.64	111.30
1	D	690	LYS	CG-CD-CE	-6.28	96.86	111.30
1	B	725[A]	GLN	CG-CD-NE2	-6.25	107.03	116.40
1	B	725[B]	GLN	CG-CD-NE2	-6.25	107.03	116.40
1	D	604	LEU	N-CA-C	5.54	117.12	111.14
1	A	725	GLN	CB-CG-CD	5.46	121.88	112.60
1	A	604	LEU	N-CA-C	5.40	116.97	111.14
1	B	604	LEU	N-CA-C	5.37	117.21	111.36
1	C	594	VAL	N-CA-C	5.21	115.23	108.35

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	756[A]	ARG	Sidechain
1	A	756[B]	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3930	0	3941	29	0
1	B	3928	0	3938	23	0
1	C	3914	0	3927	45	0
1	D	3922	0	3933	32	0
2	A	35	0	0	1	0
2	B	40	0	0	0	0
2	C	35	0	0	2	0
2	D	30	0	0	0	0
3	A	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	6	0	8	0	0
3	C	6	0	8	1	0
3	D	6	0	8	0	0
4	A	64	0	22	2	0
4	B	64	0	22	4	0
4	C	64	0	22	6	0
4	D	64	0	22	2	0
5	A	248	0	0	3	0
5	B	247	0	0	3	0
5	C	283	0	0	5	0
5	D	245	0	0	1	0
All	All	17137	0	15859	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:841[B]:ARG:HG2	1:C:841[B]:ARG:HH11	1.24	1.03
1:A:597:LYS:HE2	1:A:628:GLY:O	1.58	1.01
1:C:597:LYS:HE2	1:C:628:GLY:O	1.69	0.92
4:B:1010[B]:TAP:H52N	4:B:1010[B]:TAP:H6N	1.55	0.87
1:C:692:VAL:O	1:C:696:MET:HG3	1.75	0.85
1:A:806:PHE:CE1	4:A:3009[A]:TAP:H2D	2.22	0.74
1:D:708:ILE:CG2	1:D:872:PHE:HE1	2.00	0.74
1:C:841[B]:ARG:HG2	1:C:841[B]:ARG:NH1	2.00	0.73
1:B:799:TYR:CE2	1:B:803[B]:GLU:HG3	2.25	0.72
1:A:799:TYR:CE2	1:A:803[A]:GLU:HG3	2.27	0.68
1:C:675:GLY:HA2	4:C:1009[B]:TAP:N7N	2.09	0.67
1:D:428:GLY:HA3	1:D:620[B]:LYS:HD2	1.76	0.66
1:A:735:LYS:H	1:A:745:ASN:HD21	1.44	0.66
1:D:735:LYS:H	1:D:745:ASN:HD21	1.43	0.65
1:A:600:GLN:NE2	5:A:3264:HOH:O	2.24	0.65
1:D:708:ILE:HG21	1:D:872:PHE:HE1	1.61	0.65
1:D:708:ILE:CG2	1:D:872:PHE:CE1	2.81	0.63
1:C:806:PHE:CE1	4:C:1009[A]:TAP:H2D	2.34	0.62
1:D:806:PHE:CE1	4:D:1008[A]:TAP:H2D	2.34	0.62
1:C:707[B]:CYS:HB3	4:C:1009[B]:TAP:S7N	2.39	0.62
1:C:610:ALA:HB2	1:C:625:ILE:HD12	1.81	0.61
1:D:676:GLY:HA2	1:D:832[A]:PHE:CD1	2.35	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:597:LYS:HG3	1:B:597:LYS:O	2.00	0.61
1:C:799:TYR:CE2	1:C:803[A]:GLU:HG3	2.34	0.61
4:B:1010[B]:TAP:H6N	4:B:1010[B]:TAP:C5D	2.28	0.60
1:C:428:GLY:HA3	1:C:620[B]:LYS:HG3	1.82	0.60
1:B:806:PHE:CE1	4:B:1010[A]:TAP:H2D	2.37	0.59
1:C:708:ILE:CG2	1:C:872:PHE:HE1	2.16	0.59
1:C:571:ILE:HD12	1:C:580:LEU:HA	1.84	0.59
1:B:756[B]:ARG:HH11	1:B:756[B]:ARG:HG3	1.67	0.59
1:C:696:MET:CE	1:C:700:PHE:HE2	2.18	0.57
1:B:600:GLN:NE2	5:B:1234:HOH:O	2.38	0.56
1:B:694[A]:MET:HE2	1:B:863:TYR:H	1.70	0.56
1:C:675:GLY:CA	4:C:1009[B]:TAP:N7N	2.70	0.55
1:D:675:GLY:HA2	4:D:1008[B]:TAP:N7N	2.22	0.55
1:C:852:LYS:NZ	2:C:1001:SO4:O3	2.34	0.55
1:D:610:ALA:HB2	1:D:625:ILE:HD12	1.89	0.55
1:D:735:LYS:N	1:D:745:ASN:HD21	2.05	0.55
1:C:600:GLN:NE2	5:C:1237:HOH:O	2.40	0.54
1:D:738:ASN:HB3	1:D:741[A]:GLU:HG3	1.89	0.54
1:D:645:LYS:NZ	1:D:671[B]:SER:OG	2.36	0.54
1:A:735:LYS:N	1:A:745:ASN:HD21	2.07	0.53
1:D:632:LEU:C	1:D:632:LEU:HD23	2.34	0.53
1:A:735:LYS:H	1:A:745:ASN:ND2	2.07	0.53
1:D:781[B]:ARG:HD2	1:D:785:PHE:CD2	2.44	0.53
1:B:414:ASN:OD1	1:B:742:ARG:NH2	2.39	0.52
1:C:692:VAL:O	1:C:696:MET:CG	2.54	0.52
1:C:708:ILE:CG2	1:C:872:PHE:CE1	2.93	0.52
1:D:708:ILE:HG21	1:D:872:PHE:CE1	2.42	0.52
1:A:648:PHE:CD1	1:A:658:ILE:HD12	2.44	0.52
1:C:819:ASP:C	1:C:819:ASP:OD2	2.52	0.52
1:C:648:PHE:CD1	1:C:658:ILE:HD12	2.44	0.52
1:A:483:ARG:HB3	1:D:548:ASN:HD21	1.75	0.51
1:B:708:ILE:CG2	1:B:872:PHE:HE1	2.23	0.51
1:A:669:LYS:NZ	2:A:3007:SO4:O1	2.36	0.50
1:C:696:MET:CE	1:C:700:PHE:CE2	2.94	0.50
1:B:411:LYS:HG2	1:B:413:VAL:HG22	1.94	0.50
1:D:692:VAL:O	1:D:696:MET:HG2	2.10	0.50
1:D:517:LEU:HD11	1:D:701:PHE:CZ	2.47	0.49
1:C:708:ILE:HG21	1:C:872:PHE:HE1	1.77	0.49
1:D:799:TYR:CE2	1:D:803[A]:GLU:HG3	2.47	0.49
1:A:676:GLY:HA2	1:A:832[A]:PHE:CG	2.47	0.48
5:B:1109:HOH:O	1:D:483:ARG:HD3	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:643:VAL:O	1:C:668:LYS:HE3	2.12	0.48
1:A:632:LEU:C	1:A:632:LEU:HD23	2.37	0.48
1:A:620[A]:LYS:O	1:A:620[A]:LYS:HG3	2.14	0.48
1:B:756[B]:ARG:HG3	1:B:756[B]:ARG:NH1	2.26	0.48
1:C:675:GLY:HA2	4:C:1009[B]:TAP:H72N	1.79	0.48
1:B:643:VAL:O	1:B:668:LYS:HE3	2.14	0.47
1:A:720:HIS:CD2	1:A:814:ARG:HG2	2.50	0.47
1:A:708:ILE:CG2	1:A:872:PHE:HE1	2.28	0.47
1:B:799:TYR:CZ	1:B:803[B]:GLU:HG3	2.50	0.47
1:C:669:LYS:NZ	2:C:1006:SO4:O1	2.35	0.47
1:C:696:MET:HE3	1:C:700:PHE:HE2	1.78	0.47
1:C:720:HIS:CD2	1:C:814:ARG:HG3	2.50	0.47
1:C:793:ASP:OD2	1:C:814:ARG:NH2	2.48	0.46
1:D:597:LYS:O	1:D:597:LYS:HG3	2.14	0.46
1:A:676:GLY:HA2	1:A:832[A]:PHE:CD1	2.51	0.46
1:A:806:PHE:CZ	4:A:3009[A]:TAP:H2D	2.51	0.45
1:B:806:PHE:CZ	4:B:1010[A]:TAP:H2D	2.51	0.45
1:C:424:LEU:O	1:C:430:PHE:HA	2.17	0.45
1:A:579:MET:HE1	1:A:582:TRP:CZ3	2.52	0.45
1:B:794:VAL:HG21	1:B:811:ILE:HG23	1.98	0.44
1:C:632:LEU:C	1:C:632:LEU:HD23	2.42	0.44
1:A:696:MET:SD	1:A:730:GLU:HB2	2.56	0.44
1:B:676:GLY:HA2	1:B:832[B]:PHE:CG	2.52	0.44
1:D:794:VAL:HG21	1:D:811:ILE:HG23	2.00	0.44
1:B:738:ASN:HB3	1:B:741[A]:GLU:HG3	1.99	0.44
1:B:536:TRP:CE2	1:D:539:LYS:HD3	2.53	0.44
1:C:660:LYS:HG3	1:D:660:LYS:HG3	2.00	0.43
1:A:794:VAL:HG21	1:A:811:ILE:HG23	1.99	0.43
1:C:694[A]:MET:HE2	1:C:863:TYR:H	1.83	0.43
1:C:696:MET:HE2	1:C:700:PHE:CE2	2.53	0.43
1:C:866:THR:OG1	3:C:1008:GOL:H11	2.18	0.43
1:C:708:ILE:HG21	1:C:872:PHE:CE1	2.53	0.43
1:A:901:GLU:OE2	5:A:3141:HOH:O	2.22	0.43
1:C:781[B]:ARG:HD2	1:C:785:PHE:CD2	2.54	0.43
1:C:883:ASP:OD1	5:C:1357:HOH:O	2.21	0.43
1:A:824:LEU:HD21	1:A:849:VAL:HG13	2.00	0.42
1:D:646:ILE:HG12	1:D:668:LYS:HD3	2.01	0.42
1:B:529:THR:HG21	1:B:582:TRP:HA	2.01	0.42
1:B:539:LYS:HD3	1:D:536:TRP:CE2	2.54	0.42
1:C:597:LYS:O	1:C:597:LYS:HG3	2.18	0.42
1:C:664:LEU:HD21	1:D:660:LYS:HD3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:708:ILE:CG2	1:B:872:PHE:CE1	3.01	0.42
1:D:580:LEU:C	1:D:580:LEU:HD23	2.44	0.42
1:D:600:GLN:NE2	5:D:1182:HOH:O	2.53	0.42
1:A:569:ILE:CD1	1:A:594:VAL:HG21	2.50	0.41
1:A:580:LEU:C	1:A:580:LEU:HD23	2.45	0.41
1:A:638[A]:SER:HB3	1:A:661:SER:HB2	2.01	0.41
1:A:521:THR:O	1:A:522:HIS:C	2.64	0.41
1:B:781[A]:ARG:HD2	1:B:785:PHE:CD2	2.56	0.41
1:B:580:LEU:C	1:B:580:LEU:HD23	2.46	0.41
1:D:529:THR:HG21	1:D:582:TRP:HA	2.02	0.41
1:A:539:LYS:HD3	1:C:536:TRP:CE2	2.56	0.41
1:C:529:THR:HG21	1:C:582:TRP:HA	2.03	0.41
1:C:901:GLU:OE2	5:C:1150:HOH:O	2.22	0.41
1:D:803[B]:GLU:HG3	1:D:804:GLU:N	2.37	0.40
1:A:582:TRP:CD1	1:A:884:LEU:HD21	2.57	0.40
1:C:521:THR:O	1:C:522:HIS:C	2.62	0.40
1:C:763[A]:GLN:CD	5:C:1318:HOH:O	2.65	0.40
1:C:806:PHE:CZ	4:C:1009[A]:TAP:H2D	2.57	0.40
1:A:416:LEU:HD12	1:A:416:LEU:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	518/517 (100%)	503 (97%)	15 (3%)	0	100	100
1	B	519/517 (100%)	501 (96%)	18 (4%)	0	100	100
1	C	516/517 (100%)	496 (96%)	20 (4%)	0	100	100
1	D	517/517 (100%)	500 (97%)	17 (3%)	0	100	100
All	All	2070/2068 (100%)	2000 (97%)	70 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	430/426 (101%)	420 (98%)	10 (2%)	44	60
1	B	431/426 (101%)	419 (97%)	12 (3%)	38	53
1	C	428/426 (100%)	417 (97%)	11 (3%)	40	56
1	D	429/426 (101%)	421 (98%)	8 (2%)	50	66
All	All	1718/1704 (101%)	1677 (98%)	41 (2%)	43	59

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	547	ILE
1	A	569	ILE
1	A	625	ILE
1	A	673	GLU
1	A	703	LYS
1	A	735	LYS
1	A	742	ARG
1	A	745	ASN
1	A	756[A]	ARG
1	A	756[B]	ARG
1	B	413	VAL
1	B	418	LEU
1	B	517	LEU
1	B	547	ILE
1	B	569	ILE
1	B	597	LYS
1	B	658	ILE
1	B	673	GLU
1	B	703	LYS
1	B	742	ARG
1	B	819	ASP
1	B	845	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	509	LEU
1	C	517	LEU
1	C	547	ILE
1	C	569	ILE
1	C	658	ILE
1	C	667	VAL
1	C	673	GLU
1	C	703	LYS
1	C	757	LYS
1	C	819	ASP
1	C	845	LYS
1	D	418	LEU
1	D	547	ILE
1	D	569	ILE
1	D	658	ILE
1	D	673	GLU
1	D	703	LYS
1	D	742	ARG
1	D	745	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	745	ASN
1	A	749	GLN
1	B	600	GLN
1	B	797	HIS
1	B	844	ASN
1	C	457	GLN
1	C	600	GLN
1	C	706	ASN
1	C	797	HIS
1	D	407	ASN
1	D	474	ASN
1	D	498	GLN
1	D	548	ASN
1	D	600	GLN
1	D	745	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	TAP	A	3009[A]	-	50,42,52	1.68	9 (18%)	70,65,80	5.70	14 (20%)
2	SO4	A	3005	-	4,4,4	0.19	0	6,6,6	0.31	0
2	SO4	B	1001	-	4,4,4	0.30	0	6,6,6	0.20	0
2	SO4	A	3007	-	4,4,4	0.19	0	6,6,6	0.59	0
2	SO4	D	1003	-	4,4,4	0.29	0	6,6,6	0.34	0
4	TAP	C	1009[A]	-	50,42,52	1.59	7 (14%)	70,65,80	5.48	16 (22%)
2	SO4	B	1003	-	4,4,4	0.24	0	6,6,6	0.33	0
2	SO4	B	1002	-	4,4,4	0.22	0	6,6,6	0.20	0
4	TAP	B	1010[B]	-	50,52,52	1.62	8 (16%)	70,80,80	1.55	13 (18%)
2	SO4	A	3001	-	4,4,4	0.24	0	6,6,6	0.11	0
2	SO4	A	3003	-	4,4,4	0.23	0	6,6,6	0.11	0
2	SO4	C	1001	-	4,4,4	0.28	0	6,6,6	0.15	0
2	SO4	B	1004	-	4,4,4	0.25	0	6,6,6	0.13	0
4	TAP	A	3009[B]	-	50,52,52	1.67	9 (18%)	70,80,80	1.63	13 (18%)
4	TAP	D	1008[B]	-	50,52,52	1.64	7 (14%)	70,80,80	1.62	15 (21%)
2	SO4	D	1001	-	4,4,4	0.26	0	6,6,6	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	1008	-	4,4,4	0.30	0	6,6,6	0.42	0
2	SO4	B	1006	-	4,4,4	0.26	0	6,6,6	0.23	0
2	SO4	C	1002	-	4,4,4	0.23	0	6,6,6	0.48	0
2	SO4	C	1005	-	4,4,4	0.26	0	6,6,6	0.34	0
2	SO4	D	1002	-	4,4,4	0.24	0	6,6,6	0.13	0
2	SO4	D	1005	-	4,4,4	0.26	0	6,6,6	0.27	0
4	TAP	D	1008[A]	-	50,42,52	1.60	6 (12%)	70,65,80	5.42	17 (24%)
2	SO4	B	1005	-	4,4,4	0.27	0	6,6,6	0.16	0
4	TAP	C	1009[B]	-	50,52,52	1.63	9 (18%)	70,80,80	1.61	15 (21%)
3	GOL	A	3008	-	5,5,5	0.38	0	5,5,5	0.35	0
2	SO4	A	3004	-	4,4,4	0.27	0	6,6,6	0.18	0
2	SO4	C	1006	-	4,4,4	0.18	0	6,6,6	0.46	0
2	SO4	B	1007	-	4,4,4	0.27	0	6,6,6	0.13	0
2	SO4	C	1003	-	4,4,4	0.23	0	6,6,6	0.13	0
2	SO4	C	1007	-	4,4,4	0.31	0	6,6,6	0.44	0
3	GOL	C	1008	-	5,5,5	0.42	0	5,5,5	0.40	0
2	SO4	C	1004	-	4,4,4	0.23	0	6,6,6	0.20	0
2	SO4	D	1006	-	4,4,4	0.20	0	6,6,6	0.39	0
3	GOL	B	1009	-	5,5,5	0.35	0	5,5,5	0.32	0
2	SO4	D	1004	-	4,4,4	0.27	0	6,6,6	0.13	0
2	SO4	A	3006	-	4,4,4	0.25	0	6,6,6	0.16	0
2	SO4	A	3002	-	4,4,4	0.21	0	6,6,6	0.46	0
3	GOL	D	1007	-	5,5,5	0.33	0	5,5,5	0.32	0
4	TAP	B	1010[A]	-	50,42,52	1.56	8 (16%)	70,65,80	5.35	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TAP	A	3009[A]	-	-	6/35/56/67	0/5/4/5
3	GOL	C	1008	-	-	2/4/4/4	-
4	TAP	B	1010[B]	-	-	11/35/67/67	0/5/5/5
4	TAP	D	1008[A]	-	-	4/35/56/67	0/5/4/5
4	TAP	C	1009[B]	-	-	7/35/67/67	0/5/5/5
3	GOL	A	3008	-	-	4/4/4/4	-
4	TAP	A	3009[B]	-	-	6/35/67/67	0/5/5/5
4	TAP	D	1008[B]	-	-	12/35/67/67	0/5/5/5
3	GOL	B	1009	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	D	1007	-	-	0/4/4/4	-
4	TAP	C	1009[A]	-	-	6/35/56/67	0/5/4/5
4	TAP	B	1010[A]	-	-	9/35/56/67	0/5/4/5

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1009[A]	TAP	C7N-S7N	-6.80	1.56	1.66
4	C	1009[B]	TAP	C7N-S7N	-6.80	1.56	1.66
4	D	1008[A]	TAP	C7N-S7N	-6.80	1.56	1.66
4	D	1008[B]	TAP	C7N-S7N	-6.80	1.56	1.66
4	A	3009[A]	TAP	C7N-S7N	-6.62	1.56	1.66
4	A	3009[B]	TAP	C7N-S7N	-6.62	1.56	1.66
4	B	1010[A]	TAP	C7N-S7N	-6.56	1.56	1.66
4	B	1010[B]	TAP	C7N-S7N	-6.56	1.56	1.66
4	A	3009[A]	TAP	C5A-C4A	5.42	1.48	1.39
4	A	3009[B]	TAP	C5A-C4A	5.42	1.48	1.39
4	C	1009[A]	TAP	C5A-C4A	5.33	1.48	1.39
4	C	1009[B]	TAP	C5A-C4A	5.33	1.48	1.39
4	D	1008[A]	TAP	C5A-C4A	5.10	1.48	1.39
4	D	1008[B]	TAP	C5A-C4A	5.10	1.48	1.39
4	B	1010[A]	TAP	C5A-C4A	4.93	1.47	1.39
4	B	1010[B]	TAP	C5A-C4A	4.93	1.47	1.39
4	B	1010[B]	TAP	PN-O3	3.40	1.63	1.59
4	A	3009[A]	TAP	C5A-C6A	3.25	1.50	1.41
4	A	3009[B]	TAP	C5A-C6A	3.25	1.50	1.41
4	A	3009[A]	TAP	PA-O3	3.15	1.62	1.59
4	D	1008[B]	TAP	PN-O3	3.05	1.62	1.59
4	B	1010[B]	TAP	PA-O3	2.98	1.62	1.59
4	D	1008[A]	TAP	C5A-C6A	2.91	1.49	1.41
4	D	1008[B]	TAP	C5A-C6A	2.91	1.49	1.41
4	C	1009[B]	TAP	PA-O3	2.82	1.62	1.59
4	A	3009[B]	TAP	PA-O3	2.76	1.62	1.59
4	B	1010[A]	TAP	C5A-C6A	2.74	1.48	1.41
4	B	1010[B]	TAP	C5A-C6A	2.74	1.48	1.41
4	D	1008[A]	TAP	C8A-N7A	2.73	1.36	1.31
4	D	1008[B]	TAP	C8A-N7A	2.73	1.36	1.31
4	D	1008[A]	TAP	PA-O3	2.68	1.62	1.59
4	B	1010[A]	TAP	C8A-N7A	2.62	1.36	1.31
4	B	1010[B]	TAP	C8A-N7A	2.62	1.36	1.31
4	A	3009[A]	TAP	C8A-N7A	2.61	1.36	1.31
4	A	3009[B]	TAP	C8A-N7A	2.61	1.36	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1009[A]	TAP	C5A-C6A	2.59	1.48	1.41
4	C	1009[B]	TAP	C5A-C6A	2.59	1.48	1.41
4	C	1009[B]	TAP	PN-O3	2.50	1.62	1.59
4	B	1010[A]	TAP	PA-O3	2.45	1.62	1.59
4	C	1009[A]	TAP	P2B-O2B	2.44	1.63	1.59
4	C	1009[B]	TAP	P2B-O2B	2.44	1.63	1.59
4	A	3009[B]	TAP	PN-O3	2.41	1.62	1.59
4	C	1009[A]	TAP	C8A-N7A	2.39	1.36	1.31
4	C	1009[B]	TAP	C8A-N7A	2.39	1.36	1.31
4	C	1009[A]	TAP	PA-O3	2.38	1.62	1.59
4	A	3009[B]	TAP	O4D-C1D	2.34	1.44	1.40
4	A	3009[A]	TAP	PN-O3	2.33	1.62	1.59
4	A	3009[A]	TAP	P2B-O2B	2.31	1.63	1.59
4	A	3009[B]	TAP	P2B-O2B	2.31	1.63	1.59
4	D	1008[B]	TAP	PA-O3	2.30	1.62	1.59
4	D	1008[A]	TAP	C4A-N9A	-2.22	1.33	1.37
4	D	1008[B]	TAP	C4A-N9A	-2.22	1.33	1.37
4	B	1010[A]	TAP	O4D-C1D	2.16	1.43	1.40
4	C	1009[B]	TAP	O4D-C1D	2.16	1.43	1.40
4	B	1010[A]	TAP	C4A-N9A	-2.11	1.33	1.37
4	B	1010[B]	TAP	C4A-N9A	-2.11	1.33	1.37
4	A	3009[A]	TAP	O4D-C1D	2.10	1.43	1.40
4	B	1010[B]	TAP	O4D-C1D	2.05	1.43	1.40
4	B	1010[A]	TAP	PN-O3	2.05	1.61	1.59
4	A	3009[A]	TAP	C5A-N7A	-2.03	1.35	1.39
4	A	3009[B]	TAP	C5A-N7A	-2.03	1.35	1.39
4	C	1009[A]	TAP	C5A-N7A	-2.02	1.35	1.39
4	C	1009[B]	TAP	C5A-N7A	-2.02	1.35	1.39

All (118) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	3009[A]	TAP	C2N-N1N-C1D	-44.60	20.68	119.13
4	C	1009[A]	TAP	C2N-N1N-C1D	-41.93	26.58	119.13
4	D	1008[A]	TAP	C2N-N1N-C1D	-41.77	26.93	119.13
4	B	1010[A]	TAP	C2N-N1N-C1D	-40.73	29.23	119.13
4	B	1010[A]	TAP	C6N-N1N-C1D	-13.33	93.57	119.73
4	C	1009[A]	TAP	C6N-N1N-C1D	-12.80	94.61	119.73
4	D	1008[A]	TAP	C6N-N1N-C1D	-11.41	97.33	119.73
4	A	3009[A]	TAP	C6N-N1N-C1D	-9.55	100.98	119.73
4	A	3009[A]	TAP	C5A-C4A-N3A	-5.98	118.49	126.72
4	A	3009[B]	TAP	C5A-C4A-N3A	-5.98	118.49	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1009[A]	TAP	C5A-C4A-N3A	-5.03	119.79	126.72
4	C	1009[B]	TAP	C5A-C4A-N3A	-5.03	119.79	126.72
4	B	1010[A]	TAP	C5A-C4A-N3A	-4.87	120.01	126.72
4	B	1010[B]	TAP	C5A-C4A-N3A	-4.87	120.01	126.72
4	D	1008[A]	TAP	C5A-C4A-N3A	-4.83	120.07	126.72
4	D	1008[B]	TAP	C5A-C4A-N3A	-4.83	120.07	126.72
4	A	3009[A]	TAP	N3A-C4A-N9A	4.42	134.68	127.17
4	A	3009[B]	TAP	N3A-C4A-N9A	4.42	134.68	127.17
4	C	1009[A]	TAP	N3A-C4A-N9A	4.34	134.55	127.17
4	C	1009[B]	TAP	N3A-C4A-N9A	4.34	134.55	127.17
4	D	1008[A]	TAP	N3A-C2A-N1A	-3.92	122.65	128.58
4	D	1008[B]	TAP	N3A-C2A-N1A	-3.92	122.65	128.58
4	B	1010[A]	TAP	N3A-C4A-N9A	3.88	133.76	127.17
4	B	1010[B]	TAP	N3A-C4A-N9A	3.88	133.76	127.17
4	A	3009[A]	TAP	C2A-N3A-C4A	3.76	121.00	111.83
4	A	3009[B]	TAP	C2A-N3A-C4A	3.76	121.00	111.83
4	A	3009[A]	TAP	C3N-C7N-N7N	3.75	121.63	116.25
4	A	3009[B]	TAP	C3N-C7N-N7N	3.75	121.63	116.25
4	C	1009[A]	TAP	C3N-C7N-N7N	3.72	121.60	116.25
4	C	1009[B]	TAP	C3N-C7N-N7N	3.72	121.60	116.25
4	A	3009[A]	TAP	C4A-C5A-N7A	-3.67	106.38	110.58
4	A	3009[B]	TAP	C4A-C5A-N7A	-3.67	106.38	110.58
4	D	1008[A]	TAP	C4A-C5A-N7A	-3.65	106.40	110.58
4	D	1008[B]	TAP	C4A-C5A-N7A	-3.65	106.40	110.58
4	D	1008[A]	TAP	C2A-N3A-C4A	3.64	120.73	111.83
4	D	1008[B]	TAP	C2A-N3A-C4A	3.64	120.73	111.83
4	B	1010[A]	TAP	C2A-N3A-C4A	3.48	120.33	111.83
4	B	1010[B]	TAP	C2A-N3A-C4A	3.48	120.33	111.83
4	B	1010[A]	TAP	N3A-C2A-N1A	-3.43	123.39	128.58
4	B	1010[B]	TAP	N3A-C2A-N1A	-3.43	123.39	128.58
4	D	1008[A]	TAP	N3A-C4A-N9A	3.31	132.79	127.17
4	D	1008[B]	TAP	N3A-C4A-N9A	3.31	132.79	127.17
4	D	1008[A]	TAP	C3N-C7N-N7N	3.30	120.98	116.25
4	D	1008[B]	TAP	C3N-C7N-N7N	3.30	120.98	116.25
4	C	1009[A]	TAP	C2A-N3A-C4A	3.24	119.76	111.83
4	C	1009[B]	TAP	C2A-N3A-C4A	3.24	119.76	111.83
4	A	3009[A]	TAP	N3A-C2A-N1A	-3.15	123.82	128.58
4	A	3009[B]	TAP	N3A-C2A-N1A	-3.15	123.82	128.58
4	B	1010[A]	TAP	C3N-C7N-N7N	3.14	120.76	116.25
4	B	1010[B]	TAP	C3N-C7N-N7N	3.14	120.76	116.25
4	D	1008[A]	TAP	C6A-C5A-N7A	3.01	137.90	132.09
4	D	1008[B]	TAP	C6A-C5A-N7A	3.01	137.90	132.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1009[A]	TAP	N3A-C2A-N1A	-3.01	124.03	128.58
4	C	1009[B]	TAP	N3A-C2A-N1A	-3.01	124.03	128.58
4	B	1010[A]	TAP	C4A-C5A-N7A	-2.97	107.18	110.58
4	B	1010[B]	TAP	C4A-C5A-N7A	-2.97	107.18	110.58
4	D	1008[A]	TAP	C2A-N1A-C6A	2.96	123.59	118.73
4	D	1008[B]	TAP	C2A-N1A-C6A	2.96	123.59	118.73
4	A	3009[A]	TAP	O4B-C1B-N9A	2.92	113.70	108.09
4	A	3009[B]	TAP	O4B-C1B-N9A	2.92	113.70	108.09
4	B	1010[A]	TAP	O4B-C1B-N9A	2.90	113.65	108.09
4	B	1010[B]	TAP	O4B-C1B-N9A	2.90	113.65	108.09
4	C	1009[A]	TAP	O4B-C1B-N9A	2.83	113.52	108.09
4	C	1009[B]	TAP	O4B-C1B-N9A	2.83	113.52	108.09
4	B	1010[A]	TAP	C4A-N9A-C8A	2.78	108.66	105.74
4	B	1010[B]	TAP	C4A-N9A-C8A	2.78	108.66	105.74
4	C	1009[A]	TAP	C4A-N9A-C8A	2.71	108.58	105.74
4	C	1009[B]	TAP	C4A-N9A-C8A	2.71	108.58	105.74
4	A	3009[A]	TAP	S7N-C7N-N7N	-2.69	118.00	122.68
4	A	3009[B]	TAP	S7N-C7N-N7N	-2.69	118.00	122.68
4	C	1009[A]	TAP	C4A-C5A-N7A	-2.67	107.53	110.58
4	C	1009[B]	TAP	C4A-C5A-N7A	-2.67	107.53	110.58
4	D	1008[A]	TAP	O4B-C1B-N9A	2.64	113.17	108.09
4	D	1008[B]	TAP	O4B-C1B-N9A	2.64	113.17	108.09
4	C	1009[A]	TAP	S7N-C7N-N7N	-2.49	118.34	122.68
4	C	1009[B]	TAP	S7N-C7N-N7N	-2.49	118.34	122.68
4	B	1010[A]	TAP	C6A-C5A-N7A	2.48	136.87	132.09
4	B	1010[B]	TAP	C6A-C5A-N7A	2.48	136.87	132.09
4	D	1008[A]	TAP	C5A-N7A-C8A	2.48	107.34	103.45
4	D	1008[B]	TAP	C5A-N7A-C8A	2.48	107.34	103.45
4	A	3009[A]	TAP	O4B-C1B-C2B	-2.44	102.39	106.59
4	A	3009[B]	TAP	O4B-C1B-C2B	-2.44	102.39	106.59
4	A	3009[A]	TAP	C5A-N7A-C8A	2.39	107.20	103.45
4	A	3009[B]	TAP	C5A-N7A-C8A	2.39	107.20	103.45
4	D	1008[A]	TAP	O3X-P2B-O2X	2.35	116.60	107.80
4	D	1008[B]	TAP	O3X-P2B-O2X	2.35	116.60	107.80
4	A	3009[A]	TAP	C6A-C5A-N7A	2.33	136.59	132.09
4	A	3009[B]	TAP	C6A-C5A-N7A	2.33	136.59	132.09
4	B	1010[A]	TAP	S7N-C7N-N7N	-2.33	118.63	122.68
4	B	1010[B]	TAP	S7N-C7N-N7N	-2.33	118.63	122.68
4	D	1008[A]	TAP	C4A-N9A-C8A	2.26	108.11	105.74
4	D	1008[B]	TAP	C4A-N9A-C8A	2.26	108.11	105.74
4	D	1008[A]	TAP	S7N-C7N-N7N	-2.20	118.86	122.68
4	D	1008[B]	TAP	S7N-C7N-N7N	-2.20	118.86	122.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1008[A]	TAP	C5N-C4N-C3N	-2.19	118.21	120.36
4	D	1008[B]	TAP	C5N-C4N-C3N	-2.19	118.21	120.36
4	B	1010[A]	TAP	C2A-N1A-C6A	2.19	122.33	118.73
4	B	1010[B]	TAP	C2A-N1A-C6A	2.19	122.33	118.73
4	C	1009[B]	TAP	PA-O5B-C5B	2.17	133.80	121.35
4	B	1010[A]	TAP	C5A-N7A-C8A	2.17	106.86	103.45
4	B	1010[B]	TAP	C5A-N7A-C8A	2.17	106.86	103.45
4	C	1009[A]	TAP	C5N-C4N-C3N	-2.17	118.24	120.36
4	C	1009[B]	TAP	C5N-C4N-C3N	-2.17	118.24	120.36
4	C	1009[A]	TAP	C5A-N7A-C8A	2.10	106.75	103.45
4	C	1009[B]	TAP	C5A-N7A-C8A	2.10	106.75	103.45
4	A	3009[B]	TAP	PA-O5B-C5B	2.08	133.26	121.35
4	C	1009[A]	TAP	C6N-N1N-C2N	-2.08	120.11	121.88
4	C	1009[B]	TAP	C6N-N1N-C2N	-2.08	120.11	121.88
4	C	1009[A]	TAP	C4N-C3N-C7N	-2.07	118.49	121.03
4	C	1009[B]	TAP	C4N-C3N-C7N	-2.07	118.49	121.03
4	D	1008[A]	TAP	N9A-C8A-N7A	-2.06	111.01	113.94
4	D	1008[B]	TAP	N9A-C8A-N7A	-2.06	111.01	113.94
4	C	1009[A]	TAP	C2A-N1A-C6A	2.06	122.11	118.73
4	C	1009[B]	TAP	C2A-N1A-C6A	2.06	122.11	118.73
4	A	3009[A]	TAP	C6N-N1N-C2N	-2.04	120.14	121.88
4	A	3009[B]	TAP	C6N-N1N-C2N	-2.04	120.14	121.88
4	B	1010[A]	TAP	N9A-C8A-N7A	-2.02	111.07	113.94
4	B	1010[B]	TAP	N9A-C8A-N7A	-2.02	111.07	113.94

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	3008	GOL	O1-C1-C2-C3
3	A	3008	GOL	C1-C2-C3-O3
3	B	1009	GOL	O1-C1-C2-C3
3	C	1008	GOL	O1-C1-C2-C3
4	A	3009[A]	TAP	C5D-O5D-PN-O1N
4	A	3009[A]	TAP	C2D-C1D-N1N-C2N
4	A	3009[A]	TAP	C2D-C1D-N1N-C6N
4	A	3009[B]	TAP	C5D-O5D-PN-O3
4	A	3009[B]	TAP	O4D-C4D-C5D-O5D
4	A	3009[B]	TAP	C3D-C4D-C5D-O5D
4	B	1010[A]	TAP	C5D-O5D-PN-O1N
4	B	1010[A]	TAP	C2D-C1D-N1N-C2N
4	B	1010[B]	TAP	C5B-O5B-PA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	1010[B]	TAP	C5D-O5D-PN-O2N
4	C	1009[A]	TAP	C2D-C1D-N1N-C2N
4	C	1009[B]	TAP	C5D-O5D-PN-O3
4	C	1009[B]	TAP	C5D-O5D-PN-O1N
4	C	1009[B]	TAP	C5D-O5D-PN-O2N
4	D	1008[A]	TAP	C2D-C1D-N1N-C2N
4	D	1008[B]	TAP	C5B-O5B-PA-O1A
4	D	1008[B]	TAP	C5D-O5D-PN-O3
4	D	1008[B]	TAP	C5D-O5D-PN-O2N
3	A	3008	GOL	O2-C2-C3-O3
4	C	1009[B]	TAP	O4D-C4D-C5D-O5D
4	C	1009[B]	TAP	C3D-C4D-C5D-O5D
3	C	1008	GOL	O1-C1-C2-O2
4	B	1010[A]	TAP	C4D-C5D-O5D-PN
3	A	3008	GOL	O1-C1-C2-O2
3	B	1009	GOL	O1-C1-C2-O2
4	D	1008[A]	TAP	C4D-C5D-O5D-PN
4	A	3009[A]	TAP	C2B-C1B-N9A-C8A
4	A	3009[B]	TAP	C2B-C1B-N9A-C8A
4	B	1010[A]	TAP	C2B-C1B-N9A-C8A
4	B	1010[B]	TAP	C2B-C1B-N9A-C8A
4	C	1009[A]	TAP	C2B-C1B-N9A-C8A
4	C	1009[B]	TAP	C2B-C1B-N9A-C8A
4	D	1008[A]	TAP	C2B-C1B-N9A-C8A
4	D	1008[B]	TAP	C2B-C1B-N9A-C8A
4	B	1010[B]	TAP	PN-O3-PA-O2A
4	B	1010[B]	TAP	PA-O3-PN-O1N
4	D	1008[B]	TAP	PN-O3-PA-O1A
4	D	1008[B]	TAP	PA-O3-PN-O1N
4	A	3009[B]	TAP	C5D-O5D-PN-O1N
4	B	1010[A]	TAP	C5D-O5D-PN-O3
4	B	1010[A]	TAP	C5D-O5D-PN-O2N
4	B	1010[B]	TAP	C5B-O5B-PA-O3
4	B	1010[B]	TAP	C5D-O5D-PN-O3
4	B	1010[B]	TAP	C5D-O5D-PN-O1N
4	C	1009[A]	TAP	C5B-O5B-PA-O1A
4	D	1008[B]	TAP	C5B-O5B-PA-O2A
4	D	1008[B]	TAP	C5B-O5B-PA-O3
4	D	1008[B]	TAP	C5D-O5D-PN-O1N
4	C	1009[A]	TAP	C4D-C5D-O5D-PN
4	D	1008[B]	TAP	PN-O3-PA-O2A
4	A	3009[A]	TAP	C4D-C5D-O5D-PN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	1010[A]	TAP	C2D-C1D-N1N-C6N
4	C	1009[A]	TAP	C2D-C1D-N1N-C6N
4	B	1010[A]	TAP	O4D-C1D-N1N-C2N
4	B	1010[B]	TAP	PN-O3-PA-O1A
4	A	3009[A]	TAP	O4B-C1B-N9A-C8A
4	A	3009[B]	TAP	O4B-C1B-N9A-C8A
4	B	1010[A]	TAP	O4B-C1B-N9A-C8A
4	B	1010[B]	TAP	O4B-C1B-N9A-C8A
4	C	1009[A]	TAP	O4B-C1B-N9A-C8A
4	C	1009[B]	TAP	O4B-C1B-N9A-C8A
4	D	1008[A]	TAP	O4B-C1B-N9A-C8A
4	D	1008[B]	TAP	O4B-C1B-N9A-C8A
4	B	1010[B]	TAP	PA-O3-PN-O2N
4	D	1008[B]	TAP	PA-O3-PN-O2N


There are no ring outliers.


11 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	3009[A]	TAP	2	0
2	A	3007	SO4	1	0
4	C	1009[A]	TAP	2	0
4	B	1010[B]	TAP	2	0
2	C	1001	SO4	1	0
4	D	1008[B]	TAP	1	0
4	D	1008[A]	TAP	1	0
4	C	1009[B]	TAP	4	0
2	C	1006	SO4	1	0
3	C	1008	GOL	1	0
4	B	1010[A]	TAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.









Ligand TAP A 3009 (B)




Ligand TAP D 1008 (B)






Ligand TAP C 1009 (B)



Ligand TAP B 1010 (A)



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	498/517 (96%)	-0.34	5 (1%) 79 81	8, 26, 39, 46	37 (7%)
1	B	498/517 (96%)	-0.26	7 (1%) 73 75	8, 28, 39, 57	37 (7%)
1	C	498/517 (96%)	-0.48	6 (1%) 76 78	8, 23, 32, 48	34 (6%)
1	D	498/517 (96%)	-0.35	5 (1%) 79 81	7, 26, 36, 55	37 (7%)
All	All	1992/2068 (96%)	-0.36	23 (1%) 76 78	7, 26, 37, 57	145 (7%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	405	VAL	4.6
1	B	405	VAL	4.6
1	B	657[A]	HIS	4.3
1	D	405	VAL	4.2
1	C	657[A]	HIS	3.6
1	A	657[A]	HIS	3.2
1	D	657[A]	HIS	3.0
1	C	571	ILE	3.0
1	C	405	VAL	2.9
1	B	620[A]	LYS	2.8
1	D	819	ASP	2.8
1	B	819	ASP	2.7
1	D	742	ARG	2.7
1	B	571	ILE	2.6
1	C	819	ASP	2.5
1	A	819	ASP	2.5
1	D	571	ILE	2.4
1	A	571	ILE	2.4
1	C	760	GLU	2.3
1	B	675	GLY	2.3
1	C	780	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	653	GLU	2.0
1	A	742	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	D	1003	5/5	0.75	0.20	48,48,50,50	5
2	SO4	C	1004	5/5	0.79	0.17	52,52,52,52	5
2	SO4	A	3006	5/5	0.79	0.30	53,54,54,54	5
2	SO4	A	3004	5/5	0.80	0.19	52,53,53,54	5
2	SO4	A	3005	5/5	0.81	0.24	45,47,47,47	5
2	SO4	B	1005	5/5	0.83	0.17	49,50,51,51	5
2	SO4	B	1004	5/5	0.84	0.10	96,96,97,97	0
2	SO4	D	1002	5/5	0.85	0.12	86,86,87,87	5
2	SO4	B	1006	5/5	0.85	0.20	45,47,48,48	5
2	SO4	D	1005	5/5	0.85	0.20	45,45,45,46	5
2	SO4	A	3003	5/5	0.86	0.11	85,85,86,86	5
2	SO4	D	1004	5/5	0.87	0.19	41,43,43,44	5
2	SO4	B	1007	5/5	0.87	0.20	44,44,46,46	5
2	SO4	C	1005	5/5	0.88	0.19	43,44,44,44	5
3	GOL	D	1007	6/6	0.88	0.20	68,69,69,69	0
3	GOL	A	3008	6/6	0.89	0.18	60,61,62,62	0
3	GOL	B	1009	6/6	0.89	0.19	58,60,61,61	0
2	SO4	C	1003	5/5	0.89	0.11	76,77,77,77	5
3	GOL	C	1008	6/6	0.90	0.17	61,62,63,64	0
2	SO4	C	1001	5/5	0.91	0.13	38,39,40,41	5
2	SO4	B	1003	5/5	0.92	0.10	41,41,44,44	5

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	3007	5/5	0.93	0.14	36,43,43,44	5
2	SO4	C	1007	5/5	0.94	0.10	30,34,36,36	5
2	SO4	D	1001	5/5	0.94	0.10	33,34,36,36	5
2	SO4	B	1008	5/5	0.94	0.11	35,40,42,42	5
2	SO4	B	1002	5/5	0.94	0.10	34,35,37,37	5
2	SO4	C	1002	5/5	0.94	0.11	38,38,40,40	5
4	TAP	A	3009[A]	39/48	0.94	0.12	35,41,51,51	16
4	TAP	A	3009[B]	48/48	0.94	0.12	35,45,61,64	25
4	TAP	B	1010[A]	39/48	0.94	0.12	41,45,51,51	16
4	TAP	B	1010[B]	48/48	0.94	0.12	41,47,63,65	25
4	TAP	D	1008[A]	39/48	0.94	0.12	32,39,47,48	16
4	TAP	D	1008[B]	48/48	0.94	0.12	32,40,53,58	25
4	TAP	C	1009[B]	48/48	0.95	0.10	33,40,53,57	25
2	SO4	A	3002	5/5	0.95	0.10	34,36,38,39	5
4	TAP	C	1009[A]	39/48	0.95	0.10	33,37,40,41	16
2	SO4	A	3001	5/5	0.96	0.10	37,38,39,39	5
2	SO4	C	1006	5/5	0.96	0.10	39,41,42,42	5
2	SO4	D	1006	5/5	0.96	0.10	34,39,40,41	5
2	SO4	B	1001	5/5	0.97	0.10	26,26,27,27	5




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TAP A 3009 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TAP A 3009 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TAP B 1010 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TAP B 1010 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TAP D 1008 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TAP D 1008 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TAP C 1009 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TAP C 1009 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.