



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:16 PM UTC

PDB ID : 1GPE / pdb_00001gpe
Title : GLUCOSE OXIDASE FROM PENICILLIUM AMAGASAKIENSE
Authors : Hendle, J.; Kalisz, H.M.; Hecht, H.J.
Deposited on : 1999-03-24
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	2% 83%17%
1	B	587	% 81%18%
2	C	5	60%40%
2	E	5	20%80%
3	D	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	 100%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 10067 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (GLUCOSE OXIDASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	587	Total	C	N	O	S	0	0	0
			4509	2857	763	871	18			
1	B	587	Total	C	N	O	S	0	0	0
			4509	2857	763	871	18			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	5	Total	C	N	O	0	0	0
			61	34	2	25			
2	E	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
5	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	338	Total	O	0	0
			338	338		
6	B	371	Total	O	0	0
			371	371		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PROTEIN (GLUCOSE OXIDASE)



- Molecule 1: PROTEIN (GLUCOSE OXIDASE)




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  60% 40%




- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  20% 80%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.60Å 132.10Å 151.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 20.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	94.7 (20.00-1.80) 94.6 (20.00-1.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.57 (at 1.80Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.160 , 0.198 0.144 , 0.174	Depositor DCC
R_{free} test set	5114 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	11.2	Xtriage
Anisotropy	0.429	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 37.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10067	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, MAN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/4608	1.45	35/6266 (0.6%)
1	B	0.61	0/4608	1.44	25/6266 (0.4%)
All	All	0.61	0/9216	1.44	60/12532 (0.5%)

There are no bond length outliers.

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	520	HIS	CA-CB-CG	-8.56	105.24	113.80
1	B	165	ASN	OD1-CG-ND2	8.16	130.76	122.60
1	A	130	PHE	CA-CB-CG	-7.78	106.02	113.80
1	A	520	HIS	CA-CB-CG	-7.75	106.05	113.80
1	B	130	PHE	CA-CB-CG	-7.47	106.33	113.80
1	A	164	PHE	CA-CB-CG	7.41	121.21	113.80
1	A	435	PHE	CA-CB-CG	-7.30	106.50	113.80
1	B	287	HIS	CA-CB-CG	-6.99	106.81	113.80
1	A	95	THR	N-CA-C	-6.94	101.58	110.53
1	B	170	GLY	N-CA-C	-6.76	102.90	112.37
1	B	26	ASP	CA-CB-CG	-6.67	105.93	112.60
1	A	331	GLN	OE1-CD-NE2	6.64	129.24	122.60
1	B	428	ASP	N-CA-C	-6.64	98.42	109.24
1	B	57	GLY	CA-C-O	6.52	128.55	121.90
1	A	26	ASP	CA-CB-CG	-6.36	106.24	112.60
1	B	435	PHE	CA-CB-CG	-6.30	107.50	113.80
1	B	95	THR	N-CA-C	-6.29	102.07	110.55
1	A	546	GLN	OE1-CD-NE2	6.26	128.86	122.60
1	A	93	ASN	CA-CB-CG	-6.18	106.42	112.60
1	B	555	ILE	N-CA-C	6.03	121.90	108.88
1	B	218	MET	N-CA-C	-5.95	101.71	110.52
1	A	555	ILE	N-CA-C	5.84	121.50	108.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	284	PHE	CA-CB-CG	-5.81	107.99	113.80
1	A	111	ASN	CA-CB-CG	5.66	118.25	112.60
1	B	451	GLN	OE1-CD-NE2	5.62	128.22	122.60
1	A	93	ASN	OD1-CG-ND2	5.56	128.16	122.60
1	B	461	ASN	CA-CB-CG	-5.54	107.06	112.60
1	A	218	MET	N-CA-C	-5.53	102.33	110.52
1	B	165	ASN	CB-CG-ND2	-5.52	108.12	116.40
1	A	165	ASN	OD1-CG-ND2	5.50	128.10	122.60
1	A	170	GLY	N-CA-C	-5.47	104.70	112.37
1	A	559	GLN	N-CA-C	-5.46	103.49	110.53
1	B	71	ASN	CA-CB-CG	-5.43	107.17	112.60
1	A	428	ASP	N-CA-C	-5.42	100.41	109.24
1	B	93	ASN	CA-CB-CG	-5.37	107.23	112.60
1	A	562	SER	O-C-N	5.37	128.30	123.26
1	A	466	LEU	CA-C-N	5.31	125.83	119.94
1	A	466	LEU	C-N-CA	5.31	125.83	119.94
1	A	221	ASN	CA-CB-CG	5.29	117.89	112.60
1	A	329	ASN	CA-CB-CG	-5.27	107.33	112.60
1	A	308	GLY	O-C-N	5.24	129.15	123.96
1	A	328	ILE	CA-C-O	-5.23	116.34	121.67
1	A	423	GLY	CA-C-O	5.21	124.91	119.07
1	A	537	ASP	CA-CB-CG	5.19	117.79	112.60
1	A	206	GLN	N-CA-C	-5.19	103.18	110.50
1	A	287	HIS	CA-CB-CG	-5.18	108.61	113.80
1	A	332	ASP	N-CA-C	-5.17	102.54	110.14
1	A	254	VAL	N-CA-C	-5.14	102.10	108.89
1	B	559	GLN	N-CA-C	-5.13	103.91	110.53
1	B	221	ASN	CA-CB-CG	5.12	117.72	112.60
1	B	563	HIS	CA-CB-CG	-5.11	108.69	113.80
1	B	96	ASN	CA-CB-CG	-5.10	107.50	112.60
1	B	435	PHE	N-CA-C	-5.10	107.23	113.50
1	A	435	PHE	N-CA-C	-5.09	107.25	113.50
1	B	56	LYS	O-C-N	5.08	127.50	122.12
1	A	57	GLY	CA-C-O	5.05	127.05	121.90
1	A	280	ASN	OD1-CG-ND2	5.05	127.65	122.60
1	B	122	GLN	OE1-CD-NE2	5.04	127.64	122.60
1	A	362	PHE	CA-CB-CG	-5.03	108.77	113.80
1	A	550	VAL	N-CA-C	-5.00	100.45	107.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4509	0	4394	44	0
1	B	4509	0	4394	59	0
2	C	61	0	52	1	0
2	E	61	0	52	0	0
3	D	28	0	25	0	0
3	F	28	0	25	0	0
4	A	28	0	25	0	0
4	B	28	0	26	0	0
5	A	53	0	31	3	0
5	B	53	0	31	4	0
6	A	338	0	0	2	0
6	B	371	0	0	2	0
All	All	10067	0	9055	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:GLN:HE21	1:A:368:GLN:H	1.16	0.90
1:A:97:ASN:HD21	1:B:97:ASN:HD21	0.89	0.88
1:A:97:ASN:HD21	1:B:97:ASN:ND2	1.72	0.86
1:B:368:GLN:HE21	1:B:368:GLN:H	1.20	0.86
1:A:97:ASN:ND2	1:B:97:ASN:HD21	1.75	0.81
1:A:111:ASN:HB2	5:A:600:FAD:C5X	2.16	0.74
1:B:111:ASN:HB2	5:B:600:FAD:C5X	2.19	0.71
1:B:151:ARG:HD3	1:B:225:GLU:HG2	1.75	0.67
1:B:336:THR:HG21	1:B:511:VAL:HG22	1.78	0.66
1:B:6:GLN:HG3	1:B:62:ASN:HA	1.79	0.65
1:B:261:GLN:HE21	1:B:321:LEU:HD11	1.63	0.64
1:A:261:GLN:HE21	1:A:321:LEU:HD11	1.64	0.62
1:A:366:ALA:HB3	1:A:367:PRO:HD3	1.84	0.59
1:B:261:GLN:NE2	1:B:321:LEU:HD11	2.18	0.59
1:B:531:GLU:H	1:B:531:GLU:CD	2.11	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:GLN:NE2	1:A:321:LEU:HD11	2.19	0.57
1:A:111:ASN:HB2	5:A:600:FAD:N5	2.19	0.57
1:A:368:GLN:HE21	1:A:368:GLN:N	1.95	0.57
1:A:336:THR:HG21	1:A:511:VAL:HG22	1.87	0.56
1:B:24:THR:HG22	1:B:286:LYS:HG3	1.87	0.56
1:B:111:ASN:HB2	5:B:600:FAD:N5	2.21	0.55
1:B:221:ASN:HB3	1:B:223:LEU:HG	1.88	0.55
1:A:300:LEU:HD21	1:A:440:VAL:HG22	1.90	0.53
1:A:380:TRP:CH2	1:A:463:PHE:HB2	2.43	0.53
1:B:34:LEU:HD23	1:B:34:LEU:C	2.35	0.52
1:B:6:GLN:HB3	1:B:62:ASN:CB	2.40	0.52
1:B:465:LEU:HD13	1:B:512:LEU:HD13	1.92	0.52
1:B:493:LEU:HA	1:B:494:PRO:C	2.35	0.52
1:B:238:LEU:HB3	1:B:239:PRO:HD3	1.91	0.51
1:A:34:LEU:C	1:A:34:LEU:HD23	2.36	0.51
1:B:298:SER:N	1:B:299:PRO:HD2	2.26	0.50
1:B:141:PHE:CZ	1:B:145:LYS:HE3	2.46	0.50
1:A:311:SER:O	1:A:315:GLN:HG3	2.10	0.50
1:B:85:TYR:HB2	1:B:98:ILE:HB	1.94	0.50
1:B:113:ASP:O	1:B:221:ASN:HA	2.12	0.50
1:B:311:SER:O	1:B:315:GLN:HG3	2.12	0.50
1:B:6:GLN:HB3	1:B:62:ASN:HB2	1.93	0.49
1:B:91:ILE:HD12	1:B:460:LEU:HD23	1.93	0.49
1:B:203:PRO:O	1:B:215:GLY:HA3	2.13	0.48
1:B:10:GLN:HB2	1:B:59:TYR:HB3	1.95	0.48
1:A:387:ARG:HD2	6:A:670:HOH:O	2.13	0.47
1:A:113:ASP:O	1:A:221:ASN:HA	2.14	0.47
1:A:421:THR:HA	1:A:424:LYS:O	2.14	0.47
1:B:459:PHE:CD2	1:B:512:LEU:HD12	2.49	0.47
1:A:85:TYR:HB2	1:A:98:ILE:HB	1.96	0.47
1:A:221:ASN:HB3	1:A:223:LEU:HG	1.95	0.47
1:A:259:PHE:CZ	1:A:307:ILE:HD11	2.49	0.47
1:A:341:ARG:HG2	1:A:489:ALA:HB3	1.96	0.47
1:B:366:ALA:HB3	1:B:367:PRO:HD3	1.97	0.47
1:A:207:ASP:HB3	1:A:210:CYS:SG	2.54	0.47
1:B:152:THR:HG22	1:B:164:PHE:CE2	2.50	0.47
1:A:586:SER:O	1:A:587:ALA:HB3	2.15	0.46
1:B:75:GLN:NE2	6:B:871:HOH:O	2.47	0.46
1:A:197:VAL:HB	1:A:202:VAL:HB	1.98	0.46
1:B:586:SER:O	1:B:587:ALA:HB3	2.14	0.46
1:A:266:PRO:HD2	1:A:544:GLY:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:GLU:HG2	1:A:547:GLY:HA2	1.97	0.46
1:A:151:ARG:HG3	6:A:824:HOH:O	2.16	0.45
1:B:413:ALA:HB3	1:B:561:SER:HB3	1.98	0.45
1:A:122:GLN:HA	1:A:406:TRP:CZ2	2.51	0.45
1:B:563:HIS:HA	6:B:775:HOH:O	2.17	0.45
1:B:24:THR:CG2	1:B:286:LYS:HG3	2.47	0.44
1:B:59:TYR:CZ	1:B:61:SER:HB2	2.52	0.44
1:B:132:MET:HA	1:B:132:MET:HE2	1.99	0.44
1:A:493:LEU:HA	1:A:494:PRO:C	2.41	0.44
1:B:529:SER:HB2	1:B:531:GLU:OE1	2.17	0.44
1:B:397:LYS:O	1:B:401:GLU:HG3	2.17	0.44
1:A:304:TYR:CZ	1:A:447:PRO:HA	2.53	0.44
1:B:33:GLY:HA3	5:B:600:FAD:O5B	2.18	0.44
1:A:33:GLY:HA3	5:A:600:FAD:O5B	2.18	0.44
1:A:292:ALA:HA	1:A:552:ASP:HB3	1.99	0.44
1:B:117:ARG:NH2	1:B:148:GLU:OE2	2.50	0.43
1:B:292:ALA:HA	1:B:552:ASP:HB3	2.00	0.43
1:B:523:SER:HB3	1:B:556:PRO:O	2.18	0.43
1:B:256:LYS:HG2	1:B:272:ASN:HB3	2.01	0.43
1:A:298:SER:N	1:A:299:PRO:HD2	2.32	0.43
1:A:354:PHE:HB3	1:A:417:LEU:HB2	2.00	0.43
1:A:445:SER:O	1:A:447:PRO:HD3	2.18	0.43
1:B:288:GLU:HG2	1:B:547:GLY:HA2	2.01	0.43
1:B:295:SER:HA	1:B:554:SER:OG	2.19	0.43
1:A:59:TYR:CZ	1:A:61:SER:HB2	2.54	0.43
1:A:295:SER:HA	1:A:554:SER:OG	2.18	0.42
1:A:416:GLU:OE2	1:A:563:HIS:NE2	2.50	0.42
1:B:351:GLN:HA	1:B:419:MET:O	2.20	0.42
1:B:141:PHE:CE2	1:B:145:LYS:HE3	2.53	0.42
2:C:1:NAG:H61	2:C:2:NAG:C7	2.49	0.42
1:B:380:TRP:CH2	1:B:463:PHE:HB2	2.54	0.42
1:B:6:GLN:CD	1:B:234:ARG:HH22	2.28	0.42
1:A:132:MET:HA	1:A:132:MET:HE2	2.02	0.42
1:B:111:ASN:HB2	5:B:600:FAD:C4X	2.50	0.41
1:B:197:VAL:HB	1:B:202:VAL:HB	2.02	0.41
1:A:479:THR:HG22	1:A:488:PHE:CD1	2.56	0.41
1:B:479:THR:HG22	1:B:488:PHE:CD1	2.55	0.41
1:A:337:THR:HA	1:A:427:PHE:O	2.20	0.41
1:B:310:LYS:HE3	1:B:314:ASP:OD2	2.20	0.41
1:A:203:PRO:O	1:A:215:GLY:HA3	2.21	0.41
1:B:421:THR:HA	1:B:424:LYS:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:ASP:HB3	1:B:210:CYS:SG	2.61	0.40
1:A:27:TYR:HB2	1:A:51:VAL:HG22	2.04	0.40
1:B:122:GLN:HA	1:B:406:TRP:CZ2	2.57	0.40
1:B:304:TYR:CZ	1:B:447:PRO:HA	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	585/587 (100%)	566 (97%)	19 (3%)	0	100	100
1	B	585/587 (100%)	566 (97%)	19 (3%)	0	100	100
All	All	1170/1174 (100%)	1132 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/478 (100%)	473 (99%)	5 (1%)	68	64
1	B	478/478 (100%)	473 (99%)	5 (1%)	68	64
All	All	956/956 (100%)	946 (99%)	10 (1%)	68	64

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	VAL
1	A	260	LYS
1	A	368	GLN
1	A	429	LEU
1	A	512	LEU
1	B	6	GLN
1	B	20	VAL
1	B	191	LYS
1	B	368	GLN
1	B	429	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	75	GLN
1	A	97	ASN
1	A	261	GLN
1	A	368	GLN
1	A	374	ASN
1	A	426	ASN
1	B	71	ASN
1	B	75	GLN
1	B	176	GLN
1	B	226	ASN
1	B	261	GLN
1	B	267	GLN
1	B	331	GLN
1	B	368	GLN
1	B	374	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	1.23	1 (7%)	17,19,21	1.27	2 (11%)
2	NAG	C	2	2	14,14,15	1.19	1 (7%)	17,19,21	1.45	3 (17%)
2	BMA	C	3	2	11,11,12	0.71	0	15,15,17	1.13	2 (13%)
2	MAN	C	4	2	11,11,12	0.92	1 (9%)	15,15,17	1.34	1 (6%)
2	MAN	C	5	2	11,11,12	0.84	0	15,15,17	1.54	2 (13%)
3	NAG	D	1	1,3	14,14,15	1.20	1 (7%)	17,19,21	1.50	2 (11%)
3	NAG	D	2	3	14,14,15	1.26	1 (7%)	17,19,21	3.83	8 (47%)
2	NAG	E	1	1,2	14,14,15	1.22	1 (7%)	17,19,21	1.24	3 (17%)
2	NAG	E	2	2	14,14,15	1.20	1 (7%)	17,19,21	1.55	4 (23%)
2	BMA	E	3	2	11,11,12	0.72	0	15,15,17	0.83	0
2	MAN	E	4	2	11,11,12	0.87	0	15,15,17	1.22	1 (6%)
2	MAN	E	5	2	11,11,12	1.02	0	15,15,17	2.25	2 (13%)
3	NAG	F	1	1,3	14,14,15	1.26	1 (7%)	17,19,21	1.51	3 (17%)
3	NAG	F	2	3	14,14,15	1.29	1 (7%)	17,19,21	1.61	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	BMA	C	3	2	-	2/2/19/22	0/1/1/1
2	MAN	C	4	2	-	0/2/19/22	0/1/1/1
2	MAN	C	5	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	1/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
2	MAN	E	5	2	-	1/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1	NAG	O7-C7	-3.84	1.14	1.23
3	D	1	NAG	O7-C7	-3.80	1.14	1.23
2	C	1	NAG	O7-C7	-3.74	1.14	1.23
2	E	2	NAG	O7-C7	-3.73	1.14	1.23
2	E	1	NAG	O7-C7	-3.70	1.15	1.23
3	D	2	NAG	O7-C7	-3.68	1.15	1.23
2	C	2	NAG	O7-C7	-3.67	1.15	1.23
3	F	2	NAG	O7-C7	-3.64	1.15	1.23
2	C	4	MAN	C1-C2	2.03	1.57	1.52

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	2	NAG	C2-N2-C7	9.72	135.92	122.90
2	E	5	MAN	C1-O5-C5	7.88	122.74	112.19
3	D	2	NAG	C1-C2-N2	6.31	120.37	110.43
3	D	2	NAG	O7-C7-N2	-5.67	111.97	121.98
3	D	2	NAG	O5-C1-C2	-5.64	102.57	111.29
3	F	2	NAG	O5-C1-C2	-5.21	103.23	111.29
3	D	2	NAG	C4-C3-C2	-5.03	103.65	111.02
2	C	5	MAN	C1-O5-C5	4.56	118.30	112.19
2	C	4	MAN	C1-O5-C5	4.05	117.62	112.19
2	E	4	MAN	C1-O5-C5	3.87	117.38	112.19
2	C	2	NAG	C4-C3-C2	-3.65	105.67	111.02
3	D	1	NAG	C1-O5-C5	-3.61	107.34	112.19
3	D	2	NAG	O7-C7-C8	3.45	128.20	122.05
3	F	1	NAG	O4-C4-C3	3.24	118.02	110.38
2	E	2	NAG	C4-C3-C2	-3.24	106.27	111.02
2	E	2	NAG	C2-N2-C7	3.02	126.95	122.90
2	E	1	NAG	C1-O5-C5	-2.82	108.40	112.19
3	F	1	NAG	C1-O5-C5	-2.76	108.49	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	O5-C1-C2	-2.64	107.21	111.29
2	C	3	BMA	C2-C3-C4	2.55	115.34	110.86
2	E	1	NAG	O5-C5-C4	-2.52	104.70	110.83
2	C	1	NAG	C4-C3-C2	-2.49	107.36	111.02
2	C	5	MAN	C3-C4-C5	-2.45	105.79	110.23
2	C	1	NAG	C1-O5-C5	-2.29	109.11	112.19
3	F	2	NAG	C1-C2-N2	2.28	114.03	110.43
2	C	2	NAG	O5-C1-C2	-2.27	107.78	111.29
3	D	2	NAG	C8-C7-N2	2.24	119.83	116.12
3	D	2	NAG	C1-O5-C5	2.22	115.16	112.19
3	F	1	NAG	O5-C1-C2	-2.20	107.88	111.29
3	D	1	NAG	O5-C5-C4	-2.18	105.52	110.83
2	C	2	NAG	C1-O5-C5	-2.17	109.28	112.19
2	E	5	MAN	O3-C3-C4	2.12	115.38	110.38
2	C	3	BMA	O3-C3-C2	-2.12	105.72	110.05
2	E	1	NAG	C4-C3-C2	-2.06	108.00	111.02
2	E	2	NAG	C3-C4-C5	2.05	113.94	110.23

There are no chirality outliers.

All (14) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	D	2	NAG	C1-C2-N2-C7
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
3	F	2	NAG	O5-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
2	C	5	MAN	O5-C5-C6-O6
2	C	5	MAN	C4-C5-C6-O6
2	E	5	MAN	O5-C5-C6-O6
2	C	2	NAG	C1-C2-N2-C7
2	C	3	BMA	C4-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C3-C2-N2-C7
2	E	2	NAG	C3-C2-N2-C7
2	C	3	BMA	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NAG	1	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	602	1	14,14,15	1.03	1 (7%)	17,19,21	1.23	2 (11%)
4	NAG	B	604	1	14,14,15	1.22	1 (7%)	17,19,21	1.59	3 (17%)
5	FAD	B	600	-	58,58,58	1.68	10 (17%)	85,89,89	1.73	16 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	604	1	14,14,15	1.27	1 (7%)	17,19,21	3.76	5 (29%)
5	FAD	A	600	-	58,58,58	1.70	10 (17%)	85,89,89	1.58	15 (17%)
4	NAG	B	602	1	14,14,15	1.02	1 (7%)	17,19,21	1.15	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	602	1	-	0/6/23/26	0/1/1/1
4	NAG	B	604	1	-	0/6/23/26	0/1/1/1
5	FAD	B	600	-	-	4/34/50/50	0/6/6/6
4	NAG	A	604	1	-	3/6/23/26	0/1/1/1
5	FAD	A	600	-	-	7/34/50/50	0/6/6/6
4	NAG	B	602	1	-	0/6/23/26	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	600	FAD	P-O3P	-7.76	1.51	1.59
5	B	600	FAD	P-O3P	-6.97	1.52	1.59
4	B	604	NAG	O7-C7	-3.70	1.15	1.23
5	A	600	FAD	PA-O2A	-3.62	1.38	1.55
5	A	600	FAD	O5'-C5'	3.60	1.58	1.44
4	A	604	NAG	O7-C7	-3.53	1.15	1.23
5	B	600	FAD	O5'-C5'	3.51	1.57	1.44
5	B	600	FAD	PA-O2A	-3.44	1.39	1.55
4	A	602	NAG	O7-C7	-3.28	1.15	1.23
4	B	602	NAG	O7-C7	-3.08	1.16	1.23
5	A	600	FAD	O2-C2	-2.93	1.18	1.24
5	B	600	FAD	O2-C2	-2.91	1.18	1.24
5	A	600	FAD	P-O2P	-2.85	1.42	1.55
5	B	600	FAD	C5'-C4'	2.81	1.55	1.51
5	B	600	FAD	P-O2P	-2.81	1.42	1.55
5	B	600	FAD	C6-C7	-2.54	1.36	1.39
5	B	600	FAD	C4-N3	-2.36	1.34	1.38
5	A	600	FAD	C5'-C4'	2.33	1.55	1.51
5	B	600	FAD	O4B-C1B	2.21	1.47	1.42
5	B	600	FAD	PA-O5B	-2.21	1.50	1.59
5	A	600	FAD	PA-O3P	2.17	1.61	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	600	FAD	C6-C7	-2.16	1.36	1.39
5	A	600	FAD	O4B-C1B	2.07	1.46	1.42
5	A	600	FAD	PA-O5B	-2.04	1.51	1.59

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	604	NAG	C2-N2-C7	12.81	140.07	122.90
5	B	600	FAD	C2A-N1A-C6A	5.26	127.38	118.73
5	B	600	FAD	N3A-C2A-N1A	-5.03	120.97	128.58
4	A	604	NAG	O5-C1-C2	-4.96	103.61	111.29
4	A	604	NAG	O7-C7-N2	-4.48	114.06	121.98
5	B	600	FAD	O4B-C1B-N9A	-4.41	99.63	108.09
5	B	600	FAD	C5'-C4'-C3'	-4.28	104.14	112.22
5	A	600	FAD	O4B-C1B-N9A	-4.21	100.00	108.09
5	A	600	FAD	C5'-C4'-C3'	-4.20	104.29	112.22
5	A	600	FAD	C4A-N9A-C8A	4.00	109.94	105.74
5	B	600	FAD	C4A-N9A-C8A	3.97	109.91	105.74
5	A	600	FAD	C2A-N1A-C6A	3.96	125.23	118.73
5	B	600	FAD	C5A-C4A-N9A	-3.46	102.04	105.81
4	A	604	NAG	C4-C3-C2	-3.38	106.07	111.02
4	A	602	NAG	C4-C3-C2	-3.27	106.22	111.02
5	A	600	FAD	C4'-C3'-C2'	-3.19	108.26	113.57
4	B	604	NAG	O7-C7-C8	3.18	127.71	122.05
5	B	600	FAD	C1'-C2'-C3'	-3.15	101.11	109.66
4	B	602	NAG	O5-C1-C2	-2.99	106.66	111.29
5	A	600	FAD	C5A-C4A-N9A	-2.99	102.55	105.81
4	B	604	NAG	O5-C1-C2	-2.95	106.73	111.29
5	A	600	FAD	C1'-C2'-C3'	-2.81	102.04	109.66
5	A	600	FAD	O2P-P-O1P	2.75	125.23	112.44
5	B	600	FAD	C4'-C3'-C2'	-2.74	109.00	113.57
4	A	604	NAG	O7-C7-C8	2.67	126.82	122.05
4	A	602	NAG	O5-C1-C2	-2.66	107.17	111.29
5	A	600	FAD	N3A-C2A-N1A	-2.66	124.56	128.58
4	B	602	NAG	C4-C3-C2	-2.65	107.13	111.02
5	A	600	FAD	N9A-C8A-N7A	-2.59	110.26	113.94
5	B	600	FAD	O4-C4-C4X	-2.57	119.76	126.53
5	B	600	FAD	O2P-P-O1P	2.46	123.89	112.44
5	A	600	FAD	O4-C4-C4X	-2.40	120.21	126.53
4	B	604	NAG	C8-C7-N2	-2.36	112.20	116.12
5	B	600	FAD	N9A-C8A-N7A	-2.31	110.66	113.94
5	B	600	FAD	O2P-P-O3P	-2.29	101.08	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	600	FAD	O4-C4-N3	2.29	124.42	120.11
5	A	600	FAD	O2P-P-O3P	-2.28	101.11	107.27
5	A	600	FAD	O3'-C3'-C4'	-2.24	103.84	108.93
5	B	600	FAD	C4B-O4B-C1B	-2.21	104.59	109.47
5	A	600	FAD	O5'-C5'-C4'	-2.10	103.76	109.36
5	A	600	FAD	N6A-C6A-N1A	2.07	122.99	118.38
5	B	600	FAD	O3'-C3'-C4'	-2.04	104.30	108.93
5	B	600	FAD	C6A-C5A-C4A	-2.02	114.43	117.18

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	604	NAG	C3-C2-N2-C7
5	A	600	FAD	N10-C1'-C2'-O2'
5	A	600	FAD	PA-O3P-P-O5'
5	B	600	FAD	PA-O3P-P-O5'
4	A	604	NAG	O7-C7-N2-C2
4	A	604	NAG	C8-C7-N2-C2
5	B	600	FAD	C2B-C1B-N9A-C8A
5	A	600	FAD	C2B-C1B-N9A-C8A
5	A	600	FAD	P-O3P-PA-O1A
5	A	600	FAD	P-O3P-PA-O2A
5	B	600	FAD	P-O3P-PA-O1A
5	B	600	FAD	P-O3P-PA-O2A
5	A	600	FAD	C2B-C1B-N9A-C4A
5	A	600	FAD	N10-C1'-C2'-C3'


There are no ring outliers.


2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	600	FAD	4	0
5	A	600	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	587/587 (100%)	-0.50	9 (1%) 72 72	5, 12, 26, 59	0
1	B	587/587 (100%)	-0.47	8 (1%) 73 73	5, 12, 25, 56	0
All	All	1174/1174 (100%)	-0.48	17 (1%) 73 73	5, 12, 26, 59	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	587	ALA	6.1
1	A	587	ALA	5.6
1	B	5	GLN	5.2
1	B	4	ALA	4.9
1	A	263	ALA	4.6
1	A	586	SER	3.7
1	A	264	SER	3.2
1	A	5	GLN	3.0
1	B	586	SER	3.0
1	B	501	ASN	2.8
1	B	3	PRO	2.4
1	B	172	ASN	2.3
1	A	585	LYS	2.3
1	A	172	ASN	2.3
1	A	262	THR	2.2
1	A	315	GLN	2.1
1	B	6	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	F	2	14/15	0.38	0.21	35,40,42,42	0
2	MAN	C	5	11/12	0.52	0.17	43,45,46,46	0
2	MAN	E	5	11/12	0.70	0.15	42,45,46,46	0
3	NAG	D	2	14/15	0.73	0.15	28,32,35,36	0
2	BMA	E	3	11/12	0.81	0.13	31,34,35,35	0
2	BMA	C	3	11/12	0.82	0.12	32,34,36,37	0
2	NAG	E	2	14/15	0.85	0.11	30,32,36,37	0
2	NAG	C	2	14/15	0.86	0.12	32,33,36,37	0
2	NAG	E	1	14/15	0.88	0.09	26,29,30,30	0
3	NAG	F	1	14/15	0.88	0.10	20,24,28,33	0
2	MAN	C	4	11/12	0.88	0.10	35,36,38,41	0
2	MAN	E	4	11/12	0.89	0.11	35,36,38,41	0
2	NAG	C	1	14/15	0.90	0.09	27,30,32,32	0
3	NAG	D	1	14/15	0.91	0.08	17,20,22,26	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	604	14/15	0.90	0.09	15,18,28,30	0
4	NAG	B	604	14/15	0.92	0.07	13,16,20,22	0
4	NAG	B	602	14/15	0.95	0.06	10,12,13,14	0
4	NAG	A	602	14/15	0.95	0.06	9,11,17,19	0
5	FAD	A	600	53/53	0.98	0.05	5,7,8,10	0
5	FAD	B	600	53/53	0.98	0.04	3,6,8,9	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FAD A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FAD B 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.