



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:12 AM UTC

PDB ID : 4GPH / pdb_00004gph
Title : Structure of HmuO, heme oxygenase from *Corynebacterium diphtheriae*, in complex with the putative reaction intermediates between Fe³⁺-biliverdin and biliverdin (data set IV)
Authors : Unno, M.; Ikeda-Saito, M.
Deposited on : 2012-08-21
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	215	88% 8% ..
1	B	215	2% 75% 20% ..
1	C	215	3% 83% 14% ..

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5733 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Heme oxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	2	0
			1659	1044	296	316	3			
1	B	209	Total	C	N	O	S	0	3	0
			1657	1045	295	314	3			
1	C	212	Total	C	N	O	S	0	3	0
			1675	1053	299	320	3			

- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	1
			1	1		
2	C	1	Total	Fe	0	1
			1	1		

- Molecule 3 is BILIVERDINE IX ALPHA (CCD ID: BLA) (formula: C₃₃H₃₄N₄O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			86	66	8	12		
3	B	1	Total	C	N	O	0	0
			43	33	4	6		
3	C	1	Total	C	N	O	0	1
			86	66	8	12		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O S	0	0
			5 4 1			
4	B	1	Total	O S	0	0
			5 4 1			
4	B	1	Total	O S	0	0
			5 4 1			
4	B	1	Total	O S	0	0
			5 4 1			
4	B	1	Total	O S	0	0
			5 4 1			
4	C	1	Total	O S	0	0
			5 4 1			
4	C	1	Total	O S	0	0
			5 4 1			

- Molecule 5 is ASCORBIC ACID (CCD ID: ASC) (formula: C₆H₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			12	6	6		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	91	Total	O	0	1
			91	91		
6	B	195	Total	O	0	0
			195	195		
6	C	187	Total	O	0	0
			187	187		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Heme oxygenase



• Molecule 1: Heme oxygenase



• Molecule 1: Heme oxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.06Å 62.97Å 107.73Å 90.00° 100.78° 90.00°	Depositor
Resolution (Å)	30.00 – 1.70 30.00 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.7 (30.00-1.70) 98.6 (30.00-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.48 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.165 , 0.205 0.172 , 0.212	Depositor DCC
R_{free} test set	7808 reflections (9.97%)	wwPDB-VP
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.472	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5733	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE, SO4, ASC, BLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.32	1/1702 (0.1%)	1.18	4/2301 (0.2%)
1	B	1.69	13/1705 (0.8%)	1.48	13/2304 (0.6%)
1	C	1.70	13/1722 (0.8%)	1.40	12/2329 (0.5%)
All	All	1.58	27/5129 (0.5%)	1.36	29/6934 (0.4%)

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	432	ARG	CZ-NH2	8.49	1.44	1.33
1	B	348	GLN	N-CA	6.57	1.54	1.46
1	C	711	ASN	N-CA	6.55	1.54	1.46
1	C	681	GLU	CD-OE1	6.48	1.37	1.25
1	C	749	ARG	C-O	6.16	1.31	1.24
1	B	382	VAL	N-CA	6.06	1.53	1.46
1	B	400	ILE	CG1-CD1	5.89	1.74	1.51
1	B	429	HIS	N-CA	5.83	1.53	1.46
1	C	691	ASN	CA-C	-5.81	1.44	1.52
1	B	400	ILE	CA-CB	-5.81	1.47	1.54
1	B	399	ARG	CA-C	5.64	1.59	1.52
1	C	678	ASN	CG-ND2	-5.53	1.21	1.33
1	B	418	ASP	N-CA	5.52	1.53	1.46
1	B	444	ALA	CA-C	5.41	1.59	1.52
1	B	398	SER	CA-C	-5.39	1.45	1.52
1	C	660	VAL	CA-CB	5.29	1.61	1.54
1	B	326	SER	CA-C	5.29	1.59	1.52
1	C	749	ARG	N-CA	5.27	1.52	1.46
1	C	682	VAL	CA-CB	5.21	1.60	1.54
1	C	655	ALA	N-CA	5.20	1.52	1.46
1	B	362	ALA	N-CA	5.19	1.52	1.46
1	B	381	GLU	CD-OE1	5.18	1.35	1.25
1	C	715	GLU	C-O	5.14	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	147	MET	C-O	5.12	1.30	1.24
1	C	605	THR	CA-C	5.06	1.59	1.52
1	C	685	ARG	N-CA	5.04	1.52	1.46
1	C	680	ALA	CA-CB	5.02	1.61	1.53

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	490	ARG	CG-CD-NE	-7.80	94.84	112.00
1	B	400	ILE	CB-CG1-CD1	-7.10	98.88	113.80
1	C	699	ARG	NE-CZ-NH1	-6.66	114.84	121.50
1	B	405	ALA	N-CA-C	6.63	118.51	111.28
1	B	447	MET	N-CA-C	6.61	118.49	111.28
1	C	629	MET	CG-SD-CE	-6.29	87.06	100.90
1	A	32	LEU	N-CA-C	-6.22	104.42	111.14
1	B	357	GLU	CA-CB-CG	-6.17	101.76	114.10
1	B	354	THR	N-CA-C	-6.12	104.53	111.07
1	C	657	GLU	CA-CB-CG	-5.83	102.44	114.10
1	B	358	GLN	O-C-N	5.76	128.71	122.15
1	B	311	GLU	N-CA-C	5.69	117.49	111.28
1	C	745	ARG	N-CA-C	-5.66	105.19	111.36
1	C	691	ASN	N-CA-C	5.62	120.14	113.28
1	B	414	GLU	CA-CB-CG	-5.48	103.14	114.10
1	A	133	TYR	N-CA-C	5.45	117.30	111.36
1	B	482	ASN	N-CA-C	5.40	119.73	113.20
1	C	783	LEU	CA-C-N	-5.38	115.04	122.30
1	C	783	LEU	C-N-CA	-5.38	115.04	122.30
1	A	57	GLU	CA-CB-CG	-5.27	103.55	114.10
1	C	610	VAL	N-CA-C	5.27	115.48	110.42
1	B	388	ASP	N-CA-C	-5.21	105.60	111.28
1	C	695	GLU	CB-CG-CD	5.21	121.46	112.60
1	A	142	VAL	N-CA-C	-5.20	105.47	110.72
1	B	504	ASN	N-CA-C	5.14	116.88	111.28
1	B	381	GLU	CG-CD-OE1	5.09	130.10	118.40
1	C	714	GLU	CA-CB-CG	-5.07	103.97	114.10
1	C	762	HIS	CA-C-N	-5.07	115.92	123.11
1	C	762	HIS	C-N-CA	-5.07	115.92	123.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1659	0	1595	23	1
1	B	1657	0	1607	29	0
1	C	1675	0	1606	12	0
2	A	1	0	0	0	0
2	C	1	0	0	0	0
3	A	86	0	61	18	0
3	B	43	0	32	8	0
3	C	86	0	62	5	0
4	A	5	0	0	0	0
4	B	25	0	0	1	0
4	C	10	0	0	0	0
5	C	12	0	5	0	0
6	A	91	0	0	2	0
6	B	195	0	0	8	1
6	C	187	0	0	3	0
All	All	5733	0	4968	81	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:400:ILE:CD1	1:B:400:ILE:CG1	1.74	1.61
3:A:3002[A]:BLA:C4B	3:A:3002[A]:BLA:OC	1.97	1.13
3:A:3002[A]:BLA:HBB1	3:A:3002[A]:BLA:CMB	1.78	1.08
3:A:3002[A]:BLA:HMB3	3:A:3002[A]:BLA:CBB	1.88	1.04
1:A:33:LEU:HD11	3:A:3002[B]:BLA:HMC1	1.41	1.02
1:A:118:ASP:OD2	1:B:445:ARG:NH2	1.95	1.00
1:B:400:ILE:CD1	1:B:400:ILE:CB	2.44	0.95
3:A:3002[A]:BLA:HBB1	3:A:3002[A]:BLA:HMB3	0.97	0.95
3:A:3002[A]:BLA:OC	3:A:3002[A]:BLA:OB	1.87	0.93
3:A:3002[A]:BLA:OB	3:A:3002[A]:BLA:C1C	2.19	0.90
1:B:333:LEU:HD11	3:B:601:BLA:HMC3	1.63	0.79
1:C:695:GLU:HG2	6:C:1146:HOH:O	1.82	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:902[A]:BLA:HBB1	3:C:902[A]:BLA:OB	1.83	0.77
1:B:389:LYS:HD2	1:B:456:GLU:O	1.87	0.75
1:A:146:MET:HA	1:A:146:MET:HE2	1.70	0.72
1:A:208:PHE:CE2	3:A:3002[B]:BLA:HBB2	2.24	0.71
3:A:3002[A]:BLA:C4B	3:A:3002[A]:BLA:C1C	2.64	0.71
3:A:3002[A]:BLA:CMB	3:A:3002[A]:BLA:CBB	2.55	0.71
1:A:33:LEU:HD11	3:A:3002[B]:BLA:CMC	2.20	0.71
1:B:509:ALA:O	1:B:513:LYS:HG3	1.93	0.69
1:B:400:ILE:CD1	1:B:400:ILE:HB	2.22	0.69
3:B:601:BLA:CBC	3:B:601:BLA:HHD	2.23	0.68
1:B:441:GLN:O	1:B:445:ARG:HG3	1.94	0.68
1:A:208:PHE:HE2	3:A:3002[B]:BLA:HBB2	1.60	0.65
1:A:82:VAL:HG23	6:A:3167:HOH:O	1.96	0.65
3:B:601:BLA:HHD	3:B:601:BLA:HBC1	1.82	0.62
1:B:490:ARG:HD3	6:B:873:HOH:O	2.01	0.61
1:C:611:GLU:OE1	1:C:790[A]:ARG:NH2	2.32	0.57
3:C:902[A]:BLA:OB	3:C:902[A]:BLA:CBB	2.51	0.57
1:A:28:PHE:HD2	1:A:29:MET:CE	2.18	0.57
1:B:333:LEU:HD11	3:B:601:BLA:CMC	2.33	0.57
1:B:442:VAL:HG22	1:B:446:MET:HE3	1.87	0.56
1:C:644:ARG:HD3	6:C:1144:HOH:O	2.06	0.56
1:B:334:LYS:HE3	6:B:845:HOH:O	2.06	0.55
1:B:495:LYS:HG3	6:B:813:HOH:O	2.07	0.54
1:A:112[A]:ARG:NH2	1:A:115:GLU:OE1	2.39	0.54
1:B:473:LYS:NZ	4:B:605:SO4:O1	2.34	0.54
1:A:29:MET:HE3	1:A:208:PHE:CD1	2.43	0.54
1:C:801:PHE:CE2	3:C:902[B]:BLA:HAC	2.43	0.53
1:C:738:SER:HB3	3:C:902[B]:BLA:HBA1	1.91	0.53
3:A:3002[A]:BLA:OC	3:A:3002[A]:BLA:C3B	2.55	0.53
1:B:346:GLN:HE21	1:B:346:GLN:HA	1.75	0.52
1:B:448:GLN:HG2	1:B:453:VAL:O	2.10	0.52
1:C:629:MET:HE3	1:C:633:LEU:HG	1.92	0.52
1:A:28:PHE:HD2	1:A:29:MET:HE2	1.74	0.52
1:B:441:GLN:HG3	6:B:798:HOH:O	2.09	0.52
1:A:29:MET:HE2	1:A:29:MET:CA	2.40	0.52
1:B:506[A]:GLN:NE2	6:B:853:HOH:O	2.43	0.51
1:A:29:MET:HE2	1:A:29:MET:HA	1.93	0.51
1:B:307:GLY:N	6:B:895:HOH:O	2.44	0.50
1:B:346:GLN:HA	1:B:346:GLN:NE2	2.27	0.50
1:A:125:LEU:C	1:A:125:LEU:HD13	2.37	0.50
1:B:329:MET:HE3	1:B:333:LEU:HD21	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:LEU:CD1	3:A:3002[B]:BLA:HMC1	2.29	0.49
1:A:146:MET:HE2	1:A:146:MET:CA	2.41	0.48
1:B:490:ARG:NE	6:B:848:HOH:O	2.39	0.48
3:B:601:BLA:HBC1	3:B:601:BLA:CHD	2.44	0.48
1:A:28:PHE:CD2	1:A:29:MET:CE	2.96	0.47
1:C:738:SER:HB3	3:C:902[A]:BLA:HBA1	1.95	0.47
1:A:28:PHE:CD2	1:A:29:MET:HE2	2.50	0.47
1:C:689:LYS:HE2	6:C:1156:HOH:O	2.14	0.46
1:A:188:GLU:CD	1:A:188:GLU:H	2.23	0.46
1:A:135:GLY:HA2	3:A:3002[A]:BLA:C4A	2.46	0.45
1:B:474[A]:ASP:OD1	6:B:862:HOH:O	2.21	0.45
1:B:493:LEU:C	1:B:493:LEU:HD23	2.41	0.45
1:B:339[B]:VAL:HG13	1:B:451:TYR:HB3	1.97	0.45
1:B:339[A]:VAL:HG22	1:B:451:TYR:HB3	2.00	0.44
3:A:3002[B]:BLA:CMB	3:A:3002[B]:BLA:HBB1	2.48	0.43
1:C:646:GLN:NE2	1:C:646:GLN:HA	2.33	0.43
1:A:146:MET:HA	1:A:146:MET:CE	2.40	0.43
1:A:148:GLN:NE2	6:A:3146:HOH:O	2.52	0.43
1:C:611:GLU:OE1	1:C:790[A]:ARG:NE	2.52	0.42
3:B:601:BLA:HAA2	3:B:601:BLA:HHA	1.70	0.42
1:C:646:GLN:HA	1:C:646:GLN:HE21	1.85	0.41
1:B:400:ILE:HG21	1:B:400:ILE:HD13	2.03	0.41
1:C:700:ILE:HD13	1:C:700:ILE:HG21	1.83	0.41
1:B:508:PHE:CE2	3:B:601:BLA:HBB2	2.55	0.41
3:B:601:BLA:HA	3:B:601:BLA:HB	1.69	0.41
1:B:442:VAL:HG13	1:B:446:MET:HE3	2.03	0.40
1:A:208:PHE:HE2	3:A:3002[B]:BLA:CBB	2.31	0.40
3:A:3002[B]:BLA:HAA2	3:A:3002[B]:BLA:HHA	1.85	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:GLN:NE2	6:B:881:HOH:O[2_645]	1.88	0.32

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/215 (97%)	205 (98%)	4 (2%)	0	100	100
1	B	210/215 (98%)	206 (98%)	4 (2%)	0	100	100
1	C	213/215 (99%)	207 (97%)	6 (3%)	0	100	100
All	All	632/645 (98%)	618 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/175 (97%)	166 (98%)	3 (2%)	51	36
1	B	170/175 (97%)	168 (99%)	2 (1%)	63	51
1	C	170/175 (97%)	165 (97%)	5 (3%)	37	20
All	All	509/525 (97%)	499 (98%)	10 (2%)	48	32

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	MET
1	A	82	VAL
1	A	198	THR
1	B	395	GLU
1	B	442	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	605	THR
1	C	614	GLN
1	C	626	SER
1	C	701	THR
1	C	798	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	ASN
1	A	148	GLN
1	A	182	ASN
1	B	378	ASN
1	B	448	GLN
1	C	625	HIS
1	C	646	GLN
1	C	678	ASN
1	C	805	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 2 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	B	603	-	4,4,4	0.45	0	6,6,6	0.67	0
4	SO4	C	905	-	4,4,4	0.55	0	6,6,6	1.00	0
4	SO4	B	604	-	4,4,4	0.28	0	6,6,6	0.74	0
3	BLA	C	902[A]	2	46,46,46	1.73	4 (8%)	66,67,67	2.47	29 (43%)
4	SO4	C	904	-	4,4,4	0.83	0	6,6,6	0.81	0
4	SO4	B	606	-	4,4,4	0.30	0	6,6,6	0.26	0
3	BLA	B	601	-	46,46,46	1.75	6 (13%)	66,67,67	2.81	34 (51%)
4	SO4	B	605	-	4,4,4	0.24	0	6,6,6	0.50	0
4	SO4	B	602	-	4,4,4	0.32	0	6,6,6	0.52	0
3	BLA	C	902[B]	-	46,46,46	1.86	9 (19%)	66,67,67	2.55	24 (36%)
5	ASC	C	903	2	12,12,12	2.94	4 (33%)	17,17,17	2.92	9 (52%)
3	BLA	A	3002[A]	2	46,46,46	2.18	7 (15%)	66,67,67	2.36	24 (36%)
3	BLA	A	3002[B]	-	46,46,46	1.66	7 (15%)	66,67,67	2.47	29 (43%)
4	SO4	A	3003	-	4,4,4	0.32	0	6,6,6	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BLA	C	902[A]	2	-	4/26/74/74	0/4/4/4
3	BLA	B	601	-	-	7/26/74/74	0/4/4/4
3	BLA	C	902[B]	-	-	4/26/74/74	0/4/4/4
5	ASC	C	903	2	-	2/6/22/22	0/1/1/1
3	BLA	A	3002[A]	2	-	7/26/74/74	0/4/4/4
3	BLA	A	3002[B]	-	-	9/26/74/74	0/4/4/4

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	3002[A]	BLA	CBD-CGD	8.56	1.70	1.50
5	C	903	ASC	O6-C6	-6.65	1.14	1.42
3	A	3002[A]	BLA	CBD-CAD	5.77	1.71	1.51
3	B	601	BLA	CBC-CAC	5.58	1.57	1.30
5	C	903	ASC	O4-C1	5.55	1.45	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	3002[B]	BLA	CBC-CAC	5.48	1.56	1.30
3	A	3002[A]	BLA	CBC-CAC	5.47	1.56	1.30
3	C	902[A]	BLA	CBC-CAC	5.46	1.56	1.30
3	B	601	BLA	CBB-CAB	5.33	1.56	1.30
3	A	3002[A]	BLA	CBB-CAB	5.29	1.55	1.30
3	C	902[A]	BLA	CBB-CAB	5.27	1.55	1.30
3	C	902[B]	BLA	CBB-CAB	5.27	1.55	1.30
3	A	3002[B]	BLA	CBB-CAB	5.19	1.55	1.30
3	C	902[B]	BLA	CBC-CAC	4.76	1.53	1.30
3	B	601	BLA	CBA-CGA	-4.56	1.40	1.50
3	C	902[B]	BLA	CBA-CGA	-4.44	1.40	1.50
3	B	601	BLA	CBD-CGD	-4.23	1.40	1.50
3	C	902[A]	BLA	CBA-CGA	-4.22	1.40	1.50
3	C	902[B]	BLA	CBD-CGD	-4.10	1.41	1.50
3	C	902[A]	BLA	CBD-CGD	-4.10	1.41	1.50
3	A	3002[A]	BLA	CBA-CGA	-4.10	1.41	1.50
3	A	3002[B]	BLA	CBA-CGA	-4.03	1.41	1.50
5	C	903	ASC	C4-C3	3.40	1.55	1.50
5	C	903	ASC	O4-C4	2.98	1.50	1.45
3	C	902[B]	BLA	C1C-C2C	-2.93	1.41	1.48
3	A	3002[B]	BLA	CAC-C3C	2.89	1.55	1.47
3	C	902[B]	BLA	C3C-C4C	-2.82	1.40	1.45
3	B	601	BLA	CAC-C3C	2.71	1.54	1.47
3	A	3002[A]	BLA	CAC-C3C	2.53	1.54	1.47
3	A	3002[B]	BLA	CBD-CAD	2.48	1.60	1.51
3	B	601	BLA	C4A-C3A	2.40	1.47	1.41
3	C	902[B]	BLA	CHB-C1B	2.35	1.43	1.37
3	A	3002[B]	BLA	C4A-C3A	2.31	1.47	1.41
3	C	902[B]	BLA	C1B-C2B	2.19	1.49	1.45
3	A	3002[A]	BLA	C4A-C3A	2.14	1.46	1.41
3	C	902[B]	BLA	O1D-CGD	2.09	1.28	1.22
3	A	3002[B]	BLA	C4D-C3D	2.06	1.48	1.45

All (149) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	BLA	CAA-C2A-C1A	-7.85	113.31	125.77
3	C	902[B]	BLA	C4C-NC-C1C	-6.83	102.27	110.66
3	B	601	BLA	C4C-NC-C1C	-6.67	102.48	110.66
3	C	902[A]	BLA	C4C-NC-C1C	-6.61	102.55	110.66
3	A	3002[B]	BLA	C4C-CHD-C1D	6.56	144.17	128.06
3	C	902[A]	BLA	CHD-C4C-NC	-6.40	112.41	126.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	3002[A]	BLA	C1B-NB-C4B	-6.14	103.13	110.66
3	C	902[B]	BLA	CHD-C4C-NC	-5.90	113.47	126.06
3	A	3002[B]	BLA	CAA-C2A-C1A	-5.48	117.08	125.77
3	A	3002[A]	BLA	C4C-NC-C1C	-5.44	103.99	110.66
3	B	601	BLA	C4C-CHD-C1D	5.27	141.00	128.06
3	B	601	BLA	CHD-C4C-NC	-5.27	114.82	126.06
3	A	3002[B]	BLA	C4C-NC-C1C	-5.26	104.20	110.66
3	A	3002[A]	BLA	C4C-CHD-C1D	5.26	140.97	128.06
3	B	601	BLA	CHD-C1D-ND	-5.18	113.77	124.95
5	C	903	ASC	O1-C1-C2	-4.97	121.88	129.33
3	C	902[B]	BLA	C4C-CHD-C1D	4.95	140.21	128.06
3	C	902[B]	BLA	CBA-CAA-C2A	4.93	126.16	112.53
3	C	902[B]	BLA	CBC-CAC-C3C	-4.90	103.05	127.53
3	C	902[A]	BLA	CAD-C3D-C4D	-4.87	116.47	125.02
3	A	3002[B]	BLA	C4A-CHB-C1B	-4.87	116.82	130.82
3	C	902[A]	BLA	C4C-CHD-C1D	4.74	139.68	128.06
3	C	902[B]	BLA	C4D-C3D-C2D	4.71	111.82	106.73
3	B	601	BLA	CAA-C2A-C3A	4.71	137.63	127.07
3	B	601	BLA	C3C-C4C-NC	4.58	114.11	106.64
3	A	3002[B]	BLA	CHD-C4C-NC	-4.57	116.31	126.06
5	C	903	ASC	O5-C5-C4	-4.55	102.12	110.74
3	C	902[B]	BLA	CAD-C3D-C4D	-4.52	117.08	125.02
3	A	3002[B]	BLA	C1B-NB-C4B	-4.46	105.18	110.66
3	A	3002[A]	BLA	CHD-C4C-NC	-4.43	116.61	126.06
3	C	902[B]	BLA	CAD-CBD-CGD	4.42	125.38	113.67
3	B	601	BLA	C1A-CHA-C4D	4.38	137.80	128.22
3	A	3002[A]	BLA	C3B-C4B-NB	4.34	111.58	106.13
3	A	3002[A]	BLA	CBB-CAB-C3B	-4.26	106.25	127.53
3	B	601	BLA	CAD-C3D-C4D	-4.15	117.73	125.02
3	A	3002[A]	BLA	C2B-C1B-NB	4.15	113.02	106.97
5	C	903	ASC	O4-C1-O1	4.10	126.68	121.27
5	C	903	ASC	O6-C6-C5	4.08	119.72	111.16
3	C	902[B]	BLA	C2C-C1C-NC	4.07	115.65	106.55
3	A	3002[B]	BLA	CHD-C1D-ND	-4.01	116.29	124.95
3	A	3002[A]	BLA	CHA-C4D-ND	-3.89	116.42	124.60
3	B	601	BLA	C1B-NB-C4B	-3.89	105.89	110.66
5	C	903	ASC	C5-C4-C3	3.86	121.79	114.71
3	A	3002[B]	BLA	C1A-CHA-C4D	3.81	136.55	128.22
3	C	902[B]	BLA	C1D-C2D-C3D	-3.79	102.17	106.48
3	A	3002[B]	BLA	CAA-C2A-C3A	3.79	135.57	127.07
3	C	902[B]	BLA	O2A-CGA-CBA	-3.75	102.15	114.00
5	C	903	ASC	O3-C3-C2	-3.74	122.81	132.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	902[A]	BLA	CBA-CAA-C2A	3.73	122.84	112.53
3	C	902[A]	BLA	C4A-CHB-C1B	-3.70	120.17	130.82
3	C	902[A]	BLA	C3A-C4A-NA	3.70	112.47	107.43
3	A	3002[A]	BLA	CHD-C1D-ND	-3.61	117.16	124.95
3	B	601	BLA	CMD-C2D-C3D	3.58	135.84	126.15
3	C	902[B]	BLA	CMA-C3A-C2A	3.55	133.15	125.62
3	A	3002[A]	BLA	CHA-C4D-C3D	3.54	133.59	125.40
3	C	902[A]	BLA	CMA-C3A-C2A	3.54	133.13	125.62
3	B	601	BLA	CAD-C3D-C2D	3.52	134.47	127.87
3	C	902[B]	BLA	C3A-C4A-NA	3.50	112.21	107.43
3	C	902[A]	BLA	CAA-C2A-C1A	-3.50	120.22	125.77
3	B	601	BLA	CHB-C1B-NB	-3.48	118.64	126.06
3	A	3002[B]	BLA	C3B-C4B-NB	3.39	110.39	106.13
3	C	902[A]	BLA	OC-C1C-C2C	-3.39	114.97	128.04
3	A	3002[A]	BLA	CBC-CAC-C3C	-3.38	110.66	127.53
5	C	903	ASC	C6-C5-C4	3.37	117.54	111.86
3	C	902[A]	BLA	C4A-NA-C1A	-3.37	103.86	109.78
3	C	902[A]	BLA	C2C-C1C-NC	3.36	114.06	106.55
3	B	601	BLA	O2A-CGA-CBA	-3.35	103.41	114.00
3	B	601	BLA	C3B-C4B-NB	3.35	110.34	106.13
3	C	902[A]	BLA	CBB-CAB-C3B	-3.34	110.86	127.53
3	C	902[B]	BLA	CMA-C3A-C4A	-3.32	120.80	125.62
3	A	3002[A]	BLA	CAD-C3D-C2D	-3.32	121.66	127.87
3	C	902[A]	BLA	C3C-C4C-NC	3.30	112.03	106.64
3	B	601	BLA	CHA-C4D-ND	-3.30	117.67	124.60
3	A	3002[B]	BLA	C2B-C1B-NB	3.30	111.78	106.97
3	A	3002[B]	BLA	CMA-C3A-C2A	3.30	132.62	125.62
3	A	3002[A]	BLA	CHB-C1B-C2B	-3.28	120.42	126.97
3	B	601	BLA	CMC-C2C-C3C	3.27	136.34	128.43
3	C	902[B]	BLA	CAA-C2A-C1A	-3.23	120.65	125.77
3	A	3002[A]	BLA	C4A-CHB-C1B	-3.22	121.56	130.82
3	A	3002[A]	BLA	CAD-C3D-C4D	3.19	130.62	125.02
3	A	3002[B]	BLA	CHA-C4D-ND	-3.18	117.92	124.60
3	C	902[A]	BLA	C1D-C2D-C3D	-3.18	102.87	106.48
3	A	3002[B]	BLA	CMA-C3A-C4A	-3.17	121.01	125.62
3	C	902[A]	BLA	C2A-C1A-NA	3.14	111.50	107.57
3	C	902[A]	BLA	C4D-C3D-C2D	3.11	110.09	106.73
3	A	3002[B]	BLA	CMC-C2C-C3C	3.06	135.83	128.43
3	A	3002[A]	BLA	C3C-C4C-NC	3.00	111.53	106.64
3	C	902[A]	BLA	CMA-C3A-C4A	-2.98	121.29	125.62
3	C	902[A]	BLA	CAD-C3D-C2D	2.96	133.41	127.87
3	C	902[B]	BLA	CHD-C4C-C3C	2.95	136.37	127.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	BLA	C2B-C1B-NB	2.95	111.27	106.97
3	B	601	BLA	C1D-C2D-C3D	-2.93	103.15	106.48
3	C	902[B]	BLA	C4A-CHB-C1B	-2.93	122.39	130.82
3	A	3002[B]	BLA	C3C-C4C-NC	2.93	111.41	106.64
3	B	601	BLA	C3B-C2B-C1B	-2.88	104.71	107.92
3	B	601	BLA	CMB-C2B-C1B	2.88	127.67	124.16
3	B	601	BLA	CBB-CAB-C3B	-2.88	113.13	127.53
3	A	3002[B]	BLA	CHA-C4D-C3D	2.87	132.03	125.40
3	A	3002[A]	BLA	C3A-C4A-NA	2.87	111.34	107.43
3	B	601	BLA	C4A-C3A-C2A	-2.86	104.19	107.76
3	A	3002[A]	BLA	C4A-NA-C1A	-2.84	104.80	109.78
3	B	601	BLA	CBC-CAC-C3C	-2.84	113.35	127.53
3	C	902[B]	BLA	C4A-NA-C1A	-2.81	104.84	109.78
5	C	903	ASC	C4-O4-C1	-2.80	106.21	109.27
3	C	902[B]	BLA	CHA-C1A-NA	-2.73	119.11	125.29
3	B	601	BLA	CHD-C1D-C2D	2.72	131.86	124.87
3	C	902[A]	BLA	CAD-CBD-CGD	2.68	120.76	113.67
5	C	903	ASC	O3-C3-C4	2.67	124.79	117.99
3	C	902[A]	BLA	CHD-C4C-C3C	2.67	135.56	127.94
3	B	601	BLA	CMD-C2D-C1D	-2.63	121.01	125.10
3	A	3002[A]	BLA	O2D-CGD-CBD	2.60	122.20	114.00
3	C	902[B]	BLA	C3D-C4D-ND	-2.51	106.49	110.04
3	A	3002[B]	BLA	C3B-C2B-C1B	-2.49	105.15	107.92
3	C	902[A]	BLA	CMC-C2C-C3C	2.48	134.44	128.43
3	C	902[A]	BLA	CHA-C1A-NA	-2.46	119.73	125.29
3	C	902[A]	BLA	OB-C4B-C3B	-2.46	123.77	129.71
3	A	3002[B]	BLA	CBC-CAC-C3C	-2.44	115.31	127.53
3	A	3002[B]	BLA	CAD-C3D-C2D	-2.44	123.29	127.87
3	B	601	BLA	CMA-C3A-C2A	2.44	130.80	125.62
3	C	902[B]	BLA	CHA-C4D-C3D	2.44	131.03	125.40
3	C	902[B]	BLA	CMC-C2C-C3C	2.43	134.30	128.43
3	C	902[A]	BLA	OC-C1C-NC	2.42	130.75	125.08
3	A	3002[B]	BLA	O2D-CGD-O1D	-2.40	117.16	123.33
3	A	3002[B]	BLA	C2A-C1A-NA	2.39	110.56	107.57
3	A	3002[A]	BLA	C2A-C1A-NA	2.37	110.54	107.57
3	A	3002[A]	BLA	CHD-C1D-C2D	2.36	130.94	124.87
3	C	902[A]	BLA	CHD-C1D-ND	-2.35	119.88	124.95
3	A	3002[B]	BLA	CHD-C1D-C2D	2.34	130.88	124.87
3	C	902[A]	BLA	CAC-C3C-C4C	-2.34	116.80	123.66
3	C	902[A]	BLA	CAA-C2A-C3A	2.31	132.24	127.07
3	A	3002[B]	BLA	C1D-C2D-C3D	-2.30	103.86	106.48
3	A	3002[B]	BLA	O2A-CGA-CBA	2.30	121.25	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	BLA	CAD-CBD-CGD	-2.29	107.58	113.67
3	A	3002[B]	BLA	C4A-NA-C1A	-2.29	105.76	109.78
3	B	601	BLA	CMC-C2C-C1C	-2.28	116.45	121.21
3	A	3002[B]	BLA	CBB-CAB-C3B	-2.27	116.18	127.53
3	B	601	BLA	CHA-C4D-C3D	2.21	130.50	125.40
3	A	3002[B]	BLA	OC-C1C-C2C	-2.21	119.53	128.04
3	C	902[B]	BLA	O1A-CGA-CBA	2.19	130.05	123.09
3	A	3002[A]	BLA	CHA-C1A-NA	-2.18	120.36	125.29
3	A	3002[A]	BLA	C1A-CHA-C4D	2.18	132.98	128.22
3	B	601	BLA	O1A-CGA-CBA	2.17	129.96	123.09
3	B	601	BLA	C2C-C1C-NC	2.14	111.35	106.55
3	A	3002[A]	BLA	C3B-C2B-C1B	-2.13	105.55	107.92
3	C	902[A]	BLA	CBC-CAC-C3C	-2.10	117.04	127.53
3	C	902[B]	BLA	CAC-C3C-C4C	-2.10	117.51	123.66
3	B	601	BLA	C3A-C4A-NA	2.07	110.25	107.43
3	B	601	BLA	CAC-C3C-C2C	2.04	135.06	128.43
3	A	3002[B]	BLA	C3A-C4A-NA	2.04	110.21	107.43

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	3002[B]	BLA	C3D-CAD-CBD-CGD
3	B	601	BLA	C1A-C2A-CAA-CBA
3	B	601	BLA	C3A-C2A-CAA-CBA
5	C	903	ASC	C4-C5-C6-O6
5	C	903	ASC	O5-C5-C6-O6
3	C	902[A]	BLA	C2D-C3D-CAD-CBD
3	A	3002[B]	BLA	C4D-C3D-CAD-CBD
3	C	902[A]	BLA	C4D-C3D-CAD-CBD
3	A	3002[A]	BLA	C3D-CAD-CBD-CGD
3	A	3002[A]	BLA	C4D-C3D-CAD-CBD
3	A	3002[B]	BLA	C3A-C2A-CAA-CBA
3	A	3002[A]	BLA	C2D-C3D-CAD-CBD
3	A	3002[B]	BLA	C2D-C3D-CAD-CBD
3	A	3002[A]	BLA	C2C-C3C-CAC-CBC
3	A	3002[B]	BLA	C2C-C3C-CAC-CBC
3	C	902[B]	BLA	C2C-C3C-CAC-CBC
3	A	3002[B]	BLA	C1A-C2A-CAA-CBA
3	A	3002[B]	BLA	NA-C4A-CHB-C1B
3	C	902[B]	BLA	ND-C4D-CHA-C1A
3	B	601	BLA	C3D-CAD-CBD-CGD

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	3002[B]	BLA	C3A-C4A-CHB-C1B
3	A	3002[A]	BLA	C3A-C2A-CAA-CBA
3	B	601	BLA	NA-C4A-CHB-C1B
3	A	3002[A]	BLA	C4C-C3C-CAC-CBC
3	A	3002[B]	BLA	C4C-C3C-CAC-CBC
3	B	601	BLA	CAD-CBD-CGD-O2D
3	B	601	BLA	C3A-C4A-CHB-C1B
3	C	902[B]	BLA	C4C-C3C-CAC-CBC
3	C	902[A]	BLA	C3A-C2A-CAA-CBA
3	B	601	BLA	CAD-CBD-CGD-O1D
3	A	3002[A]	BLA	CAA-CBA-CGA-O2A
3	C	902[A]	BLA	ND-C4D-CHA-C1A
3	C	902[B]	BLA	CAD-CBD-CGD-O2D



There are no ring outliers.


6 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	902[A]	BLA	3	0
3	B	601	BLA	8	0
4	B	605	SO4	1	0
3	C	902[B]	BLA	2	0
3	A	3002[A]	BLA	10	0
3	A	3002[B]	BLA	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/215 (97%)	0.12	3 (1%) 73 77	21, 33, 51, 62	2 (0%)
1	B	209/215 (97%)	-0.07	4 (1%) 66 71	14, 24, 42, 51	3 (1%)
1	C	212/215 (98%)	-0.12	7 (3%) 49 53	15, 23, 44, 72	3 (1%)
All	All	630/645 (97%)	-0.02	14 (2%) 62 66	14, 27, 47, 72	8 (1%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	606	ALA	5.3
1	C	604	ALA	4.4
1	C	605	THR	4.0
1	A	5	THR	3.5
1	C	765	GLY	3.4
1	C	767	ALA	3.3
1	C	603	THR	3.0
1	C	814	GLY	2.6
1	A	6	ALA	2.6
1	B	319	ALA	2.5
1	B	440	GLY	2.3
1	A	141	GLN	2.1
1	B	399	ARG	2.1
1	B	467	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	B	606	5/5	0.65	0.14	100,101,102,103	0
4	SO4	B	602	5/5	0.76	0.16	82,82,83,83	0
3	BLA	B	601	43/43	0.77	0.20	54,85,130,159	0
4	SO4	C	904	5/5	0.77	0.17	25,27,31,34	5
4	SO4	B	603	5/5	0.80	0.16	22,28,37,37	5
3	BLA	A	3002[B]	43/43	0.84	0.16	29,62,105,120	43
3	BLA	A	3002[A]	43/43	0.84	0.16	17,46,99,111	43
2	FE	C	901[A]	1/1	0.86	0.19	54,54,54,54	1
4	SO4	A	3003	5/5	0.88	0.09	69,71,72,73	0
3	BLA	C	902[B]	43/43	0.89	0.11	26,34,47,52	43
3	BLA	C	902[A]	43/43	0.89	0.11	25,30,41,48	43
2	FE	A	3001[A]	1/1	0.91	0.09	49,49,49,49	1
5	ASC	C	903	12/12	0.91	0.09	29,39,51,54	0
4	SO4	B	605	5/5	0.93	0.12	44,46,47,48	5
4	SO4	B	604	5/5	0.95	0.11	27,30,31,35	5
4	SO4	C	905	5/5	0.96	0.09	27,27,28,31	5

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BLA B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BLA A 3002 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BLA A 3002 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BLA C 902 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BLA C 902 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.