



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:41 AM UTC

PDB ID : 1GQW / pdb_00001gqw
Title : Taurine/alpha-ketoglutarate Dioxygenase from Escherichia coli
Authors : Elkins, J.M.; Ryle, M.J.; Clifton, I.J.; Dunning-Hotopp, J.C.; Lloyd, J.S.;
Burzlaff, N.I.; Baldwin, J.E.; Hausinger, R.P.; Roach, P.L.
Deposited on : 2001-12-05
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	5% 50% 40% 7% .
1	B	283	10% 50% 39% 7% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4384 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALPHA-KETOGLUTARATE-DEPENDENT TAURINE DIOXYGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	S	0	0	0
			2197	1406	391	399	1			
1	B	273	Total	C	N	O	S	0	0	0
			2151	1377	380	393	1			

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

- Molecule 3 is 2-AMINOETHANESULFONIC ACID (CCD ID: TAU) (formula: C₂H₇NO₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			7	2	1	3	1		
3	B	1	Total	C	N	O	S	0	0
			7	2	1	3	1		

- Molecule 4 is 2-OXOGLUTARIC ACID (CCD ID: AKG) (formula: $C_5H_6O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	5	5		
4	B	1	Total	C	O	0	0
			10	5	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALPHA-KETOGLUTARATE-DEPENDENT TAURINE DIOXYGENASE



• Molecule 1: ALPHA-KETOGLUTARATE-DEPENDENT TAURINE DIOXYGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	116.85Å 116.85Å 201.91Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.44 – 3.00 40.44 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.5 (40.44-3.00) 98.5 (40.44-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.55 (at 3.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.281 , 0.320 0.284 , 0.320	Depositor DCC
R_{free} test set	1678 reflections (9.88%)	wwPDB-VP
Wilson B-factor (Å ²)	56.9	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 65.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4384	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, AKG, TAU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	2/2263 (0.1%)	1.03	7/3095 (0.2%)
1	B	0.54	3/2215 (0.1%)	0.99	7/3032 (0.2%)
All	All	0.57	5/4478 (0.1%)	1.01	14/6127 (0.2%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	56	GLN	CD-OE1	5.77	1.34	1.23
1	A	254	GLN	CD-OE1	5.63	1.34	1.23
1	B	254	GLN	CD-OE1	5.55	1.34	1.23
1	B	56	GLN	CD-OE1	5.33	1.33	1.23
1	B	161	GLU	CA-CB	5.29	1.61	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	235	GLN	N-CA-C	8.95	121.48	108.86
1	A	235	GLN	N-CA-C	8.82	121.30	108.86
1	A	42	HIS	N-CA-C	-8.02	96.89	109.72
1	B	42	HIS	N-CA-C	-7.30	97.50	109.40
1	A	254	GLN	N-CA-C	-5.49	101.02	109.52
1	B	254	GLN	N-CA-C	-5.49	101.02	109.52
1	A	240	TRP	N-CA-C	5.18	116.97	110.24
1	A	25	ARG	CA-C-N	5.15	125.08	119.78
1	A	25	ARG	C-N-CA	5.15	125.08	119.78
1	B	25	ARG	CA-C-N	5.14	125.08	119.78
1	B	25	ARG	C-N-CA	5.14	125.08	119.78
1	A	18	ILE	N-CA-C	5.11	116.27	108.80
1	B	240	TRP	N-CA-C	5.10	116.88	110.24
1	B	18	ILE	N-CA-C	5.07	116.21	108.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2197	0	2089	129	0
1	B	2151	0	2036	130	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	7	0	7	0	0
3	B	7	0	7	1	0
4	A	10	0	4	1	0
4	B	10	0	4	1	0
All	All	4384	0	4147	257	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (257) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:LEU:HD22	1:B:237:ARG:HG3	1.27	1.17
1:A:127:LEU:HD22	1:A:237:ARG:HG3	1.25	1.15
1:B:265:ARG:H	1:B:265:ARG:HE	1.16	0.90
1:A:170:GLU:HG3	1:A:173:ARG:NH2	1.89	0.87
1:B:113:ILE:HG12	1:B:247:ILE:HG12	1.56	0.87
1:B:262:LEU:HD13	1:B:263:PRO:HA	1.57	0.85
1:A:113:ILE:HG12	1:A:247:ILE:HG12	1.58	0.85
1:A:43:GLN:HE21	1:A:43:GLN:N	1.76	0.83
1:B:89:ASN:HD21	1:B:263:PRO:HB2	1.47	0.79
1:B:43:GLN:HE21	1:B:43:GLN:N	1.82	0.77
1:A:44:VAL:HG13	1:A:248:TRP:HB3	1.68	0.75
1:B:265:ARG:HE	1:B:265:ARG:N	1.84	0.75
1:B:107:THR:OG1	1:B:275:GLY:O	2.05	0.74
1:A:43:GLN:N	1:A:43:GLN:NE2	2.37	0.73
1:A:249:ASP:OD1	1:A:251:ARG:HG2	1.89	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:THR:OG1	1:A:275:GLY:O	2.08	0.72
1:B:249:ASP:OD1	1:B:251:ARG:HG2	1.89	0.72
1:B:44:VAL:HG13	1:B:248:TRP:HB3	1.72	0.72
1:A:89:ASN:HD21	1:A:263:PRO:HB2	1.55	0.71
1:A:168:GLU:C	1:A:170:GLU:H	1.97	0.71
1:B:265:ARG:H	1:B:265:ARG:NE	1.88	0.70
1:B:32:PHE:CE2	1:B:63:ARG:HB3	2.27	0.70
1:A:184:LEU:HD23	1:A:184:LEU:N	2.07	0.69
1:A:89:ASN:HD21	1:A:263:PRO:CB	2.06	0.69
1:B:43:GLN:N	1:B:43:GLN:NE2	2.41	0.68
1:B:48:ARG:NH2	1:B:241:GLN:HB2	2.08	0.68
1:A:48:ARG:NH2	1:A:241:GLN:HB2	2.09	0.67
1:A:162:TYR:CE1	1:A:163:LYS:HG3	2.29	0.67
1:B:120:PRO:HA	1:B:265:ARG:NH2	2.10	0.67
1:B:184:LEU:N	1:B:184:LEU:HD23	2.10	0.67
1:B:57:GLN:HB3	1:B:82:ILE:HD11	1.76	0.67
1:B:14:ILE:HG23	1:B:236:VAL:HG23	1.76	0.65
1:A:57:GLN:HB3	1:A:82:ILE:HD11	1.79	0.65
1:A:7:ILE:HG12	1:A:18:ILE:HG23	1.79	0.65
1:B:72:VAL:HG11	1:B:164:TYR:OH	1.96	0.65
1:A:14:ILE:HG23	1:A:236:VAL:HG23	1.79	0.64
1:A:184:LEU:HD23	1:A:184:LEU:H	1.63	0.63
1:A:161:GLU:HG3	1:A:174:TRP:CH2	2.33	0.63
1:A:161:GLU:CG	1:A:174:TRP:CH2	2.82	0.63
1:B:240:TRP:CD1	1:B:266:ARG:HH21	2.16	0.63
1:B:43:GLN:HB3	1:B:253:THR:HG21	1.80	0.62
1:A:240:TRP:CD1	1:A:266:ARG:HH21	2.17	0.62
1:A:227:ALA:O	1:A:230:THR:HB	2.00	0.62
1:A:43:GLN:HB3	1:A:253:THR:HG21	1.81	0.62
1:B:227:ALA:O	1:B:230:THR:HB	2.00	0.62
1:B:192:HIS:HB3	1:B:196:GLY:H	1.65	0.62
1:B:101:ASP:OD2	1:B:248:TRP:HZ2	1.83	0.61
1:B:158:SER:HB3	1:B:206:PHE:CE1	2.35	0.61
1:B:7:ILE:HG12	1:B:18:ILE:HG23	1.83	0.61
1:B:39:VAL:HG12	1:B:39:VAL:O	2.02	0.60
1:B:89:ASN:HD21	1:B:263:PRO:CB	2.12	0.60
1:A:114:LEU:HD21	4:A:352:AKG:H41	1.83	0.60
1:A:161:GLU:HG3	1:A:174:TRP:CZ2	2.37	0.60
1:B:6:SER:OG	1:B:19:SER:HB2	2.02	0.59
1:B:28:SER:O	1:B:29:ASP:C	2.45	0.59
1:B:103:THR:HA	1:B:108:PRO:HB3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:LEU:HD23	1:B:184:LEU:H	1.65	0.59
1:A:192:HIS:ND1	1:A:193:PRO:HD2	2.17	0.59
1:A:101:ASP:OD2	1:A:248:TRP:HZ2	1.86	0.59
1:B:46:PHE:O	1:B:47:LEU:HD23	2.02	0.58
1:A:6:SER:OG	1:A:19:SER:HB2	2.03	0.58
1:A:158:SER:HB3	1:A:206:PHE:CE1	2.39	0.58
1:A:192:HIS:HB3	1:A:196:GLY:H	1.67	0.58
1:B:113:ILE:HB	1:B:271:ALA:HB3	1.86	0.58
1:A:18:ILE:HB	1:A:47:LEU:HD21	1.85	0.58
1:A:6:SER:O	1:A:18:ILE:HA	2.04	0.58
1:A:28:SER:O	1:A:29:ASP:C	2.45	0.58
1:A:39:VAL:HG12	1:A:39:VAL:O	2.02	0.58
1:B:6:SER:O	1:B:18:ILE:HA	2.04	0.57
1:B:15:GLY:HA3	1:B:236:VAL:HG21	1.86	0.57
1:B:48:ARG:HH21	1:B:241:GLN:HB2	1.70	0.56
1:B:192:HIS:ND1	1:B:193:PRO:HD2	2.20	0.56
1:A:170:GLU:C	1:A:172:GLN:H	2.13	0.56
1:A:113:ILE:HB	1:A:271:ALA:HB3	1.87	0.56
1:A:46:PHE:O	1:A:47:LEU:HD23	2.05	0.56
1:A:48:ARG:HH21	1:A:241:GLN:HB2	1.69	0.56
1:A:110:ALA:HB1	1:A:251:ARG:NH1	2.21	0.56
1:A:174:TRP:CZ2	1:A:178:VAL:HG21	2.41	0.56
1:B:18:ILE:HB	1:B:47:LEU:HD21	1.88	0.56
1:B:39:VAL:HG22	1:B:45:VAL:CG2	2.35	0.55
1:B:57:GLN:HB3	1:B:82:ILE:CD1	2.36	0.55
1:B:125:ASP:HB2	1:B:258:ASN:HD22	1.70	0.55
1:A:28:SER:O	1:A:31:GLN:N	2.34	0.55
1:A:103:THR:HA	1:A:108:PRO:HB3	1.88	0.55
1:B:170:GLU:C	1:B:172:GLN:H	2.14	0.55
1:A:57:GLN:HB3	1:A:82:ILE:CD1	2.37	0.55
1:A:127:LEU:CD2	1:A:237:ARG:HG3	2.17	0.55
1:B:114:LEU:HD21	4:B:352:AKG:H41	1.88	0.54
1:B:14:ILE:HD11	1:B:128:TRP:HB3	1.90	0.54
1:B:186:HIS:ND1	1:B:278:PRO:HG3	2.23	0.54
1:A:125:ASP:HB2	1:A:258:ASN:HD22	1.73	0.54
1:B:10:LEU:HG	1:B:16:ALA:HA	1.89	0.54
1:A:10:LEU:HG	1:A:16:ALA:HA	1.90	0.54
1:A:117:LYS:HB2	1:A:267:ILE:HG22	1.90	0.54
1:B:28:SER:O	1:B:30:ASN:N	2.41	0.54
1:A:39:VAL:HG22	1:A:45:VAL:CG2	2.38	0.54
1:A:15:GLY:HA3	1:A:236:VAL:HG21	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:ALA:C	1:A:40:LEU:H	2.14	0.54
1:A:128:TRP:CD1	1:A:255:HIS:HB3	2.43	0.54
1:A:28:SER:O	1:A:30:ASN:N	2.41	0.54
1:A:35:LEU:O	1:A:38:ALA:HB3	2.08	0.53
1:B:123:GLY:C	1:B:125:ASP:H	2.16	0.53
1:A:123:GLY:C	1:A:125:ASP:H	2.17	0.53
1:A:192:HIS:HB3	1:A:196:GLY:N	2.23	0.53
1:B:262:LEU:CD1	1:B:263:PRO:HA	2.34	0.53
1:A:53:THR:HG23	1:A:56:GLN:HE21	1.73	0.53
1:B:110:ALA:HB1	1:B:251:ARG:NH1	2.24	0.53
1:B:192:HIS:HB3	1:B:196:GLY:N	2.24	0.52
1:B:58:ARG:HD3	1:B:81:GLU:OE1	2.10	0.52
1:A:279:PHE:HB3	1:B:26:PRO:HG3	1.92	0.52
1:A:170:GLU:C	1:A:172:GLN:N	2.67	0.51
1:B:53:THR:HG23	1:B:56:GLN:HE21	1.75	0.51
1:B:38:ALA:C	1:B:40:LEU:H	2.19	0.51
1:A:32:PHE:CE2	1:A:63:ARG:HB3	2.46	0.51
1:B:261:TYR:O	1:B:264:GLN:HB2	2.11	0.51
1:B:132:ILE:O	1:B:136:GLU:HG3	2.11	0.50
1:A:58:ARG:HD3	1:A:81:GLU:OE1	2.12	0.50
1:B:89:ASN:OD1	1:B:262:LEU:HD12	2.11	0.50
1:B:163:LYS:C	1:B:164:TYR:HD1	2.20	0.50
1:B:210:ILE:N	1:B:218:SER:OG	2.36	0.50
1:A:115:ALA:HA	1:A:245:ILE:HD13	1.93	0.50
1:B:117:LYS:HB2	1:B:267:ILE:HG22	1.93	0.50
1:A:86:ASP:OD1	1:A:267:ILE:HG12	2.12	0.50
1:A:140:VAL:N	1:A:141:PRO:HD2	2.27	0.50
1:B:101:ASP:HA	3:B:351:TAU:O1	2.12	0.49
1:B:43:GLN:HB3	1:B:253:THR:CG2	2.42	0.49
1:A:38:ALA:C	1:A:40:LEU:N	2.70	0.49
1:B:115:ALA:HA	1:B:245:ILE:HD13	1.93	0.49
1:A:75:HIS:HB2	1:A:80:ASP:HA	1.94	0.49
1:A:20:GLY:O	1:A:21:ALA:HB2	2.12	0.49
1:B:68:HIS:HB2	1:B:274:LEU:CD2	2.42	0.49
1:B:75:HIS:HB2	1:B:80:ASP:HA	1.95	0.49
1:A:110:ALA:HB1	1:A:251:ARG:HD3	1.95	0.49
1:A:168:GLU:C	1:A:170:GLU:N	2.65	0.49
1:A:162:TYR:CD1	1:A:162:TYR:C	2.91	0.49
1:B:170:GLU:C	1:B:172:GLN:N	2.68	0.49
1:A:116:ALA:HB3	1:A:244:ASP:H	1.77	0.48
1:A:102:VAL:HG12	1:A:102:VAL:O	2.11	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:ARG:HH21	1:B:241:GLN:CB	2.26	0.48
1:B:174:TRP:CZ2	1:B:178:VAL:HG21	2.48	0.48
1:A:266:ARG:NH2	1:A:268:MET:HE2	2.29	0.48
1:A:48:ARG:HH21	1:A:241:GLN:CB	2.27	0.48
1:A:118:GLU:OE2	1:A:265:ARG:HD3	2.14	0.48
1:A:126:THR:C	1:A:127:LEU:HD23	2.38	0.48
1:A:43:GLN:HB3	1:A:253:THR:CG2	2.43	0.48
1:A:162:TYR:CD1	1:A:163:LYS:N	2.82	0.48
1:B:128:TRP:CD1	1:B:255:HIS:HB3	2.49	0.48
1:A:14:ILE:HD11	1:A:128:TRP:HB3	1.95	0.48
1:B:28:SER:O	1:B:31:GLN:N	2.39	0.48
1:B:39:VAL:HG22	1:B:45:VAL:HG22	1.95	0.48
1:B:58:ARG:NH1	1:B:79:VAL:HG13	2.29	0.48
1:B:116:ALA:HB3	1:B:244:ASP:H	1.79	0.47
1:B:138:LEU:HD11	1:B:200:LEU:HD21	1.96	0.47
1:B:6:SER:OG	1:B:19:SER:CB	2.62	0.47
1:B:20:GLY:O	1:B:21:ALA:HB2	2.13	0.47
1:A:31:GLN:O	1:A:34:GLN:N	2.47	0.47
1:A:167:THR:O	1:A:170:GLU:N	2.47	0.47
1:A:161:GLU:CG	1:A:174:TRP:CZ2	2.97	0.47
1:A:132:ILE:O	1:A:136:GLU:HG3	2.15	0.47
1:A:170:GLU:HG3	1:A:173:ARG:HH22	1.75	0.47
1:A:186:HIS:ND1	1:A:278:PRO:HG3	2.29	0.47
1:B:88:HIS:C	1:B:262:LEU:HD11	2.39	0.47
1:B:145:LEU:O	1:B:145:LEU:HD22	2.15	0.47
1:B:163:LYS:C	1:B:164:TYR:CD1	2.93	0.47
1:A:68:HIS:HB2	1:A:274:LEU:CD2	2.45	0.47
1:A:184:LEU:N	1:A:184:LEU:CD2	2.76	0.47
1:B:174:TRP:O	1:B:178:VAL:HG23	2.15	0.47
1:B:14:ILE:HB	1:B:130:SER:HB2	1.96	0.46
1:A:39:VAL:HG22	1:A:45:VAL:HG22	1.97	0.46
1:A:174:TRP:CH2	1:A:178:VAL:HG21	2.50	0.46
1:A:261:TYR:O	1:A:264:GLN:HB2	2.14	0.46
1:B:48:ARG:NH2	1:B:244:ASP:OD2	2.49	0.46
1:B:140:VAL:N	1:B:141:PRO:HD2	2.31	0.46
1:B:63:ARG:HG3	1:B:63:ARG:HH11	1.80	0.46
1:A:6:SER:OG	1:A:19:SER:CB	2.63	0.46
1:A:14:ILE:HB	1:A:130:SER:HB2	1.96	0.46
1:B:126:THR:C	1:B:127:LEU:HD23	2.41	0.46
1:A:127:LEU:HD23	1:A:127:LEU:N	2.31	0.46
1:B:54:PRO:O	1:B:82:ILE:HD12	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:PRO:O	1:A:82:ILE:HD12	2.16	0.46
1:B:266:ARG:NH2	1:B:268:MET:HE2	2.31	0.45
1:B:184:LEU:N	1:B:184:LEU:CD2	2.78	0.45
1:A:53:THR:HG23	1:A:56:GLN:NE2	2.31	0.45
1:A:138:LEU:HD11	1:A:200:LEU:HD21	1.99	0.45
1:B:63:ARG:HG3	1:B:63:ARG:NH1	2.32	0.45
1:A:121:SER:HB2	1:A:264:GLN:HE22	1.81	0.45
1:B:102:VAL:O	1:B:109:PRO:HD2	2.16	0.45
1:B:38:ALA:C	1:B:40:LEU:N	2.74	0.45
1:A:145:LEU:HD22	1:A:145:LEU:O	2.16	0.45
1:B:39:VAL:HG22	1:B:45:VAL:HG21	1.98	0.45
1:B:102:VAL:O	1:B:102:VAL:HG12	2.17	0.45
1:A:43:GLN:NE2	1:A:43:GLN:H	2.13	0.45
1:A:64:PHE:HB2	1:A:273:ILE:HD13	1.99	0.45
1:B:43:GLN:NE2	1:B:43:GLN:H	2.15	0.44
1:A:102:VAL:O	1:A:109:PRO:HD2	2.17	0.44
1:A:32:PHE:CD1	1:A:32:PHE:C	2.95	0.44
1:A:190:ARG:NH1	1:A:278:PRO:HB3	2.32	0.44
1:A:277:LYS:HE2	1:B:27:LEU:O	2.17	0.44
1:A:174:TRP:CE2	1:A:178:VAL:HG21	2.53	0.44
1:A:104:PHE:CG	1:A:155:PHE:HB2	2.53	0.44
1:B:127:LEU:CD2	1:B:237:ARG:HG3	2.20	0.44
1:B:138:LEU:HD13	1:B:146:LEU:HD12	1.99	0.44
1:B:162:TYR:CD1	1:B:162:TYR:C	2.96	0.44
1:A:58:ARG:NH1	1:A:79:VAL:HG13	2.33	0.44
1:A:169:GLU:O	1:A:173:ARG:NH1	2.51	0.44
1:B:35:LEU:O	1:B:38:ALA:HB3	2.17	0.44
1:B:86:ASP:OD1	1:B:267:ILE:HG12	2.17	0.44
1:B:68:HIS:HB2	1:B:274:LEU:HG	2.00	0.43
1:A:42:HIS:C	1:A:43:GLN:HE21	2.24	0.43
1:A:230:THR:O	1:A:231:LYS:C	2.61	0.43
1:B:89:ASN:N	1:B:262:LEU:HD11	2.34	0.43
1:B:127:LEU:HD23	1:B:127:LEU:N	2.32	0.43
1:A:121:SER:CB	1:A:264:GLN:HE22	2.30	0.43
1:B:135:TYR:CD1	1:B:135:TYR:C	2.96	0.43
1:B:230:THR:O	1:B:231:LYS:C	2.62	0.43
1:A:166:LYS:O	1:A:167:THR:CB	2.66	0.43
1:B:229:ILE:HD12	1:B:229:ILE:C	2.43	0.43
1:A:174:TRP:O	1:A:178:VAL:HG23	2.19	0.43
1:B:53:THR:HG23	1:B:56:GLN:NE2	2.33	0.43
1:B:32:PHE:CE2	1:B:63:ARG:CB	3.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:ILE:CB	1:A:47:LEU:HD21	2.50	0.42
1:A:62:GLN:C	1:A:64:PHE:H	2.28	0.42
1:A:161:GLU:HG2	1:A:174:TRP:CH2	2.54	0.42
1:A:138:LEU:HD13	1:A:146:LEU:HD12	2.01	0.42
1:A:18:ILE:HB	1:A:47:LEU:CD2	2.50	0.42
1:B:31:GLN:O	1:B:34:GLN:N	2.52	0.42
1:B:120:PRO:HA	1:B:265:ARG:HH21	1.81	0.42
1:B:170:GLU:O	1:B:173:ARG:N	2.52	0.42
1:A:62:GLN:C	1:A:64:PHE:N	2.77	0.42
1:A:280:TYR:CG	1:A:281:ARG:N	2.87	0.42
1:B:54:PRO:O	1:B:82:ILE:CD1	2.68	0.42
1:A:39:VAL:HG22	1:A:45:VAL:HG21	2.01	0.42
1:A:107:THR:HG23	1:A:107:THR:O	2.20	0.42
1:B:110:ALA:HB1	1:B:251:ARG:HD3	2.01	0.42
1:B:123:GLY:C	1:B:125:ASP:N	2.76	0.42
1:A:135:TYR:CD1	1:A:135:TYR:C	2.98	0.41
1:B:147:SER:HB3	1:B:280:TYR:CZ	2.55	0.41
1:B:174:TRP:CH2	1:B:178:VAL:HG21	2.55	0.41
1:B:158:SER:HB3	1:B:206:PHE:HE1	1.82	0.41
1:A:86:ASP:OD1	1:A:267:ILE:CG1	2.67	0.41
1:B:174:TRP:CE2	1:B:178:VAL:HG21	2.56	0.41
1:B:107:THR:O	1:B:107:THR:HG23	2.20	0.41
1:A:21:ALA:O	1:A:22:ASP:C	2.64	0.41
1:A:54:PRO:O	1:A:82:ILE:CD1	2.69	0.41
1:B:67:LEU:HD12	1:B:81:GLU:CB	2.51	0.41
1:A:123:GLY:C	1:A:125:ASP:N	2.77	0.41
1:B:18:ILE:CB	1:B:47:LEU:HD21	2.49	0.41
1:B:45:VAL:CG2	1:B:247:ILE:HB	2.51	0.41
1:B:245:ILE:HD13	1:B:245:ILE:HA	1.94	0.41
1:A:237:ARG:NH2	1:A:258:ASN:HD21	2.19	0.41
1:B:89:ASN:HA	1:B:262:LEU:HD11	2.02	0.41
1:A:48:ARG:NH2	1:A:244:ASP:OD2	2.54	0.40
1:B:39:VAL:O	1:B:39:VAL:CG1	2.68	0.40
1:B:39:VAL:HG21	1:B:247:ILE:HG21	2.02	0.40
1:A:39:VAL:HG21	1:A:247:ILE:HG21	2.03	0.40
1:B:39:VAL:HG21	1:B:247:ILE:CG2	2.52	0.40
1:B:64:PHE:HB2	1:B:273:ILE:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/283 (96%)	237 (87%)	26 (10%)	10 (4%)	2	15
1	B	267/283 (94%)	233 (87%)	26 (10%)	8 (3%)	3	19
All	All	540/566 (95%)	470 (87%)	52 (10%)	18 (3%)	3	17

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	21	ALA
1	A	29	ASP
1	A	77	GLU
1	B	21	ALA
1	B	29	ASP
1	B	77	GLU
1	B	14	ILE
1	A	14	ILE
1	A	264	GLN
1	A	125	ASP
1	B	125	ASP
1	B	264	GLN
1	A	88	HIS
1	A	167	THR
1	A	168	GLU
1	B	88	HIS
1	A	102	VAL
1	B	102	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/244 (93%)	213 (94%)	13 (6%)	18	51
1	B	221/244 (91%)	208 (94%)	13 (6%)	18	50
All	All	447/488 (92%)	421 (94%)	26 (6%)	18	51

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ILE
1	A	22	ASP
1	A	40	LEU
1	A	43	GLN
1	A	44	VAL
1	A	48	ARG
1	A	114	LEU
1	A	127	LEU
1	A	145	LEU
1	A	219	GLU
1	A	254	GLN
1	A	262	LEU
1	A	272	THR
1	B	18	ILE
1	B	40	LEU
1	B	43	GLN
1	B	44	VAL
1	B	48	ARG
1	B	114	LEU
1	B	127	LEU
1	B	145	LEU
1	B	219	GLU
1	B	254	GLN
1	B	262	LEU
1	B	265	ARG
1	B	272	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	43	GLN
1	A	56	GLN
1	A	57	GLN
1	A	62	GLN
1	A	88	HIS
1	A	89	ASN
1	A	144	GLN
1	A	254	GLN
1	A	258	ASN
1	A	269	HIS
1	B	31	GLN
1	B	42	HIS
1	B	43	GLN
1	B	56	GLN
1	B	57	GLN
1	B	62	GLN
1	B	88	HIS
1	B	144	GLN
1	B	258	ASN
1	B	269	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TAU	B	351	-	6,6,6	1.84	3 (50%)	7,8,8	1.29	0
3	TAU	A	351	-	6,6,6	1.87	3 (50%)	7,8,8	1.29	1 (14%)
4	AKG	A	352	2	9,9,9	1.34	1 (11%)	11,11,11	2.65	4 (36%)
4	AKG	B	352	2	9,9,9	1.15	1 (11%)	11,11,11	2.84	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TAU	B	351	-	-	0/4/4/4	-
3	TAU	A	351	-	-	1/4/4/4	-
4	AKG	A	352	2	-	1/9/9/9	-
4	AKG	B	352	2	-	1/9/9/9	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	351	TAU	C2-S	2.91	1.81	1.77
3	B	351	TAU	C2-S	2.60	1.81	1.77
4	A	352	AKG	C2-C1	2.58	1.57	1.53
4	B	352	AKG	O2-C1	-2.38	1.24	1.30
3	B	351	TAU	O3-S	2.32	1.51	1.45
3	B	351	TAU	O1-S	2.10	1.51	1.45
3	A	351	TAU	O1-S	2.05	1.50	1.45
3	A	351	TAU	O3-S	2.02	1.50	1.45

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	352	AKG	O1-C1-C2	-5.76	114.65	121.81
4	A	352	AKG	O1-C1-C2	-5.59	114.85	121.81
4	B	352	AKG	O5-C2-C1	-4.44	113.33	119.67
4	B	352	AKG	O2-C1-O1	3.98	133.37	123.90
4	A	352	AKG	O5-C2-C1	-3.92	114.06	119.67
4	A	352	AKG	O2-C1-O1	3.81	132.98	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	352	AKG	O5-C2-C3	3.57	128.82	121.17
4	A	352	AKG	O5-C2-C3	3.15	127.93	121.17
3	A	351	TAU	O3-S-C2	2.02	109.78	106.73

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	351	TAU	N1-C1-C2-S
4	A	352	AKG	C1-C2-C3-C4
4	B	352	AKG	C1-C2-C3-C4

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	351	TAU	1	0
4	A	352	AKG	1	0
4	B	352	AKG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/283 (97%)	0.49	13 (4%) 36 19	14, 46, 95, 129	0
1	B	273/283 (96%)	0.91	29 (10%) 11 6	35, 75, 116, 163	0
All	All	550/566 (97%)	0.70	42 (7%) 20 10	14, 59, 109, 163	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	275	GLY	5.0
1	A	20	GLY	4.6
1	A	22	ASP	4.1
1	A	21	ALA	4.1
1	B	21	ALA	4.0
1	B	22	ASP	3.6
1	A	275	GLY	3.5
1	A	181	ASN	3.5
1	B	20	GLY	3.5
1	B	75	HIS	3.5
1	A	276	ASP	3.4
1	B	19	SER	3.2
1	B	77	GLU	3.1
1	A	29	ASP	2.9
1	A	66	GLU	2.8
1	B	106	GLU	2.8
1	B	161	GLU	2.7
1	A	177	ALA	2.6
1	B	26	PRO	2.6
1	B	158	SER	2.6
1	B	162	TYR	2.5
1	B	181	ASN	2.4
1	B	64	PHE	2.4
1	B	276	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	GLU	2.3
1	A	168	GLU	2.3
1	B	155	PHE	2.2
1	B	186	HIS	2.2
1	A	55	GLN	2.1
1	B	174	TRP	2.1
1	B	171	HIS	2.1
1	B	267	ILE	2.1
1	B	112	ALA	2.1
1	B	12	PRO	2.1
1	A	158	SER	2.1
1	B	172	GLN	2.1
1	B	189	VAL	2.0
1	B	72	VAL	2.0
1	B	274	LEU	2.0
1	B	103	THR	2.0
1	B	177	ALA	2.0
1	A	27	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	AKG	B	352	10/10	0.86	0.15	44,44,70,70	0
3	TAU	B	351	7/7	0.91	0.13	69,69,69,69	0
2	FE2	B	301	1/1	0.93	0.07	84,84,84,84	0
3	TAU	A	351	7/7	0.94	0.12	48,48,48,48	0
4	AKG	A	352	10/10	0.95	0.12	30,30,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FE2	A	301	1/1	0.98	0.07	54,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.