



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:15 PM UTC

PDB ID : 2GQG / pdb_00002gqg
Title : X-ray Crystal Structure of Dasatinib (BMS-354825) Bound to Activated ABL Kinase Domain
Authors : Klei, H.E.
Deposited on : 2006-04-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	11% 60% 35% ..
1	B	278	8% 60% 34% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	PTR	A	393	-	-	X	-
3	GOL	B	1	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4895 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase ABL1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	P	S	0	1	0
			2261	1451	370	421	1	18			
1	B	277	Total	C	N	O	S		0	1	0
			2252	1447	366	421	18				

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	223	GLY	-	cloning artifact	UNP P00519
A	224	ALA	-	cloning artifact	UNP P00519
A	225	MET	-	cloning artifact	UNP P00519
A	226	ASP	-	cloning artifact	UNP P00519
A	227	PRO	-	cloning artifact	UNP P00519
A	228	SER	-	cloning artifact	UNP P00519
A	393	PTR	TYR	modified residue	UNP P00519
B	223	GLY	-	cloning artifact	UNP P00519
B	224	ALA	-	cloning artifact	UNP P00519
B	225	MET	-	cloning artifact	UNP P00519
B	226	ASP	-	cloning artifact	UNP P00519
B	227	PRO	-	cloning artifact	UNP P00519
B	228	SER	-	cloning artifact	UNP P00519
B	393	PTR	TYR	modified residue	UNP P00519

- Molecule 2 is N-(2-CHLORO-6-METHYLPHENYL)-2-({6-[4-(2-HYDROXYETHYL)PIPE RAZIN-1-YL]-2-METHYLPYRIMIDIN-4-YL}AMINO)-1,3-THIAZOLE-5-CARBOXAMID E (CCD ID: 1N1) (formula: C₂₂H₂₆ClN₇O₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	S	0	0
			33	22	1	7	2	1		
2	B	1	Total	C	Cl	N	O	S	0	0
			33	22	1	7	2	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	145	Total 145	O 145	0	0
4	B	165	Total 165	O 165	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proto-oncogene tyrosine-protein kinase ABL1



- Molecule 1: Proto-oncogene tyrosine-protein kinase ABL1



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	105.19Å 105.19Å 111.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.40) 100.0 (50.00-2.40)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.35 (at 2.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.208 , 0.273 0.223 , 0.281	Depositor DCC
R_{free} test set	968 reflections (3.86%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtriage
Anisotropy	0.188	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4895	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.3420e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1N1, PTR, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2312	0.91	8/3126 (0.3%)
1	B	0.37	0/2302	0.97	14/3116 (0.4%)
All	All	0.37	0/4614	0.94	22/6242 (0.4%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	319	THR	N-CA-C	7.96	120.66	111.11
1	B	308	GLU	CA-C-N	7.42	128.02	120.38
1	B	308	GLU	C-N-CA	7.42	128.02	120.38
1	A	407	ALA	CA-C-N	7.13	126.66	119.24
1	A	407	ALA	C-N-CA	7.13	126.66	119.24
1	B	248	LEU	N-CA-C	-6.68	104.88	113.16
1	A	319	THR	N-CA-C	6.56	119.27	111.33
1	B	250	GLY	N-CA-C	-6.43	106.04	115.30
1	B	448	VAL	N-CA-C	6.33	116.82	110.23
1	B	320	TYR	N-CA-C	6.30	120.58	113.02
1	B	309	PRO	N-CA-C	6.23	118.30	110.70
1	B	407	ALA	CA-C-N	6.08	125.57	119.24
1	B	407	ALA	C-N-CA	6.08	125.57	119.24
1	A	403	ILE	N-CA-C	5.93	116.59	110.36
1	B	403	ILE	N-CA-C	5.91	117.36	110.62
1	A	320	TYR	N-CA-C	5.90	120.60	113.17
1	B	389	THR	N-CA-C	-5.46	106.78	113.50
1	B	498	GLN	N-CA-C	-5.43	104.43	111.71
1	B	323	LEU	N-CA-C	5.36	117.87	111.71
1	A	258	GLU	N-CA-C	-5.29	101.66	110.17
1	A	308	GLU	CA-C-N	5.24	125.78	120.38
1	A	308	GLU	C-N-CA	5.24	125.78	120.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2261	0	2202	100	0
1	B	2252	0	2191	104	0
2	A	33	0	26	3	0
2	B	33	0	26	2	0
3	B	6	0	8	5	0
4	A	145	0	0	6	0
4	B	165	0	0	7	0
All	All	4895	0	4453	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:GLU:HG2	1:A:290:MET:HE2	1.35	1.07
1:B:286:GLU:HG2	1:B:290:MET:HE2	1.44	0.97
1:B:277:THR:HG23	1:B:278:MET:H	1.33	0.94
1:A:393:PTR:P	1:A:393:PTR:CZ	2.60	0.89
1:A:309:PRO:CB	1:A:310:PRO:HD2	2.08	0.84
1:A:277:THR:HG23	1:A:278:MET:H	1.43	0.80
1:A:392:THR:HG22	1:A:393:PTR:H	1.46	0.78
1:A:309:PRO:HB3	1:A:310:PRO:HD2	1.66	0.76
1:A:340:LEU:HA	1:A:343:MET:HE2	1.66	0.75
1:A:376:LEU:HD11	1:A:378:LYS:HE3	1.68	0.75
1:A:355:GLU:HG3	1:A:418:ILE:HD13	1.68	0.75
1:B:295:HIS:HD2	1:B:297:ASN:H	1.36	0.74
1:B:239:ARG:HH12	1:B:308:GLU:CG	2.02	0.71
1:A:336:ASN:OD1	1:A:338:VAL:HG12	1.91	0.71
1:A:468:VAL:HG23	1:A:496:MET:HE1	1.74	0.70
1:A:299:VAL:HG11	2:A:501:1N1:H101	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:456:TYR:OH	3:B:1:GOL:H11	1.93	0.69
1:B:277:THR:HG23	1:B:278:MET:N	2.06	0.68
1:B:239:ARG:HH12	1:B:308:GLU:CD	2.02	0.67
1:B:459:GLU:HG2	3:B:1:GOL:O2	1.93	0.67
1:B:450:GLU:OE1	1:B:454:LYS:HE2	1.95	0.67
1:B:295:HIS:CD2	1:B:297:ASN:H	2.13	0.67
1:A:277:THR:HG23	1:A:278:MET:N	2.10	0.66
1:B:239:ARG:HH21	1:B:310:PRO:C	2.03	0.66
1:A:274:LYS:H	1:A:277:THR:HG21	1.61	0.65
1:A:318:MET:HE1	1:A:376:LEU:HD12	1.78	0.65
1:B:468:VAL:HG23	1:B:496:MET:HE1	1.77	0.65
1:B:458:MET:HA	3:B:1:GOL:H12	1.80	0.64
1:B:239:ARG:HH22	1:B:308:GLU:HG2	1.62	0.64
1:A:394:THR:OG1	1:A:415:LYS:HE2	1.98	0.64
1:B:280:VAL:HG13	1:B:284:LEU:HD13	1.80	0.64
1:A:308:GLU:HB2	1:A:309:PRO:HD2	1.79	0.63
1:A:392:THR:CG2	1:A:393:PTR:H	2.10	0.63
1:B:263:LYS:HE3	1:B:264:TYR:CZ	2.33	0.63
1:A:263:LYS:HA	1:A:263:LYS:HE3	1.80	0.63
1:B:286:GLU:HG2	1:B:290:MET:CE	2.24	0.62
1:A:355:GLU:HG3	1:A:418:ILE:HG21	1.80	0.62
1:A:237:MET:HE3	1:A:314:ILE:HD12	1.80	0.62
1:A:278:MET:HE3	1:A:283:PHE:HB2	1.82	0.62
1:A:309:PRO:CB	1:A:310:PRO:CD	2.77	0.62
1:B:406:THR:HG22	1:B:410:SER:HB2	1.81	0.62
1:B:395:ALA:HB3	1:B:414:ASN:ND2	2.15	0.61
1:B:225:MET:HE2	1:B:238:GLU:OE2	2.01	0.61
1:B:255:GLU:HB2	1:B:272:THR:O	1.99	0.61
1:A:276:ASP:O	1:A:278:MET:N	2.33	0.61
1:B:496:MET:O	1:B:498:GLN:HG2	2.00	0.60
1:A:466:GLU:O	1:A:470:GLU:HG3	2.01	0.60
1:B:237:MET:HE3	1:B:303:GLY:HA3	1.83	0.60
1:A:309:PRO:HB3	1:A:310:PRO:CD	2.32	0.60
1:B:277:THR:CG2	1:B:278:MET:H	2.07	0.59
1:B:458:MET:HG2	3:B:1:GOL:H12	1.84	0.59
1:B:255:GLU:HG3	4:B:643:HOH:O	2.03	0.59
1:B:305:CYS:HB2	1:B:312:TYR:HB2	1.85	0.58
1:A:255:GLU:N	1:A:255:GLU:OE1	2.36	0.58
1:B:309:PRO:HB2	1:B:310:PRO:HD3	1.85	0.58
1:B:418:ILE:HG23	4:B:563:HOH:O	2.03	0.58
1:B:255:GLU:OE2	1:B:274:LYS:HG3	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:GLU:O	1:A:241:ASP:HB2	2.04	0.57
1:A:479:ASN:ND2	1:A:481:SER:OG	2.37	0.57
1:B:327:LEU:HD21	1:B:343:MET:HE1	1.87	0.57
1:B:362:ARG:HD3	1:B:384:LEU:O	2.05	0.56
1:B:266:LEU:HD13	1:B:267:THR:O	2.05	0.56
1:B:460:ARG:HD2	1:B:464:CYS:O	2.04	0.56
1:A:386[A]:ARG:HH11	1:A:386[A]:ARG:HG3	1.70	0.56
1:B:242:ILE:CD1	1:B:314:ILE:HD13	2.35	0.56
1:B:428:LEU:HD12	1:B:428:LEU:O	2.05	0.56
1:A:272:THR:HG22	1:A:273:LEU:N	2.20	0.56
1:A:327:LEU:HD21	1:A:343:MET:HE1	1.87	0.56
1:A:498:GLN:C	1:A:500:SER:H	2.14	0.56
1:A:306:THR:O	1:A:307:ARG:HB2	2.06	0.56
1:A:318:MET:HE1	1:A:376:LEU:CD1	2.36	0.56
1:B:336:ASN:OD1	1:B:338:VAL:HG12	2.06	0.56
1:B:492:ALA:O	1:B:496:MET:HG3	2.06	0.55
1:A:308:GLU:HB2	1:A:309:PRO:CD	2.36	0.55
1:B:237:MET:CE	1:B:303:GLY:HA3	2.37	0.55
1:A:479:ASN:HB3	1:A:482:ASP:OD2	2.06	0.55
1:A:392:THR:HG22	1:A:393:PTR:N	2.20	0.55
1:A:450:GLU:OE2	1:A:454:LYS:HE3	2.07	0.55
1:A:255:GLU:CG	1:A:274:LYS:HE3	2.37	0.54
1:A:380:ALA:HB1	2:A:501:1N1:H102	1.90	0.54
1:B:226[B]:ASP:OD1	1:B:227:PRO:HD2	2.08	0.54
1:A:296:PRO:O	1:A:378:LYS:HE2	2.08	0.54
1:A:305:CYS:HB2	1:A:312:TYR:HB2	1.88	0.54
1:A:230:PRO:HB2	4:A:616:HOH:O	2.07	0.54
1:B:272:THR:HG22	1:B:273:LEU:N	2.23	0.54
1:B:380:ALA:HB1	2:B:502:1N1:C10	2.39	0.53
1:A:415:LYS:HE3	4:A:577:HOH:O	2.07	0.53
1:A:338:VAL:HG13	1:A:339:VAL:N	2.24	0.53
1:B:252:GLN:HB2	4:B:577:HOH:O	2.09	0.53
1:B:239:ARG:HD3	1:B:312:TYR:CE1	2.44	0.53
1:A:306:THR:HA	1:A:311:PHE:CD1	2.46	0.51
1:A:241:ASP:C	1:A:242:ILE:HD12	2.35	0.51
1:B:224:ALA:HB3	4:B:639:HOH:O	2.10	0.51
1:B:380:ALA:HB1	2:B:502:1N1:H101	1.93	0.51
1:B:450:GLU:O	1:B:454:LYS:HG2	2.11	0.51
1:B:242:ILE:HD12	1:B:314:ILE:HD13	1.92	0.51
1:B:247:LYS:HB3	1:B:257:TYR:CE2	2.45	0.51
1:B:239:ARG:HH12	1:B:308:GLU:HG2	1.76	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:GLU:HG2	1:A:274:LYS:HE3	1.93	0.50
1:B:434:THR:HG22	1:B:461:PRO:HB3	1.93	0.50
1:B:290:MET:HE1	1:B:313:ILE:HG21	1.93	0.50
1:B:275:GLU:HA	1:B:275:GLU:OE1	2.11	0.50
1:A:248:LEU:O	1:A:249:GLY:O	2.29	0.49
1:B:248:LEU:HD21	1:B:258:GLU:HB2	1.94	0.49
1:A:309:PRO:O	1:A:310:PRO:C	2.55	0.49
1:A:253:TYR:OH	1:A:368:ASN:HA	2.12	0.49
1:A:266:LEU:HD13	1:A:267:THR:O	2.12	0.49
1:B:247:LYS:HA	1:B:257:TYR:HA	1.95	0.49
1:A:306:THR:O	1:A:307:ARG:CB	2.59	0.49
1:A:376:LEU:HD11	1:A:378:LYS:CE	2.40	0.49
1:A:249:GLY:C	1:A:251:GLY:H	2.21	0.49
1:A:429:LEU:HD11	1:A:471:LEU:HD22	1.94	0.49
1:B:373:GLU:O	1:B:376:LEU:HB2	2.13	0.48
1:B:244:MET:O	1:B:245:LYS:HD3	2.14	0.48
1:B:353:TYR:HD2	1:B:354:LEU:HD13	1.77	0.48
1:B:496:MET:O	1:B:498:GLN:N	2.46	0.48
1:B:454:LYS:O	1:B:455:ASP:HB2	2.13	0.48
1:A:295:HIS:CD2	1:A:297:ASN:H	2.32	0.48
1:A:340:LEU:HD23	1:A:343:MET:HE2	1.95	0.48
1:B:355:GLU:HA	1:B:418:ILE:HD13	1.96	0.48
1:A:309:PRO:HB2	4:A:602:HOH:O	2.14	0.48
1:A:500:SER:HB3	4:A:564:HOH:O	2.13	0.48
1:A:299:VAL:HG21	1:A:380:ALA:HB2	1.96	0.48
1:B:459:GLU:HG2	3:B:1:GOL:HO2	1.77	0.48
1:A:362:ARG:HD3	1:A:384:LEU:O	2.13	0.47
1:A:385:SER:O	1:A:386[A]:ARG:HD2	2.13	0.47
1:A:308:GLU:O	1:A:309:PRO:O	2.32	0.47
1:B:255:GLU:N	1:B:255:GLU:OE1	2.48	0.47
1:B:280:VAL:HG12	1:B:284:LEU:HD22	1.95	0.47
1:B:466:GLU:O	1:B:470:GLU:HG3	2.15	0.47
1:A:393:PTR:P	1:A:393:PTR:CE1	3.03	0.47
1:A:237:MET:HE2	1:A:303:GLY:HA3	1.96	0.47
1:A:396:HIS:ND1	1:A:398:GLY:N	2.61	0.47
1:A:376:LEU:C	1:A:376:LEU:HD13	2.38	0.47
1:B:347:ILE:HD13	1:B:428:LEU:HD21	1.96	0.46
1:B:239:ARG:NH2	1:B:308:GLU:HG2	2.27	0.46
1:B:419:LYS:HG2	4:B:561:HOH:O	2.14	0.46
1:B:406:THR:CG2	1:B:410:SER:HB2	2.43	0.46
1:B:305:CYS:O	1:B:311:PHE:HA	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239:ARG:HE	1:A:308:GLU:CD	2.24	0.46
1:A:444:ASP:OD2	1:A:446:SER:OG	2.33	0.46
1:B:277:THR:CG2	1:B:278:MET:N	2.73	0.46
1:A:404:LYS:HE3	1:A:445:LEU:CD2	2.45	0.46
1:A:454:LYS:O	1:A:455:ASP:HB2	2.16	0.46
1:B:263:LYS:HE3	1:B:264:TYR:CE1	2.52	0.45
1:B:465:PRO:HG2	1:B:468:VAL:CG2	2.46	0.45
1:B:229:SER:HA	1:B:230:PRO:HD3	1.81	0.45
1:A:277:THR:CG2	1:A:278:MET:H	2.23	0.45
1:A:238:GLU:HA	1:A:238:GLU:OE1	2.16	0.45
1:A:309:PRO:HB2	1:A:310:PRO:HD2	1.93	0.45
1:B:356:LYS:HE3	1:B:356:LYS:HB2	1.73	0.45
1:B:360:ILE:CD1	1:B:362:ARG:HD2	2.47	0.45
1:A:404:LYS:HE3	1:A:445:LEU:HD21	1.99	0.44
1:A:308:GLU:O	1:A:311:PHE:CE1	2.71	0.44
1:B:238:GLU:O	1:B:241:ASP:HB2	2.16	0.44
1:B:360:ILE:HG23	1:B:388:MET:HE2	2.00	0.44
1:B:255:GLU:CD	1:B:274:LYS:HE2	2.42	0.44
1:B:276:ASP:O	1:B:277:THR:C	2.60	0.44
1:B:340:LEU:HD23	1:B:343:MET:HE2	1.98	0.44
1:B:274:LYS:HB2	1:B:277:THR:CG2	2.48	0.44
1:B:239:ARG:NH2	1:B:310:PRO:HB2	2.33	0.44
1:B:237:MET:HE3	1:B:314:ILE:HD12	2.00	0.43
1:B:406:THR:HA	4:B:572:HOH:O	2.18	0.43
1:A:380:ALA:HB1	2:A:501:1N1:C10	2.48	0.43
1:A:277:THR:CG2	1:A:278:MET:N	2.81	0.43
1:B:350:ALA:O	1:B:353:TYR:HB3	2.18	0.43
1:B:242:ILE:HD11	1:B:314:ILE:HD13	2.00	0.43
1:A:401:PHE:HZ	1:A:414:ASN:OD1	2.01	0.43
1:A:262:LYS:O	1:A:263:LYS:C	2.62	0.43
1:A:347:ILE:HD13	1:A:428:LEU:HD21	2.00	0.42
1:B:326:TYR:O	1:B:330:CYS:HB3	2.19	0.42
1:B:467:LYS:CG	1:B:496:MET:HE3	2.49	0.42
1:B:396:HIS:C	1:B:398:GLY:N	2.74	0.42
1:A:362:ARG:CZ	1:A:393:PTR:HE2	2.49	0.42
1:B:280:VAL:HG13	1:B:284:LEU:CD1	2.48	0.42
1:A:299:VAL:HG23	1:A:379:VAL:O	2.20	0.42
1:A:359:PHE:CE1	1:A:387:LEU:HD13	2.54	0.42
1:B:353:TYR:CZ	1:B:357:LYS:HD2	2.54	0.42
1:B:354:LEU:HD12	1:B:354:LEU:HA	1.88	0.42
1:A:276:ASP:O	1:A:277:THR:C	2.63	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:255:GLU:CD	1:B:274:LYS:HG3	2.45	0.42
1:A:308:GLU:CB	1:A:309:PRO:CD	2.97	0.41
1:B:249:GLY:C	1:B:251:GLY:N	2.78	0.41
1:A:367:ARG:HG2	4:A:552:HOH:O	2.19	0.41
1:A:248:LEU:O	1:A:249:GLY:C	2.63	0.41
1:A:360:ILE:HG23	1:A:388:MET:HE2	2.03	0.41
1:A:439:PRO:O	1:A:440:TYR:C	2.63	0.41
1:B:460:ARG:HA	1:B:461:PRO:HD3	1.93	0.41
1:A:434:THR:O	1:A:435:TYR:HB2	2.20	0.41
1:A:498:GLN:C	1:A:500:SER:N	2.76	0.41
1:B:223:GLY:O	1:B:229:SER:HB2	2.20	0.41
1:B:396:HIS:O	1:B:398:GLY:N	2.54	0.41
1:B:467:LYS:HD2	1:B:467:LYS:O	2.21	0.41
1:A:336:ASN:O	1:A:340:LEU:HG	2.20	0.40
1:A:322:ASN:HA	1:A:370:LEU:HD23	2.02	0.40
1:A:388:MET:HE1	4:A:540:HOH:O	2.21	0.40
1:B:255:GLU:N	1:B:255:GLU:CD	2.79	0.40
1:A:494:GLU:O	1:A:498:GLN:HG2	2.22	0.40
1:B:459:GLU:HB2	4:B:600:HOH:O	2.21	0.40
1:A:345:THR:OG1	1:A:493:PHE:HB3	2.21	0.40
1:B:249:GLY:C	1:B:251:GLY:H	2.29	0.40
1:B:287:ALA:HA	1:B:290:MET:HE3	2.03	0.40
1:A:255:GLU:N	1:A:255:GLU:CD	2.79	0.40
1:B:490:HIS:CE1	1:B:494:GLU:OE2	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	276/278 (99%)	252 (91%)	14 (5%)	10 (4%)	2 2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	275/278 (99%)	255 (93%)	13 (5%)	7 (2%)	4	5
All	All	551/556 (99%)	507 (92%)	27 (5%)	17 (3%)	3	3

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	249	GLY
1	A	275	GLU
1	A	277	THR
1	A	309	PRO
1	A	310	PRO
1	B	249	GLY
1	A	307	ARG
1	A	398	GLY
1	B	309	PRO
1	B	497	PHE
1	A	399	ALA
1	B	276	ASP
1	B	277	THR
1	B	263	LYS
1	B	397	ALA
1	A	402	PRO
1	A	250	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/241 (100%)	232 (96%)	10 (4%)	27	46
1	B	241/241 (100%)	233 (97%)	8 (3%)	33	55
All	All	483/482 (100%)	465 (96%)	18 (4%)	30	51

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	238	GLU
1	A	255	GLU
1	A	263	LYS
1	A	284	LEU
1	A	309	PRO
1	A	310	PRO
1	A	354	LEU
1	A	384	LEU
1	A	401	PHE
1	A	499	GLU
1	B	241	ASP
1	B	255	GLU
1	B	308	GLU
1	B	309	PRO
1	B	354	LEU
1	B	376	LEU
1	B	384	LEU
1	B	450	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	295	HIS
1	A	297	ASN
1	A	358	ASN
1	A	375	HIS
1	A	479	ASN
1	B	295	HIS
1	B	297	ASN
1	B	375	HIS
1	B	491	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	B	393	1	11,12,17	0.48	0	10,15,24	0.20	0
1	PTR	A	393	1	10,11,17	0.48	0	8,13,24	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	B	393	1	-	0/5/6/13	0/1/1/1
1	PTR	A	393	1	-	1/5/6/13	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	393	PTR	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	393	PTR	6	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1N1	B	502	-	36,36,36	1.69	6 (16%)	50,50,50	2.10	16 (32%)
2	1N1	A	501	-	36,36,36	1.56	5 (13%)	50,50,50	1.94	14 (28%)
3	GOL	B	1	-	5,5,5	0.39	0	5,5,5	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1N1	B	502	-	-	1/19/29/29	0/4/4/4
2	1N1	A	501	-	-	1/19/29/29	0/4/4/4
3	GOL	B	1	-	-	0/4/4/4	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	1N1	C1-N1	6.34	1.49	1.37
2	A	501	1N1	C1-N1	5.16	1.47	1.37
2	B	502	1N1	C4-N2	-4.13	1.35	1.43
2	A	501	1N1	C4-N2	-4.05	1.36	1.43
2	A	501	1N1	C13-N5	3.45	1.45	1.37
2	B	502	1N1	C13-N5	3.08	1.44	1.37
2	A	501	1N1	C-N1	2.80	1.35	1.31
2	B	502	1N1	C13-N3	2.51	1.37	1.34
2	B	502	1N1	C-S	2.41	1.77	1.73
2	A	501	1N1	C13-N3	2.40	1.37	1.34
2	B	502	1N1	C-N1	2.23	1.35	1.31

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	1N1	S-C-N1	-5.98	109.03	115.58
2	B	502	1N1	S-C-N1	-5.47	109.59	115.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	1N1	C18-N6-C17	4.41	118.33	108.84
2	B	502	1N1	C2-C1-N1	-4.27	110.48	116.56
2	A	501	1N1	C2-C1-N1	-4.22	110.56	116.56
2	A	501	1N1	C1-N1-C	4.13	114.40	109.66
2	B	502	1N1	O-C3-C2	-3.79	113.73	120.62
2	A	501	1N1	O-C3-C2	-3.78	113.75	120.62
2	B	502	1N1	C14-N4-C11	3.68	120.28	115.67
2	B	502	1N1	C1-N1-C	3.57	113.76	109.66
2	B	502	1N1	C19-C18-N6	3.51	117.72	110.65
2	A	501	1N1	C14-N4-C11	3.36	119.89	115.67
2	A	501	1N1	N-C11-N4	2.86	120.26	113.33
2	B	502	1N1	C2-C3-N2	2.84	123.45	116.07
2	A	501	1N1	C14-N3-C13	2.80	119.14	116.05
2	B	502	1N1	C14-N3-C13	2.80	119.13	116.05
2	A	501	1N1	C1-C2-S	2.77	113.62	109.51
2	B	502	1N1	C16-C17-N6	2.67	116.03	110.65
2	B	502	1N1	C1-C2-S	2.67	113.47	109.51
2	A	501	1N1	N-C-N1	2.63	124.14	120.13
2	A	501	1N1	C2-C3-N2	2.57	122.74	116.07
2	A	501	1N1	C18-N6-C17	2.51	114.26	108.84
2	B	502	1N1	C11-N-C	2.37	129.62	126.67
2	B	502	1N1	C15-C14-N3	2.36	120.66	117.13
2	B	502	1N1	N-C11-N4	2.30	118.91	113.33
2	A	501	1N1	C-S-C2	2.24	92.16	89.20
2	B	502	1N1	C-S-C2	2.19	92.08	89.20
2	B	502	1N1	C9-C4-N2	2.11	122.13	118.99
2	A	501	1N1	C11-N-C	2.09	129.26	126.67
2	A	501	1N1	C15-C14-N3	2.01	120.13	117.13

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	1N1	N6-C20-C21-O1
2	B	502	1N1	N6-C20-C21-O1

There are no ring outliers.

3 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	1N1	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	1N1	3	0
3	B	1	GOL	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/278 (99%)	0.48	31 (11%) 10 7	12, 28, 62, 85	1 (0%)
1	B	276/278 (99%)	0.23	23 (8%) 17 14	12, 23, 66, 83	1 (0%)
All	All	553/556 (99%)	0.36	54 (9%) 13 10	12, 26, 64, 85	2 (0%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	399	ALA	6.4
1	A	253	TYR	6.0
1	A	251	GLY	5.8
1	A	277	THR	5.7
1	A	249	GLY	5.4
1	A	500	SER	4.9
1	B	250	GLY	4.9
1	A	254	GLY	4.7
1	B	252	GLN	4.6
1	B	399	ALA	4.5
1	B	309	PRO	4.5
1	B	251	GLY	4.4
1	B	253	TYR	4.3
1	B	499	GLU	4.2
1	B	278	MET	4.1
1	B	254	GLY	4.0
1	B	249	GLY	3.8
1	A	309	PRO	3.6
1	A	250	GLY	3.5
1	A	252	GLN	3.5
1	B	397	ALA	3.4
1	A	275	GLU	3.4
1	B	277	THR	3.3
1	A	279	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	398	GLY	3.3
1	A	397	ALA	3.0
1	B	310	PRO	2.9
1	A	395	ALA	2.8
1	B	274	LYS	2.8
1	A	281	GLU	2.7
1	B	223	GLY	2.7
1	A	278	MET	2.6
1	A	466	GLU	2.6
1	B	280	VAL	2.6
1	A	398	GLY	2.5
1	A	310	PRO	2.5
1	A	246	HIS	2.4
1	A	401	PHE	2.4
1	A	276	ASP	2.4
1	B	246	HIS	2.3
1	A	247	LYS	2.3
1	B	245	LYS	2.3
1	A	400	LYS	2.3
1	A	292	GLU	2.3
1	B	281	GLU	2.3
1	A	245	LYS	2.2
1	A	266	LEU	2.2
1	A	256	VAL	2.2
1	A	307	ARG	2.2
1	B	248	LEU	2.1
1	B	498	GLN	2.1
1	A	274	LYS	2.0
1	B	275	GLU	2.0
1	A	396	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	A	393	12/17	0.80	0.17	35,41,49,60	0
1	PTR	B	393	12/17	0.94	0.08	20,23,30,32	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	B	1	6/6	0.82	0.20	46,48,48,49	0
2	1N1	B	502	33/33	0.91	0.09	16,24,33,35	0
2	1N1	A	501	33/33	0.92	0.09	22,27,42,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 1N1 B 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 1N1 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.