



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 01:03 PM EDT

PDB ID : 6GQI / pdb_00006gqi
Title : Thermocrisum municipale cyclohexanone monooxygenase bound to hexanoic acid
Authors : Mattevi, A.; Gomez Castellanos, J.R.
Deposited on : 2018-06-07
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	
1	B	541	

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclohexanone Monooxygenase from Thermocrispum municipale.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	529	Total	C	N	O	S	0	5	0
			4184	2644	721	805	14			
1	B	529	Total	C	N	O	S	0	4	0
			4169	2638	715	802	14			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is HEXANOIC ACID (CCD ID: 6NA) (formula: $\text{C}_6\text{H}_{12}\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 8	C 6	O 2	0	0
4	B	1	Total 8	C 6	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	409	Total	O	0	0
			409	409		
6	B	391	Total	O	0	0
			391	391		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cyclohexanone Monooxygenase from *Thermocrispum municipale*



- Molecule 1: Cyclohexanone Monooxygenase from *Thermocrispum municipale*



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.07Å 93.69Å 159.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.40 – 2.00 44.40 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.7 (44.40-2.00) 98.7 (44.40-2.00)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.139 , 0.199 0.151 , 0.208	Depositor DCC
R_{free} test set	3307 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtrriage
Anisotropy	0.583	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9383	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0025e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, ACT, NAP, 6NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.61	31/4286 (0.7%)	1.29	8/5824 (0.1%)
1	B	1.58	30/4271 (0.7%)	1.30	14/5805 (0.2%)
All	All	1.60	61/8557 (0.7%)	1.29	22/11629 (0.2%)

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	138	PHE	C-O	-10.22	1.11	1.24
1	A	438	PRO	C-O	-8.76	1.14	1.24
1	B	391	ALA	C-O	-7.39	1.14	1.24
1	B	181	VAL	C-O	-7.39	1.16	1.24
1	B	345	VAL	C-O	-7.36	1.16	1.24
1	A	490	ASP	CB-CG	6.92	1.69	1.52
1	A	265	ARG	C-O	-6.82	1.16	1.24
1	A	509	LEU	C-O	-6.61	1.15	1.24
1	A	528	ARG	C-O	6.58	1.31	1.23
1	B	254	THR	N-CA	6.42	1.53	1.46
1	A	255	VAL	C-O	-6.38	1.17	1.24
1	B	229	ARG	N-CA	6.33	1.53	1.46
1	B	103	ALA	N-CA	6.33	1.54	1.46
1	A	330	PRO	C-O	6.30	1.30	1.23
1	A	477	CYS	C-O	6.26	1.31	1.24
1	B	317	ALA	CA-C	6.20	1.61	1.52
1	B	17	GLY	N-CA	6.18	1.52	1.45
1	A	135	THR	N-CA	-6.17	1.38	1.46
1	A	505	VAL	CA-CB	6.08	1.61	1.54
1	B	469	ALA	N-CA	-6.08	1.39	1.46
1	B	40	LYS	C-O	-6.03	1.16	1.24
1	B	284	GLY	C-O	-5.98	1.15	1.23
1	A	70	ASP	C-O	5.95	1.30	1.24
1	B	28	ARG	C-O	5.90	1.31	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	281	PHE	C-O	-5.90	1.17	1.24
1	A	353	THR	C-N	5.84	1.41	1.33
1	B	518	GLN	C-O	-5.82	1.17	1.24
1	A	492	TRP	C-O	-5.80	1.16	1.24
1	A	187	GLY	C-O	5.74	1.29	1.23
1	A	383	ASP	C-O	5.73	1.30	1.23
1	A	42	GLY	C-O	-5.71	1.16	1.23
1	B	239	ASP	N-CA	5.69	1.53	1.46
1	B	189	THR	N-CA	5.64	1.53	1.46
1	A	338	GLU	N-CA	5.62	1.53	1.46
1	A	146	LEU	C-O	5.58	1.29	1.23
1	B	324	ASP	CA-CB	5.52	1.61	1.53
1	A	463	VAL	C-O	5.50	1.29	1.24
1	B	185	GLY	N-CA	5.50	1.53	1.45
1	A	71	LYS	C-O	-5.49	1.17	1.24
1	B	251	GLU	CA-CB	5.45	1.61	1.53
1	A	326	TYR	C-O	-5.39	1.17	1.23
1	B	110	THR	C-O	5.38	1.30	1.23
1	A	519	LEU	C-O	5.37	1.30	1.24
1	A	194	ILE	C-O	-5.36	1.17	1.24
1	B	228	ALA	C-O	-5.36	1.17	1.24
1	A	108	LEU	C-O	5.33	1.31	1.23
1	B	148	ARG	N-CA	-5.33	1.39	1.46
1	A	183	VAL	C-O	-5.33	1.18	1.24
1	A	18	PHE	N-CA	5.32	1.52	1.46
1	B	109	ASN	CG-OD1	5.18	1.33	1.23
1	A	514	ASN	CG-ND2	-5.18	1.22	1.33
1	B	503	HIS	CA-C	-5.14	1.46	1.52
1	B	482	ASN	CG-ND2	-5.12	1.22	1.33
1	A	272	ALA	CA-C	5.11	1.59	1.52
1	A	280	ARG	CZ-NH1	-5.11	1.25	1.32
1	B	129	ALA	C-O	-5.07	1.17	1.24
1	A	475	GLU	N-CA	5.06	1.52	1.46
1	A	119	GLU	CA-C	5.05	1.59	1.52
1	B	246	VAL	C-O	-5.04	1.18	1.24
1	B	11	ALA	C-O	-5.02	1.18	1.23
1	B	11	ALA	CA-C	-5.00	1.46	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	528	ARG	N-CA-C	-7.40	99.32	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	424	MET	CG-SD-CE	-6.48	86.65	100.90
1	B	438	PRO	N-CA-C	6.21	118.28	110.70
1	B	181	VAL	CA-C-N	6.18	126.84	122.33
1	B	181	VAL	C-N-CA	6.18	126.84	122.33
1	B	182	GLY	N-CA-C	-6.13	100.19	111.04
1	A	463	VAL	N-CA-CB	-6.04	102.69	111.52
1	B	50	TRP	N-CA-C	5.95	117.84	111.36
1	A	75	ARG	NE-CZ-NH2	5.89	124.50	119.20
1	B	72	GLU	CB-CA-C	-5.87	101.66	110.88
1	B	312	LYS	N-CA-C	5.76	117.63	111.36
1	B	233	ASN	N-CA-C	5.72	119.24	112.72
1	B	427	ILE	N-CA-CB	5.64	117.81	111.21
1	A	63	PHE	N-CA-C	5.41	117.93	111.71
1	A	31	LEU	N-CA-C	5.32	119.48	112.89
1	B	310	ILE	N-CA-C	5.27	116.04	110.72
1	B	389	TYR	N-CA-C	-5.24	105.48	111.14
1	A	490	ASP	CB-CA-C	-5.16	102.33	111.05
1	B	75	ARG	N-CA-C	5.14	117.78	111.82
1	B	242	ARG	N-CA-C	5.10	117.57	111.71
1	B	247	ALA	N-CA-C	5.03	119.00	112.86
1	A	529	GLY	N-CA-C	-5.02	108.04	114.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4184	0	4030	23	0
1	B	4169	0	4012	29	1
2	A	53	0	31	1	0
2	B	53	0	31	2	0
3	A	48	0	25	1	0
3	B	48	0	25	2	0
4	A	8	0	11	2	0
4	B	16	0	22	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	4	0	3	0	0
6	A	409	0	0	4	1
6	B	391	0	0	6	1
All	All	9383	0	8190	54	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:361:GLN:HE21	1:B:361:GLN:H	1.26	0.82
1:A:398:ASP:OD2	1:A:400:ARG:NH1	2.15	0.79
1:B:312:LYS:H	1:B:341:ASN:HD21	1.34	0.76
1:B:280[A]:ARG:HH11	1:B:280[A]:ARG:HG3	1.52	0.75
1:B:296:ASN:HD21	1:B:326:TYR:H	1.36	0.73
1:B:28:ARG:HH21	1:B:29:ASN:HD21	1.37	0.71
1:B:71:LYS:HD2	6:B:1037:HOH:O	1.90	0.70
1:A:28:ARG:HH21	1:A:29:ASN:HD21	1.40	0.67
1:A:70:ASP:OD2	1:A:100:TYR:OH	2.13	0.64
1:A:296:ASN:HD21	1:A:326:TYR:H	1.45	0.64
1:B:365:THR:OG1	1:B:371:HIS:HE1	1.81	0.64
1:B:280[A]:ARG:HG3	1:B:280[A]:ARG:NH1	2.13	0.63
1:A:125:ARG:HD3	6:A:822:HOH:O	1.98	0.62
1:A:85:ASP:HB3	1:A:87:PRO:HD2	1.83	0.61
1:A:147[A]:SER:OG	1:A:388:ASN:ND2	2.35	0.59
1:B:271:GLN:NE2	6:B:703:HOH:O	2.36	0.59
1:A:329:ARG:NE	4:A:603:6NA:O	2.28	0.57
1:A:312:LYS:H	1:A:341:ASN:HD21	1.55	0.55
4:B:603:6NA:O	4:B:603:6NA:CG	2.51	0.55
1:B:46:GLY:HA2	2:B:601:FAD:O3B	2.07	0.54
1:A:329:ARG:HH11	4:A:603:6NA:C	2.22	0.53
1:A:98:GLU:CB	6:B:1086:HOH:O	2.58	0.51
1:B:127:THR:OG1	1:B:133:THR:HG22	2.11	0.50
1:B:156:GLY:O	1:B:157:ARG:C	2.54	0.49
2:B:601:FAD:HM73	3:B:602:NAP:C5N	2.42	0.48
1:A:432:GLY:HA3	6:A:919:HOH:O	2.14	0.48
1:A:215:VAL:O	1:A:332:CYS:HA	2.14	0.47
1:B:167:THR:HG21	1:B:189:THR:CG2	2.45	0.47
1:A:188[A]:SER:OG	3:A:602:NAP:C3N	2.64	0.46
1:A:486:PHE:N	1:A:487:PRO:CD	2.78	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:VAL:HA	1:B:425:PHE:O	2.16	0.45
1:B:312:LYS:H	1:B:341:ASN:ND2	2.08	0.45
1:B:191:THR:HG22	1:B:336:TYR:CZ	2.51	0.45
1:B:13:VAL:O	1:B:37:VAL:HA	2.18	0.45
1:B:133:THR:HG21	6:B:976:HOH:O	2.16	0.44
1:A:46:GLY:HA2	2:A:601:FAD:O3B	2.17	0.44
1:A:145:LEU:HD22	1:A:385:VAL:HG22	1.98	0.44
1:B:315:GLU:HA	1:B:315:GLU:OE1	2.18	0.43
1:B:362:GLY:HA3	1:B:371:HIS:O	2.18	0.43
1:B:71:LYS:CD	6:B:1037:HOH:O	2.59	0.42
1:B:252:GLU:HB3	6:B:773:HOH:O	2.20	0.42
1:A:362:GLY:HA3	1:A:371:HIS:O	2.20	0.42
1:A:127:THR:OG1	1:A:133:THR:HG22	2.20	0.42
1:B:112:VAL:HG13	1:B:126:VAL:HG13	2.01	0.42
1:B:315:GLU:OE2	1:B:318:ARG:NH2	2.42	0.42
1:B:361:GLN:HE21	1:B:361:GLN:N	2.05	0.42
1:B:350:LEU:HD12	3:B:602:NAP:H2A	2.03	0.41
1:A:516[B]:ARG:NH2	6:A:723:HOH:O	2.49	0.41
1:B:280[A]:ARG:NH1	1:B:280[A]:ARG:CG	2.75	0.41
1:A:203:GLN:HG2	6:A:954:HOH:O	2.19	0.41
1:A:382:PHE:CD1	1:A:382:PHE:N	2.88	0.41
1:A:9:LEU:O	1:A:136:ALA:HA	2.21	0.40
1:B:23:MET:HG2	1:B:140:VAL:HG11	2.03	0.40
1:B:17:GLY:O	1:B:18:PHE:C	2.65	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1099:HOH:O	6:B:1049:HOH:O[4_455]	1.93	0.27
1:B:280[A]:ARG:NH1	1:B:524:ASP:OD1[4_565]	2.00	0.20

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/541 (98%)	519 (98%)	12 (2%)	1 (0%)	43	42
1	B	531/541 (98%)	516 (97%)	14 (3%)	1 (0%)	43	42
All	All	1063/1082 (98%)	1035 (97%)	26 (2%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	277	ASN
1	A	277	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	439/444 (99%)	430 (98%)	9 (2%)	47	52
1	B	436/444 (98%)	425 (98%)	11 (2%)	42	45
All	All	875/888 (98%)	855 (98%)	20 (2%)	45	49

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	134	LEU
1	A	234	PHE
1	A	408	GLU
1	A	463	VAL
1	A	483	MET
1	A	491[A]	SER
1	A	491[B]	SER
1	A	528	ARG
1	B	6	THR
1	B	134	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	202	GLU
1	B	234	PHE
1	B	256	GLU
1	B	357	GLU
1	B	360	PRO
1	B	361	GLN
1	B	365	THR
1	B	427	ILE
1	B	533	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	51	ASN
1	A	168	ASN
1	A	203	GLN
1	A	208	GLN
1	A	296	ASN
1	A	341	ASN
1	A	371	HIS
1	A	388	ASN
1	A	482	ASN
1	A	514	ASN
1	B	29	ASN
1	B	271	GLN
1	B	296	ASN
1	B	341	ASN
1	B	361	GLN
1	B	371	HIS
1	B	405	HIS
1	B	482	ASN
1	B	503	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	6NA	A	603	-	7,7,7	1.11	1 (14%)	7,7,7	1.72	1 (14%)
3	NAP	A	602	-	50,52,52	1.48	6 (12%)	71,80,80	1.84	20 (28%)
4	6NA	B	603	-	7,7,7	1.07	1 (14%)	7,7,7	2.54	3 (42%)
2	FAD	A	601	-	58,58,58	1.89	14 (24%)	85,89,89	1.78	20 (23%)
2	FAD	B	601	-	58,58,58	2.10	16 (27%)	85,89,89	1.73	17 (20%)
4	6NA	B	604	-	7,7,7	0.73	0	7,7,7	1.08	0
3	NAP	B	602	-	50,52,52	1.48	6 (12%)	71,80,80	2.09	17 (23%)
5	ACT	A	604	-	3,3,3	1.06	0	3,3,3	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	6NA	A	603	-	-	1/5/5/5	-
3	NAP	A	602	-	-	4/35/67/67	0/5/5/5
4	6NA	B	603	-	-	1/5/5/5	-
2	FAD	A	601	-	-	5/34/50/50	0/6/6/6
2	FAD	B	601	-	-	6/34/50/50	0/6/6/6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	6NA	B	604	-	-	2/5/5/5	-
3	NAP	B	602	-	-	6/35/67/67	0/5/5/5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	FAD	P-O3P	6.51	1.66	1.59
2	A	601	FAD	C9A-C5X	5.70	1.50	1.41
2	B	601	FAD	PA-O3P	5.04	1.64	1.59
3	A	602	NAP	P2B-O2B	5.03	1.68	1.59
2	A	601	FAD	C5A-C4A	4.77	1.47	1.39
3	B	602	NAP	C4A-N3A	4.62	1.43	1.34
3	A	602	NAP	C5A-C4A	4.36	1.46	1.39
3	B	602	NAP	O4D-C1D	4.21	1.46	1.40
2	B	601	FAD	C4A-N9A	-4.18	1.29	1.37
2	B	601	FAD	C9A-C5X	4.10	1.47	1.41
2	B	601	FAD	C4-N3	-3.98	1.31	1.38
2	B	601	FAD	C5A-N7A	-3.92	1.31	1.39
2	A	601	FAD	C4-N3	-3.88	1.31	1.38
3	B	602	NAP	C5A-C4A	3.87	1.46	1.39
2	B	601	FAD	C5A-C4A	3.81	1.45	1.39
2	A	601	FAD	C8-C7	3.51	1.49	1.40
2	A	601	FAD	C10-N10	3.26	1.44	1.37
2	A	601	FAD	P-O3P	3.23	1.63	1.59
2	A	601	FAD	C5A-C6A	3.17	1.49	1.41
2	B	601	FAD	C4X-N5	3.12	1.37	1.30
2	B	601	FAD	C2-N3	-3.09	1.32	1.39
2	A	601	FAD	C2-N3	-3.03	1.32	1.39
3	A	602	NAP	C8A-N7A	2.98	1.37	1.31
2	B	601	FAD	C9-C8	-2.86	1.35	1.39
2	A	601	FAD	C8A-N7A	2.85	1.37	1.31
2	B	601	FAD	C8A-N9A	-2.74	1.32	1.37
2	A	601	FAD	C4X-N5	2.74	1.36	1.30
2	A	601	FAD	C4A-N9A	-2.73	1.32	1.37
3	A	602	NAP	C7N-N7N	2.67	1.37	1.33
3	B	602	NAP	PN-O3	-2.65	1.56	1.59
2	A	601	FAD	C4A-N3A	2.63	1.39	1.34
4	B	603	6NA	OXT-C	-2.47	1.22	1.30
2	B	601	FAD	C8M-C8	2.42	1.55	1.51
2	A	601	FAD	O4'-C4'	2.39	1.48	1.43
3	B	602	NAP	P2B-O3X	-2.38	1.45	1.54
3	A	602	NAP	C3N-C7N	-2.37	1.47	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	NAP	C5A-N7A	-2.33	1.34	1.39
2	A	601	FAD	O4-C4	2.25	1.27	1.23
3	B	602	NAP	C3N-C7N	-2.23	1.47	1.50
2	B	601	FAD	C4X-C10	2.22	1.50	1.44
2	B	601	FAD	C2A-N1A	2.16	1.37	1.33
2	B	601	FAD	C7M-C7	-2.11	1.47	1.51
2	B	601	FAD	C6-C5X	-2.09	1.36	1.40
4	A	603	6NA	O-C	2.07	1.28	1.22

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NAP	N3A-C2A-N1A	-6.65	118.51	128.58
3	B	602	NAP	C4A-N9A-C8A	6.27	112.32	105.74
3	B	602	NAP	N3A-C4A-N9A	5.22	136.05	127.17
4	B	603	6NA	CB-CA-C	-5.10	101.19	114.51
2	A	601	FAD	C4A-N9A-C8A	5.07	111.06	105.74
3	A	602	NAP	N3A-C4A-N9A	4.90	135.50	127.17
2	B	601	FAD	C4-C4X-N5	4.71	124.72	118.21
3	A	602	NAP	C4A-N9A-C8A	4.63	110.60	105.74
2	B	601	FAD	C5A-C4A-N3A	-4.63	120.34	126.72
3	B	602	NAP	C2A-N1A-C6A	4.59	126.27	118.73
2	B	601	FAD	C4A-C5A-N7A	-4.52	105.42	110.58
2	A	601	FAD	N3A-C4A-N9A	4.28	134.44	127.17
2	A	601	FAD	O2-C2-N1	-4.20	114.83	121.80
2	A	601	FAD	C5A-C4A-N3A	-4.06	121.12	126.72
4	A	603	6NA	CB-CA-C	-4.00	104.06	114.51
3	A	602	NAP	O7N-C7N-N7N	3.87	128.21	122.62
3	B	602	NAP	C2N-C3N-C4N	3.81	122.69	118.26
3	B	602	NAP	C2A-N3A-C4A	3.68	120.81	111.83
3	B	602	NAP	C5A-C4A-N3A	-3.67	121.66	126.72
2	A	601	FAD	C2A-N1A-C6A	3.63	124.69	118.73
3	A	602	NAP	C5A-C4A-N3A	-3.56	121.81	126.72
2	A	601	FAD	O2P-P-O3P	-3.55	97.67	107.27
2	B	601	FAD	N6A-C6A-N1A	3.53	126.23	118.38
3	B	602	NAP	N9A-C8A-N7A	-3.52	108.94	113.94
3	A	602	NAP	C5A-C6A-N6A	-3.51	114.59	123.29
3	A	602	NAP	O3-PA-O1A	-3.51	100.14	110.70
3	A	602	NAP	C5N-C4N-C3N	-3.29	117.13	120.36
3	B	602	NAP	C5A-C4A-N9A	-3.23	102.29	105.81
3	A	602	NAP	N9A-C8A-N7A	-3.20	109.39	113.94
3	A	602	NAP	N3A-C2A-N1A	-3.15	123.82	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	6NA	OXT-C-CA	3.08	123.74	114.00
2	A	601	FAD	C4X-C10-N10	3.07	120.87	116.48
3	A	602	NAP	N6A-C6A-N1A	3.04	125.15	118.38
2	B	601	FAD	N3A-C2A-N1A	-3.02	124.01	128.58
2	B	601	FAD	O2-C2-N1	-2.99	116.84	121.80
2	B	601	FAD	N3A-C4A-N9A	2.98	132.24	127.17
2	A	601	FAD	N3A-C2A-N1A	-2.93	124.15	128.58
2	A	601	FAD	C4-C4X-N5	2.91	122.23	118.21
3	A	602	NAP	C6N-N1N-C2N	2.89	124.34	121.88
3	A	602	NAP	C5A-C4A-N9A	-2.88	102.67	105.81
3	B	602	NAP	C6A-C5A-N7A	2.88	137.64	132.09
3	B	602	NAP	C3N-C7N-N7N	-2.87	114.20	117.74
3	B	602	NAP	C6A-C5A-C4A	-2.84	113.30	117.18
2	A	601	FAD	O3B-C3B-C4B	-2.82	102.98	111.08
3	B	602	NAP	C5N-C4N-C3N	-2.80	117.61	120.36
2	B	601	FAD	C5A-N7A-C8A	2.79	107.84	103.45
2	A	601	FAD	O3P-PA-O1A	-2.64	102.75	110.70
3	B	602	NAP	O7N-C7N-C3N	2.61	122.79	119.60
4	B	603	6NA	O-C-CA	-2.60	114.84	123.09
2	B	601	FAD	O2P-P-O3P	-2.59	100.27	107.27
2	A	601	FAD	O4-C4-C4X	-2.56	119.78	126.53
2	A	601	FAD	O2A-PA-O1A	2.55	124.30	112.44
2	B	601	FAD	C2A-N1A-C6A	2.54	122.91	118.73
3	B	602	NAP	C5A-N7A-C8A	2.53	107.43	103.45
2	B	601	FAD	O4'-C4'-C5'	-2.53	104.41	109.99
2	B	601	FAD	C6A-C5A-C4A	2.50	120.59	117.18
3	A	602	NAP	C3N-C7N-N7N	-2.47	114.69	117.74
2	B	601	FAD	C2A-N3A-C4A	2.47	117.86	111.83
2	A	601	FAD	C4X-C10-N1	-2.40	118.72	124.59
2	A	601	FAD	C1'-C2'-C3'	2.37	116.08	109.66
2	A	601	FAD	N9A-C8A-N7A	-2.36	110.58	113.94
2	B	601	FAD	C4X-C4-N3	2.36	119.25	113.25
2	A	601	FAD	O4B-C1B-C2B	-2.33	101.63	106.62
3	A	602	NAP	C5N-C6N-N1N	-2.27	117.29	120.38
3	A	602	NAP	C2N-C3N-C4N	2.24	120.86	118.26
2	B	601	FAD	C4A-N9A-C8A	2.22	108.06	105.74
2	A	601	FAD	C9A-N10-C10	-2.17	117.45	120.75
2	A	601	FAD	C2A-N3A-C4A	2.15	117.09	111.83
3	A	602	NAP	O5D-C5D-C4D	-2.14	101.70	108.99
3	B	602	NAP	O2N-PN-O1N	2.13	122.35	112.44
2	B	601	FAD	C8M-C8-C7	2.08	125.00	120.76
2	B	601	FAD	C6-C5X-C9A	-2.08	116.20	119.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	FAD	N6A-C6A-N1A	2.06	122.97	118.38
3	A	602	NAP	C2D-C3D-C4D	-2.05	98.64	102.61
3	A	602	NAP	C2A-N3A-C4A	2.05	116.85	111.83
3	A	602	NAP	O7N-C7N-C3N	-2.05	117.09	119.60
3	A	602	NAP	O2A-PA-O3	2.01	112.69	107.27
3	B	602	NAP	O4B-C4B-C5B	-2.00	102.93	109.33

There are no chirality outliers.

All (25) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	FAD	N10-C1'-C2'-O2'
2	A	601	FAD	N10-C1'-C2'-C3'
2	B	601	FAD	N10-C1'-C2'-O2'
2	B	601	FAD	N10-C1'-C2'-C3'
3	A	602	NAP	C5D-O5D-PN-O3
3	A	602	NAP	O4D-C1D-N1N-C2N
3	A	602	NAP	O4D-C1D-N1N-C6N
3	B	602	NAP	C5D-O5D-PN-O3
3	B	602	NAP	O4D-C1D-N1N-C2N
4	B	603	6NA	CA-CB-CG-CD
4	A	603	6NA	C-CA-CB-CG
2	B	601	FAD	C2'-C3'-C4'-O4'
2	A	601	FAD	C2'-C3'-C4'-C5'
2	B	601	FAD	C2'-C3'-C4'-C5'
2	A	601	FAD	PA-O3P-P-O5'
2	B	601	FAD	O4B-C4B-C5B-O5B
2	B	601	FAD	O3'-C3'-C4'-O4'
4	B	604	6NA	OXT-C-CA-CB
3	B	602	NAP	C2N-C3N-C7N-N7N
4	B	604	6NA	O-C-CA-CB
3	B	602	NAP	C4N-C3N-C7N-N7N
2	A	601	FAD	O4B-C4B-C5B-O5B
3	B	602	NAP	C2N-C3N-C7N-O7N
3	B	602	NAP	C4N-C3N-C7N-O7N
3	A	602	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	6NA	2	0
3	A	602	NAP	1	0
4	B	603	6NA	1	0
2	A	601	FAD	1	0
2	B	601	FAD	2	0
3	B	602	NAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	529/541 (97%)	-0.76	0 100 100	9, 21, 36, 49	5 (0%)
1	B	529/541 (97%)	-0.71	0 100 100	9, 21, 45, 63	4 (0%)
All	All	1058/1082 (97%)	-0.73	0 100 100	9, 21, 42, 63	9 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	6NA	B	603	8/8	0.93	0.08	23,29,44,54	0
4	6NA	A	603	8/8	0.94	0.08	28,32,38,44	0
4	6NA	B	604	8/8	0.96	0.07	21,28,32,33	0
2	FAD	A	601	53/53	0.98	0.05	11,16,28,37	0
2	FAD	B	601	53/53	0.98	0.04	11,16,25,28	0
3	NAP	A	602	48/48	0.98	0.04	14,21,27,30	0
5	ACT	A	604	4/4	0.98	0.06	19,22,23,23	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAP	B	602	48/48	0.99	0.04	15,20,27,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.