



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:04 AM UTC

PDB ID : 4GRH / pdb_00004grh
Title : Crystal structure of pabB of *Stenotrophomonas maltophilia*
Authors : Bera, A.; Atanasova, V.; Ladner, J.E.; Parsons, J.F.
Deposited on : 2012-08-24
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	6% 73% 19% ...

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called aminodeoxychorismate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	10	0
			3427	2140	641	637	9			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP B2FR92
A	-1	SER	-	expression tag	UNP B2FR92
A	0	HIS	-	expression tag	UNP B2FR92
A	1	GLY	-	expression tag	UNP B2FR92

- Molecule 2 is POLYETHYLENE GLYCOL (N=34) (CCD ID: 15P) (formula: C₆₉H₁₄₀O₃₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	5	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	5	3		
2	A	1	Total	C	O	0	0
			10	6	4		
2	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 3 is 3-[(3-CHOLAMIDOPROPYL)DIMETHYLAMMONIO]-1-PROPANESULFO NATE (CCD ID: CPS) (formula: C₃₂H₅₈N₂O₇S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			36	30	2	4		
3	A	1	Total	C	N	O	0	0
			29	24	1	4		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	232	Total 232	O 232	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: aminodeoxychorismate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	161.30Å 161.30Å 116.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.57 – 2.25 46.57 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.57-2.25) 99.8 (46.57-2.25)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.21 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.194 , 0.240 0.195 , 0.242	Depositor DCC
R_{free} test set	2150 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	41.1	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3761	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CPS, 15P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.34	12/3522 (0.3%)	1.25	21/4795 (0.4%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	108	GLU	CA-C	6.81	1.62	1.52
1	A	247	ALA	CA-C	-5.69	1.45	1.52
1	A	335	HIS	CA-C	-5.68	1.45	1.52
1	A	75	LEU	CA-C	5.66	1.60	1.52
1	A	222	ALA	CA-C	5.60	1.60	1.52
1	A	414	ASP	CA-C	5.59	1.59	1.53
1	A	126	ARG	CA-C	5.50	1.59	1.52
1	A	270	THR	CB-CG2	-5.40	1.34	1.52
1	A	351	VAL	C-O	-5.32	1.18	1.24
1	A	314	GLY	C-O	-5.29	1.17	1.23
1	A	391	GLY	N-CA	5.14	1.50	1.45
1	A	267	HIS	CG-CD2	5.03	1.41	1.35

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	256	SER	CA-C-N	-8.73	111.87	120.52
1	A	256	SER	C-N-CA	-8.73	111.87	120.52
1	A	94	SER	N-CA-C	-7.35	103.21	111.14
1	A	179	PRO	CA-C-N	-7.25	113.20	120.31
1	A	179	PRO	C-N-CA	-7.25	113.20	120.31
1	A	166	ALA	N-CA-C	-6.88	98.57	109.23
1	A	50	GLN	N-CA-C	-6.85	105.86	114.56
1	A	356	VAL	N-CA-C	6.59	117.35	110.62
1	A	435	GLU	N-CA-C	-6.46	104.31	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	384	VAL	N-CA-C	-5.53	102.76	109.01
1	A	371	LYS	N-CA-C	5.42	116.87	111.07
1	A	329	THR	N-CA-CB	-5.40	101.84	111.08
1	A	409	ARG	NE-CZ-NH2	-5.36	114.38	119.20
1	A	270	THR	N-CA-CB	-5.34	102.57	111.06
1	A	10	LEU	CA-C-N	5.25	126.40	119.84
1	A	10	LEU	C-N-CA	5.25	126.40	119.84
1	A	322	VAL	CB-CA-C	5.17	117.87	111.15
1	A	12	HIS	CA-C-N	5.10	126.21	119.84
1	A	12	HIS	C-N-CA	5.10	126.21	119.84
1	A	8	HIS	CA-C-N	-5.00	114.63	119.78
1	A	8	HIS	C-N-CA	-5.00	114.63	119.78

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3427	0	3349	76	0
2	A	36	0	44	11	0
3	A	65	0	91	7	0
4	A	1	0	0	0	0
5	A	232	0	0	11	0
All	All	3761	0	3484	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:505:CPS:H10B	3:A:505:CPS:H21B	1.48	0.96
1:A:283[A]:ASP:O	1:A:283[A]:ASP:CG	2.10	0.93
1:A:409:ARG:HH22	2:A:504:15P:C1	1.85	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:LEU:HB3	1:A:410[B]:THR:HG21	1.57	0.85
1:A:18:ALA:HA	1:A:173:ALA:HB2	1.58	0.84
1:A:409:ARG:HH22	2:A:504:15P:H11	1.42	0.82
1:A:331[A]:GLU:HG3	1:A:336:VAL:HG22	1.65	0.77
1:A:366:ILE:HD13	1:A:390:THR:HB	1.68	0.74
3:A:505:CPS:H10B	3:A:505:CPS:C21	2.19	0.71
1:A:145:GLU:HA	1:A:145:GLU:OE1	1.90	0.70
1:A:60:GLY:HA2	2:A:502:15P:H23	1.72	0.69
1:A:93:HIS:N	1:A:93:HIS:CD2	2.61	0.68
1:A:442:LYS:HD3	2:A:504:15P:H11	1.77	0.67
1:A:409:ARG:HH22	2:A:504:15P:H21	1.61	0.65
3:A:505:CPS:C21	3:A:505:CPS:C10	2.77	0.63
1:A:14:ILE:HG12	1:A:15:ASP:H	1.62	0.63
1:A:442:LYS:NZ	2:A:504:15P:H23	2.14	0.62
1:A:83[B]:GLN:CG	5:A:715:HOH:O	2.48	0.61
1:A:159:LEU:O	1:A:163:VAL:HG23	2.01	0.61
1:A:230:TYR:HD1	1:A:253:VAL:HG13	1.66	0.61
1:A:270:THR:HG23	5:A:720:HOH:O	1.99	0.61
1:A:284:ASP:HA	5:A:671:HOH:O	2.00	0.61
2:A:503:15P:H15	5:A:698:HOH:O	2.01	0.60
1:A:227:GLN:OE1	5:A:677:HOH:O	2.17	0.60
1:A:407:LEU:HB3	1:A:410[B]:THR:CG2	2.31	0.59
1:A:279:ARG:HG2	1:A:329:THR:HG21	1.85	0.58
1:A:185:GLU:OE2	1:A:440:ARG:NH1	2.36	0.58
1:A:202:LEU:HD23	1:A:207:VAL:HG23	1.85	0.58
1:A:442:LYS:NZ	2:A:504:15P:H12	2.18	0.57
1:A:7[A]:ILE:HG23	1:A:7[A]:ILE:O	2.05	0.56
1:A:279:ARG:HA	1:A:329:THR:HG22	1.88	0.56
1:A:346:HIS:ND1	5:A:645:HOH:O	2.33	0.56
1:A:258:GLU:OE2	1:A:273:ILE:HG12	2.06	0.55
1:A:329:THR:HG21	1:A:331[B]:GLU:OE2	2.07	0.54
1:A:442:LYS:HZ3	2:A:504:15P:H12	1.72	0.53
1:A:52:ASP:OD1	1:A:65:GLN:NE2	2.42	0.53
1:A:7[A]:ILE:O	1:A:7[A]:ILE:HD13	2.08	0.52
1:A:409:ARG:NH2	2:A:504:15P:H21	2.25	0.52
1:A:239:ALA:HB1	1:A:240:PRO:HD2	1.91	0.52
1:A:270:THR:CG2	5:A:720:HOH:O	2.58	0.51
1:A:170:LEU:O	1:A:171:PRO:C	2.54	0.51
1:A:14:ILE:HG12	1:A:15:ASP:N	2.24	0.50
1:A:440:ARG:NH2	5:A:792:HOH:O	2.45	0.50
1:A:169:ALA:HB1	1:A:171:PRO:HD3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:ARG:HG3	1:A:197:ARG:NH1	2.28	0.49
1:A:60:GLY:CA	2:A:502:15P:H23	2.43	0.49
1:A:165:LEU:O	1:A:165:LEU:HD13	2.13	0.49
1:A:230:TYR:HB2	1:A:244:LEU:HD12	1.94	0.49
1:A:148:PHE:N	1:A:148:PHE:CD2	2.81	0.48
1:A:171:PRO:O	1:A:172:GLU:CB	2.62	0.48
1:A:83[B]:GLN:HG3	5:A:715:HOH:O	2.12	0.47
1:A:312:ASP:HA	1:A:359:ALA:O	2.14	0.47
3:A:505:CPS:O4	3:A:505:CPS:H22	2.15	0.47
1:A:369:CYS:SG	5:A:601:HOH:O	2.36	0.47
1:A:147:SER:C	1:A:148:PHE:CD2	2.94	0.46
1:A:7[A]:ILE:HD13	1:A:7[A]:ILE:C	2.40	0.46
1:A:178:GLN:HG3	5:A:748:HOH:O	2.14	0.46
1:A:146:ALA:HB1	1:A:148:PHE:CZ	2.51	0.46
1:A:197:ARG:HG3	1:A:197:ARG:HH11	1.81	0.46
1:A:35:ALA:HB3	1:A:40:GLN:HB2	1.98	0.46
1:A:169:ALA:CB	1:A:171:PRO:HD3	2.46	0.46
1:A:171:PRO:O	1:A:172:GLU:HB2	2.17	0.45
1:A:104:MET:C	1:A:105:LEU:HD12	2.42	0.45
1:A:329:THR:CG2	1:A:331[B]:GLU:OE2	2.64	0.45
1:A:324:VAL:HG13	1:A:340:VAL:CG1	2.47	0.44
1:A:120:ARG:HD3	1:A:385:PRO:HD3	2.00	0.43
3:A:505:CPS:H23	3:A:505:CPS:H271	2.01	0.43
3:A:505:CPS:H21	3:A:505:CPS:H23A	1.68	0.43
1:A:435:GLU:OE1	1:A:435:GLU:HA	2.19	0.43
1:A:241:PHE:O	1:A:257:PRO:HD2	2.19	0.42
1:A:169:ALA:O	1:A:170:LEU:HB2	2.20	0.42
1:A:259:ARG:NH1	1:A:271:ARG:O	2.46	0.42
1:A:269:GLN:OE1	1:A:271:ARG:HG3	2.20	0.42
1:A:50:GLN:NE2	1:A:52:ASP:OD2	2.49	0.42
1:A:197:ARG:NH1	1:A:200[A]:GLU:OE1	2.52	0.42
1:A:299:ARG:HA	1:A:299:ARG:HD3	1.78	0.42
1:A:202:LEU:HD13	1:A:427:VAL:C	2.45	0.41
1:A:246:SER:O	1:A:247:ALA:HB2	2.20	0.41
1:A:409:ARG:HA	1:A:409:ARG:HD3	1.48	0.41
3:A:506:CPS:H11	3:A:506:CPS:H18	1.87	0.41
1:A:199:ILE:O	1:A:203[A]:ARG:HG3	2.21	0.40
1:A:202:LEU:CD2	1:A:207:VAL:HG23	2.52	0.40
1:A:404:LEU:HD23	1:A:404:LEU:HA	1.98	0.40
1:A:299:ARG:HA	1:A:299:ARG:HH11	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/457 (97%)	413 (93%)	26 (6%)	3 (1%)	18	17

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	172	GLU
1	A	170	LEU
1	A	169	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/360 (99%)	336 (94%)	21 (6%)	18	18

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7[A]	ILE
1	A	7[B]	ILE
1	A	14	ILE
1	A	33	SER
1	A	50	GLN
1	A	93	HIS
1	A	94	SER
1	A	143	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	LEU
1	A	183	VAL
1	A	209	GLN
1	A	270	THR
1	A	273	ILE
1	A	319	PRO
1	A	322	VAL
1	A	324	VAL
1	A	329	THR
1	A	330	VAL
1	A	356	VAL
1	A	393	PHE
1	A	430	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	HIS
1	A	144	ASN
1	A	209	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	15P	A	502	-	7,7,103	0.54	0	6,6,102	0.64	0
3	CPS	A	505	-	39,39,45	0.95	1 (2%)	61,61,70	3.02	27 (44%)
3	CPS	A	506	-	32,32,45	0.65	0	51,51,70	1.38	8 (15%)
2	15P	A	503	-	9,9,103	0.54	0	8,8,102	0.48	0
2	15P	A	501	-	7,7,103	0.56	0	6,6,102	0.42	0
2	15P	A	504	-	9,9,103	0.61	0	8,8,102	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	15P	A	502	-	-	2/5/5/101	-
3	CPS	A	505	-	-	12/17/82/90	0/4/4/4
3	CPS	A	506	-	-	1/9/74/90	0/4/4/4
2	15P	A	503	-	-	3/7/7/101	-
2	15P	A	501	-	-	2/5/5/101	-
2	15P	A	504	-	-	4/7/7/101	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	505	CPS	C16-C17	2.82	1.58	1.52

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	505	CPS	C6-C18-C17	8.85	123.59	111.85
3	A	505	CPS	C30-N2-C28	-8.37	86.98	108.98
3	A	505	CPS	C29-N2-C28	-6.53	91.82	108.98
3	A	505	CPS	C28-N2-C27	-6.29	84.92	109.91
3	A	505	CPS	C10-C5-C4	-5.85	103.20	109.06
3	A	505	CPS	C19-C18-C17	-5.22	105.28	111.86
3	A	505	CPS	C3-C19-C2	5.17	118.95	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	505	CPS	C1-C2-C15	4.49	114.19	107.75
3	A	505	CPS	C15-C16-C17	4.46	119.70	114.40
3	A	505	CPS	C30-N2-C29	4.31	120.30	108.98
3	A	505	CPS	C15-C14-C13	4.19	119.02	112.71
3	A	505	CPS	C6-C5-C4	4.04	111.11	107.42
3	A	505	CPS	C11-C2-C15	-3.51	104.57	110.44
3	A	506	CPS	C9-C5-C4	-3.51	114.51	117.67
3	A	505	CPS	C5-C6-C18	-3.25	110.59	114.72
3	A	505	CPS	C25-N1-C24	-3.19	116.89	122.82
3	A	506	CPS	C11-C2-C19	-3.13	106.97	111.18
3	A	505	CPS	C14-C13-C12	2.90	114.16	110.62
3	A	505	CPS	C30-N2-C27	2.87	121.32	109.91
3	A	505	CPS	C22-C20-C9	2.81	116.16	110.33
3	A	505	CPS	C7-C6-C18	2.79	122.19	118.36
3	A	506	CPS	C3-C4-C5	2.72	114.03	111.26
3	A	506	CPS	C5-C6-C18	-2.69	111.31	114.72
3	A	506	CPS	C3-C19-C18	2.65	114.81	110.89
3	A	505	CPS	O4-C4-C3	2.53	114.26	109.12
3	A	506	CPS	C12-C1-C2	2.50	116.96	112.74
3	A	505	CPS	C9-C5-C6	2.46	102.58	100.11
3	A	505	CPS	C2-C19-C18	-2.35	109.22	111.84
3	A	506	CPS	C7-C6-C5	2.33	105.80	103.54
3	A	505	CPS	O2-C13-C12	-2.28	104.22	110.17
3	A	505	CPS	C1-C12-C13	-2.19	107.58	110.48
3	A	505	CPS	O4-C4-C5	2.19	114.72	111.02
3	A	506	CPS	C2-C19-C18	-2.10	109.50	111.84
3	A	505	CPS	C29-N2-C27	2.03	117.97	109.91
3	A	505	CPS	C19-C18-C6	-2.02	106.93	109.75

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	505	CPS	C22-C20-C9-C8
3	A	505	CPS	C21-C20-C22-C23
3	A	505	CPS	C26-C27-N2-C30
3	A	505	CPS	C23-C24-N1-C25
2	A	503	15P	O2-C5-C6-O3
2	A	504	15P	OXT-C1-C2-O1
3	A	505	CPS	C22-C20-C9-C5
3	A	505	CPS	O1-C24-N1-C25
3	A	505	CPS	C9-C20-C22-C23

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	A	502	15P	OXT-C1-C2-O1
3	A	505	CPS	C21-C20-C9-C8
2	A	504	15P	O2-C5-C6-O3
2	A	501	15P	O1-C3-C4-O2
3	A	505	CPS	C20-C22-C23-C24
2	A	503	15P	O1-C3-C4-O2
3	A	505	CPS	N1-C25-C26-C27
2	A	504	15P	C3-C4-O2-C5
3	A	505	CPS	C21-C20-C9-C5
3	A	506	CPS	C9-C20-C22-C23
2	A	503	15P	C6-C5-O2-C4
2	A	502	15P	C3-C4-O2-C5
3	A	505	CPS	C26-C27-N2-C28
2	A	504	15P	C1-C2-O1-C3
2	A	501	15P	C4-C3-O1-C2


There are no ring outliers.

5 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	502	15P	2	0
3	A	505	CPS	6	0
3	A	506	CPS	1	0
2	A	503	15P	1	0
2	A	504	15P	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/457 (95%)	0.26	29 (6%) 24 23	15, 41, 86, 117	10 (2%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	274	ALA	6.7
1	A	170	LEU	5.0
1	A	275	GLY	4.6
1	A	451	GLY	4.3
1	A	171	PRO	3.8
1	A	168	ALA	3.6
1	A	41	GLY	3.5
1	A	273	ILE	3.5
1	A	276	THR	3.3
1	A	167	SER	3.3
1	A	165	LEU	3.2
1	A	7[A]	ILE	2.9
1	A	1	GLY	2.8
1	A	11	PRO	2.7
1	A	173	ALA	2.6
1	A	139	LEU	2.5
1	A	299	ARG	2.5
1	A	43	TRP	2.5
1	A	3[A]	HIS	2.5
1	A	22	HIS	2.4
1	A	142	HIS	2.3
1	A	174	GLY	2.3
1	A	448	ARG	2.2
1	A	169	ALA	2.2
1	A	284	ASP	2.1
1	A	166	ALA	2.1
1	A	12	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	-2	GLY	2.1
1	A	40	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	15P	A	503	10/104	0.81	0.22	74,89,102,103	0
3	CPS	A	505	36/42	0.81	0.30	57,78,86,91	34
2	15P	A	501	8/104	0.84	0.23	92,98,103,104	0
2	15P	A	504	10/104	0.90	0.18	31,60,76,85	0
3	CPS	A	506	29/42	0.92	0.15	60,65,79,85	29
2	15P	A	502	8/104	0.94	0.11	46,51,56,67	0
4	MG	A	507	1/1	0.99	0.04	52,52,52,52	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 15P A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CPS A 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 15P A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 15P A 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CPS A 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 15P A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.