



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 01:58 PM UTC

PDB ID : 2GS7 / pdb_00002gs7
Title : Crystal Structure of the inactive EGFR kinase domain in complex with AMP-PNP
Authors : Zhang, X.; Gureasko, J.; Shen, K.; Cole, P.A.; Kuriyan, J.
Deposited on : 2006-04-25
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	
1	B	330	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IOD	B	405	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2227	1438	378	396	15			
1	B	288	Total	C	N	O	S	0	0	0
			2278	1469	386	408	15			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	669	GLY	-	cloning artifact	UNP P00533
A	670	ALA	-	cloning artifact	UNP P00533
A	671	MET	-	cloning artifact	UNP P00533
A	924	ARG	VAL	engineered mutation	UNP P00533
B	669	GLY	-	cloning artifact	UNP P00533
B	670	ALA	-	cloning artifact	UNP P00533
B	671	MET	-	cloning artifact	UNP P00533
B	924	ARG	VAL	engineered mutation	UNP P00533


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	5	Total	I	0	0
			5	5		
3	B	6	Total	I	0	0
			6	6		

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	82	Total	O	0	0
			82	82		
5	B	87	Total	O	0	0
			87	87		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Epidermal growth factor receptor



• Molecule 1: Epidermal growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.60Å 85.25Å 78.33Å 90.00° 96.36° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 50.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	89.6 (50.00-2.60) 89.6 (50.00-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.233 , 0.298 0.234 , 0.295	Depositor DCC
R_{free} test set	2017 reflections (7.26%)	wwPDB-VP
Wilson B-factor (Å ²)	32.8	Xtriage
Anisotropy	0.507	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 62.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4749	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 23.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.5484e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IOD, ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/2275	0.98	10/3083 (0.3%)
1	B	0.46	0/2327	0.98	8/3153 (0.3%)
All	All	0.46	0/4602	0.98	18/6236 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	704	LYS	N-CA-C	-9.87	93.27	108.96
1	A	909	LEU	CA-C-N	8.01	128.03	119.78
1	A	909	LEU	C-N-CA	8.01	128.03	119.78
1	A	691	ILE	N-CA-C	7.43	117.50	110.74
1	B	915	CYS	N-CA-C	7.15	120.38	108.73
1	A	871	SER	N-CA-C	-6.94	104.96	113.50
1	A	704	LYS	N-CA-C	-6.54	97.85	108.52
1	B	871	SER	N-CA-C	-6.40	105.63	113.50
1	A	822	LYS	N-CA-C	-6.39	103.83	111.69
1	B	822	LYS	N-CA-C	-6.15	103.90	111.40
1	B	863	LEU	N-CA-C	5.76	117.64	111.36
1	B	784	ASN	N-CA-C	-5.67	98.72	110.80
1	B	950	ASP	CA-C-N	5.64	125.75	119.32
1	B	950	ASP	C-N-CA	5.64	125.75	119.32
1	A	831	ASP	N-CA-C	5.58	119.38	112.24
1	A	880	VAL	N-CA-C	-5.56	105.10	110.72
1	A	769	MET	CA-C-N	5.22	125.52	119.47
1	A	769	MET	C-N-CA	5.22	125.52	119.47

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2227	0	2255	103	0
1	B	2278	0	2295	93	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	5	0	0	2	0
3	B	6	0	0	5	0
4	A	31	0	13	0	0
4	B	31	0	13	0	0
5	A	82	0	0	7	0
5	B	87	0	0	10	0
All	All	4749	0	4576	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:747:ASN:HD22	1:A:748:PRO:HD2	1.26	1.00
1:A:959:GLY:HA3	5:A:120:HOH:O	1.62	0.97
1:A:747:ASN:ND2	1:A:748:PRO:HD2	1.82	0.94
1:A:881:TRP:HA	1:A:923:MET:HE1	1.49	0.93
1:B:902:ILE:HG23	1:B:907:GLU:HB2	1.51	0.92
1:B:881:TRP:HA	1:B:923:MET:HE1	1.57	0.87
1:B:919:VAL:HG22	1:B:947:MET:CE	2.12	0.80
1:A:742:MET:O	1:A:745:VAL:HG22	1.89	0.73
1:A:735:ILE:HD12	1:A:837:LEU:HD21	1.70	0.71
1:B:732:ASN:OD1	1:B:758:LEU:HD22	1.92	0.70
1:A:769:MET:CE	1:A:828:LYS:HD2	2.23	0.69
1:A:725:GLU:HG3	1:A:760:SER:O	1.95	0.67
1:A:779:ARG:NH1	1:A:887:GLY:O	2.28	0.66
1:B:752:ARG:HB3	1:B:752:ARG:NH1	2.11	0.66
1:A:957:ILE:HG22	1:A:958:GLN:H	1.61	0.65
1:A:722:GLU:HG3	1:A:763:GLN:HG2	1.79	0.65
1:A:808:ARG:HD2	5:A:146:HOH:O	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:853:PRO:O	1:A:857:MET:HG3	1.97	0.65
1:B:881:TRP:CA	1:B:923:MET:HE1	2.26	0.65
1:A:787:SER:OG	1:A:951:PRO:HB2	1.97	0.64
1:A:787:SER:CB	1:A:951:PRO:HB2	2.28	0.64
1:A:732:ASN:HB3	1:A:758:LEU:HD13	1.78	0.64
1:A:987:VAL:O	1:A:988:ASP:HB3	1.98	0.64
1:B:724:ARG:O	1:B:727:THR:HB	1.98	0.63
1:A:780:GLU:O	1:A:780:GLU:HG2	1.99	0.63
1:B:919:VAL:HG22	1:B:947:MET:HE3	1.80	0.63
1:B:735:ILE:HG21	1:B:758:LEU:HD21	1.82	0.62
1:B:745:VAL:O	1:B:752:ARG:HG3	1.99	0.62
1:A:783:ASP:O	1:A:784:ASN:ND2	2.33	0.62
1:A:684:LYS:C	1:A:686:THR:H	2.08	0.61
1:A:783:ASP:HA	5:A:150:HOH:O	2.00	0.61
1:A:985:ASP:CG	1:A:986:VAL:H	2.08	0.61
1:A:836:LYS:HE2	5:A:154:HOH:O	2.00	0.61
1:B:782:LYS:HE2	5:B:129:HOH:O	2.00	0.60
1:A:707:TRP:O	1:A:709:PRO:HD3	2.02	0.60
1:B:880:VAL:HG12	1:B:923:MET:HE3	1.83	0.60
1:A:787:SER:HB2	1:A:951:PRO:HB2	1.83	0.59
1:B:837:LEU:C	1:B:839:GLY:H	2.09	0.59
1:A:852:VAL:HG23	1:A:854:ILE:HG12	1.85	0.59
1:B:787:SER:OG	1:B:951:PRO:HB2	2.02	0.59
1:B:704:LYS:NZ	3:B:405:IOD:I	3.02	0.58
1:A:881:TRP:HA	1:A:923:MET:CE	2.30	0.58
1:A:943:GLU:O	1:A:947:MET:HG3	2.02	0.58
1:B:919:VAL:HG22	1:B:947:MET:HE1	1.84	0.58
1:A:805:GLU:HG3	1:A:869:HIS:CG	2.39	0.58
1:B:836:LYS:HB3	5:B:157:HOH:O	2.03	0.57
1:A:679:LEU:HD12	1:A:679:LEU:N	2.20	0.57
1:B:805:GLU:HA	1:B:869:HIS:CE1	2.39	0.57
1:A:881:TRP:CA	1:A:923:MET:HE1	2.29	0.57
1:A:805:GLU:HA	1:A:869:HIS:CE1	2.40	0.56
1:B:781:HIS:HB2	1:B:785:ILE:HD11	1.87	0.56
1:B:916:THR:OG1	1:B:919:VAL:HG23	2.05	0.55
1:B:738:GLU:O	1:B:741:VAL:HG13	2.07	0.55
1:B:902:ILE:HG23	1:B:907:GLU:CB	2.30	0.55
1:B:841:GLU:HA	1:B:841:GLU:OE1	2.06	0.55
1:A:747:ASN:ND2	1:A:748:PRO:CD	2.66	0.55
1:B:889:LYS:HE2	5:B:24:HOH:O	2.06	0.55
1:A:791:LEU:HD22	1:A:947:MET:HB2	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:781:HIS:HB3	1:B:784:ASN:OD1	2.08	0.54
1:A:689:LYS:NZ	1:A:689:LYS:HB3	2.23	0.54
1:B:779:ARG:HD3	1:B:887:GLY:HA3	1.88	0.54
1:B:987:VAL:O	1:B:988:ASP:HB2	2.06	0.54
1:A:825:GLN:NE2	3:A:402:IOD:I	3.11	0.54
1:A:789:TYR:O	1:A:792:ASN:HB2	2.07	0.54
1:B:678:ALA:O	1:B:680:LEU:N	2.41	0.54
1:A:959:GLY:HA2	5:A:94:HOH:O	2.08	0.53
1:B:744:SER:OG	1:B:807:ARG:NH2	2.30	0.53
1:A:731:ALA:O	1:A:735:ILE:HG12	2.08	0.53
1:B:985:ASP:O	1:B:986:VAL:C	2.51	0.53
1:A:688:PHE:HA	1:A:706:LEU:O	2.09	0.53
1:B:864:HIS:HB2	1:B:866:ILE:HG13	1.91	0.53
1:B:880:VAL:CG1	1:B:923:MET:HE3	2.39	0.53
1:B:698:ALA:O	1:B:724:ARG:NH2	2.42	0.52
1:A:885:THR:OG1	1:A:888:SER:HB2	2.10	0.52
1:A:727:THR:HG22	1:A:838:LEU:CD2	2.40	0.52
1:B:749:HIS:CE1	1:B:796:GLN:HG2	2.45	0.51
1:A:936:LYS:HB2	1:A:939:GLU:HG3	1.93	0.51
1:B:986:VAL:HG12	1:B:986:VAL:O	2.11	0.51
1:A:723:LEU:HB2	1:A:762:VAL:HG13	1.93	0.50
1:A:818:ASN:C	1:A:830:THR:HG22	2.37	0.50
1:B:745:VAL:O	1:B:745:VAL:HG23	2.09	0.50
1:B:723:LEU:HB3	1:B:727:THR:HG21	1.93	0.50
1:B:781:HIS:C	1:B:783:ASP:N	2.69	0.50
1:B:836:LYS:HD3	5:B:157:HOH:O	2.10	0.50
1:B:845:TYR:CE2	1:B:847:ALA:HB2	2.47	0.50
1:A:690:LYS:HD2	1:A:703:TYR:CD1	2.47	0.49
1:B:881:TRP:N	1:B:923:MET:CE	2.75	0.49
1:B:936:LYS:HB2	1:B:939:GLU:HG3	1.93	0.49
1:B:947:MET:HG2	1:B:954:TYR:CG	2.47	0.49
1:A:689:LYS:HB3	1:A:689:LYS:HZ3	1.77	0.49
1:A:812:ARG:HH11	1:A:812:ARG:HG3	1.78	0.49
1:A:864:HIS:HB2	1:A:866:ILE:HG13	1.95	0.49
1:A:881:TRP:CA	1:A:923:MET:CE	2.89	0.49
1:A:937:PHE:O	1:A:941:ILE:HG13	2.13	0.49
1:B:938:ARG:HG3	1:B:939:GLU:N	2.27	0.49
1:A:745:VAL:HG23	1:A:752:ARG:HG3	1.93	0.49
1:B:734:GLU:O	1:B:738:GLU:HG3	2.13	0.49
1:B:824:PRO:HD2	3:B:401:IOD:I	2.83	0.49
1:A:684:LYS:O	1:A:686:THR:N	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:696:SER:HA	1:A:701:THR:HA	1.95	0.48
1:A:699:PHE:HA	1:A:724:ARG:NH2	2.29	0.48
1:A:724:ARG:HB3	1:A:727:THR:OG1	2.13	0.48
1:B:694:LEU:HD21	1:B:704:LYS:HD3	1.95	0.48
1:B:826:HIS:HE1	5:B:58:HOH:O	1.96	0.48
1:A:689:LYS:O	1:A:705:GLY:HA3	2.13	0.48
1:B:779:ARG:O	1:B:782:LYS:HG3	2.12	0.48
1:B:704:LYS:HE3	3:B:405:IOD:I	2.84	0.48
1:B:991:GLU:O	1:B:992:TYR:HB2	2.14	0.48
1:A:775:LEU:HD21	1:A:779:ARG:NH2	2.29	0.48
1:A:914:ILE:HG23	5:A:82:HOH:O	2.13	0.48
1:A:795:VAL:HG12	1:A:799:LYS:HE3	1.94	0.47
1:B:703:TYR:O	1:B:719:ALA:HA	2.14	0.47
1:B:783:ASP:HB3	5:B:59:HOH:O	2.12	0.47
1:A:693:VAL:HG22	1:A:703:TYR:CE2	2.50	0.47
1:B:752:ARG:HB3	1:B:752:ARG:HH11	1.79	0.47
1:B:876:TYR:CE2	1:B:940:LEU:HD13	2.50	0.47
1:A:841:GLU:HA	1:A:841:GLU:OE1	2.15	0.47
1:B:911:GLN:HG3	1:B:920:TYR:HB2	1.96	0.47
1:A:753:LEU:HD11	1:A:755:GLY:O	2.15	0.47
1:B:841:GLU:O	1:B:842:GLU:C	2.58	0.46
1:B:688:PHE:HA	1:B:706:LEU:O	2.15	0.46
1:B:702:VAL:HG12	1:B:703:TYR:N	2.30	0.46
1:A:752:ARG:HH11	1:A:752:ARG:HB3	1.80	0.46
1:B:699:PHE:HA	1:B:724:ARG:NH2	2.31	0.46
1:B:782:LYS:O	1:B:783:ASP:HB2	2.15	0.46
1:A:987:VAL:O	1:A:988:ASP:CB	2.63	0.45
1:B:936:LYS:O	1:B:939:GLU:N	2.49	0.45
1:A:699:PHE:CD1	1:A:699:PHE:N	2.84	0.45
1:A:805:GLU:HG3	1:A:869:HIS:CD2	2.52	0.45
1:B:735:ILE:HD13	1:B:837:LEU:HD21	1.97	0.45
1:A:773:CYS:HA	1:A:820:LEU:HA	1.98	0.45
1:A:781:HIS:HB2	1:A:785:ILE:HD11	1.99	0.45
1:A:902:ILE:O	1:A:907:GLU:HB2	2.17	0.45
1:B:796:GLN:OE1	1:B:826:HIS:HA	2.17	0.45
1:A:796:GLN:OE1	1:A:826:HIS:HA	2.16	0.44
1:A:812:ARG:HG3	1:A:812:ARG:NH1	2.32	0.44
1:A:881:TRP:N	1:A:923:MET:CE	2.80	0.44
1:A:870:GLN:O	1:A:934:ARG:NH1	2.42	0.44
1:B:788:GLN:HG3	1:B:792:ASN:HD21	1.82	0.44
1:B:735:ILE:HD13	1:B:837:LEU:CD2	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:985:ASP:O	1:B:987:VAL:N	2.51	0.44
1:A:734:GLU:O	1:A:737:ASP:HB2	2.18	0.44
1:A:696:SER:HB3	1:A:701:THR:HG23	2.00	0.44
1:A:715:LYS:N	1:A:985:ASP:O	2.45	0.44
1:A:837:LEU:C	1:A:839:GLY:H	2.26	0.44
1:B:770:PRO:HD2	5:B:30:HOH:O	2.17	0.44
1:B:937:PHE:O	1:B:941:ILE:HG13	2.17	0.44
1:A:800:GLY:O	1:A:803:TYR:HB3	2.17	0.44
1:A:723:LEU:HD12	1:A:762:VAL:HG11	2.00	0.44
1:B:781:HIS:O	1:B:783:ASP:N	2.51	0.44
1:B:837:LEU:C	1:B:839:GLY:N	2.70	0.44
1:B:853:PRO:O	1:B:857:MET:HG3	2.18	0.44
1:B:912:PRO:HB2	1:B:915:CYS:SG	2.57	0.44
1:A:684:LYS:C	1:A:686:THR:N	2.73	0.43
1:A:723:LEU:HD12	1:A:762:VAL:CG1	2.48	0.43
1:A:823:THR:HG21	5:A:142:HOH:O	2.17	0.43
1:B:788:GLN:O	1:B:792:ASN:ND2	2.52	0.43
1:B:787:SER:CB	1:B:951:PRO:HB2	2.49	0.43
1:B:789:TYR:O	1:B:792:ASN:HB2	2.18	0.43
1:A:811:HIS:O	1:A:812:ARG:HB2	2.18	0.43
1:B:908:ARG:HA	5:B:143:HOH:O	2.19	0.43
1:A:714:VAL:HG13	1:A:987:VAL:HG23	2.01	0.42
1:A:855:LYS:HG3	3:A:403:IOD:I	2.88	0.42
1:B:752:ARG:HH11	1:B:752:ARG:CB	2.32	0.42
1:A:916:THR:HB	1:A:918:ASP:OD1	2.19	0.42
1:B:775:LEU:HD13	1:B:882:GLU:OE1	2.18	0.42
1:B:855:LYS:HG3	3:B:404:IOD:I	2.89	0.42
1:A:799:LYS:O	1:A:800:GLY:C	2.60	0.42
1:B:694:LEU:CD2	1:B:704:LYS:HD3	2.50	0.42
1:B:752:ARG:NH1	5:B:137:HOH:O	2.49	0.42
1:A:894:ILE:HD13	1:A:902:ILE:HD13	2.02	0.42
1:B:769:MET:HA	1:B:770:PRO:HD2	1.89	0.42
1:A:683:LEU:HD11	1:A:765:ILE:HG13	2.02	0.41
1:B:791:LEU:O	1:B:795:VAL:HG23	2.21	0.41
1:B:881:TRP:CA	1:B:923:MET:CE	2.98	0.41
1:A:725:GLU:C	1:A:727:THR:H	2.29	0.41
1:A:919:VAL:HG22	1:A:947:MET:SD	2.61	0.41
1:B:791:LEU:HD12	1:B:951:PRO:HB3	2.03	0.41
1:A:876:TYR:O	1:A:880:VAL:HG23	2.20	0.41
1:B:858:ALA:HA	1:B:874:TRP:CD2	2.55	0.41
1:A:787:SER:O	1:A:788:GLN:C	2.64	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:985:ASP:CG	1:A:986:VAL:N	2.77	0.41
1:B:680:LEU:HD13	1:B:743:ALA:HB2	2.03	0.41
1:B:911:GLN:HA	1:B:920:TYR:CD1	2.56	0.41
1:A:714:VAL:HG12	1:A:715:LYS:N	2.35	0.40
1:B:678:ALA:C	1:B:680:LEU:N	2.79	0.40
1:B:681:ARG:O	1:B:755:GLY:HA2	2.20	0.40
1:B:722:GLU:HG3	1:B:763:GLN:HG2	2.03	0.40
1:A:679:LEU:N	1:A:679:LEU:CD1	2.85	0.40
1:A:807:ARG:HE	1:A:807:ARG:HB3	1.66	0.40
1:A:925:LYS:HE3	1:A:925:LYS:HB2	1.94	0.40
1:A:986:VAL:HG21	5:B:64:HOH:O	2.21	0.40
1:B:781:HIS:C	1:B:783:ASP:H	2.28	0.40
1:A:708:ILE:O	1:A:709:PRO:C	2.65	0.40
1:A:770:PRO:HA	3:B:405:IOD:I	2.91	0.40
1:A:727:THR:HG22	1:A:838:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/330 (83%)	243 (88%)	29 (10%)	3 (1%)	11	25
1	B	282/330 (86%)	248 (88%)	27 (10%)	7 (2%)	4	8
All	All	557/660 (84%)	491 (88%)	56 (10%)	10 (2%)	6	14

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	679	LEU
1	B	784	ASN
1	B	986	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	987	VAL
1	A	685	GLU
1	A	826	HIS
1	A	842	GLU
1	B	988	ASP
1	B	782	LYS
1	B	937	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/288 (84%)	231 (96%)	10 (4%)	27	54
1	B	244/288 (85%)	233 (96%)	11 (4%)	24	50
All	All	485/576 (84%)	464 (96%)	21 (4%)	26	51

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	683	LEU
1	A	737	ASP
1	A	752	ARG
1	A	762	VAL
1	A	779	ARG
1	A	791	LEU
1	A	828	LYS
1	A	837	LEU
1	A	903	LEU
1	A	918	ASP
1	B	683	LEU
1	B	727	THR
1	B	738	GLU
1	B	741	VAL
1	B	762	VAL
1	B	779	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	808	ARG
1	B	823	THR
1	B	892	ASP
1	B	902	ILE
1	B	903	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	747	ASN
1	A	784	ASN
1	A	788	GLN
1	A	802	ASN
1	A	952	GLN
1	B	749	HIS
1	B	792	ASN
1	B	825	GLN
1	B	869	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 13 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ANP	A	301	2	33,33,33	1.40	6 (18%)	45,52,52	1.38	6 (13%)
4	ANP	B	302	2	33,33,33	1.49	6 (18%)	45,52,52	1.42	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ANP	A	301	2	-	2/18/38/38	0/3/3/3
4	ANP	B	302	2	-	3/18/38/38	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	ANP	PB-O3A	-4.03	1.54	1.59
4	B	302	ANP	PG-O1G	3.57	1.51	1.46
4	A	301	ANP	PB-O3A	-3.48	1.54	1.59
4	A	301	ANP	PG-O1G	3.23	1.51	1.46
4	B	302	ANP	C4-N3	2.90	1.39	1.34
4	A	301	ANP	C4-N3	2.84	1.39	1.34
4	A	301	ANP	PB-O2B	-2.75	1.49	1.56
4	B	302	ANP	PB-O2B	-2.72	1.49	1.56
4	A	301	ANP	PG-O2G	-2.47	1.50	1.56
4	B	302	ANP	PG-O3G	-2.46	1.50	1.56
4	B	302	ANP	PG-O2G	-2.41	1.50	1.56
4	A	301	ANP	PG-O3G	-2.35	1.50	1.56

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	302	ANP	O1G-PG-N3B	-4.93	104.51	111.77
4	A	301	ANP	O1G-PG-N3B	-4.54	105.09	111.77
4	A	301	ANP	O2B-PB-O1B	4.35	119.20	109.87
4	B	302	ANP	O2B-PB-O1B	4.22	118.92	109.87
4	A	301	ANP	O1B-PB-N3B	-2.96	107.41	111.77
4	B	302	ANP	C3'-C2'-C1'	2.76	106.67	101.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	302	ANP	O2G-PG-O3G	2.45	114.17	107.59
4	A	301	ANP	C3'-C2'-C1'	2.44	106.09	101.46
4	A	301	ANP	O2G-PG-O3G	2.40	114.03	107.59
4	B	302	ANP	O1B-PB-N3B	-2.29	108.40	111.77
4	B	302	ANP	O3'-C3'-C4'	-2.15	104.90	111.08
4	B	302	ANP	O3A-PB-N3B	-2.10	100.75	106.59
4	A	301	ANP	O3A-PB-N3B	-2.01	101.00	106.59

There are no chirality outliers.


All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	301	ANP	PB-N3B-PG-O1G
4	A	301	ANP	PG-N3B-PB-O1B
4	B	302	ANP	PB-N3B-PG-O1G
4	B	302	ANP	PG-N3B-PB-O1B
4	B	302	ANP	PG-N3B-PB-O3A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	281/330 (85%)	0.46	14 (4%) 34 28	23, 41, 63, 105	0
1	B	288/330 (87%)	0.49	21 (7%) 21 17	22, 40, 68, 90	0
All	All	569/660 (86%)	0.48	35 (6%) 26 21	22, 41, 66, 105	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	986	VAL	5.2
1	B	959	GLY	4.6
1	A	988	ASP	4.4
1	A	987	VAL	4.0
1	B	678	ALA	3.5
1	B	784	ASN	3.2
1	B	842	GLU	3.2
1	A	846	HIS	3.2
1	B	991	GLU	3.1
1	B	992	TYR	3.1
1	B	987	VAL	3.0
1	B	986	VAL	3.0
1	B	782	LYS	2.9
1	B	697	GLY	2.9
1	B	985	ASP	2.9
1	A	713	LYS	2.8
1	B	847	ALA	2.8
1	B	989	ALA	2.7
1	A	844	GLU	2.6
1	B	696	SER	2.6
1	B	787	SER	2.6
1	B	679	LEU	2.6
1	A	842	GLU	2.4
1	A	843	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	933	SER	2.3
1	A	952	GLN	2.3
1	A	959	GLY	2.3
1	B	677	GLN	2.3
1	A	697	GLY	2.3
1	B	893	GLY	2.3
1	B	698	ALA	2.2
1	B	846	HIS	2.2
1	A	787	SER	2.2
1	B	843	LYS	2.2
1	A	845	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	202	1/1	0.86	0.10	36,36,36,36	0
4	ANP	A	301	31/31	0.87	0.13	42,51,73,73	0
4	ANP	B	302	31/31	0.87	0.13	47,53,76,78	0
2	MG	B	201	1/1	0.92	0.09	43,43,43,43	0
3	IOD	B	405	1/1	0.95	0.08	99,99,99,99	0
3	IOD	A	410	1/1	0.98	0.11	93,93,93,93	0
3	IOD	A	409	1/1	0.98	0.15	101,101,101,101	0
3	IOD	B	401	1/1	0.99	0.03	62,62,62,62	0
3	IOD	B	404	1/1	0.99	0.03	58,58,58,58	0
3	IOD	A	406	1/1	0.99	0.10	82,82,82,82	0
3	IOD	B	407	1/1	0.99	0.10	81,81,81,81	0
3	IOD	B	408	1/1	0.99	0.12	99,99,99,99	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	IOD	B	411	1/1	0.99	0.13	91,91,91,91	0
3	IOD	A	402	1/1	0.99	0.03	58,58,58,58	0
3	IOD	A	403	1/1	0.99	0.04	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ANP B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.