



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:51 PM UTC

PDB ID : 2GST / pdb_00002gst
Title : STRUCTURE OF THE XENOBIOTIC SUBSTRATE BINDING SITE OF A GLUTATHIONE S-TRANSFERASE AS REVEALED BY X-RAY CRYSTALLOGRAPHIC ANALYSIS OF PRODUCT COMPLEXES WITH THE DIASTEREOMERS OF 9-(S-GLUTATHIONYL)-10-HYDROXY-9, 10-DIHYDROPHENANTHRENE
Authors : Ji, X.; Armstrong, R.N.; Gilliland, G.L.
Deposited on : 1993-06-07
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	217	
1	B	217	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4186 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTATHIONE S-TRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	0	0
			1818	1177	303	327	11			
1	B	217	Total	C	N	O	S	0	0	0
			1818	1177	303	327	11			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is L-gamma-glutamyl-S-[(9S,10S)-10-hydroxy-9,10-dihydrophenanthren-9-yl]-L-cysteinyglycine (CCD ID: GPS) (formula: C₂₄H₂₇N₃O₇S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			35	24	3	7	1		
3	B	1	Total	C	N	O	S	0	0
			35	24	3	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	272	Total	O	0	0
			272	272		
4	B	198	Total	O	0	0
			198	198		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: GLUTATHIONE S-TRANSFERASE

Chain A: 



• Molecule 1: GLUTATHIONE S-TRANSFERASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.24Å 69.44Å 81.28Å 90.00° 106.01° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	GPRLSA	Depositor
R, R_{free}	0.160 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4186	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GPS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.51	15/1867 (0.8%)	2.13	81/2515 (3.2%)
1	B	1.44	11/1867 (0.6%)	2.04	64/2515 (2.5%)
All	All	1.48	26/3734 (0.7%)	2.09	145/5030 (2.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	130	ILE	CA-CB	7.77	1.58	1.54
1	B	4	LEU	C-N	-7.60	1.28	1.33
1	A	10	ARG	N-CA	7.21	1.55	1.46
1	B	5	GLY	CA-C	7.06	1.57	1.52
1	A	157	PHE	N-CA	7.05	1.55	1.46
1	A	94	ILE	CA-CB	6.90	1.62	1.54
1	B	4	LEU	N-CA	6.89	1.54	1.46
1	A	139	GLU	N-CA	6.82	1.54	1.46
1	A	98	ILE	CA-CB	6.71	1.62	1.54
1	B	202	TYR	N-CA	6.70	1.54	1.46
1	A	73	ASN	N-CA	6.60	1.54	1.46
1	B	6	TYR	N-CA	6.08	1.53	1.46
1	A	17	ARG	N-CA	5.84	1.53	1.46
1	B	98	ILE	CA-CB	5.73	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	20	LEU	N-CA	5.72	1.53	1.46
1	A	103	VAL	N-CA	5.56	1.53	1.46
1	A	96	ALA	N-CA	5.50	1.52	1.46
1	A	161	ASP	N-CA	5.46	1.52	1.46
1	A	100	GLU	N-CA	5.41	1.52	1.46
1	A	4	LEU	N-CA	5.36	1.52	1.46
1	B	62	LEU	CA-C	5.33	1.58	1.52
1	B	75	ILE	N-CA	5.30	1.52	1.46
1	A	173	CYS	C-O	5.21	1.30	1.24
1	A	205	THR	N-CA	5.19	1.50	1.45
1	B	74	ALA	N-CA	5.14	1.52	1.46
1	B	84	HIS	CE1-NE2	-5.05	1.27	1.32

All (145) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	ASP	CA-CB-CG	-13.24	99.36	112.60
1	B	186	ARG	CD-NE-CZ	10.65	139.31	124.40
1	B	186	ARG	NE-CZ-NH1	10.46	131.97	121.50
1	B	186	ARG	NE-CZ-NH2	-10.34	109.89	119.20
1	A	156	ASP	CA-CB-CG	-9.34	103.26	112.60
1	B	144	ARG	CD-NE-CZ	8.94	136.92	124.40
1	A	144	ARG	CD-NE-CZ	8.73	136.62	124.40
1	A	141	LEU	O-C-N	8.65	131.43	122.09
1	A	99	VAL	O-C-N	8.63	130.24	121.87
1	B	3	ILE	O-C-N	8.55	132.26	123.20
1	A	127	LEU	O-C-N	8.51	132.18	122.22
1	B	84	HIS	CA-CB-CG	-8.43	105.37	113.80
1	B	23	THR	CA-C-O	-8.41	109.25	119.43
1	A	95	ARG	CD-NE-CZ	8.36	136.11	124.40
1	B	5	GLY	CA-C-O	-8.32	113.67	120.91
1	A	48	GLU	O-C-N	8.22	131.90	122.20
1	B	132	GLU	CB-CG-CD	8.21	126.56	112.60
1	A	43	SER	N-CA-C	8.12	121.16	111.33
1	B	17	ARG	O-C-N	-7.97	113.67	122.12
1	A	109	GLN	O-C-N	7.70	130.28	122.12
1	B	81	ARG	O-C-N	7.67	130.89	122.15
1	B	99	VAL	O-C-N	7.62	129.38	121.91
1	A	156	ASP	O-C-N	7.60	131.61	122.27
1	A	99	VAL	CA-C-O	-7.51	113.14	120.95
1	B	15	PRO	O-C-N	7.43	131.81	122.22
1	B	18	LEU	CA-C-O	-7.41	112.69	120.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	ARG	CD-NE-CZ	7.33	134.66	124.40
1	B	68	LYS	O-C-N	7.19	131.68	123.27
1	A	164	ASP	CA-C-O	-7.12	113.28	120.90
1	A	147	PHE	CA-CB-CG	-7.07	106.73	113.80
1	A	204	SER	CA-CB-OG	-6.97	97.15	111.10
1	A	83	HIS	CA-CB-CG	-6.93	106.87	113.80
1	B	17	ARG	CA-C-O	6.92	127.88	120.55
1	A	187	PHE	O-C-N	6.89	129.17	122.07
1	B	106	ASN	CA-CB-CG	6.86	119.46	112.60
1	A	150	ASP	N-CA-C	6.84	121.37	112.89
1	A	48	GLU	CA-C-O	-6.75	111.22	119.18
1	B	23	THR	O-C-N	6.73	131.07	122.39
1	A	42	ARG	CD-NE-CZ	6.71	133.79	124.40
1	B	63	ILE	CA-C-O	-6.68	113.40	120.48
1	B	17	ARG	NH1-CZ-NH2	6.65	127.95	119.30
1	B	3	ILE	CA-C-O	-6.63	113.49	120.39
1	B	109	GLN	OE1-CD-NE2	-6.60	116.00	122.60
1	B	96	ALA	O-C-N	6.51	128.78	122.07
1	B	5	GLY	O-C-N	6.50	128.62	123.61
1	A	70	THR	CA-C-O	-6.43	114.12	121.58
1	A	58	ASN	N-CA-CB	-6.36	100.88	111.57
1	A	173	CYS	N-CA-C	6.33	120.11	112.38
1	A	138	SER	O-C-N	6.33	128.59	122.07
1	B	147	PHE	N-CA-C	6.33	118.18	111.28
1	B	19	LEU	O-C-N	6.32	129.35	122.15
1	B	136	LEU	CA-C-O	-6.29	113.75	120.42
1	A	191	LYS	CA-C-O	-6.28	114.18	120.90
1	A	79	LEU	O-C-N	6.26	129.97	122.27
1	B	144	ARG	NE-CZ-NH2	-6.26	113.56	119.20
1	B	16	ILE	O-C-N	6.26	128.41	121.90
1	B	201	ARG	CD-NE-CZ	6.26	133.16	124.40
1	A	190	LEU	O-C-N	6.26	130.71	122.95
1	B	73	ASN	O-C-N	6.22	129.24	122.15
1	B	164	ASP	CA-C-O	-6.21	113.97	120.55
1	B	157	PHE	CA-CB-CG	-6.18	107.62	113.80
1	A	69	ILE	N-CA-C	6.16	117.36	108.48
1	A	186	ARG	NE-CZ-NH1	6.16	127.66	121.50
1	A	120	GLU	CA-CB-CG	6.15	126.39	114.10
1	A	95	ARG	O-C-N	6.14	128.63	122.12
1	B	55	ASP	O-C-N	6.14	128.72	122.09
1	B	36	ASP	CA-CB-CG	6.10	118.70	112.60
1	A	166	TYR	CA-C-O	-6.09	113.21	120.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	HIS	CA-CB-CG	-6.04	107.75	113.80
1	A	168	ILE	CA-C-N	6.04	128.87	120.29
1	A	168	ILE	C-N-CA	6.04	128.87	120.29
1	A	10	ARG	CD-NE-CZ	-6.01	115.99	124.40
1	B	73	ASN	CB-CG-ND2	-6.00	107.40	116.40
1	B	68	LYS	CA-C-O	-5.99	113.89	120.24
1	A	113	LEU	CA-C-O	-5.98	114.09	120.42
1	A	120	GLU	CB-CG-CD	5.97	122.75	112.60
1	A	20	LEU	CA-C-O	-5.96	114.23	120.55
1	A	3	ILE	O-C-N	5.96	129.51	123.20
1	B	28	GLU	CA-CB-CG	5.96	126.01	114.10
1	B	10	ARG	NE-CZ-NH2	-5.95	113.84	119.20
1	B	96	ALA	CA-C-O	-5.93	114.59	120.82
1	B	144	ARG	NE-CZ-NH1	5.92	127.42	121.50
1	B	79	LEU	CA-C-O	5.92	126.82	120.55
1	A	12	LEU	CA-C-O	5.91	126.93	119.95
1	B	162	ILE	CA-C-O	-5.91	114.09	120.47
1	B	74	ALA	O-C-N	5.86	129.48	122.27
1	A	122	GLN	OE1-CD-NE2	5.83	128.44	122.60
1	B	165	GLN	OE1-CD-NE2	-5.82	116.78	122.60
1	A	14	HIS	CA-C-O	5.79	123.88	118.44
1	B	108	MET	O-C-N	5.76	128.23	122.12
1	A	151	LYS	O-C-N	5.74	130.30	123.24
1	B	59	LEU	CA-C-O	-5.74	114.35	119.86
1	A	109	GLN	CA-C-O	-5.73	114.48	120.55
1	B	201	ARG	NH1-CZ-NH2	-5.71	111.88	119.30
1	A	166	TYR	O-C-N	5.70	128.88	122.22
1	A	18	LEU	CB-CA-C	5.68	119.79	110.88
1	A	107	ARG	N-CA-C	-5.67	104.48	111.40
1	B	136	LEU	O-C-N	5.66	128.61	122.15
1	A	127	LEU	CA-C-O	-5.66	113.71	120.10
1	B	111	ILE	O-C-N	5.62	127.42	121.91
1	A	102	GLN	O-C-N	5.60	128.05	122.12
1	B	78	TYR	CA-CB-CG	-5.59	103.84	113.90
1	A	130	ILE	N-CA-CB	5.57	114.79	110.45
1	A	70	THR	O-C-N	5.56	130.56	122.94
1	A	10	ARG	NE-CZ-NH2	-5.55	114.20	119.20
1	A	106	ASN	OD1-CG-ND2	5.55	128.15	122.60
1	A	79	LEU	CA-C-O	-5.55	113.59	119.97
1	B	139	GLU	O-C-N	5.52	129.06	122.27
1	A	9	VAL	O-C-N	5.52	129.07	122.95
1	A	130	ILE	O-C-N	5.52	123.95	120.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	214	TRP	O-C-N	5.51	129.56	123.33
1	A	3	ILE	CA-C-O	-5.45	114.72	120.39
1	A	113	LEU	O-C-N	5.45	128.36	122.15
1	B	13	THR	N-CA-C	5.44	120.03	113.17
1	B	110	LEU	CA-C-N	5.44	127.41	120.56
1	B	110	LEU	C-N-CA	5.44	127.41	120.56
1	A	17	ARG	NE-CZ-NH1	5.42	126.92	121.50
1	A	164	ASP	O-C-N	5.40	127.70	122.09
1	A	177	PHE	CA-CB-CG	-5.39	108.41	113.80
1	A	216	ASN	O-C-N	5.37	128.74	122.24
1	B	42	ARG	NE-CZ-NH1	5.33	126.83	121.50
1	B	75	ILE	CA-C-O	5.33	126.50	120.85
1	A	134	MET	N-CA-CB	5.33	118.05	110.16
1	A	133	LYS	O-C-N	-5.30	116.61	122.07
1	A	107	ARG	CA-C-N	5.27	127.34	120.28
1	A	107	ARG	C-N-CA	5.27	127.34	120.28
1	B	27	TYR	N-CA-C	5.24	117.15	109.24
1	A	211	LEU	O-C-N	5.23	129.44	122.43
1	A	87	GLY	N-CA-C	-5.22	105.93	111.93
1	B	158	LEU	O-C-N	5.22	127.44	122.07
1	A	68	LYS	O-C-N	5.18	129.28	123.27
1	A	95	ARG	CA-C-O	-5.16	115.08	120.55
1	A	73	ASN	CB-CG-ND2	-5.14	108.69	116.40
1	B	195	ALA	N-CA-CB	-5.14	102.57	110.12
1	B	164	ASP	O-C-N	5.13	127.56	122.12
1	B	99	VAL	CA-C-N	-5.11	113.64	120.54
1	B	99	VAL	C-N-CA	-5.11	113.64	120.54
1	A	143	LYS	CA-C-O	-5.11	113.10	119.28
1	A	183	PHE	O-C-N	5.08	127.51	122.12
1	A	112	MET	N-CA-CB	5.05	117.64	110.06
1	A	177	PHE	CA-C-N	5.04	125.07	119.32
1	A	177	PHE	C-N-CA	5.04	125.07	119.32
1	A	138	SER	CA-C-N	-5.04	113.03	120.28
1	A	138	SER	C-N-CA	-5.04	113.03	120.28
1	A	93	ARG	CD-NE-CZ	5.00	131.40	124.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	186	ARG	Sidechain
1	B	144	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	186	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1818	0	1805	38	1
1	B	1818	0	1805	40	1
2	A	10	0	0	0	0
3	A	35	0	25	2	0
3	B	35	0	25	2	0
4	A	272	0	0	4	0
4	B	198	0	0	3	0
All	All	4186	0	3660	78	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:MET:HE1	1:B:25:SER:HB3	1.21	1.17
1:B:2:MET:CE	1:B:25:SER:HB3	2.04	0.87
1:A:24:ASP:OD2	1:A:192:LYS:HE3	1.76	0.85
1:B:2:MET:HE1	1:B:25:SER:CB	2.08	0.80
1:B:111:ILE:HD11	3:B:218:GPS:HD4	1.69	0.73
1:B:86:CYS:SG	4:B:335:HOH:O	2.46	0.72
1:B:37:ALA:HB2	1:B:40:TYR:CZ	2.26	0.70
1:A:144:ARG:HH11	1:A:144:ARG:HG3	1.57	0.70
1:B:125:GLU:OE1	1:B:128:LYS:NZ	2.26	0.69
1:A:111:ILE:HD11	3:A:220:GPS:HD4	1.77	0.66
1:B:125:GLU:HA	1:B:128:LYS:HE3	1.76	0.65
1:A:150:ASP:HB3	1:A:151:LYS:HE3	1.80	0.63
1:A:2:MET:C	1:A:3:ILE:HD12	2.24	0.62
1:B:125:GLU:O	1:B:128:LYS:HG3	1.99	0.62
1:A:3:ILE:HD12	1:A:3:ILE:N	2.15	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:LYS:HB3	1:B:124:PRO:HD3	1.84	0.59
1:B:67:ARG:NH2	4:B:396:HOH:O	2.36	0.59
1:B:68:LYS:NZ	4:B:364:HOH:O	2.36	0.59
1:A:33:ALA:H	1:A:44:GLN:NE2	2.03	0.57
1:A:44:GLN:NE2	4:A:356:HOH:O	2.38	0.56
1:B:96:ALA:HA	1:B:155:VAL:HG11	1.87	0.56
1:B:111:ILE:HD11	3:B:218:GPS:CD4	2.36	0.56
1:B:8:ASN:HD22	1:B:8:ASN:H	1.54	0.55
1:A:111:ILE:HD11	3:A:220:GPS:CD4	2.39	0.53
1:B:135:LYS:HE3	1:B:139:GLU:OE2	2.09	0.53
1:B:35:GLY:O	1:B:40:TYR:HA	2.10	0.52
1:A:95:ARG:NH2	1:A:144:ARG:HE	2.07	0.52
1:A:144:ARG:HG3	1:A:144:ARG:NH1	2.19	0.52
1:A:140:PHE:O	1:A:144:ARG:NH2	2.43	0.52
1:A:40:TYR:CZ	1:A:211:LEU:HD13	2.45	0.52
1:A:21:GLU:HG3	1:A:196:TYR:CD1	2.45	0.51
1:A:40:TYR:CE2	1:A:211:LEU:HD13	2.46	0.51
1:B:37:ALA:HB2	1:B:40:TYR:OH	2.10	0.51
1:A:36:ASP:OD1	1:A:210:LYS:NZ	2.33	0.51
1:A:198:LYS:NZ	4:A:410:HOH:O	2.43	0.51
1:B:175:ASP:OD1	1:B:181:LYS:HE3	2.12	0.50
1:A:143:LYS:HA	1:A:143:LYS:HE2	1.94	0.49
1:B:216:ASN:HD22	1:B:216:ASN:C	2.20	0.49
1:B:175:ASP:OD1	1:B:181:LYS:CE	2.60	0.49
1:A:2:MET:CE	1:A:25:SER:HB3	2.43	0.48
1:B:8:ASN:HD22	1:B:8:ASN:N	2.10	0.48
1:A:9:VAL:HG12	1:A:206:PRO:HG2	1.96	0.47
1:A:24:ASP:OD2	1:A:192:LYS:CE	2.56	0.47
1:B:146:TRP:CE2	1:B:152:VAL:HG22	2.49	0.47
1:A:21:GLU:HG3	1:A:196:TYR:CG	2.51	0.46
1:A:108:MET:O	1:A:112:MET:HG2	2.16	0.46
1:A:201:ARG:NH2	4:A:415:HOH:O	2.48	0.46
1:A:95:ARG:CZ	1:A:144:ARG:HE	2.29	0.46
1:B:24:ASP:CG	1:B:192:LYS:NZ	2.73	0.46
1:B:108:MET:O	1:B:112:MET:HG2	2.15	0.46
1:B:174:LEU:HB3	1:B:181:LYS:HG3	1.98	0.46
1:B:34:MET:HE3	1:B:42:ARG:HG2	1.98	0.45
1:A:89:THR:O	1:A:93:ARG:HG3	2.16	0.45
1:B:125:GLU:OE1	1:B:128:LYS:CE	2.65	0.45
1:B:112:MET:HB3	1:B:112:MET:HE3	1.55	0.45
1:A:151:LYS:NZ	4:A:379:HOH:O	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:TRP:CE2	1:A:152:VAL:HG22	2.52	0.45
1:B:202:TYR:CZ	1:B:204:SER:HB3	2.53	0.44
1:B:168:ILE:HG22	1:B:214:TRP:HZ2	1.82	0.43
1:A:10:ARG:HD2	1:A:204:SER:O	2.19	0.43
1:A:14:HIS:N	1:A:15:PRO:CD	2.82	0.43
1:A:13:THR:HG22	1:A:13:THR:O	2.18	0.43
1:A:217:LYS:HB2	1:A:217:LYS:HE2	1.46	0.43
1:B:39:ASP:O	1:B:40:TYR:C	2.62	0.43
1:B:123:LYS:N	1:B:124:PRO:CD	2.81	0.43
1:A:37:ALA:HB1	1:A:38:PRO:HA	2.01	0.42
1:B:8:ASN:H	1:B:8:ASN:ND2	2.17	0.42
1:B:19:LEU:HD22	1:B:23:THR:HG23	2.01	0.42
1:B:111:ILE:HG12	1:B:208:PHE:HE1	1.85	0.41
1:B:216:ASN:ND2	1:B:217:LYS:HG2	2.35	0.41
1:A:36:ASP:HA	1:A:210:LYS:HD3	2.03	0.41
1:B:70:THR:O	1:B:71:GLN:HB2	2.20	0.41
1:A:130:ILE:N	1:A:131:PRO:CD	2.83	0.41
1:B:14:HIS:N	1:B:15:PRO:CD	2.83	0.41
1:A:123:LYS:HB3	1:A:124:PRO:HD3	2.03	0.41
1:B:2:MET:HE3	1:B:2:MET:HB2	1.92	0.41
1:A:104:MET:O	1:A:108:MET:HG2	2.21	0.40
1:A:61:TYR:CD1	1:A:61:TYR:C	2.99	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:GLU:OE2	1:B:217:LYS:NZ[3_455]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/217 (99%)	212 (99%)	3 (1%)	0	100	100
1	B	215/217 (99%)	211 (98%)	3 (1%)	1 (0%)	24	14
All	All	430/434 (99%)	423 (98%)	6 (1%)	1 (0%)	43	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	71	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/197 (100%)	182 (92%)	15 (8%)	12	4
1	B	197/197 (100%)	179 (91%)	18 (9%)	9	2
All	All	394/394 (100%)	361 (92%)	33 (8%)	10	3

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	12	LEU
1	A	19	LEU
1	A	36	ASP
1	A	66	SER
1	A	112	MET
1	A	118	ASP
1	A	120	GLU
1	A	123	LYS
1	A	143	LYS
1	A	144	ARG
1	A	150	ASP
1	A	170	GLU
1	A	174	LEU
1	A	217	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	8	ASN
1	B	19	LEU
1	B	36	ASP
1	B	39	ASP
1	B	67	ARG
1	B	128	LYS
1	B	132	GLU
1	B	143	LYS
1	B	151	LYS
1	B	162	ILE
1	B	170	GLU
1	B	172	LYS
1	B	174	LEU
1	B	191	LYS
1	B	210	LYS
1	B	211	LEU
1	B	216	ASN
1	B	217	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	73	ASN
1	A	83	HIS
1	A	106	ASN
1	B	8	ASN
1	B	101	ASN
1	B	106	ASN
1	B	109	GLN
1	B	122	GLN
1	B	216	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	219	-	4,4,4	0.77	0	6,6,6	0.94	0
2	SO4	A	218	-	4,4,4	0.99	0	6,6,6	0.31	0
3	GPS	A	220	-	35,37,37	2.21	10 (28%)	46,51,51	1.92	12 (26%)
3	GPS	B	218	-	35,37,37	1.98	9 (25%)	46,51,51	1.59	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GPS	B	218	-	-	1/27/43/43	0/3/3/3
3	GPS	A	220	-	-	3/27/43/43	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	218	GPS	CB2-SG2	-6.94	1.75	1.82
3	A	220	GPS	CB2-SG2	-6.26	1.75	1.82
3	A	220	GPS	O11-C1	5.88	1.39	1.22
3	A	220	GPS	CA4-SG2	-4.49	1.72	1.84
3	B	218	GPS	O11-C1	4.02	1.34	1.22
3	B	218	GPS	CH5-CH4	-3.82	1.39	1.47
3	A	220	GPS	CG4-CB4	3.38	1.43	1.39
3	A	220	GPS	CG5-CB5	3.22	1.43	1.39
3	B	218	GPS	CA4-SG2	-2.92	1.76	1.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	220	GPS	CH5-CB5	-2.88	1.37	1.40
3	B	218	GPS	CG5-CB5	2.67	1.43	1.39
3	B	218	GPS	CB2-CA2	2.54	1.59	1.53
3	A	220	GPS	O5-CA5	2.46	1.47	1.42
3	A	220	GPS	CH5-CH4	-2.43	1.42	1.47
3	A	220	GPS	CB1-CA1	2.41	1.58	1.53
3	B	218	GPS	CH5-CB5	-2.39	1.37	1.40
3	B	218	GPS	OE1-CD1	2.36	1.27	1.23
3	B	218	GPS	CG4-CB4	2.09	1.42	1.39
3	A	220	GPS	CA2-C2	2.01	1.58	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	220	GPS	O12-C1-O11	-5.51	111.59	124.08
3	A	220	GPS	O2-C2-CA2	-5.39	109.18	120.48
3	A	220	GPS	CG1-CB1-CA1	-4.93	102.56	113.86
3	A	220	GPS	CD4-CG4-CB4	-3.20	117.16	120.99
3	A	220	GPS	O2-C2-N3	3.05	129.44	122.98
3	B	218	GPS	CB1-CA1-C1	2.94	118.23	110.45
3	B	218	GPS	O2-C2-CA2	-2.86	114.50	120.48
3	B	218	GPS	CD4-CG4-CB4	-2.78	117.66	120.99
3	B	218	GPS	CZ4-CH4-CB4	2.55	121.26	118.50
3	B	218	GPS	O32-C3-O31	-2.50	116.91	123.33
3	A	220	GPS	CB2-CA2-N2	-2.47	104.59	111.06
3	A	220	GPS	C2-CA2-N2	-2.46	104.46	111.11
3	A	220	GPS	O5-CA5-CB5	-2.42	105.80	110.42
3	B	218	GPS	O32-C3-CA3	2.41	121.97	112.81
3	A	220	GPS	CG4-CB4-CA4	-2.38	113.83	119.69
3	B	218	GPS	O5-CA5-CA4	2.30	116.52	109.58
3	A	220	GPS	CB1-CA1-N1	-2.22	104.33	110.12
3	B	218	GPS	O12-C1-O11	-2.18	119.13	124.08
3	B	218	GPS	CB2-CA2-N2	-2.14	105.46	111.06
3	B	218	GPS	O2-C2-N3	2.13	127.49	122.98
3	B	218	GPS	CG4-CB4-CA4	-2.13	114.45	119.69
3	A	220	GPS	CG4-CB4-CH4	2.12	121.94	119.35
3	A	220	GPS	CG1-CD1-N2	-2.11	112.15	115.86
3	B	218	GPS	OE1-CD1-N2	-2.01	119.54	122.95

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	220	GPS	CA5-CA4-SG2-CB2
3	B	218	GPS	CA5-CA4-SG2-CB2
3	A	220	GPS	O2-C2-N3-CA3
3	A	220	GPS	OE1-CD1-N2-CA2


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	220	GPS	2	0
3	B	218	GPS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.