



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 04:40 PM EDT

PDB ID : 4GSU / pdb_00004gsu
Title : Structural basis for the inhibition of Mycobacterium tuberculosis L,D-transpeptidase by meropenem, a drug effective against extensively drug-resistant strains
Authors : Kim, H.S.; Kim, J.; Im, H.N.; Yoon, J.Y.; An, D.R.; Yoon, H.J.; Kim, J.Y.; Min, H.K.; Kim, S.-J.; Lee, J.Y.; Han, B.W.; Suh, S.W.
Deposited on : 2012-08-28
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	5% 78% 13% • 7%
1	B	287	3% 74% 18% • 7%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable conserved lipoprotein LPPS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	S	0	0	0
			2056	1296	355	398	7			
1	B	268	Total	C	N	O	S	0	0	0
			2056	1296	355	398	7			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	130	MET	-	expression tag	UNP O53223
A	409	LEU	-	expression tag	UNP O53223
A	410	GLU	-	expression tag	UNP O53223
A	411	HIS	-	expression tag	UNP O53223
A	412	HIS	-	expression tag	UNP O53223
A	413	HIS	-	expression tag	UNP O53223
A	414	HIS	-	expression tag	UNP O53223
A	415	HIS	-	expression tag	UNP O53223
A	416	HIS	-	expression tag	UNP O53223
B	130	MET	-	expression tag	UNP O53223
B	409	LEU	-	expression tag	UNP O53223
B	410	GLU	-	expression tag	UNP O53223
B	411	HIS	-	expression tag	UNP O53223
B	412	HIS	-	expression tag	UNP O53223
B	413	HIS	-	expression tag	UNP O53223
B	414	HIS	-	expression tag	UNP O53223
B	415	HIS	-	expression tag	UNP O53223
B	416	HIS	-	expression tag	UNP O53223

- Molecule 2 is (2S,3R,4S)-4-[(3S,5S)-5-(dimethylcarbamoyl)pyrrolidin-3-yl]sulfanyl}-2-[(2S,3R)-3-hydroxy-1-oxobutan-2-yl]-3-methyl-3,4-dihydro-2H-pyrrole-5-carboxylic acid (CCD ID: DWZ) (formula: C₁₇H₂₇N₃O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	17	3	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	17	3	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	105	Total	O	0	0
			105	105		
3	B	123	Total	O	0	0
			123	123		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable conserved lipoprotein LPPS



- Molecule 1: Probable conserved lipoprotein LPPS



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.94Å 73.43Å 104.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.4 (20.00-2.00) 95.3 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.44 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.186 , 0.232 0.187 , 0.236	Depositor DCC
R_{free} test set	1810 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	23.5	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4392	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.81 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.5410e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DWZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.03	8/2114 (0.4%)	0.89	3/2893 (0.1%)
1	B	1.11	12/2114 (0.6%)	0.88	1/2893 (0.0%)
All	All	1.07	20/4228 (0.5%)	0.88	4/5786 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	319	ARG	C-N	-9.23	1.20	1.33
1	B	401	TRP	C-N	-7.38	1.24	1.33
1	A	203	LEU	C-O	-6.36	1.16	1.24
1	B	247	PHE	C-O	-6.17	1.16	1.23
1	B	387	GLY	C-O	-6.12	1.16	1.23
1	A	186	LYS	C-O	-6.00	1.16	1.24
1	B	246	HIS	CG-ND1	-5.93	1.31	1.38
1	A	394	TRP	NE1-CE2	-5.88	1.30	1.37
1	A	313	ASN	CA-C	-5.77	1.45	1.53
1	B	392	GLY	C-O	-5.75	1.18	1.24
1	A	205	ASN	C-O	-5.66	1.16	1.24
1	B	401	TRP	NE1-CE2	-5.62	1.31	1.37
1	B	249	ILE	C-O	-5.55	1.18	1.24
1	B	399	ASP	C-O	-5.54	1.17	1.24
1	B	394	TRP	C-O	-5.49	1.17	1.24
1	A	318	TYR	CA-C	-5.47	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	246	HIS	CD2-NE2	-5.42	1.31	1.37
1	B	196	VAL	C-O	-5.28	1.18	1.24
1	B	395	ASN	C-O	-5.09	1.17	1.24
1	A	320	THR	C-O	-5.05	1.18	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	313	ASN	N-CA-C	-8.94	99.06	111.39
1	B	403	ALA	N-CA-C	-6.91	103.75	111.28
1	A	315	PRO	N-CA-C	-5.84	105.12	113.47
1	A	318	TYR	N-CA-C	-5.36	100.92	109.23

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	319	ARG	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2056	0	1949	46	0
1	B	2056	0	1949	44	0
2	A	26	0	26	2	0
2	B	26	0	26	6	0
3	A	105	0	0	5	0
3	B	123	0	0	9	0
All	All	4392	0	3950	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:CYS:SG	2:A:501:DWZ:HAA	1.38	1.64
1:A:314:SER:OG	1:A:315:PRO:HD3	1.53	1.09
1:A:360:SER:HB2	3:A:673:HOH:O	1.62	1.00
1:B:407:LYS:O	1:B:407:LYS:HD3	1.66	0.96
1:A:314:SER:CB	1:A:315:PRO:CD	2.45	0.94
1:B:354:CYS:SG	2:B:501:DWZ:CAA	2.58	0.91
1:A:314:SER:HB3	1:A:315:PRO:HD2	1.51	0.89
1:A:312:VAL:HA	1:A:317:GLY:HA3	1.55	0.89
1:A:314:SER:HB3	1:A:315:PRO:CD	2.09	0.81
1:B:407:LYS:O	1:B:407:LYS:CD	2.30	0.79
1:A:314:SER:OG	1:A:315:PRO:CD	2.30	0.78
1:B:407:LYS:O	1:B:407:LYS:CG	2.30	0.78
1:B:408:ALA:HB2	3:B:714:HOH:O	1.84	0.75
1:B:408:ALA:CB	3:B:714:HOH:O	2.35	0.74
3:A:635:HOH:O	1:B:150:HIS:HE1	1.70	0.72
1:A:311:PRO:O	1:A:317:GLY:HA3	1.90	0.71
1:B:354:CYS:SG	2:B:501:DWZ:HAB	2.31	0.71
1:B:181:ARG:HH21	1:B:205:ASN:HD22	1.39	0.68
1:B:354:CYS:SG	2:B:501:DWZ:CAB	2.82	0.67
1:A:315:PRO:HB2	1:A:316:ASN:OD1	1.95	0.67
1:A:314:SER:CB	1:A:315:PRO:HD3	2.20	0.65
1:B:371:ARG:HD3	3:B:713:HOH:O	1.96	0.64
3:A:632:HOH:O	1:B:173:ARG:HD3	1.97	0.64
1:A:311:PRO:O	1:A:314:SER:CB	2.48	0.62
1:A:297:ARG:HG3	3:A:662:HOH:O	1.99	0.62
1:A:315:PRO:CD	1:A:316:ASN:H	2.12	0.62
1:B:198:GLY:HA3	1:B:210:TRP:CZ2	2.35	0.61
1:B:407:LYS:O	1:B:407:LYS:HG2	2.01	0.60
1:A:179:ALA:O	1:A:407:LYS:HE3	2.02	0.59
1:B:316:ASN:OD1	1:B:316:ASN:N	2.36	0.58
1:B:274:LYS:HE2	3:B:699:HOH:O	2.01	0.58
1:A:181:ARG:HG2	1:A:202:TRP:CE2	2.39	0.57
1:A:304:ASP:OD2	1:A:319:ARG:NH2	2.37	0.56
1:A:311:PRO:O	1:A:314:SER:HB3	2.06	0.56
1:A:312:VAL:O	1:A:313:ASN:C	2.45	0.56
1:A:181:ARG:HG2	1:A:202:TRP:CD2	2.41	0.56
1:A:311:PRO:O	1:A:314:SER:HB2	2.06	0.55
1:A:315:PRO:HD2	1:A:316:ASN:H	1.72	0.55
1:A:185:GLU:OE2	1:A:406:ALA:HB2	2.07	0.55
1:B:300:HIS:HE1	1:B:321:ASP:HB3	1.71	0.55
1:A:311:PRO:O	1:A:317:GLY:CA	2.55	0.54
1:B:252:GLU:H	1:B:269:ASN:HD21	1.55	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:GLU:H	1:B:269:ASN:ND2	2.06	0.53
1:A:300:HIS:HD2	1:A:323:ASP:OD1	1.92	0.53
1:B:181:ARG:NH2	1:B:205:ASN:HD22	2.06	0.53
1:A:198:GLY:HA3	1:A:210:TRP:CZ2	2.44	0.52
1:B:150:HIS:CD2	3:B:653:HOH:O	2.62	0.52
1:A:305:SER:OG	1:A:317:GLY:HA2	2.08	0.52
1:A:354:CYS:HG	2:A:501:DWZ:HAA	1.62	0.52
1:B:304:ASP:HB3	3:B:647:HOH:O	2.10	0.51
1:B:226:VAL:HB	1:B:243:VAL:HG22	1.91	0.51
1:A:257:ALA:HB2	1:A:264:LEU:HD13	1.93	0.50
1:A:224:VAL:HB	1:A:245:THR:HG22	1.95	0.49
1:B:226:VAL:HB	1:B:243:VAL:CG2	2.42	0.49
1:A:167:GLY:HA3	1:A:374:ILE:HD11	1.95	0.49
1:A:310:VAL:O	1:A:310:VAL:HG13	2.11	0.49
1:B:203:LEU:HD21	3:B:717:HOH:O	2.14	0.48
1:A:240:GLU:OE2	1:B:173:ARG:NH2	2.42	0.47
1:A:312:VAL:CA	1:A:317:GLY:HA3	2.35	0.47
1:B:167:GLY:HA3	1:B:374:ILE:HD11	1.96	0.46
1:A:315:PRO:CD	1:A:316:ASN:N	2.76	0.46
1:A:315:PRO:CG	1:A:316:ASN:H	2.30	0.45
1:A:305:SER:HB2	1:A:310:VAL:CG1	2.47	0.45
1:B:211:ARG:HG2	1:B:401:TRP:CZ2	2.52	0.45
2:B:501:DWZ:HG	2:B:501:DWZ:OAU	2.17	0.45
1:B:385:LEU:HD12	1:B:386:PRO:HD2	1.99	0.44
1:B:174:PHE:CG	1:B:178:ILE:HD11	2.52	0.44
1:B:202:TRP:HB2	1:B:405:ASN:OD1	2.18	0.44
1:B:361:ASN:ND2	3:B:699:HOH:O	2.49	0.44
1:A:240:GLU:CD	1:B:173:ARG:HH22	2.26	0.44
1:B:228:THR:O	1:B:239:GLY:HA3	2.18	0.43
1:A:312:VAL:HA	1:A:317:GLY:CA	2.38	0.43
1:A:252:GLU:H	1:A:269:ASN:HD21	1.65	0.43
1:A:305:SER:HB2	1:A:310:VAL:HG13	2.00	0.43
1:B:325:ALA:HB1	1:B:334:PHE:CD2	2.54	0.43
1:B:338:ALA:HB3	1:B:356:ASN:HB3	2.00	0.43
1:B:274:LYS:HG2	1:B:276:MET:HE3	2.01	0.43
1:A:144:GLN:HG2	3:A:701:HOH:O	2.19	0.42
1:B:305:SER:HB3	1:B:318:TYR:CE2	2.54	0.42
1:B:407:LYS:O	1:B:408:ALA:C	2.61	0.42
1:A:176:GLU:HG3	1:A:237:MET:HE2	2.01	0.42
1:A:206:ARG:HE	1:A:206:ARG:HB3	1.75	0.42
1:A:252:GLU:H	1:A:269:ASN:ND2	2.16	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:501:DWZ:HAFA	2:B:501:DWZ:HAD	1.78	0.42
1:B:299:LYS:HE2	1:B:299:LYS:HB3	1.87	0.42
1:B:169:PRO:HB3	3:B:701:HOH:O	2.20	0.41
1:B:308:TYR:CE1	2:B:501:DWZ:SAK	3.13	0.41
1:A:315:PRO:CG	1:A:316:ASN:N	2.83	0.41
1:B:150:HIS:HD2	1:B:151:LEU:O	2.04	0.41
1:B:402:ARG:O	1:B:403:ALA:C	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/287 (93%)	258 (97%)	8 (3%)	0	100	100
1	B	266/287 (93%)	259 (97%)	7 (3%)	0	100	100
All	All	532/574 (93%)	517 (97%)	15 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/234 (94%)	217 (99%)	3 (1%)	59	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	220/234 (94%)	216 (98%)	4 (2%)	51	58
All	All	440/468 (94%)	433 (98%)	7 (2%)	55	62

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	LYS
1	A	312	VAL
1	A	314	SER
1	B	316	ASN
1	B	388	ILE
1	B	389	ASP
1	B	407	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	177	ASN
1	A	193	ASN
1	A	205	ASN
1	A	214	HIS
1	A	227	ASN
1	A	244	GLN
1	A	269	ASN
1	A	300	HIS
1	A	313	ASN
1	A	345	GLN
1	A	356	ASN
1	A	361	ASN
1	A	379	ASN
1	A	400	GLN
1	B	150	HIS
1	B	205	ASN
1	B	227	ASN
1	B	244	GLN
1	B	269	ASN
1	B	300	HIS
1	B	361	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DWZ	B	501	-	24,27,27	1.48	5 (20%)	16,39,39	0.89	0
2	DWZ	A	501	1	24,27,27	1.49	4 (16%)	16,39,39	1.07	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DWZ	B	501	-	-	11/22/51/51	0/2/2/2
2	DWZ	A	501	1	-	13/22/51/51	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	DWZ	CAI-CAH	-3.94	1.52	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	DWZ	CAI-CAH	-3.27	1.52	1.55
2	A	501	DWZ	CAL-NAJ	-3.00	1.26	1.28
2	B	501	DWZ	CAI-SAK	-2.96	1.77	1.84
2	B	501	DWZ	CAL-NAJ	-2.93	1.26	1.28
2	A	501	DWZ	CG-SAK	-2.73	1.78	1.82
2	A	501	DWZ	CAI-SAK	-2.72	1.78	1.84
2	B	501	DWZ	CG-SAK	-2.61	1.78	1.82
2	B	501	DWZ	CAB-CAA	2.23	1.53	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	DWZ	CAB-CAD-NAJ	-3.04	106.27	111.95

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	DWZ	O-C-NBC-CBE
2	A	501	DWZ	CA-C-NBC-CBE
2	A	501	DWZ	O-C-NBC-CBD
2	A	501	DWZ	CA-C-NBC-CBD
2	A	501	DWZ	NBC-C-CA-N
2	A	501	DWZ	O-C-CA-N
2	A	501	DWZ	CD-CG-SAK-CAI
2	A	501	DWZ	CAI-CAL-CAM-OAU
2	A	501	DWZ	NAJ-CAL-CAM-OAT
2	A	501	DWZ	NAJ-CAL-CAM-OAU
2	B	501	DWZ	O-C-NBC-CBE
2	B	501	DWZ	CA-C-NBC-CBE
2	B	501	DWZ	O-C-NBC-CBD
2	B	501	DWZ	CA-C-NBC-CBD
2	B	501	DWZ	NBC-C-CA-N
2	B	501	DWZ	O-C-CA-N
2	B	501	DWZ	O-C-CA-CB
2	B	501	DWZ	NBC-C-CA-CB
2	B	501	DWZ	OAC-CAA-CAB-CAE
2	A	501	DWZ	OAC-CAA-CAB-CAD
2	A	501	DWZ	CAI-CAL-CAM-OAT
2	B	501	DWZ	CAI-CAL-CAM-OAU
2	B	501	DWZ	CAH-CAI-SAK-CG
2	A	501	DWZ	OAC-CAA-CAB-CAE


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	DWZ	6	0
2	A	501	DWZ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	268/287 (93%)	0.04	13 (4%) 35 34	14, 22, 48, 86	0
1	B	268/287 (93%)	0.02	9 (3%) 48 47	13, 24, 51, 67	0
All	All	536/574 (93%)	0.03	22 (4%) 41 40	13, 23, 50, 86	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	310	VAL	5.0
1	A	317	GLY	4.5
1	A	309	GLY	4.2
1	B	141	LEU	4.0
1	B	406	ALA	3.9
1	B	308	TYR	3.9
1	A	313	ASN	3.8
1	A	408	ALA	3.4
1	A	312	VAL	3.2
1	B	309	GLY	3.2
1	B	407	LYS	2.6
1	A	311	PRO	2.5
1	A	315	PRO	2.5
1	A	308	TYR	2.5
1	A	223	ASP	2.3
1	A	244	GLN	2.3
1	B	315	PRO	2.3
1	B	408	ALA	2.2
1	A	146	SER	2.2
1	A	246	HIS	2.1
1	B	300	HIS	2.1
1	B	307	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DWZ	A	501	26/26	0.71	0.19	34,67,98,99	0
2	DWZ	B	501	26/26	0.72	0.18	35,46,85,86	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DWZ A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DWZ B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.