



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 03:52 PM UTC

PDB ID : 6GSH / pdb_00006gsh
EMDB ID : EMD-0054
Title : Feline Calicivirus Strain F9
Authors : Conley, M.J.; Bhella, D.
Deposited on : 2018-06-14
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	669	80% 74% 5% 20%
1	B	669	79% 73% 6% 21%
1	C	669	80% 72% 7% 20%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 24297 atoms, of which 12040 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VP1.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	533	Total	C	H	N	O	S	0	0
			8100	2606	4014	680	789	11		
1	B	530	Total	C	H	N	O	S	0	0
			8071	2596	4000	680	784	11		
1	C	534	Total	C	H	N	O	S	0	0
			8123	2612	4026	684	790	11		

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ASN	ASP	conflict	UNP A2T4P8
A	21	VAL	ILE	conflict	UNP A2T4P8
A	23	ASP	ASN	conflict	UNP A2T4P8
A	73	ALA	SER	conflict	UNP A2T4P8
A	82	ALA	SER	conflict	UNP A2T4P8
A	90	ALA	GLU	conflict	UNP A2T4P8
A	94	ILE	LEU	conflict	UNP A2T4P8
A	108	GLY	ASN	conflict	UNP A2T4P8
A	127	GLY	-	insertion	UNP A2T4P8
A	133	ALA	THR	conflict	UNP A2T4P8
A	139	PRO	MET	conflict	UNP A2T4P8
A	148	SER	ASN	conflict	UNP A2T4P8
A	149	ALA	THR	conflict	UNP A2T4P8
A	304	SER	THR	conflict	UNP A2T4P8
A	319	ALA	PRO	conflict	UNP A2T4P8
A	345	LYS	ARG	conflict	UNP A2T4P8
A	355	HIS	TYR	conflict	UNP A2T4P8
A	357	THR	SER	conflict	UNP A2T4P8
A	363	VAL	ILE	conflict	UNP A2T4P8
A	392	ILE	MET	conflict	UNP A2T4P8
A	402	ALA	SER	conflict	UNP A2T4P8
A	429	LYS	THR	conflict	UNP A2T4P8
A	440	ASN	ASP	conflict	UNP A2T4P8
A	441	LYS	GLN	conflict	UNP A2T4P8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	442	SER	THR	conflict	UNP A2T4P8
A	447	THR	VAL	conflict	UNP A2T4P8
A	449	ALA	PRO	conflict	UNP A2T4P8
A	450	ALA	SER	conflict	UNP A2T4P8
A	451	GLY	ARG	conflict	UNP A2T4P8
A	452	TYR	PHE	conflict	UNP A2T4P8
A	454	GLY	ALA	conflict	UNP A2T4P8
A	456	ASP	ILE	conflict	UNP A2T4P8
A	457	VAL	THR	conflict	UNP A2T4P8
A	472	SER	ALA	conflict	UNP A2T4P8
A	493	LYS	ARG	conflict	UNP A2T4P8
A	494	VAL	GLU	conflict	UNP A2T4P8
A	495	ASP	ASN	conflict	UNP A2T4P8
A	497	ALA	LYS	conflict	UNP A2T4P8
A	498	ILE	LEU	conflict	UNP A2T4P8
A	499	GLU	ILE	conflict	UNP A2T4P8
A	506	MET	ALA	conflict	UNP A2T4P8
A	515	THR	ALA	conflict	UNP A2T4P8
A	519	LYS	ALA	conflict	UNP A2T4P8
A	529	SER	ALA	conflict	UNP A2T4P8
A	539	GLN	GLU	conflict	UNP A2T4P8
A	543	SER	ALA	conflict	UNP A2T4P8
A	603	PRO	ALA	conflict	UNP A2T4P8
A	615	SER	CYS	conflict	UNP A2T4P8
A	636	SER	ASN	conflict	UNP A2T4P8
A	665	SER	THR	conflict	UNP A2T4P8
B	13	ASN	ASP	conflict	UNP A2T4P8
B	21	VAL	ILE	conflict	UNP A2T4P8
B	23	ASP	ASN	conflict	UNP A2T4P8
B	73	ALA	SER	conflict	UNP A2T4P8
B	82	ALA	SER	conflict	UNP A2T4P8
B	90	ALA	GLU	conflict	UNP A2T4P8
B	94	ILE	LEU	conflict	UNP A2T4P8
B	108	GLY	ASN	conflict	UNP A2T4P8
B	127	GLY	-	insertion	UNP A2T4P8
B	133	ALA	THR	conflict	UNP A2T4P8
B	139	PRO	MET	conflict	UNP A2T4P8
B	148	SER	ASN	conflict	UNP A2T4P8
B	149	ALA	THR	conflict	UNP A2T4P8
B	304	SER	THR	conflict	UNP A2T4P8
B	319	ALA	PRO	conflict	UNP A2T4P8
B	345	LYS	ARG	conflict	UNP A2T4P8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	355	HIS	TYR	conflict	UNP A2T4P8
B	357	THR	SER	conflict	UNP A2T4P8
B	363	VAL	ILE	conflict	UNP A2T4P8
B	392	ILE	MET	conflict	UNP A2T4P8
B	402	ALA	SER	conflict	UNP A2T4P8
B	429	LYS	THR	conflict	UNP A2T4P8
B	440	ASN	ASP	conflict	UNP A2T4P8
B	441	LYS	GLN	conflict	UNP A2T4P8
B	442	SER	THR	conflict	UNP A2T4P8
B	447	THR	VAL	conflict	UNP A2T4P8
B	449	ALA	PRO	conflict	UNP A2T4P8
B	450	ALA	SER	conflict	UNP A2T4P8
B	451	GLY	ARG	conflict	UNP A2T4P8
B	452	TYR	PHE	conflict	UNP A2T4P8
B	454	GLY	ALA	conflict	UNP A2T4P8
B	456	ASP	ILE	conflict	UNP A2T4P8
B	457	VAL	THR	conflict	UNP A2T4P8
B	472	SER	ALA	conflict	UNP A2T4P8
B	493	LYS	ARG	conflict	UNP A2T4P8
B	494	VAL	GLU	conflict	UNP A2T4P8
B	495	ASP	ASN	conflict	UNP A2T4P8
B	497	ALA	LYS	conflict	UNP A2T4P8
B	498	ILE	LEU	conflict	UNP A2T4P8
B	499	GLU	ILE	conflict	UNP A2T4P8
B	506	MET	ALA	conflict	UNP A2T4P8
B	515	THR	ALA	conflict	UNP A2T4P8
B	519	LYS	ALA	conflict	UNP A2T4P8
B	529	SER	ALA	conflict	UNP A2T4P8
B	539	GLN	GLU	conflict	UNP A2T4P8
B	543	SER	ALA	conflict	UNP A2T4P8
B	603	PRO	ALA	conflict	UNP A2T4P8
B	615	SER	CYS	conflict	UNP A2T4P8
B	636	SER	ASN	conflict	UNP A2T4P8
B	665	SER	THR	conflict	UNP A2T4P8
C	13	ASN	ASP	conflict	UNP A2T4P8
C	21	VAL	ILE	conflict	UNP A2T4P8
C	23	ASP	ASN	conflict	UNP A2T4P8
C	73	ALA	SER	conflict	UNP A2T4P8
C	82	ALA	SER	conflict	UNP A2T4P8
C	90	ALA	GLU	conflict	UNP A2T4P8
C	94	ILE	LEU	conflict	UNP A2T4P8
C	108	GLY	ASN	conflict	UNP A2T4P8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	127	GLY	-	insertion	UNP A2T4P8
C	133	ALA	THR	conflict	UNP A2T4P8
C	139	PRO	MET	conflict	UNP A2T4P8
C	148	SER	ASN	conflict	UNP A2T4P8
C	149	ALA	THR	conflict	UNP A2T4P8
C	304	SER	THR	conflict	UNP A2T4P8
C	319	ALA	PRO	conflict	UNP A2T4P8
C	345	LYS	ARG	conflict	UNP A2T4P8
C	355	HIS	TYR	conflict	UNP A2T4P8
C	357	THR	SER	conflict	UNP A2T4P8
C	363	VAL	ILE	conflict	UNP A2T4P8
C	392	ILE	MET	conflict	UNP A2T4P8
C	402	ALA	SER	conflict	UNP A2T4P8
C	429	LYS	THR	conflict	UNP A2T4P8
C	440	ASN	ASP	conflict	UNP A2T4P8
C	441	LYS	GLN	conflict	UNP A2T4P8
C	442	SER	THR	conflict	UNP A2T4P8
C	447	THR	VAL	conflict	UNP A2T4P8
C	449	ALA	PRO	conflict	UNP A2T4P8
C	450	ALA	SER	conflict	UNP A2T4P8
C	451	GLY	ARG	conflict	UNP A2T4P8
C	452	TYR	PHE	conflict	UNP A2T4P8
C	454	GLY	ALA	conflict	UNP A2T4P8
C	456	ASP	ILE	conflict	UNP A2T4P8
C	457	VAL	THR	conflict	UNP A2T4P8
C	472	SER	ALA	conflict	UNP A2T4P8
C	493	LYS	ARG	conflict	UNP A2T4P8
C	494	VAL	GLU	conflict	UNP A2T4P8
C	495	ASP	ASN	conflict	UNP A2T4P8
C	497	ALA	LYS	conflict	UNP A2T4P8
C	498	ILE	LEU	conflict	UNP A2T4P8
C	499	GLU	ILE	conflict	UNP A2T4P8
C	506	MET	ALA	conflict	UNP A2T4P8
C	515	THR	ALA	conflict	UNP A2T4P8
C	519	LYS	ALA	conflict	UNP A2T4P8
C	529	SER	ALA	conflict	UNP A2T4P8
C	539	GLN	GLU	conflict	UNP A2T4P8
C	543	SER	ALA	conflict	UNP A2T4P8
C	603	PRO	ALA	conflict	UNP A2T4P8
C	615	SER	CYS	conflict	UNP A2T4P8
C	636	SER	ASN	conflict	UNP A2T4P8
C	665	SER	THR	conflict	UNP A2T4P8


- Molecule 2 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total 1	K 1	0
2	B	1	Total 1	K 1	0
2	C	1	Total 1	K 1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: VP1





• Molecule 1: VP1

Chain B:





 N661
 I662
 R663
 SER
 SER
 MET
 THR
 LYS
 LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	41436	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CTF correction was implemented through Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	63	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	75000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.459	Depositor
Minimum map value	-0.255	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.028	Depositor
Recommended contour level	0.05	Depositor
Map size ($\text{\AA}$)	545.28, 545.28, 545.28	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.065, 1.065, 1.065	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/4188	0.53	4/5711 (0.1%)
1	B	0.38	0/4173	0.51	4/5688 (0.1%)
1	C	0.40	0/4199	0.55	1/5725 (0.0%)
All	All	0.39	0/12560	0.53	9/17124 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	642	PHE	N-CA-C	7.83	127.11	109.81
1	A	642	PHE	N-CA-C	7.57	126.54	109.81
1	B	641	GLU	N-CA-C	-6.96	99.37	109.59
1	A	641	GLU	N-CA-C	-5.75	101.39	109.96
1	A	642	PHE	CA-C-N	-5.33	113.18	119.84
1	A	642	PHE	C-N-CA	-5.33	113.18	119.84
1	C	472	SER	N-CA-C	5.11	116.89	110.91
1	B	642	PHE	CA-C-N	-5.08	113.49	119.84
1	B	642	PHE	C-N-CA	-5.08	113.49	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4086	4014	4017	23	0
1	B	4071	4000	4003	29	0
1	C	4097	4026	4030	31	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
All	All	12257	12040	12050	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:360:THR:O	1:B:642:PHE:CE1	1.87	1.26
1:C:616:ASN:ND2	1:C:641:GLU:OE2	1.93	1.01
1:B:446:ILE:O	1:B:576:TYR:OH	1.83	0.96
1:B:360:THR:O	1:B:642:PHE:CD1	2.31	0.83
1:C:473:LEU:O	1:C:483:SER:OG	1.97	0.81
1:C:570:ASN:OD1	1:C:585:ASN:ND2	2.15	0.78
1:A:587:GLN:OE1	1:A:592:SER:OG	2.03	0.77
1:A:502:ASN:OD1	1:A:550:ARG:NH2	2.19	0.75
1:B:372:ASN:OD1	1:B:385:SER:OG	2.08	0.71
1:C:465:LYS:O	1:C:534:THR:OG1	2.04	0.70
1:A:548:VAL:O	1:A:550:ARG:NH2	2.25	0.69
1:C:548:VAL:O	1:C:550:ARG:NH1	2.26	0.69
1:A:472:SER:OG	1:A:484:ASN:O	2.12	0.68
1:B:616:ASN:HB2	1:B:641:GLU:OE2	1.94	0.67
1:B:438:ILE:HD12	1:B:576:TYR:CE2	2.30	0.66
1:A:560:ARG:NH2	1:A:604:PRO:O	2.29	0.65
1:A:616:ASN:OD1	1:A:641:GLU:HG3	1.97	0.65
1:A:513:GLN:NE2	1:A:526:ASP:OD1	2.30	0.64
1:B:360:THR:O	1:B:642:PHE:CZ	2.47	0.64
1:C:560:ARG:NH2	1:C:604:PRO:O	2.31	0.64
1:B:484:ASN:O	1:B:513:GLN:NE2	2.31	0.63
1:B:593:ARG:O	1:B:596:SER:OG	2.14	0.63
1:C:642:PHE:O	1:C:644:LEU:N	2.34	0.60
1:C:641:GLU:OE1	1:C:641:GLU:N	2.36	0.58
1:B:339:PRO:O	1:B:610:TYR:OH	2.21	0.57
1:C:615:SER:HB2	1:C:641:GLU:HG2	1.86	0.56
1:B:587:GLN:OE1	1:B:592:SER:OG	2.16	0.56
1:C:339:PRO:O	1:C:610:TYR:OH	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:612:ILE:CD1	1:B:622:ILE:HD12	2.37	0.55
1:B:438:ILE:HD12	1:B:576:TYR:HE2	1.74	0.53
1:B:533:TYR:OH	1:B:547:ARG:NH1	2.40	0.52
1:A:404:LEU:HD11	1:A:498:ILE:HG23	1.92	0.52
1:A:210:VAL:HG23	1:A:333:LEU:HD22	1.92	0.51
1:C:612:ILE:HG23	1:C:644:LEU:HD13	1.92	0.51
1:B:357:THR:O	1:B:570:ASN:ND2	2.44	0.50
1:A:404:LEU:HD11	1:A:498:ILE:CG2	2.41	0.50
1:C:258:ASP:OD1	1:C:259:ALA:N	2.45	0.50
1:B:258:ASP:OD1	1:B:259:ALA:N	2.45	0.50
1:B:362:PHE:CD1	1:B:362:PHE:N	2.79	0.49
1:B:460:ASN:ND2	1:B:462:THR:HG22	2.27	0.49
1:A:355:HIS:CD2	1:A:357:THR:HG23	2.48	0.49
1:C:479:ASP:CG	1:C:516:HIS:HD1	2.21	0.49
1:C:616:ASN:CG	1:C:641:GLU:OE2	2.54	0.48
1:C:578:ILE:HG22	1:C:578:ILE:O	2.13	0.48
1:A:198:LEU:O	1:A:315:THR:OG1	2.29	0.47
1:A:219:ARG:NH2	1:A:314:GLU:OE1	2.45	0.47
1:C:587:GLN:OE1	1:C:592:SER:OG	2.13	0.47
1:B:265:VAL:HG12	1:C:131:ILE:HD11	1.96	0.47
1:A:404:LEU:HD13	1:A:404:LEU:O	2.13	0.47
1:C:560:ARG:NH1	1:C:625:ASP:OD1	2.49	0.46
1:C:462:THR:HG22	1:C:464:PHE:H	1.80	0.46
1:A:250:LEU:HD13	1:A:293:TYR:CD1	2.50	0.46
1:B:470:CYS:CB	1:B:528:LEU:HD12	2.45	0.46
1:C:243:PRO:HB3	1:C:249:MET:HE2	1.98	0.46
1:C:215:SER:OG	1:C:320:ASP:OD1	2.24	0.45
1:C:474:GLN:CD	1:C:474:GLN:O	2.59	0.45
1:A:258:ASP:OD1	1:A:259:ALA:N	2.50	0.45
1:B:219:ARG:NH2	1:B:314:GLU:OE1	2.50	0.44
1:B:578:ILE:O	1:B:578:ILE:HG22	2.17	0.44
1:B:642:PHE:O	1:B:642:PHE:CD2	2.71	0.44
1:C:236:VAL:HG23	1:C:236:VAL:O	2.18	0.44
1:A:236:VAL:O	1:A:236:VAL:HG23	2.18	0.44
1:B:438:ILE:HD12	1:B:576:TYR:CD2	2.52	0.44
1:C:492:THR:HG22	1:C:508:LYS:HE2	1.98	0.44
1:B:354:ARG:NH1	1:B:423:ASP:OD1	2.51	0.44
1:A:163:VAL:O	1:A:163:VAL:HG13	2.18	0.43
1:B:576:TYR:O	1:B:576:TYR:CD1	2.70	0.43
1:C:219:ARG:N	1:C:314:GLU:O	2.51	0.43
1:A:360:THR:O	1:A:642:PHE:CE1	2.72	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:541:ILE:HD12	1:C:583:VAL:HG22	2.01	0.43
1:B:625:ASP:OD1	1:B:626:SER:N	2.51	0.43
1:C:545:ARG:NH1	1:C:556:GLU:OE2	2.50	0.42
1:C:355:HIS:CD2	1:C:357:THR:HG23	2.54	0.42
1:B:360:THR:C	1:B:642:PHE:CE1	2.85	0.42
1:A:222:ILE:HG12	1:A:311:VAL:HG22	2.01	0.41
1:C:625:ASP:OD1	1:C:626:SER:N	2.53	0.41
1:A:303:ASP:OD1	1:A:304:SER:N	2.54	0.41
1:C:236:VAL:HG12	1:C:288:LEU:HD13	2.02	0.41
1:C:456:ASP:OD1	1:C:457:VAL:N	2.53	0.41
1:B:470:CYS:HB2	1:B:528:LEU:HD12	2.03	0.41
1:A:616:ASN:OD1	1:A:641:GLU:CG	2.67	0.40
1:A:352:GLY:O	1:A:389:TYR:OH	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	531/669 (79%)	484 (91%)	45 (8%)	2 (0%)	30	65
1	B	528/669 (79%)	478 (90%)	49 (9%)	1 (0%)	43	76
1	C	532/669 (80%)	480 (90%)	50 (9%)	2 (0%)	30	65
All	All	1591/2007 (79%)	1442 (91%)	144 (9%)	5 (0%)	37	70

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	143	VAL
1	B	642	PHE
1	A	642	PHE
1	C	516	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	471	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	417/572 (73%)	416 (100%)	1 (0%)	87	92
1	B	451/572 (79%)	449 (100%)	2 (0%)	84	90
1	C	454/572 (79%)	451 (99%)	3 (1%)	76	86
All	All	1322/1716 (77%)	1316 (100%)	6 (0%)	78	89

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	642	PHE
1	B	516	HIS
1	B	642	PHE
1	C	489	THR
1	C	641	GLU
1	C	642	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	335	HIS
1	C	335	HIS
1	C	461	ASN
1	C	594	GLN
1	C	599	HIS
1	C	616	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0054. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 203



Y Index: 203




Z Index: 203


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 5428 nm³; this corresponds to an approximate mass of 4903 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.02	3.29	3.08
Unmasked-calculated*	-	-	-


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0054 and PDB model 6GSH. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 0% of all backbone atoms, 0% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.0000	-0.0000
A	0.0000	0.0000
B	0.0000	-0.0000
C	0.0000	0.0000

