



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 12:40 AM UTC

PDB ID : 6GSZ / pdb_00006gsz
Title : Crystal structure of native alfa-L-rhamnosidase from *Aspergillus terreus*
Authors : Pachl, P.; Rezacova, P.; Skerlova, J.
Deposited on : 2018-06-15
Resolution : 1.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4403 (1.40-1.36)
Clashscore	190562	4528 (1.40-1.36)
Ramachandran outliers	187476	4459 (1.40-1.36)
Sidechain outliers	187428	4458 (1.40-1.36)
RSRZ outliers	180081	4399 (1.40-1.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	870	2% 94% 5%
2	B	4	25% 75%
3	C	7	43% 57%
4	D	5	40% 40% 20%
5	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	F	6	33% 50% 17%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	ACT	A	962[A]	-	-	X	-
15	ACT	A	962[B]	-	-	X	-
15	ACT	A	965	-	-	X	-

2 Entry composition [i](#)

There are 18 unique types of molecules in this entry. The entry contains 8788 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-L-rhamnosidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	863	6963	4423	1189	1335	16	0	34	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	4	50	28	2	20	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	7	83	46	2	35	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	F	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	1
			28	16	2	10		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	21	Total	Ca	0	0
			21	21		

- Molecule 9 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			16	10	6		
9	A	1	Total	C	O	0	0
			15	10	5		
9	A	1	Total	C	O	0	1
			16	10	6		

- Molecule 10 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			13	8	5		

- Molecule 11 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			9	6	3		
11	A	1	Total	C	O	0	0
			9	6	3		
11	A	1	Total	C	O	0	0
			10	6	4		
11	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 12 is 2-(2-METHOXYETHOXY)ETHANOL (CCD ID: PG0) (formula: C₅H₁₂O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			7	4	3		
12	A	1	Total	C	O	0	0
			8	5	3		
12	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 13 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 14 is (2R,3S)-1,4-DIMERCAPTOBUTANE-2,3-DIOL (CCD ID: DTU) (formula: $C_4H_{10}O_2S_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	A	1	Total	C	O	S	
			16	8	4	4	

- Molecule 15 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	A	1	Total	C	O		
			4	2	2	0	0
15	A	1	Total	C	O		
			8	4	4	0	1
15	A	1	Total	C	O		
			4	2	2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	A	1	Total	C	O	0	0
			4	2	2		
15	A	1	Total	C	O	0	0
			4	2	2		
15	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 16 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (CCD ID: MPO) (formula: C₇H₁₅NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	A	1	Total	C	N	O	S	0	1
			13	7	1	4	1		

- Molecule 17 is beta-D-glucopyranose (CCD ID: BGC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
17	A	1	Total	C	O	0	1
			12	6	6		


- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	1254	Total	O	0	41
			1275	1275		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-L-rhamnosidase



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

MAG1
MAG2

- Molecule 6: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain F:  33% 50% 17%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.26Å 106.25Å 119.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.82 – 1.38 45.82 – 1.38	Depositor EDS
% Data completeness (in resolution range)	90.9 (45.82-1.38) 90.9 (45.82-1.38)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.38Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.134 , 0.168 0.138 , 0.169	Depositor DCC
R_{free} test set	10709 reflections (4.54%)	wwPDB-VP
Wilson B-factor (Å ²)	13.3	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8788	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MAN, PG4, 1PE, DTU, BGC, MPO, PG0, BMA, PGE, ACT, EDO, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	3/7261 (0.0%)	0.93	7/9886 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	49	ALA	C-O	7.18	1.32	1.23
1	A	673[A]	GLU	C-O	5.58	1.30	1.24
1	A	673[B]	GLU	C-O	5.58	1.30	1.24

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	673[A]	GLU	CA-C-O	7.70	128.71	120.55
1	A	673[B]	GLU	CA-C-O	7.70	128.71	120.55
1	A	856	ASP	CA-CB-CG	6.25	118.85	112.60
1	A	287	THR	CA-CB-OG1	-6.12	100.42	109.60
1	A	584	ASP	CA-CB-CG	5.86	118.46	112.60
1	A	333	PHE	CA-CB-CG	-5.64	108.16	113.80
1	A	762	HIS	CA-CB-CG	5.29	119.09	113.80

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	29[A]	ARG	Sidechain
1	A	29[B]	ARG	Sidechain
1	A	48	ARG	Sidechain
1	A	721	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6963	0	6683	34	0
2	B	50	0	43	0	0
3	C	83	0	68	0	0
4	D	61	0	51	1	0
5	E	28	0	25	0	0
6	F	72	0	61	2	0
7	A	42	0	39	1	0
8	A	21	0	0	0	0
9	A	47	0	63	2	0
10	A	13	0	18	0	0
11	A	38	0	50	1	0
12	A	22	0	29	2	0
13	A	4	0	6	1	0
14	A	16	0	18	5	0
15	A	28	0	21	12	0
16	A	13	0	14	1	0
17	A	12	0	11	1	0
18	A	1275	0	0	12	0
All	All	8788	0	7200	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344[B]:ARG:HG2	1:A:389[B]:GLU:HG2	1.57	0.86
17:A:968[A]:BGC:H1	18:A:1168:HOH:O	1.79	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:ARG:HB2	15:A:962[A]:ACT:H3	1.64	0.77
18:A:1002:HOH:O	6:F:6:MAN:O6	2.04	0.75
1:A:308:PRO:HD2	13:A:958:EDO:O2	1.93	0.69
1:A:311:ARG:HH12	15:A:962[B]:ACT:H2	1.61	0.65
1:A:342:ARG:NH2	9:A:955[A]:1PE:H242	2.14	0.62
11:A:956:PGE:H62	11:A:956:PGE:O2	2.01	0.61
12:A:957:PG0:H11	18:A:1438:HOH:O	2.03	0.59
1:A:311:ARG:HH22	15:A:962[B]:ACT:CH3	2.18	0.57
1:A:308:PRO:HA	15:A:962[A]:ACT:H2	1.88	0.56
14:A:960[B]:DTU:S1	14:A:960[B]:DTU:C4	2.95	0.55
1:A:308:PRO:CB	15:A:962[A]:ACT:H2	2.37	0.54
1:A:308:PRO:HB3	15:A:962[A]:ACT:H2	1.88	0.54
1:A:122:ARG:HD2	15:A:965:ACT:H3	1.90	0.53
14:A:960[A]:DTU:S4	14:A:960[A]:DTU:H1C2	2.49	0.53
18:A:1002:HOH:O	6:F:6:MAN:C6	2.56	0.52
1:A:692[B]:LYS:CE	1:A:724:GLU:HB2	2.41	0.51
14:A:960[B]:DTU:S1	14:A:960[B]:DTU:H4C2	2.52	0.50
1:A:311:ARG:HH22	15:A:962[B]:ACT:H1	1.74	0.50
1:A:419[B]:THR:HG22	1:A:420:ALA:N	2.25	0.50
1:A:828:GLY:N	14:A:960[A]:DTU:H2	2.27	0.50
1:A:639[B]:LYS:HE3	18:A:1546:HOH:O	2.11	0.49
1:A:828:GLY:N	14:A:960[B]:DTU:H1C1	2.28	0.48
1:A:285:ASN:HB3	18:A:1922:HOH:O	2.14	0.48
1:A:369:ARG:HD2	1:A:369:ARG:C	2.39	0.47
1:A:308:PRO:CA	15:A:962[A]:ACT:H2	2.44	0.46
1:A:122:ARG:CD	15:A:965:ACT:H3	2.46	0.46
1:A:692[B]:LYS:HE3	1:A:724:GLU:HB2	1.98	0.46
1:A:40[A]:ARG:HB3	1:A:88:SER:HA	1.97	0.46
1:A:445[A]:GLU:HG3	18:A:1021:HOH:O	2.17	0.45
16:A:967[A]:MPO:H71	18:A:1128:HOH:O	2.16	0.45
12:A:957:PG0:C1	18:A:1438:HOH:O	2.63	0.45
1:A:518:HIS:CE1	18:A:1697:HOH:O	2.70	0.44
1:A:342:ARG:HH22	9:A:955[A]:1PE:H242	1.82	0.44
1:A:308:PRO:HB3	15:A:962[A]:ACT:CH3	2.48	0.43
1:A:572:TRP:O	1:A:574:ARG:HD2	2.19	0.42
1:A:601:LEU:C	1:A:601:LEU:HD23	2.45	0.42
1:A:142:ASP:OD2	18:A:1003:HOH:O	2.21	0.42
1:A:462:CYS:HB3	1:A:762:HIS:CE1	2.54	0.42
1:A:564:ILE:HD13	1:A:607[A]:LEU:HD13	2.02	0.42
1:A:3:LEU:HG	1:A:94:THR:HG22	2.02	0.41
15:A:966:ACT:O	4:D:3:BMA:O2	2.39	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:GLY:O	1:A:384:GLY:HA2	2.20	0.41
1:A:701:HIS:CE1	1:A:702:LEU:HG	2.57	0.40
7:A:917[B]:NAG:H81	18:A:1982:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	893/870 (103%)	875 (98%)	17 (2%)	1 (0%)	48 20

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	463	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	756/734 (103%)	751 (99%)	5 (1%)	76 52

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	301	ARG
1	A	464	GLN
1	A	759	SER
1	A	763	TYR
1	A	765	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	HIS
1	A	134	GLN
1	A	165	GLN
1	A	186	ASN
1	A	416	ASN
1	A	684	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

24 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.69	0	17,19,21	1.15	1 (5%)
2	NAG	B	2	2	14,14,15	0.59	0	17,19,21	1.54	3 (17%)
2	BMA	B	3	2	11,11,12	0.47	0	15,15,17	0.95	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	B	4	2	11,11,12	0.49	0	15,15,17	1.38	3 (20%)
3	NAG	C	1	1,3	14,14,15	0.88	1 (7%)	17,19,21	0.67	0
3	NAG	C	2	8,3	14,14,15	0.77	0	17,19,21	1.50	4 (23%)
3	BMA	C	3	3	11,11,12	0.44	0	15,15,17	0.91	1 (6%)
3	MAN	C	4	3	11,11,12	0.51	0	15,15,17	0.57	0
3	MAN	C	5	8,3	11,11,12	1.36	2 (18%)	15,15,17	1.49	3 (20%)
3	MAN	C	6	3	11,11,12	0.46	0	15,15,17	0.76	0
3	MAN	C	7	3	11,11,12	0.32	0	15,15,17	0.69	0
4	NAG	D	1	4,1	14,14,15	1.41	2 (14%)	17,19,21	0.99	1 (5%)
4	NAG	D	2	4	14,14,15	0.62	0	17,19,21	0.76	0
4	BMA	D	3	4	11,11,12	0.86	1 (9%)	15,15,17	1.33	1 (6%)
4	MAN	D	4	4,8	11,11,12	0.52	0	15,15,17	1.08	0
4	MAN	D	5	4	11,11,12	1.36	2 (18%)	15,15,17	0.92	0
5	NAG	E	1	5,1	14,14,15	0.71	0	17,19,21	1.78	5 (29%)
5	NAG	E	2	5	14,14,15	0.42	0	17,19,21	0.96	0
6	NAG	F	1	6,1	14,14,15	0.68	1 (7%)	17,19,21	1.39	4 (23%)
6	NAG	F	2	6,8	14,14,15	0.60	0	17,19,21	1.01	1 (5%)
6	BMA	F	3	6	11,11,12	1.00	2 (18%)	15,15,17	1.48	3 (20%)
6	MAN	F	4	6	11,11,12	0.58	0	15,15,17	1.08	0
6	MAN	F	5	6	11,11,12	0.82	0	15,15,17	0.66	0
6	MAN	F	6	6	11,11,12	0.98	1 (9%)	15,15,17	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
2	BMA	B	3	2	-	0/2/19/22	0/1/1/1
2	MAN	B	4	2	-	0/2/19/22	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	8,3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1
3	MAN	C	4	3	-	0/2/19/22	0/1/1/1
3	MAN	C	5	8,3	-	0/2/19/22	0/1/1/1
3	MAN	C	6	3	-	0/2/19/22	0/1/1/1
3	MAN	C	7	3	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	D	2	4	-	0/6/23/26	0/1/1/1
4	BMA	D	3	4	-	0/2/19/22	0/1/1/1
4	MAN	D	4	4,8	-	2/2/19/22	0/1/1/1
4	MAN	D	5	4	-	1/2/19/22	0/1/1/1
5	NAG	E	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	0/6/23/26	0/1/1/1
6	NAG	F	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	F	2	6,8	-	0/6/23/26	0/1/1/1
6	BMA	F	3	6	-	0/2/19/22	0/1/1/1
6	MAN	F	4	6	-	0/2/19/22	0/1/1/1
6	MAN	F	5	6	-	0/2/19/22	0/1/1/1
6	MAN	F	6	6	-	0/2/19/22	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	NAG	C1-C2	3.27	1.56	1.52
4	D	1	NAG	O5-C1	-3.26	1.38	1.43
3	C	5	MAN	O2-C2	3.01	1.49	1.43
4	D	5	MAN	O4-C4	2.81	1.49	1.43
6	F	6	MAN	O4-C4	2.59	1.49	1.43
3	C	5	MAN	C2-C3	2.40	1.56	1.52
3	C	1	NAG	O5-C1	-2.37	1.39	1.43
4	D	5	MAN	C2-C3	2.37	1.56	1.52
4	D	3	BMA	O5-C1	-2.34	1.39	1.43
6	F	3	BMA	C2-C3	2.33	1.56	1.52
6	F	1	NAG	C1-C2	-2.27	1.49	1.52
6	F	3	BMA	O3-C3	2.08	1.48	1.43

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	3	BMA	C1-O5-C5	3.98	117.52	112.19
2	B	2	NAG	C1-O5-C5	3.38	116.71	112.19
2	B	1	NAG	O5-C1-C2	-3.29	106.20	111.29
2	B	2	NAG	C4-C3-C2	3.25	115.78	111.02
5	E	1	NAG	O7-C7-N2	3.14	127.53	121.98
5	E	1	NAG	C1-O5-C5	3.13	116.38	112.19
2	B	4	MAN	O5-C5-C6	3.10	113.69	107.66
5	E	1	NAG	O7-C7-C8	-3.02	116.67	122.05
3	C	5	MAN	O2-C2-C1	2.78	115.58	109.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	3	BMA	C2-C3-C4	-2.72	106.08	110.86
3	C	5	MAN	C1-C2-C3	-2.62	105.84	109.64
3	C	2	NAG	O7-C7-N2	2.59	126.56	121.98
3	C	5	MAN	O2-C2-C3	2.53	115.40	110.15
2	B	4	MAN	O6-C6-C5	-2.46	102.94	111.33
3	C	2	NAG	C8-C7-N2	-2.38	112.17	116.12
3	C	2	NAG	C1-O5-C5	-2.36	109.02	112.19
5	E	1	NAG	O4-C4-C5	-2.32	103.61	109.32
3	C	2	NAG	C6-C5-C4	-2.32	107.33	113.02
6	F	1	NAG	O5-C5-C4	-2.31	105.20	110.83
6	F	3	BMA	C3-C4-C5	2.31	114.43	110.23
6	F	1	NAG	C1-O5-C5	2.29	115.25	112.19
3	C	3	BMA	C1-O5-C5	2.26	115.22	112.19
6	F	1	NAG	O3-C3-C2	-2.23	104.78	109.40
6	F	2	NAG	O4-C4-C5	-2.16	104.02	109.32
6	F	1	NAG	C6-C5-C4	2.14	118.27	113.02
5	E	1	NAG	C1-C2-N2	-2.13	107.08	110.43
2	B	4	MAN	O4-C4-C5	-2.10	104.14	109.32
2	B	2	NAG	C8-C7-N2	-2.10	112.64	116.12
4	D	1	NAG	O4-C4-C5	-2.08	104.19	109.32
6	F	3	BMA	O5-C5-C4	2.05	115.81	110.83

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	7	MAN	O5-C5-C6-O6
4	D	4	MAN	C4-C5-C6-O6
3	C	7	MAN	C4-C5-C6-O6
4	D	4	MAN	O5-C5-C6-O6
5	E	1	NAG	C3-C2-N2-C7
4	D	5	MAN	C4-C5-C6-O6
5	E	1	NAG	C1-C2-N2-C7
6	F	1	NAG	C1-C2-N2-C7
4	D	1	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	6	MAN	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	3	BMA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 21 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	1PE	A	948	-	15,15,15	0.64	0	14,14,14	0.91	1 (7%)
14	DTU	A	960[B]	1	7,7,7	1.00	0	4,8,8	2.10	1 (25%)
11	PGE	A	953	-	8,8,9	0.39	0	7,7,8	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	ACT	A	962[A]	-	3,3,3	1.07	0	3,3,3	0.57	0
15	ACT	A	963	-	3,3,3	1.02	0	3,3,3	0.15	0
7	NAG	A	917[A]	1	14,14,15	1.58	4 (28%)	17,19,21	1.85	5 (29%)
12	PG0	A	951	-	6,6,7	0.45	0	5,5,6	0.70	0
12	PG0	A	952	-	7,7,7	0.37	0	6,6,6	0.56	0
11	PGE	A	950	-	8,8,9	0.62	0	7,7,8	0.77	0
15	ACT	A	964	-	3,3,3	0.79	0	3,3,3	1.03	0
15	ACT	A	961	-	3,3,3	0.97	0	3,3,3	0.44	0
10	PG4	A	949	-	12,12,12	0.64	0	11,11,11	1.10	1 (9%)
9	1PE	A	955[A]	-	15,15,15	0.54	0	14,14,14	0.76	0
15	ACT	A	962[B]	-	3,3,3	0.72	0	3,3,3	1.55	0
7	NAG	A	920	1	14,14,15	0.64	0	17,19,21	1.06	2 (11%)
17	BGC	A	968[A]	-	12,12,12	1.62	2 (16%)	17,17,17	2.63	10 (58%)
11	PGE	A	959	-	9,9,9	0.45	0	8,8,8	0.99	0
7	NAG	A	917[B]	1	14,14,15	1.17	2 (14%)	17,19,21	2.37	4 (23%)
12	PG0	A	957	8	6,6,7	0.85	0	5,5,6	0.69	0
15	ACT	A	965	-	3,3,3	1.31	1 (33%)	3,3,3	0.83	0
9	1PE	A	954	-	14,14,15	0.62	0	13,13,14	0.94	1 (7%)
15	ACT	A	966	-	3,3,3	0.97	0	3,3,3	0.61	0
14	DTU	A	960[A]	1	7,7,7	0.98	0	4,8,8	1.16	0
16	MPO	A	967[A]	-	13,13,13	2.30	2 (15%)	17,17,17	1.50	2 (11%)
13	EDO	A	958	-	3,3,3	1.12	0	2,2,2	0.22	0
11	PGE	A	956	-	9,9,9	0.81	0	8,8,8	1.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	1PE	A	948	-	-	2/13/13/13	-
14	DTU	A	960[B]	1	-	4/8/8/8	-
11	PGE	A	953	-	-	2/6/6/7	-
7	NAG	A	917[A]	1	-	0/6/23/26	0/1/1/1
12	PG0	A	951	-	-	2/4/4/5	-
12	PG0	A	952	-	-	2/5/5/5	-
11	PGE	A	950	-	-	2/6/6/7	-
10	PG4	A	949	-	-	3/10/10/10	-
9	1PE	A	955[A]	-	-	3/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	920	1	-	0/6/23/26	0/1/1/1
17	BGC	A	968[A]	-	-	0/2/22/22	0/1/1/1
11	PGE	A	959	-	-	3/7/7/7	-
7	NAG	A	917[B]	1	-	2/6/23/26	0/1/1/1
12	PG0	A	957	8	-	1/4/4/5	-
9	1PE	A	954	-	-	4/12/12/13	-
14	DTU	A	960[A]	1	-	5/8/8/8	-
16	MPO	A	967[A]	-	-	0/7/15/15	0/1/1/1
13	EDO	A	958	-	-	1/1/1/1	-
11	PGE	A	956	-	-	3/7/7/7	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	A	967[A]	MPO	O2-S1	6.18	1.62	1.45
16	A	967[A]	MPO	C1-S1	-4.83	1.70	1.77
7	A	917[A]	NAG	C1-C2	4.05	1.57	1.52
17	A	968[A]	BGC	O3-C3	-3.97	1.33	1.43
17	A	968[A]	BGC	C4-C5	-3.51	1.45	1.53
7	A	917[B]	NAG	C1-C2	2.93	1.56	1.52
7	A	917[B]	NAG	O5-C1	-2.37	1.39	1.43
7	A	917[A]	NAG	O5-C1	-2.27	1.39	1.43
7	A	917[A]	NAG	C3-C2	2.18	1.57	1.52
7	A	917[A]	NAG	C2-N2	2.09	1.49	1.46
15	A	965	ACT	O-C	2.03	1.31	1.22

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	917[B]	NAG	C1-O5-C5	-7.67	101.91	112.19
16	A	967[A]	MPO	O3-S1-C1	4.91	115.61	106.00
17	A	968[A]	BGC	O2-C2-C1	-4.78	98.21	109.25
7	A	917[A]	NAG	O3-C3-C4	-3.99	100.98	110.38
14	A	960[B]	DTU	C3-C4-S4	3.79	125.01	114.43
17	A	968[A]	BGC	C4-C3-C2	3.66	117.26	110.83
17	A	968[A]	BGC	O3-C3-C4	-3.64	101.80	110.38
17	A	968[A]	BGC	O1-C1-O5	3.39	120.49	110.41
17	A	968[A]	BGC	O5-C5-C4	3.30	115.64	109.70
17	A	968[A]	BGC	C6-C5-C4	-3.28	104.95	113.02
7	A	917[B]	NAG	O5-C5-C4	-3.07	103.35	110.83
17	A	968[A]	BGC	C3-C4-C5	-3.06	104.69	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	A	968[A]	BGC	O4-C4-C3	2.94	117.30	110.38
16	A	967[A]	MPO	O2-S1-O1	-2.86	104.53	113.82
7	A	917[B]	NAG	C6-C5-C4	2.85	120.01	113.02
7	A	917[B]	NAG	C3-C4-C5	-2.82	105.11	110.23
7	A	917[A]	NAG	C1-O5-C5	2.76	115.89	112.19
7	A	917[A]	NAG	O3-C3-C2	2.62	114.84	109.40
7	A	917[A]	NAG	O7-C7-C8	-2.55	117.52	122.05
17	A	968[A]	BGC	C1-O5-C5	-2.49	108.84	113.65
17	A	968[A]	BGC	O5-C5-C6	2.45	112.51	106.44
9	A	948	1PE	OH4-C13-C23	-2.38	99.51	110.35
10	A	949	PG4	O2-C2-C1	-2.29	100.01	110.11
7	A	917[A]	NAG	C4-C3-C2	2.14	114.15	111.02
7	A	920	NAG	O7-C7-N2	2.11	125.71	121.98
7	A	920	NAG	O7-C7-C8	-2.10	118.32	122.05
9	A	954	1PE	C26-OH6-C15	2.03	122.16	113.26

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	960[A]	DTU	S1-C1-C2-C3
14	A	960[A]	DTU	C2-C3-C4-S4
14	A	960[A]	DTU	O3-C3-C4-S4
14	A	960[B]	DTU	S1-C1-C2-O2
14	A	960[B]	DTU	S1-C1-C2-C3
14	A	960[B]	DTU	C2-C3-C4-S4
14	A	960[B]	DTU	O3-C3-C4-S4
11	A	956	PGE	C3-C4-O3-C5
11	A	959	PGE	O2-C3-C4-O3
11	A	959	PGE	O1-C1-C2-O2
7	A	917[B]	NAG	C4-C5-C6-O6
10	A	949	PG4	O1-C1-C2-O2
12	A	951	PG0	O1-C3-C4-O2
7	A	917[B]	NAG	O5-C5-C6-O6
11	A	956	PGE	O1-C1-C2-O2
11	A	953	PGE	O1-C1-C2-O2
12	A	957	PG0	OTT-C1-C2-O1
14	A	960[A]	DTU	O2-C2-C3-C4
10	A	949	PG4	C5-C6-O4-C7
11	A	953	PGE	C1-C2-O2-C3
12	A	952	PG0	C4-C3-O1-C2
12	A	951	PG0	OTT-C1-C2-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	954	1PE	OH4-C13-C23-OH3
12	A	952	PG0	C1-C2-O1-C3
11	A	959	PGE	O3-C5-C6-O4
9	A	955[A]	1PE	OH6-C15-C25-OH5
9	A	954	1PE	C16-C26-OH6-C15
9	A	955[A]	1PE	OH5-C14-C24-OH4
9	A	948	1PE	C23-C13-OH4-C24
9	A	954	1PE	OH5-C14-C24-OH4
11	A	950	PGE	O2-C3-C4-O3
10	A	949	PG4	C8-C7-O4-C6
9	A	955[A]	1PE	OH4-C13-C23-OH3
13	A	958	EDO	O1-C1-C2-O2
9	A	948	1PE	OH5-C14-C24-OH4
14	A	960[A]	DTU	C1-C2-C3-C4
11	A	950	PGE	O3-C5-C6-O4
9	A	954	1PE	C12-C22-OH3-C23
11	A	956	PGE	C1-C2-O2-C3

There are no ring outliers.

13 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	A	960[B]	DTU	3	0
15	A	962[A]	ACT	6	0
9	A	955[A]	1PE	2	0
15	A	962[B]	ACT	3	0
17	A	968[A]	BGC	1	0
7	A	917[B]	NAG	1	0
12	A	957	PG0	2	0
15	A	965	ACT	2	0
15	A	966	ACT	1	0
14	A	960[A]	DTU	2	0
16	A	967[A]	MPO	1	0
13	A	958	EDO	1	0
11	A	956	PGE	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	863/870 (99%)	-0.29	16 (1%) 66 72	7, 15, 31, 70	34 (3%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	5.3
1	A	829	PHE	4.6
1	A	49	ALA	4.5
1	A	828	GLY	4.3
1	A	287	THR	2.9
1	A	821	GLY	2.9
1	A	850	LYS	2.5
1	A	411	THR	2.5
1	A	50	GLY	2.4
1	A	684	ASN	2.3
1	A	410	ASP	2.2
1	A	89	ASP	2.2
1	A	519	GLY	2.1
1	A	590	ASP	2.1
1	A	868	CYS	2.0
1	A	568	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	C	7	11/12	0.63	0.16	43,46,48,59	11
6	NAG	F	2	14/15	0.76	0.16	31,36,44,50	14
3	MAN	C	5	11/12	0.77	0.16	35,40,47,53	11
6	BMA	F	3	11/12	0.78	0.14	27,30,35,37	11
2	BMA	B	3	11/12	0.79	0.14	31,33,40,43	11
4	MAN	D	5	11/12	0.79	0.14	43,46,54,55	0
6	NAG	F	1	14/15	0.83	0.14	34,42,61,69	0
4	MAN	D	4	11/12	0.83	0.12	42,47,53,60	0
3	BMA	C	3	11/12	0.83	0.12	35,35,42,47	11
6	MAN	F	6	11/12	0.84	0.12	23,26,29,30	11
6	MAN	F	5	11/12	0.85	0.14	19,33,38,38	11
2	MAN	B	4	11/12	0.85	0.14	21,31,33,33	11
5	NAG	E	2	14/15	0.88	0.12	36,46,57,67	14
6	MAN	F	4	11/12	0.88	0.11	25,27,30,30	11
3	MAN	C	6	11/12	0.89	0.10	28,30,33,39	11
3	MAN	C	4	11/12	0.90	0.10	29,31,33,35	11
2	NAG	B	2	14/15	0.91	0.11	31,40,57,60	0
3	NAG	C	2	14/15	0.92	0.10	32,39,44,53	0
5	NAG	E	1	14/15	0.93	0.10	24,32,38,39	0
3	NAG	C	1	14/15	0.96	0.07	18,25,30,32	0
4	BMA	D	3	11/12	0.96	0.07	26,33,41,49	0
2	NAG	B	1	14/15	0.96	0.06	17,21,27,31	0
4	NAG	D	2	14/15	0.97	0.06	15,18,25,30	0
4	NAG	D	1	14/15	0.98	0.04	14,16,20,23	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	DTU	A	960[A]	8/8	0.67	0.18	45,47,51,57	8
14	DTU	A	960[B]	8/8	0.67	0.18	49,54,68,88	8
15	ACT	A	963	4/4	0.78	0.18	41,45,53,58	0
8	CA	A	941	1/1	0.79	0.25	41,41,41,41	1
8	CA	A	946	1/1	0.80	0.37	42,42,42,42	1
8	CA	A	936	1/1	0.80	0.14	46,46,46,46	1
15	ACT	A	966	4/4	0.82	0.14	34,35,38,39	4
8	CA	A	937	1/1	0.83	0.19	28,28,28,28	1
7	NAG	A	917[B]	14/15	0.83	0.17	23,33,44,47	14
15	ACT	A	961	4/4	0.83	0.15	43,49,52,62	0
7	NAG	A	917[A]	14/15	0.83	0.17	15,25,44,45	14

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	PGE	A	959	10/10	0.83	0.14	33,39,43,44	0
11	PGE	A	953	9/10	0.84	0.14	39,42,52,53	0
12	PG0	A	952	8/8	0.87	0.14	41,45,49,50	0
8	CA	A	943	1/1	0.88	0.22	43,43,43,43	1
8	CA	A	947	1/1	0.88	0.18	45,45,45,45	1
7	NAG	A	920	14/15	0.89	0.10	36,42,55,55	0
8	CA	A	939	1/1	0.89	0.09	49,49,49,49	1
9	1PE	A	954	15/16	0.89	0.16	21,27,41,41	15
9	1PE	A	955[A]	16/16	0.89	0.14	23,32,41,41	16
12	PG0	A	951	7/8	0.90	0.10	35,39,45,46	0
11	PGE	A	956	10/10	0.90	0.13	22,39,51,62	0
13	EDO	A	958	4/4	0.90	0.11	12,13,14,16	4
15	ACT	A	965	4/4	0.90	0.11	25,27,29,42	0
8	CA	A	945	1/1	0.90	0.20	45,45,45,45	1
12	PG0	A	957	7/8	0.91	0.11	27,32,33,36	0
15	ACT	A	964	4/4	0.91	0.12	28,37,39,42	0
16	MPO	A	967[A]	13/13	0.91	0.12	19,26,34,44	13
10	PG4	A	949	13/13	0.92	0.10	21,27,35,37	0
8	CA	A	933	1/1	0.92	0.12	37,37,37,37	1
8	CA	A	940	1/1	0.93	0.10	37,37,37,37	1
8	CA	A	938	1/1	0.93	0.07	45,45,45,45	1
17	BGC	A	968[A]	12/12	0.93	0.12	14,25,29,37	12
8	CA	A	942	1/1	0.94	0.09	42,42,42,42	1
9	1PE	A	948	16/16	0.94	0.10	18,24,39,44	0
8	CA	A	931	1/1	0.94	0.22	40,40,40,40	0
15	ACT	A	962[A]	4/4	0.95	0.07	15,16,17,24	4
15	ACT	A	962[B]	4/4	0.95	0.07	14,17,17,26	4
8	CA	A	944	1/1	0.95	0.08	46,46,46,46	1
11	PGE	A	950	9/10	0.95	0.10	24,31,40,47	0
8	CA	A	935	1/1	0.97	0.19	32,32,32,32	1
8	CA	A	932	1/1	0.97	0.13	36,36,36,36	1
8	CA	A	934	1/1	0.97	0.22	35,35,35,35	1
8	CA	A	930	1/1	0.98	0.19	31,31,31,31	1
8	CA	A	928	1/1	0.99	0.06	22,22,22,22	1
8	CA	A	929	1/1	1.00	0.05	20,20,20,20	1
8	CA	A	927	1/1	1.00	0.01	13,13,13,13	0

6.5 Other polymers

There are no such residues in this entry.