



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 09:19 PM UTC

PDB ID : 1GTL / pdb_00001gtl
Title : The thermostable serine-carboxyl type proteinase, kumamolisin (KSCP) - complex with Ac-Ile-Pro-Phe-cho
Authors : Comellas-Bigler, M.; Fuentes-Prior, P.; Maskos, K.; Huber, R.; Oyama, H.; Uchida, K.; Dunn, B.M.; Oda, K.; Bode, W.
Deposited on : 2002-01-16
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	1	357	57% 39% .
1	2	357	58% 35% 6%
2	3	4	25% 75%
2	4	4	25% 50% 25%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called KUMAMOLYSIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1	357	Total	C	N	O	S	43	0	0
			2563	1612	434	513	4			
1	2	357	Total	C	N	O	S	50	0	0
			2563	1612	434	513	4			

- Molecule 2 is a protein called ALDEHYDE INHIBITOR.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	3	4	Total	C	N	O	0	0	0
			29	22	3	4			
2	4	4	Total	C	N	O	0	0	0
			29	22	3	4			

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	1	1	Total	Ca	0	0
			1	1		
3	2	1	Total	Ca	0	0
			1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	1	1	Total	O	S	0	0
			5	4	1		
4	2	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	1	107	Total	O	0	0
			107	107		
5	2	102	Total	O	0	0
			102	102		
5	3	1	Total	O	0	0
			1	1		
5	4	1	Total	O	0	0
			1	1		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: KUMAMOLYSIN



• Molecule 1: KUMAMOLYSIN



• Molecule 2: ALDEHYDE INHIBITOR



- Molecule 2: ALDEHYDE INHIBITOR

Chain 4: 25% 50% 25%

ACEH
I2
P3
F4

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.03Å 78.30Å 73.17Å 90.00° 98.45° 90.00°	Depositor
Resolution (Å)	12.00 – 2.80	Depositor
% Data completeness (in resolution range)	90.1 (12.00-2.80)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.197 , 0.278	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5407	wwPDB-VP
Average B, all atoms (Å ²)	10.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ACE, PHL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.64	0/2628	1.09	12/3611 (0.3%)
1	2	0.64	0/2628	1.15	22/3611 (0.6%)
2	3	1.83	0/16	3.11	2/22 (9.1%)
2	4	1.72	0/16	2.97	3/22 (13.6%)
All	All	0.66	0/5288	1.14	39/7266 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	0	2
1	2	0	1
All	All	0	3

There are no bond length outliers.

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	7	THR	N-CA-C	-11.21	97.24	110.13
1	2	327	ARG	N-CA-C	-8.69	100.07	113.02
1	1	261	THR	N-CA-C	-7.88	101.11	110.41
1	2	201	ARG	N-CA-C	7.42	120.15	108.79
2	4	2	ILE	O-C-N	-7.40	111.16	123.00
2	3	2	ILE	O-C-N	-7.36	111.23	123.00
1	2	280	VAL	N-CA-C	7.00	117.79	110.72
1	2	107	PHE	N-CA-C	-6.88	103.48	110.97
1	1	320	GLY	N-CA-C	6.64	118.26	111.95
1	1	225	PHE	N-CA-C	6.57	117.94	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	329	ARG	N-CA-C	6.42	120.27	111.54
1	1	355	LEU	N-CA-C	5.96	120.72	113.38
1	2	195	LEU	N-CA-C	5.92	118.37	108.73
1	1	179	ASP	N-CA-C	5.75	119.19	109.76
1	2	180	PHE	N-CA-C	-5.70	102.99	110.39
1	1	7	THR	N-CA-C	-5.60	97.44	109.81
1	2	50	GLY	N-CA-C	-5.58	107.67	114.92
2	3	3	PRO	CA-N-CD	-5.54	104.24	112.00
1	2	285	ALA	N-CA-C	-5.46	105.41	111.36
1	2	349	ILE	N-CA-C	5.43	115.64	110.42
1	1	280	VAL	N-CA-C	5.42	118.70	111.44
1	1	236	VAL	N-CA-C	-5.40	103.07	108.96
1	2	320	GLY	N-CA-C	5.39	118.85	112.33
1	2	223	ARG	N-CA-C	-5.36	105.58	113.61
1	1	107	PHE	N-CA-C	-5.34	105.35	111.07
1	1	353	GLN	N-CA-C	-5.31	105.19	110.97
1	2	117	ASP	CA-C-N	5.28	125.36	119.87
1	2	117	ASP	C-N-CA	5.28	125.36	119.87
1	2	179	ASP	N-CA-C	5.25	118.78	109.96
2	4	3	PRO	CA-N-CD	-5.20	104.72	112.00
1	2	316	ASP	N-CA-C	5.19	117.22	108.96
1	1	315	HIS	N-CA-C	-5.18	100.86	109.46
1	2	197	ALA	N-CA-C	5.15	116.12	108.86
1	2	111	ILE	CB-CA-C	-5.11	105.24	112.14
2	4	2	ILE	CB-CG1-CD1	5.04	124.39	113.80
1	2	110	ALA	N-CA-C	-5.03	105.69	111.07
1	1	285	ALA	N-CA-C	-5.01	106.00	111.82
1	2	100	ALA	CA-C-N	5.00	125.00	119.90
1	2	100	ALA	C-N-CA	5.00	125.00	119.90

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1	331	TYR	Sidechain
1	1	45	TYR	Sidechain
1	2	331	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	2563	0	2462	122	0
1	2	2563	0	2462	122	0
2	3	29	0	31	0	0
2	4	29	0	31	1	0
3	1	1	0	0	0	0
3	2	1	0	0	0	0
4	1	5	0	0	1	0
4	2	5	0	0	1	0
5	1	107	0	0	14	0
5	2	102	0	0	11	0
5	3	1	0	0	0	0
5	4	1	0	0	0	0
All	All	5407	0	4986	240	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:353:GLN:HG3	5:1:2106:HOH:O	1.47	1.15
1:2:176:TYR:H	1:2:241:ASN:HD21	1.14	0.94
1:1:326:ASN:HD22	1:1:328:ALA:H	1.15	0.94
1:2:356:LEU:HD23	1:2:357:PRO:HD2	1.56	0.86
1:1:353:GLN:CG	5:1:2106:HOH:O	2.14	0.85
1:1:312:GLU:HG2	1:1:350:ARG:HD3	1.57	0.84
1:1:83:ILE:HD11	1:1:97:VAL:HG21	1.61	0.83
1:2:329:ARG:HD2	5:2:2094:HOH:O	1.77	0.83
1:1:45:TYR:CD1	1:1:84:GLU:HG2	2.15	0.81
1:2:72:PRO:HA	1:2:267:ILE:HG22	1.61	0.80
1:2:179:ASP:O	1:2:182:ALA:HB3	1.81	0.80
1:1:203:GLU:HG2	1:2:226:PRO:HB3	1.64	0.79
1:1:24:GLN:HB2	5:1:2007:HOH:O	1.81	0.79
1:2:326:ASN:HB3	1:2:328:ALA:H	1.49	0.77
1:1:77:GLY:HA2	1:1:267:ILE:HD13	1.66	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:49:LEU:HB2	1:2:51:VAL:HG22	1.65	0.76
1:1:312:GLU:O	1:1:350:ARG:HD3	1.86	0.74
1:1:331:TYR:O	1:1:340:CYS:SG	2.47	0.72
1:2:303:ASN:N	1:2:303:ASN:HD22	1.85	0.72
1:1:193:THR:HG21	1:1:317:ILE:HD13	1.70	0.72
1:1:108:LEU:O	1:1:112:THR:HG23	1.90	0.71
1:2:303:ASN:HD22	1:2:303:ASN:H	1.38	0.70
1:2:229:SER:HA	1:2:232:GLU:OE1	1.91	0.70
1:1:180:PHE:CG	1:1:181:PRO:HA	2.27	0.70
1:1:213:ASP:HA	5:1:2055:HOH:O	1.91	0.69
1:2:315:HIS:HE1	5:2:2057:HOH:O	1.75	0.69
1:2:331:TYR:HB3	1:2:339:PRO:HG2	1.75	0.68
1:1:4:THR:HG22	1:2:224:ILE:HG23	1.75	0.68
1:1:238:PRO:O	5:1:2069:HOH:O	2.11	0.68
1:1:326:ASN:HD22	1:1:328:ALA:N	1.88	0.67
1:1:148:PHE:O	1:1:151:ALA:HB3	1.94	0.67
1:1:329:ARG:HD2	5:1:2096:HOH:O	1.93	0.67
1:2:229:SER:O	1:2:232:GLU:HG3	1.94	0.67
1:2:129:TRP:CZ3	2:4:3:PRO:HD3	2.30	0.66
1:2:312:GLU:CD	1:2:312:GLU:H	2.03	0.66
1:1:9:LEU:HD12	1:1:49:LEU:HD22	1.79	0.65
1:1:161:ALA:HB1	1:1:277:THR:CB	2.26	0.65
1:1:227:LEU:CD2	5:1:2074:HOH:O	2.45	0.65
1:1:161:ALA:HB1	1:1:277:THR:HB	1.77	0.65
1:2:116:HIS:O	1:2:118:PRO:HD3	1.97	0.65
1:2:72:PRO:HA	1:2:267:ILE:CG2	2.28	0.64
1:2:24:GLN:HB3	1:2:293:GLN:NE2	2.13	0.64
1:1:331:TYR:HB3	1:1:339:PRO:HG2	1.80	0.64
1:1:13:GLN:HG3	5:2:2037:HOH:O	1.98	0.63
1:2:22:ASP:O	1:2:92:GLY:N	2.32	0.63
1:2:81:LEU:HD22	1:2:274:ILE:HG21	1.80	0.62
1:1:152:ALA:C	1:1:154:LEU:H	2.08	0.62
1:2:133:GLU:HG2	1:2:178:VAL:O	2.00	0.62
1:1:326:ASN:ND2	1:1:328:ALA:H	1.92	0.62
1:1:193:THR:HG21	1:1:317:ILE:CD1	2.30	0.62
1:2:80:GLU:O	1:2:84:GLU:HG3	1.99	0.61
1:2:210:ASP:HB3	1:2:214:GLY:HA3	1.83	0.61
1:2:197:ALA:HA	1:2:203:GLU:OE1	2.00	0.61
1:2:337:TRP:HA	1:2:342:GLY:O	2.00	0.61
1:2:76:ASP:O	1:2:79:VAL:N	2.35	0.60
1:1:72:PRO:HA	1:1:267:ILE:HG22	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:193:THR:HG21	1:2:317:ILE:HD13	1.82	0.59
1:2:274:ILE:HD11	5:2:2020:HOH:O	2.03	0.59
1:2:310:PRO:HB2	1:2:312:GLU:OE2	2.02	0.59
1:2:323:ASP:OD1	1:2:326:ASN:HB2	2.02	0.59
1:2:234:ALA:O	1:2:235:ASN:HB2	2.01	0.59
1:2:77:GLY:HA2	1:2:267:ILE:HG12	1.84	0.58
1:1:312:GLU:HG2	1:1:312:GLU:O	2.04	0.58
1:2:266:VAL:C	1:2:267:ILE:HD12	2.29	0.58
1:2:303:ASN:H	1:2:303:ASN:ND2	2.02	0.58
1:1:274:ILE:HG22	1:1:275:GLY:N	2.19	0.57
1:2:180:PHE:CG	1:2:181:PRO:HA	2.39	0.57
1:1:349:ILE:HG23	1:1:350:ARG:N	2.19	0.57
1:1:303:ASN:HD22	1:1:303:ASN:N	2.01	0.57
1:1:32:GLU:O	1:1:99:PHE:HA	2.04	0.57
1:1:273:VAL:HG23	1:2:139:ALA:HB2	1.86	0.56
1:1:180:PHE:CD2	1:1:181:PRO:HA	2.41	0.56
1:1:108:LEU:HD13	1:1:144:MET:HG3	1.88	0.56
1:1:326:ASN:ND2	1:1:328:ALA:HB3	2.21	0.55
1:1:176:TYR:N	1:1:241:ASN:HD21	2.03	0.55
1:2:193:THR:HG21	1:2:317:ILE:CD1	2.37	0.55
1:1:161:ALA:HB1	1:1:277:THR:OG1	2.06	0.55
1:2:149:LEU:HD23	1:2:149:LEU:C	2.31	0.55
1:2:136:TRP:HB2	1:2:141:ILE:HD11	1.89	0.54
1:1:301:TYR:CE2	1:1:303:ASN:HB2	2.42	0.54
1:1:323:ASP:OD1	1:1:326:ASN:ND2	2.41	0.54
1:2:189:ALA:O	1:2:251:PRO:HB2	2.07	0.54
1:1:227:LEU:HG	5:1:2074:HOH:O	2.07	0.54
1:1:281:ALA:N	1:1:282:PRO:HD2	2.22	0.54
1:1:316:ASP:OD1	1:1:316:ASP:C	2.51	0.54
1:1:349:ILE:HG23	1:1:350:ARG:H	1.73	0.54
1:2:21:LEU:O	1:2:290:ARG:HD3	2.07	0.54
1:2:22:ASP:O	1:2:92:GLY:CA	2.56	0.54
1:2:77:GLY:HA2	1:2:267:ILE:CG1	2.39	0.53
1:1:40:THR:HG22	1:1:41:SER:N	2.23	0.53
1:1:29:ALA:HB1	1:1:98:TYR:CE1	2.44	0.53
1:2:80:GLU:OE2	1:2:267:ILE:HA	2.09	0.53
1:1:231:GLN:HG3	1:1:307:TYR:CE2	2.44	0.53
1:2:108:LEU:O	1:2:112:THR:HG23	2.09	0.52
1:1:229:SER:HA	1:1:232:GLU:OE2	2.09	0.52
1:2:29:ALA:HA	1:2:96:ALA:O	2.10	0.52
1:2:305:THR:HG21	1:2:355:LEU:HD11	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:316:ASP:C	1:2:316:ASP:OD1	2.51	0.52
1:2:133:GLU:O	1:2:141:ILE:HD11	2.10	0.52
1:2:24:GLN:HB3	1:2:293:GLN:HE22	1.75	0.51
1:1:123:SER:O	1:1:156:VAL:HA	2.11	0.51
1:1:233:ARG:NH2	5:1:2062:HOH:O	2.41	0.51
1:2:161:ALA:HB1	1:2:277:THR:OG1	2.11	0.51
1:1:9:LEU:CD1	1:1:49:LEU:HD22	2.40	0.51
1:1:36:GLY:HA3	1:1:68:PRO:HD3	1.93	0.50
1:1:8:PRO:O	1:1:89:LEU:HD21	2.11	0.50
1:1:328:ALA:O	1:1:329:ARG:HB2	2.12	0.50
1:2:350:ARG:NH1	5:2:2099:HOH:O	2.44	0.50
1:1:95:ILE:N	1:1:95:ILE:HD13	2.27	0.49
1:1:145:ASN:ND2	1:1:184:SER:OG	2.45	0.49
1:1:111:ILE:HD13	1:1:148:PHE:CE1	2.47	0.49
1:1:64:ALA:HB3	1:1:100:ALA:HA	1.94	0.49
1:2:161:ALA:HB1	1:2:277:THR:CB	2.43	0.49
1:2:231:GLN:HG3	1:2:307:TYR:CE2	2.47	0.49
1:1:326:ASN:HB3	5:1:2094:HOH:O	2.12	0.49
1:1:57:VAL:HG22	1:1:95:ILE:O	2.13	0.49
1:1:159:LEU:N	1:1:159:LEU:HD12	2.27	0.49
1:2:108:LEU:CD1	1:2:144:MET:HG2	2.43	0.49
1:2:123:SER:O	1:2:156:VAL:HA	2.13	0.49
1:1:145:ASN:OD1	1:1:225:PHE:HE2	1.96	0.49
1:2:89:LEU:HB3	1:2:286:ALA:HB1	1.95	0.48
1:2:198:SER:O	1:2:199:ALA:C	2.56	0.48
1:2:349:ILE:HG23	1:2:350:ARG:N	2.28	0.48
1:1:131:GLY:O	1:1:132:PRO:C	2.57	0.48
1:1:133:GLU:HG2	1:1:178:VAL:O	2.13	0.48
1:2:202:ILE:HD12	1:2:315:HIS:CD2	2.48	0.48
1:1:282:PRO:HD3	5:1:2030:HOH:O	2.13	0.48
1:2:131:GLY:O	1:2:132:PRO:C	2.55	0.48
1:1:127:ILE:O	1:1:160:ALA:HA	2.14	0.48
1:2:210:ASP:CB	1:2:214:GLY:HA3	2.44	0.48
1:1:74:GLY:O	1:1:75:PRO:C	2.56	0.48
1:1:326:ASN:HD21	1:1:328:ALA:HB3	1.78	0.47
1:2:176:TYR:HD1	1:2:241:ASN:ND2	2.12	0.47
1:2:267:ILE:HD12	1:2:267:ILE:N	2.30	0.47
1:1:132:PRO:O	1:1:136:TRP:CD1	2.67	0.47
1:1:336:GLY:O	1:1:337:TRP:C	2.58	0.47
1:1:227:LEU:HD21	5:1:2074:HOH:O	2.09	0.47
1:2:336:GLY:O	1:2:337:TRP:C	2.57	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:291:ILE:O	1:2:292:ASN:C	2.57	0.47
1:2:200:GLY:N	4:2:1359:SO4:O4	2.47	0.47
1:1:259:PRO:C	1:1:261:THR:H	2.23	0.47
1:1:316:ASP:OD1	1:1:318:THR:HG22	2.15	0.47
1:1:84:GLU:OE1	1:1:265:VAL:HB	2.15	0.47
1:1:229:SER:O	1:1:232:GLU:HG3	2.15	0.47
1:2:124:ILE:CD1	1:2:288:VAL:HG12	2.45	0.47
1:1:37:TYR:O	1:1:37:TYR:CD1	2.68	0.47
1:2:279:ALA:O	1:2:282:PRO:HG2	2.15	0.47
1:1:236:VAL:HG21	5:1:2074:HOH:O	2.14	0.46
1:2:212:PRO:HG3	1:2:324:ILE:O	2.15	0.46
1:1:263:TYR:O	1:1:273:VAL:HA	2.16	0.46
1:2:180:PHE:CD2	1:2:181:PRO:HA	2.49	0.46
1:1:229:SER:HA	1:1:232:GLU:HG3	1.97	0.46
1:1:80:GLU:OE2	1:1:267:ILE:HA	2.16	0.46
1:2:108:LEU:HD13	1:2:144:MET:HG2	1.96	0.46
1:2:95:ILE:HD13	1:2:95:ILE:N	2.31	0.46
1:2:193:THR:O	1:2:256:ASN:HA	2.16	0.46
1:2:137:ALA:O	1:2:138:PRO:C	2.59	0.45
1:2:22:ASP:O	1:2:92:GLY:HA3	2.17	0.45
1:2:321:ASN:HB2	1:2:331:TYR:O	2.15	0.45
1:2:84:GLU:OE1	1:2:265:VAL:HB	2.16	0.45
1:2:330:ILE:HA	1:2:331:TYR:HA	1.70	0.45
1:1:176:TYR:H	1:1:241:ASN:HD21	1.64	0.45
1:1:274:ILE:CG2	1:1:275:GLY:N	2.79	0.45
1:1:313:VAL:HG12	1:1:313:VAL:O	2.15	0.45
1:1:176:TYR:HD1	1:1:241:ASN:ND2	2.14	0.45
1:2:300:GLY:HA3	5:2:2082:HOH:O	2.16	0.45
1:1:45:TYR:CD2	1:1:266:VAL:HG23	2.51	0.45
1:1:90:ALA:N	1:1:91:PRO:CD	2.80	0.45
1:2:176:TYR:H	1:2:241:ASN:ND2	1.97	0.45
1:1:337:TRP:HA	1:1:342:GLY:O	2.18	0.44
1:2:240:ALA:CB	1:2:330:ILE:HG21	2.47	0.44
1:2:312:GLU:O	1:2:350:ARG:HD2	2.18	0.44
1:2:111:ILE:HG13	1:2:144:MET:HE3	1.98	0.44
1:2:161:ALA:HB1	1:2:277:THR:HB	1.98	0.44
1:1:35:GLY:HA3	1:1:75:PRO:HB2	1.99	0.44
1:1:54:PRO:HB3	1:1:91:PRO:O	2.18	0.44
1:1:137:ALA:O	1:1:140:SER:HB2	2.16	0.44
1:2:265:VAL:HG23	1:2:267:ILE:HD13	1.99	0.44
1:1:144:MET:O	1:1:147:ALA:HB3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:124:ILE:HD11	1:2:288:VAL:HG12	1.99	0.44
1:2:315:HIS:CE1	5:2:2057:HOH:O	2.57	0.44
1:2:323:ASP:OD2	1:2:326:ASN:N	2.49	0.44
1:1:75:PRO:O	1:1:76:ASP:C	2.61	0.44
1:1:299:VAL:O	1:1:300:GLY:C	2.61	0.43
1:2:208:TRP:CH2	1:2:276:GLY:HA2	2.52	0.43
1:1:306:LEU:HD22	1:1:314:PHE:HZ	1.84	0.43
1:1:347:ILE:O	1:1:348:GLY:C	2.61	0.43
1:1:298:PRO:C	1:1:300:GLY:H	2.26	0.43
1:2:281:ALA:N	1:2:282:PRO:HD2	2.33	0.43
1:2:330:ILE:HG23	1:2:331:TYR:CD2	2.53	0.43
1:2:45:TYR:CE1	1:2:84:GLU:HB3	2.54	0.43
1:1:116:HIS:O	1:1:118:PRO:HD3	2.19	0.43
1:2:233:ARG:HH21	1:2:233:ARG:HG3	1.83	0.43
1:1:201:ARG:NH1	4:1:1359:SO4:O3	2.51	0.43
1:1:206:THR:HG22	1:1:319:GLU:HB2	2.01	0.43
1:1:132:PRO:HB3	1:1:171:GLU:OE1	2.19	0.42
1:1:152:ALA:C	1:1:154:LEU:N	2.73	0.42
1:2:228:PRO:O	1:2:232:GLU:HG2	2.19	0.42
1:2:252:ASP:C	1:2:253:VAL:HG13	2.44	0.42
1:1:234:ALA:O	1:1:235:ASN:HB2	2.19	0.42
1:2:107:PHE:O	1:2:108:LEU:C	2.62	0.42
1:1:72:PRO:HA	1:1:267:ILE:CG2	2.50	0.42
1:1:195:LEU:HD11	1:1:202:ILE:HG12	2.01	0.42
1:1:221:VAL:HG12	1:1:247:GLY:HA3	2.00	0.42
1:2:22:ASP:HB2	1:2:91:PRO:HG2	2.00	0.42
1:2:242:PRO:N	5:2:2075:HOH:O	2.51	0.42
1:2:259:PRO:C	1:2:261:THR:N	2.77	0.42
1:1:45:TYR:HD2	1:1:266:VAL:HG23	1.84	0.42
1:2:117:ASP:HA	1:2:118:PRO:HD2	1.94	0.42
1:2:352:LEU:CD2	1:2:356:LEU:HD12	2.49	0.42
1:1:173:ASP:OD1	1:1:177:HIS:CE1	2.73	0.42
1:1:307:TYR:OH	1:1:337:TRP:NE1	2.53	0.42
1:2:170:GLY:N	5:2:2044:HOH:O	2.48	0.42
1:1:117:ASP:HA	5:1:2027:HOH:O	2.19	0.42
1:1:259:PRO:C	1:1:261:THR:N	2.77	0.42
1:2:111:ILE:HG13	1:2:144:MET:CE	2.50	0.41
1:2:235:ASN:N	5:2:2071:HOH:O	2.52	0.41
1:2:284:PHE:CZ	1:2:346:PRO:HD2	2.54	0.41
1:2:356:LEU:HA	1:2:357:PRO:HD2	1.77	0.41
1:1:338:ASP:HB2	1:1:339:PRO:HD2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2:105:ALA:O	1:2:109:ASN:CG	2.64	0.41
1:1:152:ALA:O	1:1:154:LEU:N	2.53	0.41
1:2:73:ASN:HD22	1:2:73:ASN:HA	1.46	0.41
1:1:11:VAL:O	1:1:14:ALA:HB3	2.21	0.41
1:2:76:ASP:O	1:2:78:GLU:N	2.54	0.41
1:2:192:GLY:HA3	1:2:257:ALA:HB3	2.02	0.41
1:2:281:ALA:HB3	1:2:282:PRO:CD	2.50	0.41
1:2:327:ARG:HG3	1:2:327:ARG:HH11	1.85	0.41
1:1:10:ASP:OD2	1:2:146:ARG:NH1	2.49	0.41
1:1:198:SER:OG	1:1:203:GLU:OE2	2.35	0.41
1:2:347:ILE:O	1:2:348:GLY:C	2.63	0.41
1:2:204:ARG:NH1	1:2:319:GLU:OE1	2.45	0.41
1:2:242:PRO:CD	5:2:2075:HOH:O	2.69	0.41
1:2:231:GLN:O	1:2:231:GLN:HG2	2.20	0.41
1:1:57:VAL:HG23	1:1:96:ALA:HA	2.02	0.40
1:1:298:PRO:C	1:1:300:GLY:N	2.80	0.40
1:2:248:ARG:HD3	1:2:249:GLY:O	2.22	0.40
1:1:280:VAL:HA	1:1:283:LEU:HB3	2.03	0.40
1:1:330:ILE:HA	1:1:331:TYR:HA	1.73	0.40
1:2:76:ASP:O	1:2:77:GLY:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	355/357 (99%)	322 (91%)	30 (8%)	3 (1%)	16	44
1	2	355/357 (99%)	315 (89%)	35 (10%)	5 (1%)	9	30
2	3	2/4 (50%)	2 (100%)	0	0	100	100
2	4	2/4 (50%)	2 (100%)	0	0	100	100
All	All	714/722 (99%)	641 (90%)	65 (9%)	8 (1%)	11	36

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1	153	ALA
1	2	35	GLY
1	2	348	GLY
1	2	77	GLY
1	2	142	ALA
1	2	312	GLU
1	1	348	GLY
1	1	339	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	260/260 (100%)	249 (96%)	11 (4%)	26	61
1	2	260/260 (100%)	247 (95%)	13 (5%)	22	54
2	3	2/2 (100%)	2 (100%)	0	100	100
2	4	2/2 (100%)	2 (100%)	0	100	100
All	All	524/524 (100%)	500 (95%)	24 (5%)	24	58

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	26	GLN
1	1	40	THR
1	1	95	ILE
1	1	119	THR
1	1	165	SER
1	1	227	LEU
1	1	246	SER
1	1	308	GLN
1	1	312	GLU
1	1	352	LEU
1	1	356	LEU
1	2	52	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	73	ASN
1	2	76	ASP
1	2	81	LEU
1	2	89	LEU
1	2	138	PRO
1	2	198	SER
1	2	264	GLU
1	2	280	VAL
1	2	303	ASN
1	2	312	GLU
1	2	355	LEU
1	2	356	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	1	44	GLN
1	1	145	ASN
1	1	241	ASN
1	1	256	ASN
1	1	303	ASN
1	1	326	ASN
1	1	332	GLN
1	2	24	GLN
1	2	44	GLN
1	2	73	ASN
1	2	145	ASN
1	2	172	GLN
1	2	235	ASN
1	2	241	ASN
1	2	303	ASN
1	2	308	GLN
1	2	315	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PHL	4	4	1,2	11,11,11	2.48	7 (63%)	11,13,13	1.92	2 (18%)
2	PHL	3	4	1,2	11,11,11	2.49	7 (63%)	11,13,13	2.02	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PHL	4	4	1,2	-	1/6/6/6	0/1/1/1
2	PHL	3	4	1,2	-	2/6/6/6	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	4	4	PHL	CE1-CD1	3.51	1.44	1.38
2	3	4	PHL	CE1-CD1	3.48	1.44	1.38
2	3	4	PHL	CD2-CG	3.38	1.45	1.38
2	4	4	PHL	CD2-CG	3.33	1.45	1.38
2	3	4	PHL	CE2-CD2	3.21	1.44	1.38
2	3	4	PHL	CZ-CE2	3.12	1.45	1.38
2	4	4	PHL	CZ-CE2	3.10	1.45	1.38
2	3	4	PHL	CZ-CE1	3.06	1.45	1.38
2	4	4	PHL	CZ-CE1	3.06	1.45	1.38
2	4	4	PHL	CE2-CD2	3.03	1.44	1.38
2	4	4	PHL	CB-CA	2.93	1.58	1.53
2	3	4	PHL	CB-CA	2.68	1.57	1.53
2	3	4	PHL	CD1-CG	2.44	1.43	1.38
2	4	4	PHL	CD1-CG	2.28	1.43	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	3	4	PHL	CG-CB-CA	5.14	123.12	113.23
2	4	4	PHL	CG-CB-CA	5.00	122.86	113.23
2	3	4	PHL	CD2-CG-CD1	2.32	121.68	118.23
2	4	4	PHL	CD2-CG-CD1	2.07	121.31	118.23

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	3	4	PHL	O-C-CA-N
2	4	4	PHL	O-C-CA-N
2	3	4	PHL	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	1	1359	-	4,4,4	0.50	0	6,6,6	0.32	0
4	SO4	2	1359	-	4,4,4	0.40	0	6,6,6	0.20	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	1	1359	SO4	1	0
4	2	1359	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.