



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:52 AM UTC

PDB ID : 5GWI / pdb_00005gwi
Title : Structure of a Human topoisomerase IIbeta fragment in complex with DNA and E7873R
Authors : Wang, Y.R.; Chen, S.F.; Wu, C.C.; Chan, N.L.
Deposited on : 2016-09-12
Resolution : 2.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1819 (2.76-2.72)
Clashscore	190562	1866 (2.76-2.72)
Ramachandran outliers	187476	1830 (2.76-2.72)
Sidechain outliers	187428	1831 (2.76-2.72)
RSRZ outliers	180081	1819 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	803	 4% 76% 8% 16%
1	B	803	 4% 76% 7% 16%
2	C	8	 100%
2	E	8	 100%
3	D	12	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	12	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MG	A	1304	-	-	-	X
6	MG	D	101	-	-	-	X
6	MG	E	101	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12019 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA topoisomerase 2-beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	671	Total	C	N	O	S	0	4	0
			5427	3454	936	1013	24			
1	B	671	Total	C	N	O	S	0	3	0
			5423	3453	938	1008	24			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	419	MET	-	expression tag	UNP Q02880
A	420	ALA	-	expression tag	UNP Q02880
A	421	SER	-	expression tag	UNP Q02880
A	422	TRP	-	expression tag	UNP Q02880
A	423	SER	-	expression tag	UNP Q02880
A	424	HIS	-	expression tag	UNP Q02880
A	425	PRO	-	expression tag	UNP Q02880
A	426	GLN	-	expression tag	UNP Q02880
A	427	PHE	-	expression tag	UNP Q02880
A	428	GLU	-	expression tag	UNP Q02880
A	429	LYS	-	expression tag	UNP Q02880
A	430	GLY	-	expression tag	UNP Q02880
A	431	ALA	-	expression tag	UNP Q02880
A	432	ASP	-	expression tag	UNP Q02880
A	433	ASP	-	expression tag	UNP Q02880
A	434	ASP	-	expression tag	UNP Q02880
A	435	ASP	-	expression tag	UNP Q02880
A	436	LYS	-	expression tag	UNP Q02880
A	437	VAL	-	expression tag	UNP Q02880
A	438	PRO	-	expression tag	UNP Q02880
A	439	ASP	-	expression tag	UNP Q02880
A	440	PRO	-	expression tag	UNP Q02880
A	441	THR	-	expression tag	UNP Q02880
A	442	SER	-	expression tag	UNP Q02880
A	443	VAL	-	expression tag	UNP Q02880

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	444	ASP	-	expression tag	UNP Q02880
A	1202	GLY	-	expression tag	UNP Q02880
A	1203	ALA	-	expression tag	UNP Q02880
A	1204	PRO	-	expression tag	UNP Q02880
A	1205	GLY	-	expression tag	UNP Q02880
A	1206	PHE	-	expression tag	UNP Q02880
A	1207	SER	-	expression tag	UNP Q02880
A	1208	SER	-	expression tag	UNP Q02880
A	1209	ILE	-	expression tag	UNP Q02880
A	1210	SER	-	expression tag	UNP Q02880
A	1211	ALA	-	expression tag	UNP Q02880
A	1212	HIS	-	expression tag	UNP Q02880
A	1213	HIS	-	expression tag	UNP Q02880
A	1214	HIS	-	expression tag	UNP Q02880
A	1215	HIS	-	expression tag	UNP Q02880
A	1216	HIS	-	expression tag	UNP Q02880
A	1217	HIS	-	expression tag	UNP Q02880
A	1218	HIS	-	expression tag	UNP Q02880
A	1219	HIS	-	expression tag	UNP Q02880
A	1220	HIS	-	expression tag	UNP Q02880
A	1221	HIS	-	expression tag	UNP Q02880
B	419	MET	-	expression tag	UNP Q02880
B	420	ALA	-	expression tag	UNP Q02880
B	421	SER	-	expression tag	UNP Q02880
B	422	TRP	-	expression tag	UNP Q02880
B	423	SER	-	expression tag	UNP Q02880
B	424	HIS	-	expression tag	UNP Q02880
B	425	PRO	-	expression tag	UNP Q02880
B	426	GLN	-	expression tag	UNP Q02880
B	427	PHE	-	expression tag	UNP Q02880
B	428	GLU	-	expression tag	UNP Q02880
B	429	LYS	-	expression tag	UNP Q02880
B	430	GLY	-	expression tag	UNP Q02880
B	431	ALA	-	expression tag	UNP Q02880
B	432	ASP	-	expression tag	UNP Q02880
B	433	ASP	-	expression tag	UNP Q02880
B	434	ASP	-	expression tag	UNP Q02880
B	435	ASP	-	expression tag	UNP Q02880
B	436	LYS	-	expression tag	UNP Q02880
B	437	VAL	-	expression tag	UNP Q02880
B	438	PRO	-	expression tag	UNP Q02880
B	439	ASP	-	expression tag	UNP Q02880

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	440	PRO	-	expression tag	UNP Q02880
B	441	THR	-	expression tag	UNP Q02880
B	442	SER	-	expression tag	UNP Q02880
B	443	VAL	-	expression tag	UNP Q02880
B	444	ASP	-	expression tag	UNP Q02880
B	1202	GLY	-	expression tag	UNP Q02880
B	1203	ALA	-	expression tag	UNP Q02880
B	1204	PRO	-	expression tag	UNP Q02880
B	1205	GLY	-	expression tag	UNP Q02880
B	1206	PHE	-	expression tag	UNP Q02880
B	1207	SER	-	expression tag	UNP Q02880
B	1208	SER	-	expression tag	UNP Q02880
B	1209	ILE	-	expression tag	UNP Q02880
B	1210	SER	-	expression tag	UNP Q02880
B	1211	ALA	-	expression tag	UNP Q02880
B	1212	HIS	-	expression tag	UNP Q02880
B	1213	HIS	-	expression tag	UNP Q02880
B	1214	HIS	-	expression tag	UNP Q02880
B	1215	HIS	-	expression tag	UNP Q02880
B	1216	HIS	-	expression tag	UNP Q02880
B	1217	HIS	-	expression tag	UNP Q02880
B	1218	HIS	-	expression tag	UNP Q02880
B	1219	HIS	-	expression tag	UNP Q02880
B	1220	HIS	-	expression tag	UNP Q02880
B	1221	HIS	-	expression tag	UNP Q02880


- Molecule 2 is a DNA chain called DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	8	Total 165	C 77	N 34	O 46	P 8	0	0	0
2	E	8	Total 165	C 77	N 34	O 46	P 8	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3').


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	12	Total 245	C 116	N 43	O 74	P 12	0	0	0
3	F	12	Total 245	C 116	N 43	O 74	P 12	0	0	0

- Molecule 4 is dichloro{4,5-di(amino-kappaN)-N-[9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxo-5,5a,6,8,8a,9-hexahydro-2H-furo[3',4':6,7]naphtho[2,3-d][1,3]dioxol-5-yl]pentanamide}platinum (CCD ID: N2R) (formula: $C_{26}H_{31}Cl_2N_3O_8Pt$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	Pt	0	1
			40	26	2	3	8	1		
4	B	1	Total	C	Cl	N	O	Pt	0	1
			40	26	2	3	8	1		

- Molecule 5 is dichloro{4,5-di(amino-kappaN)-N-[9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxo-5,5a,6,8,8a,9-hexahydro-2H-furo[3',4':6,7]naphtho[2,3-d][1,3]dioxol-5-yl]pentanamide}platinum (CCD ID: N2N) (formula: $C_{26}H_{31}Cl_2N_3O_8Pt$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	Pt	0	1
			40	26	2	3	8	1		
5	B	1	Total	C	Cl	N	O	Pt	0	1
			40	26	2	3	8	1		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Mg	0	0
			2	2		
6	B	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		
6	E	1	Total	Mg	0	0
			1	1		
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	83	Total	O	0	0
			83	83		
7	B	89	Total	O	0	0
			89	89		
7	C	3	Total	O	0	0
			3	3		
7	D	3	Total	O	0	0
			3	3		
7	E	2	Total	O	0	0
			2	2		
7	F	3	Total	O	0	0
			3	3		



- Molecule 2: DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3')

Chain C: 100%

There are no outlier residues recorded for this chain.

- Molecule 2: DNA (5'-D(P*AP*GP*CP*CP*GP*AP*GP*C)-3')

Chain E: 100%

There are no outlier residues recorded for this chain.

- Molecule 3: DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3')

Chain D: 100%

There are no outlier residues recorded for this chain.

- Molecule 3: DNA (5'-D(P*TP*GP*CP*AP*GP*CP*TP*CP*GP*GP*CP*T)-3')

Chain F: 100%

There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.79Å 176.97Å 94.53Å 90.00° 112.30° 90.00°	Depositor
Resolution (Å)	29.72 – 2.74 29.72 – 2.74	Depositor EDS
% Data completeness (in resolution range)	98.1 (29.72-2.74) 98.0 (29.72-2.74)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.47	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 2.72Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.214 , 0.253 0.216 , 0.254	Depositor DCC
R_{free} test set	1986 reflections (3.11%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12019	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: N2N, N2R, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.08	0/5541	0.23	0/7463
1	B	0.09	0/5534	0.24	0/7451
2	C	0.18	0/185	0.29	0/283
2	E	0.18	0/185	0.30	0/283
3	D	0.19	0/273	0.37	0/419
3	F	0.19	0/273	0.37	0/419
All	All	0.10	0/11991	0.25	0/16318

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5427	0	5455	37	0
1	B	5423	0	5465	34	0
2	C	165	0	89	0	0
2	E	165	0	89	0	0
3	D	245	0	136	0	0
3	F	245	0	136	0	0
4	A	40	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	40	0	0	1	0
5	A	40	0	0	0	0
5	B	40	0	0	0	0
6	A	2	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
7	A	83	0	0	3	0
7	B	89	0	0	2	0
7	C	3	0	0	0	0
7	D	3	0	0	0	0
7	E	2	0	0	0	0
7	F	3	0	0	0	0
All	All	12019	0	11370	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:894:ARG:NH1	1:B:900:ASP:O	2.24	0.71
1:B:540:ASP:O	1:B:542:GLU:N	2.29	0.66
1:B:844:PHE:HA	1:B:854:PRO:HA	1.79	0.65
1:B:482:LYS:HD2	1:B:501:PRO:HG3	1.77	0.64
1:A:972:ASP:OD2	1:A:974:LYS:NZ	2.31	0.64
1:B:732:PRO:HG2	1:B:869:ALA:HB1	1.81	0.63
1:A:689:ARG:NH1	1:A:1024:CYS:SG	2.72	0.63
1:A:1084:ARG:NH2	1:A:1092:MET:SD	2.72	0.62
1:A:489:LEU:HB3	1:A:493:GLY:HA3	1.84	0.60
1:B:670:SER:O	1:B:677:ARG:NH2	2.36	0.58
1:A:1014:ASN:O	1:A:1027:LYS:NZ	2.34	0.58
1:B:939:ILE:HB	1:B:984:PHE:HB2	1.84	0.58
1:B:1014:ASN:O	1:B:1027:LYS:NZ	2.36	0.56
1:A:844:PHE:HA	1:A:854:PRO:HA	1.87	0.56
1:A:807:GLY:HA3	1:A:813:GLY:HA2	1.88	0.56
1:B:489:LEU:HB3	1:B:493:GLY:HA3	1.87	0.56
1:A:732:PRO:HG2	1:A:869:ALA:HB1	1.88	0.55
1:A:907:ASN:ND2	7:A:1401:HOH:O	2.38	0.55
1:B:470:GLU:OE1	1:B:496:ARG:NH1	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:759:LYS:NZ	7:A:1402:HOH:O	2.41	0.54
1:B:712:ASN:ND2	7:B:1403:HOH:O	2.41	0.53
1:A:539:ASP:OD1	1:A:540:ASP:N	2.42	0.52
1:A:689:ARG:HH22	1:A:1024:CYS:HA	1.73	0.52
1:B:842:LEU:HD21	1:B:858:ILE:HG22	1.93	0.50
1:A:842:LEU:HD21	1:A:858:ILE:HG22	1.93	0.50
1:B:451:ILE:HD12	1:B:528:LYS:HG2	1.94	0.49
1:A:752:ARG:HH22	1:A:758:VAL:HG11	1.77	0.49
1:B:778:GLN:HG2	4:B:1301[A]:N2R:CL1	2.49	0.49
1:A:530:VAL:HG21	1:A:552:ILE:HD11	1.93	0.49
1:B:510:ARG:O	1:B:671:LYS:NZ	2.40	0.49
1:A:778:GLN:HG2	4:A:1301[A]:N2R:CL1	2.51	0.48
1:A:918:LEU:HD11	1:A:924:ALA:HB2	1.95	0.48
1:A:1104:LYS:NZ	7:A:1407:HOH:O	2.46	0.48
1:B:457:LEU:HD22	1:B:529:ILE:HG12	1.96	0.47
1:B:978:THR:OG1	1:B:981:THR:OG1	2.28	0.47
1:A:1069:ARG:NH2	1:A:1096:ARG:O	2.41	0.47
1:B:810[A]:LEU:HD12	1:B:948:THR:HB	1.96	0.47
1:A:1057:LEU:HB3	1:A:1168:VAL:HG22	1.97	0.46
1:A:554:ILE:HG12	1:A:569:LEU:HD23	1.97	0.46
1:B:689:ARG:NH1	1:B:1024:CYS:SG	2.89	0.46
1:B:880:LEU:HD21	1:B:1016:MET:HE3	1.98	0.45
1:A:1082:GLU:N	1:A:1082:GLU:OE2	2.49	0.45
1:A:534:TYR:C	1:A:536:LYS:H	2.24	0.45
1:B:752:ARG:HH22	1:B:758:VAL:HG11	1.80	0.45
1:A:470:GLU:OE2	1:A:496:ARG:NH1	2.50	0.45
1:A:560:GLN:OE1	1:A:560:GLN:N	2.49	0.45
1:A:757:GLU:HG2	1:A:803[B]:ILE:HD13	1.99	0.45
1:B:1002:HIS:HB3	1:B:1008:GLN:HG3	1.98	0.44
1:A:778:GLN:NE2	4:A:1301[A]:N2R:O19	2.50	0.44
1:A:831:ARG:HA	1:A:831:ARG:HE	1.83	0.44
1:A:969:LEU:HD12	1:A:992:LYS:HD2	1.99	0.44
1:B:773:TYR:CZ	1:B:775:HIS:HB2	2.52	0.44
1:B:1082:GLU:N	1:B:1082:GLU:OE2	2.49	0.44
1:A:939:ILE:HB	1:A:984:PHE:HB2	1.99	0.44
1:A:590:ILE:HG12	1:A:652:ILE:HD13	2.01	0.43
1:B:539:ASP:HA	1:B:582:LYS:HZ1	1.83	0.43
1:B:542:GLU:O	1:B:543:SER:OG	2.32	0.43
1:A:638:LYS:HG2	1:A:639:GLU:H	1.83	0.42
1:B:976:TYR:HB2	1:B:983:LYS:HD3	2.02	0.42
1:A:964:ASP:OD1	1:A:964:ASP:N	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:560:GLN:OE1	1:B:560:GLN:N	2.49	0.41
1:B:1084:ARG:NH1	7:B:1409:HOH:O	2.52	0.41
1:A:944:VAL:HG12	1:A:945:ARG:HG3	2.03	0.41
1:B:1069:ARG:NH2	1:B:1096:ARG:O	2.37	0.41
1:A:545:LYS:HE2	1:A:545:LYS:HB2	1.86	0.41
1:A:978:THR:OG1	1:A:981:THR:OG1	2.32	0.41
1:A:801:GLN:HA	1:A:802:PRO:HD3	1.97	0.41
1:B:749:CYS:HB3	1:B:826:LEU:HG	2.03	0.40
1:B:574:HIS:HB2	1:B:581:LEU:HD11	2.03	0.40
1:B:540:ASP:C	1:B:542:GLU:N	2.79	0.40
1:B:1063:LYS:HG3	1:B:1140:TYR:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	667/803 (83%)	642 (96%)	25 (4%)	0	100	100
1	B	664/803 (83%)	637 (96%)	27 (4%)	0	100	100
All	All	1331/1606 (83%)	1279 (96%)	52 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	591/704 (84%)	591 (100%)	0	100	100
1	B	591/704 (84%)	591 (100%)	0	100	100
All	All	1182/1408 (84%)	1182 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	514	HIS
1	A	575	HIS
1	B	533	GLN
1	B	558	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	N2R	B	1301[A]	-	44,45,45	3.11	17 (38%)	54,68,68	1.99	17 (31%)
5	N2N	B	1302[B]	-	44,45,45	3.11	17 (38%)	54,68,68	2.03	20 (37%)
4	N2R	A	1301[A]	-	44,45,45	3.11	17 (38%)	54,68,68	2.00	17 (31%)
5	N2N	A	1302[B]	-	44,45,45	3.11	17 (38%)	54,68,68	2.04	19 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	N2R	B	1301[A]	-	-	7/17/63/63	0/6/6/6
5	N2N	B	1302[B]	-	-	4/17/63/63	0/6/6/6
4	N2R	A	1301[A]	-	-	7/17/63/63	0/6/6/6
5	N2N	A	1302[B]	-	-	4/17/63/63	0/6/6/6

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1301[A]	N2R	O31-C32	7.15	1.50	1.35
5	B	1302[B]	N2N	O31-C32	7.14	1.50	1.35
4	A	1301[A]	N2R	O31-C32	7.13	1.50	1.35
5	A	1302[B]	N2N	O31-C32	7.09	1.50	1.35
5	B	1302[B]	N2N	C14-C13	6.96	1.50	1.38
4	B	1301[A]	N2R	C14-C13	6.95	1.50	1.38
4	A	1301[A]	N2R	C14-C13	6.93	1.50	1.38
5	A	1302[B]	N2N	C14-C13	6.92	1.50	1.38
4	B	1301[A]	N2R	C14-C15	6.81	1.50	1.39
5	A	1302[B]	N2N	C14-C15	6.81	1.50	1.39
5	B	1302[B]	N2N	C14-C15	6.81	1.50	1.39
4	A	1301[A]	N2R	C14-C15	6.76	1.50	1.39
4	B	1301[A]	N2R	C08-C09	6.73	1.50	1.38
5	B	1302[B]	N2N	C08-C09	6.73	1.50	1.38
4	A	1301[A]	N2R	C08-C09	6.73	1.50	1.38
5	B	1302[B]	N2N	C08-C07	6.72	1.50	1.39
5	A	1302[B]	N2N	C08-C09	6.71	1.50	1.38
5	A	1302[B]	N2N	C08-C07	6.70	1.50	1.39
4	A	1301[A]	N2R	C08-C07	6.69	1.50	1.39
4	B	1301[A]	N2R	C08-C07	6.66	1.50	1.39
4	A	1301[A]	N2R	C07-C06	6.24	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1301[A]	N2R	C07-C06	6.22	1.60	1.51
5	B	1302[B]	N2N	C07-C06	6.15	1.60	1.51
5	A	1302[B]	N2N	C07-C06	6.15	1.60	1.51
4	B	1301[A]	N2R	C18-N17	5.71	1.46	1.34
4	A	1301[A]	N2R	C18-N17	5.65	1.46	1.34
5	A	1302[B]	N2N	C18-N17	5.64	1.46	1.34
5	B	1302[B]	N2N	C18-N17	5.63	1.46	1.34
5	A	1302[B]	N2N	C02-N13	4.98	1.60	1.50
5	B	1302[B]	N2N	C02-N13	4.97	1.60	1.50
4	B	1301[A]	N2R	C02-N13	4.85	1.60	1.50
5	B	1302[B]	N2N	C05-C06	-4.85	1.46	1.52
4	A	1301[A]	N2R	C02-N13	4.83	1.60	1.50
4	A	1301[A]	N2R	C05-C06	-4.78	1.46	1.52
5	A	1302[B]	N2N	C05-C06	-4.75	1.47	1.52
4	B	1301[A]	N2R	C05-C06	-4.74	1.47	1.52
5	A	1302[B]	N2N	C16-N17	-3.60	1.39	1.46
4	A	1301[A]	N2R	C16-N17	-3.59	1.39	1.46
4	B	1301[A]	N2R	C16-N17	-3.56	1.39	1.46
5	B	1302[B]	N2N	C16-N17	-3.52	1.39	1.46
4	B	1301[A]	N2R	C34-C06	-2.86	1.50	1.56
5	A	1302[B]	N2N	C34-C06	-2.85	1.50	1.56
4	A	1301[A]	N2R	C29-C16	-2.84	1.50	1.53
5	B	1302[B]	N2N	C34-C06	-2.82	1.50	1.56
4	A	1301[A]	N2R	C34-C06	-2.77	1.50	1.56
5	B	1302[B]	N2N	C29-C16	-2.74	1.50	1.53
5	A	1302[B]	N2N	C29-C16	-2.74	1.50	1.53
4	B	1301[A]	N2R	C29-C16	-2.73	1.50	1.53
4	A	1301[A]	N2R	O31-C30	2.21	1.50	1.45
4	B	1301[A]	N2R	O37-C36	2.19	1.40	1.37
5	A	1302[B]	N2N	O19-C18	-2.19	1.18	1.23
4	B	1301[A]	N2R	O31-C30	2.16	1.50	1.45
4	B	1301[A]	N2R	O02-C03	2.16	1.40	1.37
5	A	1302[B]	N2N	O37-C36	2.16	1.40	1.37
5	B	1302[B]	N2N	O19-C18	-2.15	1.19	1.23
5	A	1302[B]	N2N	O31-C30	2.15	1.50	1.45
4	A	1301[A]	N2R	O19-C18	-2.14	1.19	1.23
4	A	1301[A]	N2R	O37-C36	2.13	1.40	1.37
5	A	1302[B]	N2N	O02-C03	2.13	1.40	1.37
4	B	1301[A]	N2R	O19-C18	-2.13	1.19	1.23
5	B	1302[B]	N2N	O02-C03	2.12	1.40	1.37
4	A	1301[A]	N2R	O02-C03	2.11	1.40	1.37
5	B	1302[B]	N2N	O37-C36	2.11	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1302[B]	N2N	O31-C30	2.10	1.50	1.45
4	A	1301[A]	N2R	C34-C29	-2.08	1.50	1.54
5	A	1302[B]	N2N	C34-C29	-2.06	1.50	1.54
4	B	1301[A]	N2R	C34-C29	-2.04	1.50	1.54
5	B	1302[B]	N2N	C34-C29	-2.03	1.50	1.54

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1302[B]	N2N	O37-C36-C39	5.59	120.38	114.53
4	B	1301[A]	N2R	O37-C36-C39	5.48	120.27	114.53
5	A	1302[B]	N2N	O02-C03-C39	5.41	120.19	114.53
4	A	1301[A]	N2R	O37-C36-C39	5.39	120.17	114.53
5	A	1302[B]	N2N	O37-C36-C39	5.38	120.16	114.53
4	A	1301[A]	N2R	O02-C03-C39	5.32	120.10	114.53
4	B	1301[A]	N2R	O02-C03-C39	5.21	119.98	114.53
5	B	1302[B]	N2N	O02-C03-C39	5.20	119.97	114.53
5	A	1302[B]	N2N	O31-C32-O33	4.77	126.50	121.43
4	A	1301[A]	N2R	O31-C32-O33	4.72	126.45	121.43
4	B	1301[A]	N2R	O31-C32-O33	4.67	126.39	121.43
5	B	1302[B]	N2N	O31-C32-O33	4.66	126.38	121.43
4	A	1301[A]	N2R	C07-C06-C34	3.37	112.11	106.57
5	A	1302[B]	N2N	C07-C06-C34	3.29	111.99	106.57
5	B	1302[B]	N2N	C07-C06-C34	3.17	111.80	106.57
4	B	1301[A]	N2R	C07-C06-C34	3.17	111.79	106.57
4	A	1301[A]	N2R	C29-C34-C32	3.10	107.71	103.14
4	B	1301[A]	N2R	C29-C34-C32	3.06	107.66	103.14
5	B	1302[B]	N2N	C29-C34-C32	3.03	107.61	103.14
5	A	1302[B]	N2N	C29-C34-C32	3.02	107.59	103.14
4	A	1301[A]	N2R	O12-C13-C14	2.95	131.79	127.86
5	A	1302[B]	N2N	O12-C13-C14	2.95	131.78	127.86
4	B	1301[A]	N2R	O12-C13-C14	2.92	131.75	127.86
5	B	1302[B]	N2N	O12-C13-C14	2.85	131.65	127.86
5	A	1302[B]	N2N	O10-C09-C08	2.84	131.64	127.86
5	B	1302[B]	N2N	C15-C07-C06	2.82	121.70	114.39
4	B	1301[A]	N2R	C15-C07-C06	2.81	121.69	114.39
5	A	1302[B]	N2N	C15-C07-C06	2.80	121.67	114.39
4	A	1301[A]	N2R	C15-C07-C06	2.79	121.63	114.39
5	B	1302[B]	N2N	O10-C09-C08	2.79	131.56	127.86
4	B	1301[A]	N2R	C38-O37-C36	-2.74	113.50	117.51
4	B	1301[A]	N2R	O10-C09-C08	2.73	131.49	127.86
4	A	1301[A]	N2R	O10-C09-C08	2.73	131.48	127.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1302[B]	N2N	C38-O37-C36	-2.71	113.53	117.51
4	A	1301[A]	N2R	C38-O37-C36	-2.67	113.60	117.51
5	A	1302[B]	N2N	C38-O37-C36	-2.66	113.61	117.51
4	B	1301[A]	N2R	C30-O31-C32	-2.66	107.67	110.31
4	A	1301[A]	N2R	C30-C29-C34	2.65	105.85	101.73
5	B	1302[B]	N2N	C30-O31-C32	-2.65	107.67	110.31
5	B	1302[B]	N2N	O37-C36-C35	-2.65	119.52	124.08
5	A	1302[B]	N2N	C30-C29-C34	2.61	105.79	101.73
4	B	1301[A]	N2R	O37-C36-C35	-2.61	119.58	124.08
5	B	1302[B]	N2N	C20-C18-N17	2.61	120.45	115.86
5	A	1302[B]	N2N	C20-C18-N17	2.57	120.39	115.86
5	A	1302[B]	N2N	O37-C36-C35	-2.55	119.69	124.08
4	A	1301[A]	N2R	O37-C36-C35	-2.53	119.72	124.08
4	B	1301[A]	N2R	C30-C29-C34	2.52	105.64	101.73
5	A	1302[B]	N2N	C05-C06-C07	-2.52	109.07	112.95
5	B	1302[B]	N2N	C30-C29-C34	2.51	105.63	101.73
4	A	1301[A]	N2R	C30-O31-C32	-2.50	107.83	110.31
5	A	1302[B]	N2N	C30-O31-C32	-2.46	107.87	110.31
5	A	1302[B]	N2N	O02-C03-C04	-2.45	119.86	124.08
5	A	1302[B]	N2N	C01-O02-C03	-2.44	113.93	117.51
4	A	1301[A]	N2R	C01-O02-C03	-2.43	113.94	117.51
4	A	1301[A]	N2R	C05-C06-C07	-2.43	109.20	112.95
4	A	1301[A]	N2R	C20-C18-N17	2.42	120.13	115.86
4	A	1301[A]	N2R	O02-C03-C04	-2.40	119.95	124.08
4	B	1301[A]	N2R	C20-C18-N17	2.38	120.07	115.86
4	B	1301[A]	N2R	O02-C03-C04	-2.35	120.03	124.08
5	B	1302[B]	N2N	O02-C03-C04	-2.33	120.07	124.08
4	B	1301[A]	N2R	C01-O02-C03	-2.26	114.20	117.51
5	A	1302[B]	N2N	C20-C21-C02	-2.26	111.93	114.30
5	B	1302[B]	N2N	C01-O02-C03	-2.24	114.22	117.51
5	A	1302[B]	N2N	O33-C32-C34	-2.22	126.56	129.38
5	B	1302[B]	N2N	O19-C18-N17	-2.20	119.22	122.95
5	A	1302[B]	N2N	O19-C18-N17	-2.18	119.25	122.95
4	A	1301[A]	N2R	O33-C32-C34	-2.17	126.63	129.38
5	B	1302[B]	N2N	O33-C32-C34	-2.14	126.66	129.38
4	B	1301[A]	N2R	O33-C32-C34	-2.14	126.66	129.38
5	B	1302[B]	N2N	C15-C16-C29	2.09	113.47	110.25
4	B	1301[A]	N2R	C05-C06-C07	-2.08	109.75	112.95
5	B	1302[B]	N2N	C20-C21-C02	-2.06	112.14	114.30
5	B	1302[B]	N2N	C05-C06-C07	-2.06	109.78	112.95

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1301[A]	N2R	C10-C02-C21-C20
4	A	1301[A]	N2R	N13-C02-C21-C20
4	B	1301[A]	N2R	N13-C02-C21-C20
4	A	1301[A]	N2R	C39-C36-O37-C38
5	B	1302[B]	N2N	C39-C36-O37-C38
4	B	1301[A]	N2R	C39-C36-O37-C38
5	A	1302[B]	N2N	C39-C03-O02-C01
5	A	1302[B]	N2N	C39-C36-O37-C38
4	A	1301[A]	N2R	C39-C03-O02-C01
4	B	1301[A]	N2R	C39-C03-O02-C01
5	B	1302[B]	N2N	C39-C03-O02-C01
4	A	1301[A]	N2R	C04-C03-O02-C01
5	A	1302[B]	N2N	C04-C03-O02-C01
4	B	1301[A]	N2R	C35-C36-O37-C38
5	B	1302[B]	N2N	C35-C36-O37-C38
5	A	1302[B]	N2N	C35-C36-O37-C38
4	B	1301[A]	N2R	C04-C03-O02-C01
4	A	1301[A]	N2R	C35-C36-O37-C38
5	B	1302[B]	N2N	C04-C03-O02-C01
4	B	1301[A]	N2R	C18-C20-C21-C02
4	A	1301[A]	N2R	C18-C20-C21-C02
4	B	1301[A]	N2R	C10-C02-C21-C20


There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1301[A]	N2R	1	0
4	A	1301[A]	N2R	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand N2R B 1301 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand N2N B 1302 (B)




Bond lengths



Bond angles





Torsions



Rings

Ligand N2R A 1301 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	671/803 (83%)	0.27	29 (4%)	40	38	20, 47, 92, 134	4 (0%)
1	B	671/803 (83%)	0.21	31 (4%)	37	36	27, 45, 82, 151	3 (0%)
2	C	8/8 (100%)	-0.19	0	100	100	33, 39, 64, 115	0
2	E	8/8 (100%)	-0.31	0	100	100	29, 33, 57, 90	0
3	D	12/12 (100%)	-0.05	0	100	100	30, 45, 67, 70	0
3	F	12/12 (100%)	0.01	0	100	100	37, 48, 78, 83	0
All	All	1382/1646 (83%)	0.23	60 (4%)	40	38	20, 46, 88, 151	7 (0%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	695	GLY	5.3
1	A	693	LEU	5.0
1	B	693	LEU	4.6
1	A	638	LYS	4.2
1	B	694	HIS	3.7
1	B	690	GLN	3.6
1	B	512	ALA	3.5
1	B	692	ARG	3.4
1	B	541	ALA	3.2
1	B	492	ILE	3.1
1	A	541	ALA	3.1
1	B	1003	LYS	3.1
1	B	706	THR	3.1
1	B	1088	ASP	3.1
1	B	689	ARG	3.0
1	B	820	ARG	3.0
1	A	492	ILE	2.9
1	A	452	LYS	2.9
1	A	455	PRO	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	449	SER	2.9
1	B	637	ALA	2.9
1	B	592	PRO	2.8
1	A	694	HIS	2.8
1	B	643	TYR	2.8
1	B	782	MET	2.8
1	B	452	LYS	2.8
1	A	782	MET	2.8
1	A	456	LYS	2.7
1	B	648	GLU	2.7
1	A	540	ASP	2.7
1	B	545	LYS	2.7
1	A	494	ARG	2.6
1	B	853	GLU	2.6
1	A	591	THR	2.5
1	A	503	ARG	2.5
1	B	1092	MET	2.5
1	B	466	LYS	2.4
1	A	657	ALA	2.4
1	B	582	LYS	2.4
1	A	777	GLU	2.4
1	A	710	THR	2.3
1	B	777	GLU	2.3
1	A	689	ARG	2.3
1	A	696	LEU	2.3
1	A	639	GLU	2.2
1	A	484	LEU	2.2
1	A	538	TYR	2.2
1	A	692	ARG	2.2
1	B	518	MET	2.1
1	A	453	GLY	2.1
1	A	1201	ASP	2.1
1	A	934	ARG	2.1
1	B	1008	GLN	2.1
1	A	1024	CYS	2.1
1	B	1081	ILE	2.1
1	B	551	LYS	2.1
1	A	462	ASP	2.0
1	A	853	GLU	2.0
1	B	450	LYS	2.0
1	A	490	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MG	D	101	1/1	0.69	0.43	64,64,64,64	0
6	MG	E	101	1/1	0.72	0.46	61,61,61,61	0
6	MG	A	1304	1/1	0.79	0.43	54,54,54,54	0
6	MG	F	101	1/1	0.83	0.40	58,58,58,58	0
6	MG	A	1303	1/1	0.87	0.22	49,49,49,49	0
6	MG	B	1303	1/1	0.88	0.21	44,44,44,44	0
5	N2N	B	1302[B]	40/40	0.96	0.10	39,47,79,100	40
5	N2N	A	1302[B]	40/40	0.97	0.12	45,53,84,103	40
4	N2R	A	1301[A]	40/40	0.97	0.12	45,53,82,102	40
4	N2R	B	1301[A]	40/40	0.98	0.10	39,47,73,100	40

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around N2N B 1302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around N2N A 1302 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around N2R A 1301 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around N2R B 1301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.