



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:46 AM UTC

PDB ID : 4GX3 / pdb_00004gx3
Title : Product Complexes of Porcine Liver Fructose-1,6-bisphosphatase with mutation R22M Reveal a T-state Conformation
Authors : Gao, Y.; Honzatko, R.B.
Deposited on : 2012-09-03
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	6% 61% 32% • •
1	B	337	7% 61% 31% • • •

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fructose-1,6-bisphosphatase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total	C	N	O	S	0	0	0
			2493	1586	417	474	16			
1	B	327	Total	C	N	O	S	0	0	0
			2493	1586	417	474	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	MET	ARG	engineered mutation	UNP P00636
B	22	MET	ARG	engineered mutation	UNP P00636

- Molecule 2 is 6-O-phosphono-beta-D-fructofuranose (CCD ID: F6P) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			16	6	9	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	152	Total 152	O 152	0	0
5	B	166	Total 166	O 166	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Fructose-1,6-bisphosphatase 1



• Molecule 1: Fructose-1,6-bisphosphatase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	59.25Å 165.01Å 79.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.92 – 2.25 35.92 – 2.25	Depositor EDS
% Data completeness (in resolution range)	85.2 (35.92-2.25) 85.2 (35.92-2.25)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.212 , 0.270 0.210 , 0.263	Depositor DCC
R_{free} test set	1602 reflections (4.25%)	wwPDB-VP
Wilson B-factor (Å ²)	24.2	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5360	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: F6P, MG, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.41	14/2535 (0.6%)	1.25	8/3430 (0.2%)
1	B	1.43	20/2535 (0.8%)	1.26	14/3430 (0.4%)
All	All	1.42	34/5070 (0.7%)	1.25	22/6860 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	270	SER	C-O	-7.71	1.18	1.25
1	B	85	LEU	C-O	-6.90	1.16	1.24
1	B	243	ARG	C-O	-6.79	1.16	1.23
1	A	270	SER	C-O	-6.62	1.17	1.24
1	B	16	PHE	C-O	-6.50	1.16	1.24
1	B	126	ILE	C-O	-6.34	1.17	1.24
1	A	130	VAL	CA-CB	6.31	1.61	1.54
1	A	197	ASP	C-O	-6.09	1.17	1.23
1	A	120	LEU	C-O	-5.92	1.17	1.24
1	B	127	ASP	C-O	-5.90	1.16	1.24
1	A	15	ARG	C-O	-5.82	1.17	1.24
1	A	16	PHE	C-O	-5.78	1.17	1.24
1	B	186	LEU	C-O	-5.70	1.17	1.24
1	B	93	VAL	CA-CB	5.64	1.62	1.54
1	A	121	ASP	C-O	-5.62	1.17	1.24
1	B	208	ILE	C-O	-5.60	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	90	ALA	CA-CB	-5.60	1.45	1.53
1	B	104	ILE	C-O	-5.56	1.18	1.24
1	B	245	VAL	C-O	-5.55	1.17	1.24
1	A	205	LYS	C-O	-5.53	1.17	1.23
1	B	14	THR	C-O	-5.49	1.17	1.24
1	B	266	ALA	C-O	-5.46	1.17	1.23
1	A	18	MET	C-O	-5.30	1.17	1.24
1	B	70	VAL	CA-CB	-5.22	1.49	1.55
1	A	270	SER	CA-C	-5.21	1.46	1.52
1	A	196	VAL	C-O	-5.19	1.18	1.24
1	A	271	PRO	C-O	-5.17	1.18	1.24
1	A	239	PRO	C-O	-5.13	1.17	1.23
1	B	106	GLU	C-O	-5.10	1.17	1.24
1	B	244	TYR	C-O	-5.10	1.17	1.23
1	B	234	PRO	C-O	-5.08	1.17	1.24
1	B	205	LYS	C-O	-5.07	1.18	1.23
1	B	197	ASP	CA-C	-5.05	1.46	1.52
1	A	266	ALA	C-O	-5.01	1.17	1.23

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	63	THR	CB-CA-C	-10.65	104.28	116.63
1	B	66	THR	N-CA-C	7.92	120.00	111.36
1	A	298	GLY	N-CA-C	-7.74	105.27	114.48
1	A	144	THR	N-CA-C	7.30	119.24	111.28
1	B	126	ILE	N-CA-C	7.14	117.28	110.42
1	A	63	THR	N-CA-C	6.96	120.06	109.62
1	B	125	ASN	N-CA-C	6.25	120.91	113.16
1	B	267	ASN	O-C-N	-6.20	116.75	123.26
1	B	255	THR	N-CA-C	-6.17	104.63	111.36
1	A	156	GLY	N-CA-C	-5.94	105.46	113.24
1	A	268	LYS	N-CA-C	-5.81	104.94	111.28
1	A	270	SER	CB-CA-C	-5.49	104.08	110.17
1	B	226	TYR	N-CA-C	-5.48	105.46	111.82
1	B	266	ALA	CA-C-N	5.45	131.11	121.80
1	B	266	ALA	C-N-CA	5.45	131.11	121.80
1	A	130	VAL	N-CA-C	-5.41	104.09	110.21
1	A	70	VAL	N-CA-C	5.38	116.52	109.58
1	B	236	ASN	CB-CA-C	5.31	119.90	111.51
1	B	270	SER	N-CA-C	5.17	120.12	109.11
1	B	154	GLN	CA-C-N	-5.14	114.66	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	154	GLN	C-N-CA	-5.14	114.66	119.85
1	B	317	ILE	N-CA-C	-5.13	100.73	108.12

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	269	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2493	0	2548	92	0
1	B	2493	0	2548	124	0
2	A	16	0	11	0	0
2	B	16	0	11	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	10	0	0	1	0
4	B	10	0	0	0	0
5	A	152	0	0	6	0
5	B	166	0	0	20	0
All	All	5360	0	5118	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:CD2	1:A:38:CYS:SG	2.40	1.09
1:A:13:LEU:HD23	1:A:38:CYS:SG	1.93	1.09
1:A:19:GLU:OE2	1:A:19:GLU:HA	1.56	1.06
1:A:63:THR:HG23	1:A:63:THR:O	1.65	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:ASN:HB3	5:B:647:HOH:O	1.66	0.93
1:A:13:LEU:HD21	1:A:38:CYS:SG	2.10	0.92
1:A:37:LEU:HD21	1:A:136:PHE:CD2	2.03	0.92
1:A:9:ASN:HA	5:A:616:HOH:O	1.70	0.91
1:B:197:ASP:OD2	1:B:200:VAL:HG22	1.70	0.91
1:B:69:GLN:O	1:B:70:VAL:HG23	1.74	0.87
1:A:19:GLU:OE2	1:A:22:MET:HE3	1.73	0.87
1:B:13:LEU:C	1:B:13:LEU:HD13	2.02	0.85
1:B:198:ARG:HH11	1:B:198:ARG:HB2	1.42	0.82
1:A:63:THR:O	1:A:63:THR:CG2	2.30	0.79
1:B:268:LYS:HA	5:B:566:HOH:O	1.81	0.79
1:B:69:GLN:O	1:B:70:VAL:CG2	2.30	0.79
1:B:198:ARG:HB2	1:B:198:ARG:NH1	1.98	0.79
1:B:268:LYS:CA	5:B:566:HOH:O	2.31	0.78
1:A:19:GLU:OE2	1:A:22:MET:CE	2.31	0.78
1:A:143:SER:HB2	1:A:145:ASP:OD1	1.83	0.78
1:B:268:LYS:O	1:B:271:PRO:HD3	1.85	0.76
1:B:83:ASN:HB3	5:B:634:HOH:O	1.84	0.76
1:B:267:ASN:O	1:B:270:SER:C	2.28	0.76
1:B:318:LEU:C	1:B:318:LEU:HD12	2.11	0.76
1:A:30:MET:HE2	1:A:34:LEU:HG	1.67	0.75
1:B:102:ALA:HB2	1:B:149:GLU:HG2	1.68	0.75
1:A:218:GLU:HB2	1:A:267:ASN:HB2	1.69	0.74
1:B:268:LYS:CB	5:B:566:HOH:O	2.36	0.73
1:B:9:ASN:HA	5:B:607:HOH:O	1.89	0.73
1:A:66:THR:O	1:A:66:THR:HG23	1.89	0.73
1:B:102:ALA:CB	1:B:149:GLU:HG2	2.19	0.72
1:B:268:LYS:HB3	5:B:566:HOH:O	1.87	0.71
1:B:64:ASN:ND2	5:B:573:HOH:O	2.22	0.71
1:A:141:LYS:HD3	1:A:151:ASP:OD2	1.88	0.71
1:B:110:ARG:HD3	1:B:147:PRO:HG3	1.72	0.71
1:A:57:TYR:HB3	1:B:10:ILE:CD1	2.21	0.69
1:A:97:GLU:HB2	1:A:279:TYR:CE1	2.27	0.69
1:B:257:VAL:HG12	1:B:258:TYR:CD2	2.28	0.69
1:B:179:ASN:HA	5:B:647:HOH:O	1.94	0.68
1:A:37:LEU:CD2	1:A:136:PHE:CD2	2.75	0.68
1:B:106:GLU:H	1:B:106:GLU:CD	2.00	0.68
1:B:197:ASP:OD2	1:B:200:VAL:CG2	2.42	0.68
1:B:179:ASN:CA	5:B:647:HOH:O	2.42	0.67
1:B:33:LEU:HD12	1:B:33:LEU:O	1.95	0.67
1:B:211:ILE:HD12	1:B:263:MET:HB2	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:LYS:HD3	5:A:527:HOH:O	1.96	0.66
1:B:198:ARG:HH11	1:B:198:ARG:CB	2.10	0.65
1:B:13:LEU:HD13	1:B:13:LEU:O	1.97	0.65
1:A:328:LEU:O	1:A:332:GLN:HG3	1.97	0.64
1:B:141:LYS:NZ	1:B:143:SER:OG	2.30	0.64
1:B:173:LEU:HD23	1:B:174:VAL:N	2.12	0.64
1:A:65:VAL:HG23	1:A:65:VAL:O	1.96	0.64
1:A:333:LYS:O	1:A:333:LYS:HG2	1.98	0.64
1:B:68:ASP:OD1	1:B:68:ASP:N	2.30	0.63
1:A:150:LYS:HA	1:A:153:LEU:HD12	1.79	0.63
1:B:197:ASP:CG	1:B:200:VAL:CG2	2.71	0.63
1:A:143:SER:CB	1:A:145:ASP:OD1	2.47	0.63
1:B:173:LEU:HD23	1:B:173:LEU:C	2.23	0.63
1:A:57:TYR:HB3	1:B:10:ILE:HD12	1.80	0.62
1:A:66:THR:HA	5:A:598:HOH:O	1.99	0.62
1:B:197:ASP:CG	1:B:200:VAL:HG22	2.24	0.62
1:B:36:SER:HB3	1:B:84:VAL:HG12	1.81	0.61
1:A:133:GLY:HA3	1:A:249:VAL:HG11	1.81	0.61
1:A:37:LEU:CD2	1:A:136:PHE:CE2	2.84	0.61
1:B:190:ILE:HG13	1:B:192:GLU:HB2	1.83	0.60
1:A:36:SER:O	1:A:84:VAL:HG11	2.00	0.60
1:A:51:ALA:HA	1:B:188:PRO:HD2	1.82	0.59
1:A:57:TYR:CB	1:B:10:ILE:CD1	2.80	0.59
1:A:19:GLU:CD	1:A:22:MET:HE3	2.27	0.59
1:A:251:ASP:OD1	1:A:254:ARG:NH2	2.36	0.58
1:B:13:LEU:C	1:B:13:LEU:CD1	2.74	0.58
1:B:69:GLN:C	1:B:70:VAL:HG23	2.27	0.58
1:A:277:LEU:HD21	1:A:307:PRO:HG3	1.86	0.58
1:B:37:LEU:HD21	1:B:136:PHE:CD2	2.39	0.57
1:A:218:GLU:CB	1:A:267:ASN:HB2	2.33	0.57
1:B:50:LYS:HE3	5:B:652:HOH:O	2.04	0.57
1:A:96:SER:HB2	1:A:117:PHE:CZ	2.40	0.56
1:A:57:TYR:O	1:B:10:ILE:HD13	2.05	0.56
1:B:62:SER:C	1:B:63:THR:OG1	2.44	0.56
1:B:292:GLY:O	1:B:321:PRO:HG3	2.04	0.56
1:A:184:PHE:HB3	1:A:193:PHE:HB3	1.87	0.56
1:B:251:ASP:OD1	1:B:254:ARG:NH2	2.38	0.55
1:A:190:ILE:HG13	1:A:192:GLU:HB2	1.87	0.55
1:B:146:GLU:HG2	5:B:630:HOH:O	2.06	0.55
1:B:146:GLU:CG	5:B:630:HOH:O	2.54	0.55
1:B:266:ALA:HB1	1:B:271:PRO:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ASP:HB3	5:A:575:HOH:O	2.08	0.54
1:A:88:SER:O	1:A:89:PHE:HB2	2.07	0.54
1:B:70:VAL:HG12	1:B:71:LYS:N	2.21	0.54
1:B:317:ILE:HG21	1:B:327:LEU:HD23	1.89	0.54
1:A:27:THR:HG23	4:A:404:PO4:O3	2.08	0.53
1:B:200:VAL:O	1:B:201:LYS:HD3	2.08	0.53
1:A:33:LEU:HD11	1:A:85:LEU:HD22	1.91	0.52
1:B:80:LEU:O	1:B:84:VAL:HG23	2.09	0.52
1:B:270:SER:HB2	1:B:273:GLY:O	2.08	0.52
1:B:318:LEU:C	1:B:318:LEU:CD1	2.82	0.52
1:A:10:ILE:HG21	1:B:59:ILE:HD12	1.90	0.52
1:B:13:LEU:CD1	1:B:38:CYS:SG	2.98	0.52
1:A:19:GLU:OE2	1:A:19:GLU:CA	2.42	0.52
1:B:290:LYS:HE2	5:B:648:HOH:O	2.09	0.52
1:A:57:TYR:O	1:B:10:ILE:CD1	2.58	0.52
1:B:29:GLU:OE1	1:B:112:LYS:HG2	2.09	0.52
1:B:120:LEU:HD11	1:B:132:ILE:HD12	1.91	0.51
1:B:266:ALA:CB	1:B:271:PRO:O	2.58	0.51
1:A:147:PRO:HA	1:A:151:ASP:OD1	2.11	0.51
1:B:62:SER:OG	1:B:63:THR:N	2.43	0.51
1:B:216:ALA:HA	1:B:219:PHE:CD2	2.46	0.51
1:B:62:SER:O	1:B:63:THR:CB	2.56	0.51
1:B:267:ASN:O	1:B:270:SER:O	2.30	0.51
1:A:186:LEU:HB2	1:A:193:PHE:CE1	2.46	0.50
1:B:66:THR:HG23	1:B:67:GLY:N	2.25	0.50
1:A:316:ILE:CD1	1:A:318:LEU:HD23	2.40	0.50
1:B:37:LEU:HD21	1:B:136:PHE:CG	2.46	0.50
1:B:82:ILE:HG23	1:B:86:LYS:HD2	1.92	0.50
1:A:199:ASP:O	1:A:199:ASP:CG	2.54	0.50
1:B:68:ASP:O	1:B:69:GLN:OE1	2.30	0.50
1:B:254:ARG:HD2	5:B:537:HOH:O	2.11	0.50
1:B:62:SER:O	1:B:63:THR:OG1	2.30	0.49
1:B:33:LEU:HD12	1:B:33:LEU:C	2.33	0.49
1:A:57:TYR:C	1:B:10:ILE:HD13	2.37	0.49
1:B:229:ARG:HG2	1:B:234:PRO:CD	2.43	0.49
1:A:305:ILE:O	1:A:307:PRO:HD3	2.13	0.48
1:B:67:GLY:O	1:B:68:ASP:C	2.53	0.48
1:A:277:LEU:CD2	1:A:307:PRO:HG3	2.43	0.48
1:A:267:ASN:O	1:A:268:LYS:C	2.56	0.48
1:B:66:THR:CG2	1:B:67:GLY:N	2.77	0.48
1:B:318:LEU:HD12	1:B:318:LEU:O	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLU:CD	1:A:22:MET:CE	2.85	0.47
1:B:102:ALA:HB3	1:B:149:GLU:CG	2.44	0.47
1:A:19:GLU:OE2	1:A:22:MET:HE2	2.12	0.47
1:A:135:ILE:HG12	1:A:284:MET:HE2	1.96	0.47
1:B:230:LYS:CA	1:B:230:LYS:HE2	2.44	0.47
1:B:233:PRO:HG2	1:B:237:SER:O	2.14	0.47
1:A:205:LYS:HE3	5:A:590:HOH:O	2.14	0.47
1:A:334:HIS:O	1:A:335:ALA:HB3	2.15	0.47
1:B:257:VAL:HG12	1:B:258:TYR:HD2	1.78	0.47
1:B:270:SER:HB2	1:B:273:GLY:C	2.40	0.47
1:A:106:GLU:OE1	1:A:106:GLU:N	2.30	0.47
1:B:206:GLY:HA3	1:B:260:GLY:N	2.30	0.47
1:B:269:LYS:HA	1:B:269:LYS:HE2	1.95	0.46
1:A:318:LEU:C	1:A:318:LEU:HD12	2.41	0.46
1:B:267:ASN:O	1:B:268:LYS:C	2.55	0.46
1:A:37:LEU:HD12	1:A:85:LEU:HD21	1.97	0.46
1:A:267:ASN:O	1:A:270:SER:N	2.49	0.46
1:A:212:ASN:HB2	1:A:244:TYR:CZ	2.51	0.45
1:B:230:LYS:HE2	1:B:230:LYS:HA	1.97	0.45
1:B:50:LYS:NZ	5:B:507:HOH:O	2.48	0.45
1:B:10:ILE:O	1:B:10:ILE:HG23	2.15	0.45
1:B:102:ALA:HB3	1:B:149:GLU:HG2	1.95	0.45
1:B:70:VAL:CG1	1:B:71:LYS:N	2.79	0.45
1:A:139:TYR:OH	1:A:156:GLY:HA2	2.16	0.45
1:B:150:LYS:HA	1:B:153:LEU:HD12	1.99	0.45
1:A:141:LYS:HE3	1:A:151:ASP:CG	2.42	0.44
1:A:206:GLY:HA3	1:A:260:GLY:N	2.33	0.44
1:B:25:ARG:HB3	1:B:25:ARG:CZ	2.47	0.44
1:A:133:GLY:CA	1:A:249:VAL:HG11	2.46	0.44
1:B:97:GLU:HB2	1:B:279:TYR:CE1	2.53	0.44
1:A:52:GLY:HA2	5:B:583:HOH:O	2.17	0.44
1:B:13:LEU:HD11	1:B:38:CYS:SG	2.58	0.44
1:A:166:LEU:O	1:A:171:THR:HA	2.18	0.44
1:B:162:ALA:HB1	1:B:283:PRO:HB3	1.98	0.44
1:B:85:LEU:HD23	1:B:85:LEU:HA	1.78	0.43
1:A:131:SER:HB3	1:A:166:LEU:HD11	2.00	0.43
1:A:230:LYS:HA	1:A:230:LYS:HE2	1.99	0.43
1:B:179:ASN:CB	5:B:647:HOH:O	2.34	0.43
1:A:49:ARG:O	1:A:50:LYS:HB2	2.19	0.43
1:A:71:LYS:HE3	1:A:79:ASP:OD2	2.19	0.43
1:B:69:GLN:C	1:B:70:VAL:CG2	2.90	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:LEU:C	1:B:173:LEU:CD2	2.90	0.43
1:A:210:SER:HA	1:A:243:ARG:O	2.19	0.42
1:B:50:LYS:HA	1:B:50:LYS:HD2	1.85	0.42
1:A:243:ARG:HB3	1:A:254:ARG:NH2	2.34	0.42
1:B:62:SER:C	1:B:63:THR:HG1	2.24	0.42
1:B:294:LEU:O	1:B:318:LEU:HA	2.19	0.42
1:A:33:LEU:CD1	1:A:85:LEU:HD22	2.49	0.42
1:B:118:ASP:CG	1:B:121:ASP:HB2	2.44	0.42
1:A:19:GLU:OE2	1:A:22:MET:HB2	2.19	0.42
1:A:106:GLU:HA	1:A:107:PRO:HD3	1.91	0.42
1:A:134:THR:O	1:A:164:TYR:HA	2.20	0.42
1:A:202:ILE:HG22	1:A:291:ALA:O	2.20	0.42
1:B:28:GLY:O	1:B:29:GLU:C	2.63	0.42
1:A:30:MET:HE2	1:A:34:LEU:CG	2.44	0.42
1:A:317:ILE:HG21	1:A:327:LEU:HD23	2.01	0.42
1:A:177:MET:O	1:A:178:VAL:C	2.60	0.42
1:B:290:LYS:CE	5:B:648:HOH:O	2.68	0.42
1:A:204:LYS:O	1:A:321:PRO:HD2	2.20	0.41
1:B:13:LEU:HD12	1:B:38:CYS:SG	2.61	0.41
1:A:91:THR:HA	1:A:113:TYR:O	2.21	0.41
1:B:179:ASN:OD1	1:B:179:ASN:N	2.42	0.41
1:A:146:GLU:CD	1:A:147:PRO:HD2	2.44	0.41
1:A:258:TYR:OH	1:B:124:SER:O	2.34	0.41
1:B:25:ARG:HB3	1:B:25:ARG:NH1	2.36	0.41
1:B:90:ALA:C	1:B:111:GLY:HA3	2.46	0.41
1:B:11:VAL:HB	1:B:195:LEU:HB3	2.01	0.41
1:B:236:ASN:O	1:B:236:ASN:CG	2.63	0.41
1:B:29:GLU:OE2	5:B:610:HOH:O	2.22	0.40
1:B:61:GLY:O	1:B:62:SER:OG	2.30	0.40
1:B:166:LEU:O	1:B:171:THR:HA	2.22	0.40
1:A:145:ASP:OD1	1:A:145:ASP:N	2.53	0.40
1:B:201:LYS:HD3	1:B:201:LYS:HA	1.87	0.40
5:A:568:HOH:O	1:B:126:ILE:HA	2.20	0.40
1:B:53:ILE:HA	1:B:56:LEU:HD13	2.04	0.40
1:A:128:CYS:O	1:A:129:LEU:HB2	2.21	0.40
1:B:97:GLU:O	1:B:97:GLU:HG2	2.21	0.40
1:A:114:VAL:HB	1:A:139:TYR:HB2	2.02	0.40
1:A:263:MET:HG2	1:A:317:ILE:HG12	2.02	0.40
1:B:45:SER:O	1:B:49:ARG:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/337 (96%)	322 (99%)	3 (1%)	0	100	100
1	B	325/337 (96%)	318 (98%)	7 (2%)	0	100	100
All	All	650/674 (96%)	640 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/279 (98%)	253 (93%)	19 (7%)	14	13
1	B	272/279 (98%)	254 (93%)	18 (7%)	15	14
All	All	544/558 (98%)	507 (93%)	37 (7%)	14	14

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ARG
1	A	19	GLU
1	A	37	LEU
1	A	53	ILE
1	A	63	THR
1	A	71	LYS
1	A	98	GLU
1	A	108	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	140	ARG
1	A	141	LYS
1	A	142	ASN
1	A	190	ILE
1	A	197	ASP
1	A	200	VAL
1	A	223	ILE
1	A	269	LYS
1	A	272	LYS
1	A	332	GLN
1	A	333	LYS
1	B	13	LEU
1	B	63	THR
1	B	68	ASP
1	B	72	LYS
1	B	73	LEU
1	B	106	GLU
1	B	108	GLU
1	B	112	LYS
1	B	140	ARG
1	B	144	THR
1	B	160	VAL
1	B	179	ASN
1	B	198	ARG
1	B	236	ASN
1	B	269	LYS
1	B	270	SER
1	B	277	LEU
1	B	312	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	HIS
1	B	55	HIS
1	B	101	ASN
1	B	228	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	F6P	B	401	3	15,16,16	1.34	1 (6%)	16,25,25	2.02	2 (12%)
4	PO4	B	404	-	4,4,4	1.08	0	6,6,6	1.24	1 (16%)
4	PO4	A	405	3	4,4,4	0.69	0	6,6,6	1.28	1 (16%)
4	PO4	B	405	3	4,4,4	0.70	0	6,6,6	1.21	0
2	F6P	A	401	3	15,16,16	1.13	2 (13%)	16,25,25	1.14	2 (12%)
4	PO4	A	404	-	4,4,4	1.14	0	6,6,6	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	A	401	3	-	3/9/28/28	0/1/1/1
2	F6P	B	401	3	-	3/9/28/28	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	F6P	O2-C2	3.83	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	F6P	O2-C2	2.06	1.44	1.40
2	A	401	F6P	O5-C2	-2.02	1.40	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	F6P	O1-C1-C2	-6.00	98.41	111.67
2	B	401	F6P	O3P-P-O6	2.91	114.27	106.67
2	A	401	F6P	O1-C1-C2	-2.68	105.75	111.67
4	B	404	PO4	O4-P-O2	2.43	115.48	107.91
2	A	401	F6P	O2-C2-O5	2.35	113.84	109.33
4	A	405	PO4	O3-P-O2	2.15	114.61	107.91

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	F6P	C6-O6-P-O2P
2	A	401	F6P	C6-O6-P-O3P
2	A	401	F6P	C6-O6-P-O1P
2	B	401	F6P	O1-C1-C2-C3
2	B	401	F6P	O1-C1-C2-O2
2	B	401	F6P	O1-C1-C2-O5


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	404	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/337 (97%)	0.08	20 (6%) 27 25	10, 21, 47, 81	0
1	B	327/337 (97%)	0.05	22 (6%) 24 22	8, 19, 45, 84	0
All	All	654/674 (97%)	0.06	42 (6%) 25 24	8, 20, 47, 84	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	66	THR	7.5
1	B	65	VAL	6.8
1	B	67	GLY	6.5
1	A	68	ASP	6.2
1	A	65	VAL	6.0
1	B	64	ASN	6.0
1	A	111	GLY	5.3
1	A	63	THR	5.0
1	A	70	VAL	4.6
1	A	66	THR	4.6
1	B	267	ASN	4.6
1	B	70	VAL	4.4
1	B	63	THR	4.3
1	A	64	ASN	4.3
1	A	69	GLN	3.6
1	B	271	PRO	3.5
1	A	67	GLY	3.3
1	B	56	LEU	3.3
1	B	197	ASP	3.2
1	B	9	ASN	3.1
1	B	62	SER	3.0
1	B	270	SER	3.0
1	A	61	GLY	2.9
1	B	335	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	69	GLN	2.7
1	A	62	SER	2.7
1	B	68	ASP	2.6
1	B	38	CYS	2.5
1	A	142	ASN	2.4
1	B	236	ASN	2.4
1	A	144	THR	2.4
1	A	21	GLY	2.3
1	B	269	LYS	2.3
1	A	108	GLU	2.3
1	B	146	GLU	2.3
1	A	199	ASP	2.3
1	A	38	CYS	2.2
1	B	266	ALA	2.2
1	A	335	ALA	2.1
1	A	9	ASN	2.1
1	B	61	GLY	2.1
1	A	71	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	A	402	1/1	0.75	0.18	38,38,38,38	0
3	MG	B	403	1/1	0.76	0.14	38,38,38,38	0
3	MG	A	403	1/1	0.81	0.15	38,38,38,38	0
3	MG	B	402	1/1	0.94	0.08	28,28,28,28	0
4	PO4	A	404	5/5	0.95	0.09	41,41,44,44	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PO4	B	404	5/5	0.95	0.09	44,45,46,47	0
4	PO4	A	405	5/5	0.96	0.08	29,33,34,36	0
2	F6P	B	401	16/16	0.97	0.06	14,19,22,31	0
4	PO4	B	405	5/5	0.97	0.07	25,26,30,30	0
2	F6P	A	401	16/16	0.98	0.05	11,19,26,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F6P B 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F6P A 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.