



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:04 AM UTC

PDB ID : 2GY5 / pdb_00002gy5
Title : Tie2 Ligand-Binding Domain Crystal Structure
Authors : Barton, W.A.; Nikolov, D.B.
Deposited on : 2006-05-09
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	423	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NDG	A	1438	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiopoietin-1 receptor.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	423	3289	2063	583	604	39	0	0	0

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0

- Molecule 3 is 2-acetamido-2-deoxy-alpha-D-glucopyranose (CCD ID: NDG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	A	1	Total	C	N	O	0	0
			15	8	1	6		
3	A	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Angiopoietin-1 receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.65Å 114.65Å 113.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.90 8.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	94.9 (8.00-2.90) 89.3 (8.00-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.84 (at 2.81Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.240 , 0.294 0.246 , 0.297	Depositor DCC
R_{free} test set	3352 reflections (9.69%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtriage
Anisotropy	0.214	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.46 , 61.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.020 for -h,-l,-k 0.014 for l,-k,h	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	3383	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NDG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/3372	1.10	26/4571 (0.6%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	LYS	N-CA-C	-9.21	101.35	112.59
1	A	283	ASP	N-CA-C	8.73	129.11	109.81
1	A	126	PRO	N-CA-C	7.47	123.62	113.98
1	A	296	LEU	N-CA-C	-7.37	99.55	110.23
1	A	231	GLY	N-CA-C	-7.08	103.48	112.54
1	A	307	TYR	N-CA-C	6.48	124.59	110.80
1	A	45	ILE	N-CA-C	6.42	117.09	108.11
1	A	290	ALA	N-CA-C	-6.26	102.46	110.53
1	A	142	SER	N-CA-C	5.89	118.81	109.50
1	A	257	LEU	N-CA-C	5.86	123.27	110.80
1	A	225	THR	N-CA-C	-5.85	100.45	109.76
1	A	171	PRO	N-CA-C	5.82	119.36	111.22
1	A	303	HIS	CA-C-N	5.59	125.91	119.93
1	A	303	HIS	C-N-CA	5.59	125.91	119.93
1	A	55	ILE	N-CA-C	-5.55	102.42	109.58
1	A	240	CYS	N-CA-C	5.52	119.09	110.32
1	A	137	ASP	N-CA-C	5.51	122.53	110.80
1	A	230	ASN	N-CA-C	5.20	119.58	113.23
1	A	222	HIS	N-CA-C	5.17	117.54	109.52
1	A	125	LEU	CA-C-N	5.16	124.87	119.82
1	A	125	LEU	C-N-CA	5.16	124.87	119.82
1	A	302	CYS	N-CA-C	5.11	118.39	110.17
1	A	370	CYS	N-CA-C	-5.06	101.15	109.40
1	A	357	ASP	N-CA-C	-5.05	106.96	113.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	80	ARG	N-CA-C	5.05	116.37	110.41
1	A	423	VAL	N-CA-C	5.01	115.49	108.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3289	0	3187	120	0
2	A	14	0	13	0	0
3	A	60	0	48	15	0
4	A	20	0	0	0	0
All	All	3383	0	3248	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:MET:HE1	1:A:126:PRO:HD3	1.47	0.95
1:A:399:ASN:HD21	3:A:1399:NDG:C1	1.82	0.92
1:A:30:ASN:HD22	1:A:115:THR:HG21	1.33	0.92
1:A:142:SER:HB3	1:A:175:GLU:HG2	1.63	0.78
1:A:166:PRO:HG2	1:A:169:GLU:HB2	1.66	0.77
1:A:375:TRP:C	1:A:377:LEU:H	1.94	0.76
1:A:155:ILE:HD13	1:A:176:VAL:HG22	1.69	0.74
1:A:30:ASN:HD22	1:A:115:THR:CG2	2.01	0.74
1:A:151:GLU:HA	1:A:167:ARG:HG3	1.70	0.74
1:A:45:ILE:HD13	1:A:80:ARG:HD3	1.72	0.72
1:A:401:THR:HG21	3:A:1399:NDG:H8C3	1.70	0.72
1:A:62:GLU:OE1	3:A:1158:NDG:H4	1.91	0.71
3:A:1438:NDG:O4	3:A:1439:NDG:C1	2.39	0.71
1:A:95:LYS:H	1:A:95:LYS:HD3	1.54	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:LEU:HD12	1:A:158:ASN:HA	1.77	0.67
1:A:438:ASN:ND2	3:A:1438:NDG:C1	2.58	0.67
1:A:130:THR:HG22	1:A:205:ARG:HB3	1.78	0.66
1:A:345:ILE:H	1:A:345:ILE:HD12	1.59	0.66
1:A:399:ASN:ND2	3:A:1399:NDG:C1	2.58	0.66
1:A:55:ILE:HB	1:A:84:LYS:HD2	1.78	0.66
1:A:133:VAL:HG11	1:A:139:VAL:HG22	1.78	0.66
1:A:369:ILE:HG12	1:A:408:ILE:HG12	1.77	0.66
1:A:296:LEU:O	1:A:297:GLN:HB2	1.97	0.65
1:A:118:MET:HE3	1:A:202:ALA:HA	1.79	0.65
1:A:34:LEU:H	1:A:297:GLN:HE22	1.45	0.63
1:A:161:PHE:HZ	1:A:164:SER:HB2	1.64	0.62
1:A:375:TRP:HB3	1:A:376:PRO:HD3	1.81	0.62
1:A:65:MET:HG3	1:A:66:ASN:ND2	2.15	0.61
1:A:23:ALA:HB2	1:A:386:VAL:HG11	1.82	0.61
1:A:56:THR:O	1:A:102:CYS:HA	2.00	0.61
1:A:296:LEU:O	1:A:297:GLN:CB	2.49	0.61
1:A:227:CYS:C	1:A:228:MET:HE2	2.26	0.60
1:A:131:MET:HE1	1:A:139:VAL:HG13	1.84	0.60
3:A:1158:NDG:H8C1	3:A:1158:NDG:O3	2.02	0.59
1:A:131:MET:CE	1:A:139:VAL:HG13	2.32	0.59
1:A:438:ASN:HD21	3:A:1438:NDG:C1	2.16	0.58
1:A:438:ASN:HD21	3:A:1438:NDG:C7	2.17	0.57
1:A:352:ILE:HB	1:A:435:LYS:HD3	1.86	0.57
1:A:371:LYS:HG3	1:A:406:VAL:HG22	1.86	0.56
1:A:155:ILE:CD1	1:A:176:VAL:HG22	2.34	0.56
1:A:50:ARG:HB2	1:A:82:TRP:CZ2	2.40	0.56
1:A:65:MET:HE2	1:A:66:ASN:OD1	2.05	0.55
1:A:234:HIS:CD2	1:A:236:ASP:H	2.25	0.55
1:A:375:TRP:O	1:A:377:LEU:N	2.39	0.55
1:A:241:ILE:HD12	1:A:284:PRO:HG2	1.89	0.55
1:A:352:ILE:HG13	1:A:435:LYS:HB2	1.88	0.55
1:A:348:MET:HB2	1:A:375:TRP:H	1.72	0.55
1:A:74:VAL:HG22	1:A:86:VAL:HG22	1.88	0.54
1:A:155:ILE:HD13	1:A:176:VAL:CG2	2.36	0.54
1:A:387:LYS:HD3	1:A:391:THR:HB	1.90	0.54
1:A:161:PHE:CZ	1:A:164:SER:HB2	2.42	0.54
1:A:118:MET:CE	1:A:126:PRO:HD3	2.31	0.53
1:A:413:ARG:O	1:A:413:ARG:HG3	2.07	0.53
1:A:380:ASN:HD22	1:A:398:PHE:HB2	1.75	0.52
1:A:198:LEU:C	1:A:198:LEU:HD23	2.35	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:SER:HB3	1:A:404:PHE:CE2	2.45	0.52
1:A:216:TRP:CD1	1:A:217:GLY:N	2.78	0.51
1:A:126:PRO:O	1:A:127:ALA:HB3	2.10	0.51
1:A:89:LYS:HB2	1:A:92:LYS:HB3	1.92	0.51
1:A:97:ASN:HD21	1:A:119:ARG:H	1.58	0.50
1:A:65:MET:HG2	1:A:158:ASN:O	2.12	0.49
1:A:376:PRO:O	1:A:377:LEU:O	2.31	0.49
1:A:139:VAL:HB	1:A:178:LEU:HB2	1.95	0.48
1:A:27:ILE:HG23	1:A:281:LEU:HD23	1.96	0.48
1:A:157:LYS:HB2	1:A:162:ILE:HG13	1.95	0.48
1:A:383:MET:SD	1:A:398:PHE:HE1	2.37	0.47
1:A:438:ASN:HD21	3:A:1438:NDG:H8C3	1.79	0.47
1:A:376:PRO:O	1:A:377:LEU:C	2.57	0.47
1:A:279:PHE:CE1	1:A:290:ALA:HB2	2.49	0.47
1:A:129:LEU:HD22	1:A:129:LEU:HA	1.80	0.47
1:A:158:ASN:ND2	3:A:1158:NDG:C1	2.77	0.47
1:A:27:ILE:HG23	1:A:281:LEU:CD2	2.45	0.46
1:A:118:MET:CE	1:A:202:ALA:HA	2.44	0.46
1:A:57:ILE:HG12	1:A:102:CYS:HB2	1.97	0.46
1:A:58:GLY:HA2	1:A:72:LEU:HD12	1.98	0.46
1:A:291:THR:HG23	1:A:291:THR:O	2.15	0.46
1:A:438:ASN:HD21	3:A:1438:NDG:C8	2.29	0.46
1:A:163:HIS:CD2	1:A:164:SER:H	2.33	0.46
1:A:157:LYS:O	1:A:158:ASN:HB3	2.16	0.46
1:A:199:PHE:CD2	1:A:199:PHE:N	2.82	0.46
1:A:307:TYR:O	1:A:325:ARG:O	2.35	0.46
1:A:65:MET:HG3	1:A:66:ASN:CG	2.42	0.45
1:A:135:LYS:HG3	1:A:183:PRO:HD3	1.99	0.45
1:A:401:THR:HG22	3:A:1399:NDG:O7	2.17	0.45
1:A:80:ARG:HG2	1:A:80:ARG:HH11	1.81	0.45
1:A:351:LYS:O	1:A:372:ALA:HA	2.16	0.45
3:A:1438:NDG:O3	3:A:1439:NDG:O5	2.32	0.44
1:A:155:ILE:O	1:A:162:ILE:HB	2.18	0.44
1:A:142:SER:CB	1:A:175:GLU:HG2	2.42	0.44
1:A:263:THR:HG22	1:A:432:MET:HE2	1.98	0.44
1:A:35:VAL:HG21	1:A:96:ILE:HD11	1.99	0.44
1:A:169:GLU:O	1:A:171:PRO:HD3	2.17	0.44
1:A:375:TRP:C	1:A:377:LEU:N	2.60	0.44
1:A:378:PRO:HG2	1:A:405:SER:HB2	2.00	0.43
1:A:90:ARG:C	1:A:92:LYS:H	2.26	0.43
1:A:37:ASP:OD2	1:A:91:GLU:HG2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:VAL:HG12	1:A:140:ASN:N	2.33	0.43
1:A:401:THR:CG2	3:A:1399:NDG:H8C3	2.43	0.43
1:A:155:ILE:HG21	1:A:176:VAL:HG21	1.99	0.43
1:A:33:PRO:HD3	1:A:278:VAL:HG21	1.99	0.43
1:A:49:TRP:O	1:A:51:PRO:HD3	2.19	0.42
1:A:115:THR:HG22	1:A:116:MET:H	1.84	0.42
1:A:73:GLU:HA	1:A:73:GLU:OE1	2.18	0.42
1:A:103:GLU:OE2	1:A:112:ARG:HD2	2.19	0.42
1:A:130:THR:HA	1:A:205:ARG:O	2.20	0.42
1:A:365:LYS:H	1:A:365:LYS:HZ2	1.68	0.42
1:A:414:ILE:O	1:A:414:ILE:HG23	2.19	0.42
1:A:342:ARG:HH12	1:A:347:ARG:NH2	2.16	0.42
1:A:419:SER:HB2	1:A:439:ILE:O	2.20	0.42
1:A:23:ALA:HB2	1:A:386:VAL:CG1	2.50	0.41
1:A:318:ASN:C	1:A:319:ASN:HD22	2.28	0.41
1:A:30:ASN:O	1:A:32:LEU:N	2.54	0.41
1:A:415:LEU:HB3	1:A:416:PRO:HD2	2.03	0.41
1:A:307:TYR:CG	1:A:328:GLY:HA2	2.55	0.41
1:A:99:ALA:HA	1:A:116:MET:HG3	2.02	0.41
1:A:350:PRO:O	1:A:433:VAL:HG11	2.20	0.41
1:A:24:MET:HG3	1:A:262:ARG:HH21	1.85	0.41
1:A:124:PHE:O	1:A:202:ALA:HB2	2.21	0.40
1:A:368:PRO:HG2	1:A:409:PHE:HB2	2.02	0.40
1:A:228:MET:HB3	1:A:338:LEU:HD21	2.02	0.40
1:A:316:SER:O	1:A:339:GLN:HB3	2.21	0.40
1:A:126:PRO:O	1:A:128:THR:N	2.48	0.40
1:A:294:LYS:NZ	1:A:300:GLU:OE1	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	421/423 (100%)	372 (88%)	33 (8%)	16 (4%)	2	10

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	94	SER
1	A	122	ALA
1	A	137	ASP
1	A	377	LEU
1	A	257	LEU
1	A	167	ARG
1	A	360	GLU
1	A	32	LEU
1	A	159	GLY
1	A	318	ASN
1	A	412	HIS
1	A	31	SER
1	A	91	GLU
1	A	283	ASP
1	A	344	GLY
1	A	376	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/367 (100%)	342 (93%)	24 (7%)	15	43

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	ASP
1	A	73	GLU
1	A	95	LYS
1	A	112	ARG
1	A	115	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	129	LEU
1	A	150	GLU
1	A	174	LEU
1	A	176	VAL
1	A	183	PRO
1	A	190	SER
1	A	206	LEU
1	A	216	TRP
1	A	219	GLU
1	A	262	ARG
1	A	282	PRO
1	A	314	ARG
1	A	336	GLN
1	A	338	LEU
1	A	341	GLU
1	A	355	LEU
1	A	360	GLU
1	A	365	LYS
1	A	385	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	67	GLN
1	A	97	ASN
1	A	138	ASN
1	A	163	HIS
1	A	221	ASN
1	A	258	HIS
1	A	297	GLN
1	A	319	ASN
1	A	339	GLN
1	A	362	ASN
1	A	380	ASN
1	A	399	ASN
1	A	403	HIS
1	A	427	ASN
1	A	438	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	1	-	4,4,4	0.33	0	6,6,6	0.11	0
3	NDG	A	1439	-	15,15,15	0.67	0	21,21,21	0.88	1 (4%)
4	SO4	A	3	-	4,4,4	0.34	0	6,6,6	0.11	0
3	NDG	A	1399	-	15,15,15	0.71	0	21,21,21	1.37	3 (14%)
4	SO4	A	5	-	4,4,4	0.43	0	6,6,6	0.09	0
3	NDG	A	1438	-	15,15,15	0.80	1 (6%)	21,21,21	0.90	0
2	NAG	A	1140	1	14,14,15	0.67	0	17,19,21	0.71	1 (5%)
3	NDG	A	1158	-	15,15,15	0.71	0	21,21,21	1.38	4 (19%)
4	SO4	A	4	-	4,4,4	0.40	0	6,6,6	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDG	A	1439	-	-	4/6/26/26	0/1/1/1
3	NDG	A	1399	-	-	4/6/26/26	0/1/1/1
3	NDG	A	1438	-	-	6/6/26/26	0/1/1/1
2	NAG	A	1140	1	-	3/6/23/26	0/1/1/1
3	NDG	A	1158	-	-	4/6/26/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1438	NDG	C8-C7	2.04	1.54	1.50

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1399	NDG	C4-C3-C2	3.84	116.00	110.40
3	A	1158	NDG	C4-C3-C2	3.12	114.94	110.40
3	A	1158	NDG	C1-C2-C3	3.04	114.69	110.54
3	A	1399	NDG	C3-C4-C5	2.87	115.44	110.23
3	A	1158	NDG	C1-C2-N2	-2.58	107.74	110.73
3	A	1399	NDG	C1-C2-N2	-2.23	108.14	110.73
2	A	1140	NAG	C2-N2-C7	-2.20	119.95	122.90
3	A	1158	NDG	C3-C2-N2	-2.19	106.58	110.62
3	A	1439	NDG	C4-C3-C2	2.02	113.34	110.40

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1140	NAG	C8-C7-N2-C2
2	A	1140	NAG	O7-C7-N2-C2
3	A	1158	NDG	C8-C7-N2-C2
3	A	1158	NDG	O7-C7-N2-C2
3	A	1399	NDG	C8-C7-N2-C2
3	A	1399	NDG	O7-C7-N2-C2
3	A	1438	NDG	C8-C7-N2-C2
3	A	1438	NDG	O7-C7-N2-C2
3	A	1439	NDG	C8-C7-N2-C2
3	A	1439	NDG	O7-C7-N2-C2
3	A	1439	NDG	O5-C5-C6-O6
3	A	1438	NDG	C4-C5-C6-O6
3	A	1158	NDG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1158	NDG	C4-C5-C6-O6
3	A	1439	NDG	C4-C5-C6-O6
3	A	1438	NDG	O5-C5-C6-O6
3	A	1438	NDG	C3-C2-N2-C7
3	A	1399	NDG	C4-C5-C6-O6
3	A	1438	NDG	C1-C2-N2-C7
3	A	1399	NDG	O5-C5-C6-O6
2	A	1140	NAG	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1439	NDG	2	0
3	A	1399	NDG	5	0
3	A	1438	NDG	7	0
3	A	1158	NDG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	423/423 (100%)	-0.00	18 (4%) 40 31	11, 31, 53, 71	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	375	TRP	4.6
1	A	168	HIS	3.5
1	A	402	ASP	3.5
1	A	37	ASP	3.2
1	A	93	ALA	2.9
1	A	283	ASP	2.8
1	A	32	LEU	2.7
1	A	376	PRO	2.7
1	A	121	GLN	2.5
1	A	359	ILE	2.4
1	A	92	LYS	2.4
1	A	50	ARG	2.4
1	A	65	MET	2.3
1	A	90	ARG	2.2
1	A	412	HIS	2.2
1	A	405	SER	2.1
1	A	221	ASN	2.1
1	A	23	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NDG	A	1439	15/15	0.55	0.25	43,47,49,50	0
3	NDG	A	1158	15/15	0.56	0.19	25,29,39,41	0
3	NDG	A	1399	15/15	0.59	0.24	39,44,50,50	0
2	NAG	A	1140	14/15	0.71	0.20	47,52,54,55	0
3	NDG	A	1438	15/15	0.75	0.15	28,34,36,36	0
4	SO4	A	5	5/5	0.84	0.16	94,95,95,95	0
4	SO4	A	4	5/5	0.95	0.09	64,65,66,66	0
4	SO4	A	3	5/5	0.96	0.10	52,52,53,53	0
4	SO4	A	1	5/5	1.00	0.03	31,31,31,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.