



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:34 PM UTC

PDB ID : 1GZH / pdb_00001gzh
Title : Crystal structure of the BRCT domains of human 53BP1 bound to the p53 tumor suppressor
Authors : Derbyshire, D.J.; Doherty, A.J.
Deposited on : 2002-05-22
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	198	5% 59% 30% 5% 6%
2	B	249	5% 65% 22% • 10%
2	D	249	2% 57% 26% • 14%
3	C	198	3% 65% 31% ••

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6630 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CELLULAR TUMOR ANTIGEN P53.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	187	Total	C	N	O	S	0	0	0
			1486	920	278	272	16			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	228	GLU	ASP	conflict	UNP P04637

- Molecule 2 is a protein called TUMOR SUPPRESSOR P53-BINDING PROTEIN 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	225	Total	C	N	O	S	0	0	1
			1788	1142	309	327	10			
2	D	213	Total	C	N	O	S	0	0	1
			1704	1089	294	311	10			


- Molecule 3 is a protein called CELLULAR TUMOR ANTIGEN P53.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	196	Total	C	N	O	S	0	0	1
			1530	942	283	289	16			

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	44	Total	O	0	0
			44	44		
6	B	43	Total	O	0	0
			43	43		
6	C	10	Total	O	0	0
			10	10		
6	D	13	Total	O	0	0
			13	13		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CELLULAR TUMOR ANTIGEN P53



• Molecule 2: TUMOR SUPPRESSOR P53-BINDING PROTEIN 1



• Molecule 2: TUMOR SUPPRESSOR P53-BINDING PROTEIN 1





Chain C: 3% 65% 31%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.52Å 94.57Å 136.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.84 – 2.60 38.84 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.5 (38.84-2.60) 99.0 (38.84-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.61Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.238 , 0.288 (Not available) , 0.211	Depositor DCC
R_{free} test set	2724 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.645	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6630	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/1518	0.98	8/2049 (0.4%)
2	B	0.46	1/1831 (0.1%)	0.89	1/2486 (0.0%)
2	D	0.48	1/1745 (0.1%)	0.90	3/2369 (0.1%)
3	C	0.47	1/1565 (0.1%)	1.02	10/2123 (0.5%)
All	All	0.47	3/6659 (0.0%)	0.94	22/9027 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	289	LEU	C-N	-5.28	1.25	1.33
2	B	1971	SER	C-N	-5.21	1.26	1.33
2	D	1969	TYR	C-N	-5.20	1.26	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	237	MET	N-CA-C	6.80	120.55	112.93
1	A	118	THR	N-CA-C	-6.18	103.81	113.02
2	D	1912	ILE	N-CA-C	6.12	116.95	109.30
1	A	237	MET	N-CA-C	6.08	119.74	112.93
1	A	190	PRO	CA-C-N	5.90	125.58	119.56
1	A	190	PRO	C-N-CA	5.90	125.58	119.56
2	D	1734	PHE	N-CA-C	5.90	118.38	109.23
1	A	169	MET	N-CA-C	5.87	118.44	111.33
3	C	154	GLY	N-CA-C	-5.85	106.45	114.64
3	C	190	PRO	CA-C-N	5.68	125.39	119.82
3	C	190	PRO	C-N-CA	5.68	125.39	119.82
1	A	265	LEU	N-CA-C	-5.62	107.07	114.04
1	A	287	GLU	N-CA-C	-5.48	105.38	111.36
3	C	189	ALA	N-CA-C	5.45	118.14	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	228	ASP	N-CA-C	-5.41	106.60	114.12
2	D	1887	LEU	N-CA-C	5.41	116.86	111.07
3	C	265	LEU	N-CA-C	-5.35	107.41	114.04
1	A	211	THR	N-CA-C	-5.24	106.73	113.23
2	B	1887	LEU	N-CA-C	5.20	116.63	111.07
3	C	115	HIS	N-CA-C	-5.13	101.34	109.76
3	C	224	GLU	N-CA-C	-5.11	104.12	110.41
3	C	109	PHE	N-CA-C	5.04	116.96	109.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1486	0	1462	65	0
2	B	1788	0	1757	48	0
2	D	1704	0	1661	62	0
3	C	1530	0	1485	37	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	B	5	0	0	0	0
5	D	5	0	0	1	0
6	A	44	0	0	1	0
6	B	43	0	0	2	0
6	C	10	0	0	0	0
6	D	13	0	0	0	0
All	All	6630	0	6365	211	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1923:ASP:HB2	2:B:1924:PRO:HD2	1.46	0.96
1:A:210:ASN:HD22	1:A:211:THR:N	1.64	0.94
1:A:223:PRO:HB2	1:A:228:GLU:HG3	1.49	0.92
3:C:97:VAL:HG21	3:C:169:MET:HE2	1.52	0.90
2:D:1736:LEU:HD13	2:D:1805:ILE:HB	1.58	0.85
2:D:1908:HIS:CD2	2:D:1908:HIS:H	1.95	0.84
1:A:292:LYS:HD3	1:A:292:LYS:H	1.43	0.83
2:B:1890:GLU:O	2:B:1894:THR:HG23	1.79	0.81
2:D:1774:GLN:H	2:D:1774:GLN:NE2	1.81	0.79
2:B:1867:ASN:HB2	2:B:1870:GLN:HE21	1.49	0.76
2:D:1904:HIS:HD2	2:D:1906:SER:H	1.34	0.74
3:C:189:ALA:HB2	3:C:205:TYR:CZ	2.23	0.73
1:A:209:ARG:HH12	3:C:183:SER:HB3	1.53	0.73
1:A:282:ARG:O	1:A:286:GLU:HG3	1.88	0.72
3:C:124:CYS:SG	3:C:133:MET:HE2	2.31	0.71
1:A:228:GLU:OE1	1:A:228:GLU:HA	1.92	0.70
3:C:259:ASP:OD2	3:C:263:ASN:HB2	1.91	0.69
2:B:1867:ASN:CB	2:B:1870:GLN:HE21	2.06	0.69
3:C:175:ARG:HD3	3:C:191:PRO:O	1.93	0.68
2:B:1736:LEU:HD13	2:B:1805:ILE:HB	1.75	0.68
1:A:240:SER:HA	1:A:246:MET:HE3	1.76	0.68
3:C:163:TYR:OH	3:C:246:MET:HA	1.94	0.68
1:A:201:LEU:N	1:A:201:LEU:HD12	2.08	0.67
2:B:1781:ARG:HG3	2:B:1781:ARG:HH21	1.59	0.67
2:D:1867:ASN:HB2	2:D:1870:GLN:HE21	1.58	0.67
1:A:136:GLN:HB2	1:A:139:LYS:HG3	1.76	0.67
2:D:1867:ASN:HB2	2:D:1870:GLN:NE2	2.09	0.67
1:A:118:THR:HB	1:A:283:ARG:HG3	1.77	0.66
1:A:210:ASN:ND2	1:A:211:THR:HG23	2.11	0.66
1:A:160:MET:HE3	1:A:215:SER:HB3	1.77	0.65
1:A:210:ASN:HD22	1:A:210:ASN:C	2.03	0.65
2:D:1737:THR:HA	5:D:2970:SO4:O1	1.97	0.64
3:C:110:ARG:HH11	3:C:110:ARG:HG2	1.61	0.64
1:A:203:VAL:HA	1:A:218:VAL:HG12	1.80	0.63
2:D:1939:LEU:HD12	2:D:1940:PRO:HD2	1.81	0.62
1:A:175:ARG:HD3	1:A:237:MET:HB2	1.81	0.62
1:A:199:GLY:C	1:A:201:LEU:HD12	2.25	0.62
3:C:98:PRO:HG2	3:C:162:ILE:HG21	1.82	0.61
2:D:1908:HIS:H	2:D:1908:HIS:HD2	1.43	0.61
2:D:1774:GLN:H	2:D:1774:GLN:HE21	1.49	0.61
2:D:1804:LEU:HD23	2:D:1805:ILE:N	2.15	0.61
1:A:146:TRP:CE2	1:A:229:CYS:HB3	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:1881:GLN:O	2:D:1886:GLU:HG3	2.00	0.60
1:A:210:ASN:HD22	1:A:211:THR:H	1.43	0.60
2:B:1781:ARG:HG3	2:B:1781:ARG:NH2	2.16	0.60
1:A:193:HIS:ND1	1:A:214:HIS:HB3	2.17	0.59
2:D:1804:LEU:HD12	2:D:1818:CYS:SG	2.43	0.59
2:D:1786:TYR:CE1	2:D:1788:LEU:HD23	2.37	0.58
2:D:1738:MET:HG2	2:D:1773:LYS:HD2	1.86	0.58
1:A:162:ILE:HG12	1:A:254:ILE:HD11	1.86	0.58
2:D:1927:PRO:HG2	2:D:1930:VAL:CG2	2.34	0.58
2:D:1813:ARG:HG3	2:D:1887:LEU:CD1	2.34	0.57
1:A:292:LYS:H	1:A:292:LYS:CD	2.16	0.57
2:D:1817:LEU:HD23	2:D:1891:ILE:HG12	1.86	0.57
1:A:291:LYS:HG3	1:A:292:LYS:HD3	1.86	0.56
2:D:1883:ASN:HD22	2:D:1883:ASN:N	2.04	0.56
2:D:1791:PHE:HE1	2:D:1894:THR:HG21	1.71	0.55
3:C:125:THR:HG23	3:C:282:ARG:HD2	1.88	0.55
2:D:1735:LEU:C	2:D:1736:LEU:HD22	2.31	0.55
2:B:1725:ASN:OD1	2:B:1727:THR:HG22	2.07	0.55
3:C:192:GLN:HG2	3:C:193:HIS:HD2	1.72	0.55
1:A:291:LYS:HE3	1:A:292:LYS:NZ	2.22	0.55
1:A:210:ASN:HD21	1:A:211:THR:HG23	1.70	0.55
2:D:1927:PRO:HG2	2:D:1930:VAL:HG23	1.88	0.55
1:A:163:TYR:OH	1:A:246:MET:HA	2.07	0.54
1:A:291:LYS:HE3	1:A:292:LYS:HE2	1.89	0.54
3:C:193:HIS:CE1	3:C:205:TYR:HB3	2.42	0.54
3:C:108:GLY:O	3:C:110:ARG:NH1	2.40	0.54
2:B:1809:HIS:HB3	2:B:1849:PRO:HG2	1.89	0.54
2:B:1871:ASN:HA	2:B:1898:ALA:HB2	1.89	0.54
2:B:1939:LEU:HD12	2:B:1939:LEU:C	2.33	0.54
3:C:247:ASN:O	3:C:248:ARG:HB2	2.08	0.54
2:B:1962:HIS:CG	2:B:1963:PRO:HD2	2.43	0.54
1:A:291:LYS:CG	1:A:292:LYS:HD3	2.38	0.54
3:C:137:LEU:HD23	3:C:138:ALA:N	2.23	0.53
2:B:1922:THR:HG23	2:B:1967:HIS:HB2	1.91	0.53
2:B:1881:GLN:HG3	2:B:1881:GLN:O	2.08	0.53
3:C:252:LEU:HD12	3:C:271:GLU:HA	1.90	0.53
2:B:1867:ASN:HB2	2:B:1870:GLN:HG2	1.90	0.52
1:A:211:THR:O	1:A:212:PHE:HB2	2.08	0.52
1:A:163:TYR:CE1	1:A:173:VAL:HG22	2.44	0.52
2:D:1786:TYR:HE1	2:D:1788:LEU:HD23	1.75	0.52
1:A:277:CYS:HB3	1:A:280:ARG:HB3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:110:ARG:HG2	3:C:110:ARG:NH1	2.24	0.52
3:C:200:ASN:HD22	3:C:218:VAL:CG1	2.23	0.52
1:A:291:LYS:HE3	1:A:292:LYS:CE	2.40	0.52
2:D:1774:GLN:NE2	2:D:1774:GLN:N	2.53	0.52
2:D:1737:THR:HG22	2:D:1804:LEU:HD21	1.93	0.51
2:B:1735:LEU:C	2:B:1736:LEU:HD22	2.36	0.51
2:D:1807:ASP:OD1	2:D:1808:GLN:HG2	2.11	0.50
2:D:1866:GLU:O	2:D:1867:ASN:C	2.55	0.50
2:B:1773:LYS:HB3	2:B:1774:GLN:OE1	2.11	0.50
2:B:1909:ASN:CB	2:B:1912:ILE:HD11	2.41	0.50
2:D:1908:HIS:CD2	2:D:1908:HIS:N	2.69	0.50
3:C:132:LYS:CE	3:C:273:ARG:HB2	2.41	0.50
3:C:194:LEU:CD1	3:C:238:CYS:HB2	2.41	0.50
1:A:162:ILE:HG12	1:A:254:ILE:CD1	2.41	0.50
2:B:1792:ASN:OD1	2:B:1792:ASN:O	2.30	0.50
2:B:1881:GLN:HA	2:B:1885:LEU:HD12	1.93	0.49
2:B:1923:ASP:HB2	2:B:1924:PRO:CD	2.29	0.49
1:A:176:CYS:SG	1:A:178:HIS:HB3	2.51	0.49
2:D:1791:PHE:O	2:D:1793:GLU:N	2.38	0.49
2:D:1904:HIS:CD2	2:D:1906:SER:H	2.24	0.49
2:D:1916:VAL:O	2:D:1916:VAL:HG22	2.11	0.49
1:A:291:LYS:HG2	1:A:292:LYS:N	2.27	0.49
3:C:151:PRO:HG2	3:C:220:TYR:CE1	2.47	0.49
1:A:145:LEU:HD11	1:A:232:ILE:HD11	1.95	0.49
2:B:1866:GLU:O	2:B:1867:ASN:C	2.56	0.49
3:C:132:LYS:HE2	3:C:134:PHE:CE2	2.48	0.49
2:D:1875:LEU:HD12	2:D:1901:LYS:O	2.13	0.48
1:A:292:LYS:HD3	1:A:292:LYS:N	2.21	0.48
2:D:1790:ASP:CG	2:D:1813:ARG:HH22	2.18	0.48
2:D:1730:LEU:HD12	2:D:1731:GLY:H	1.79	0.48
2:D:1874:VAL:HG21	2:D:1892:LEU:HD13	1.96	0.48
2:D:1913:ALA:O	2:D:1916:VAL:HG12	2.13	0.48
2:D:1842:ASN:HB3	2:D:1845:ASN:ND2	2.29	0.48
3:C:200:ASN:ND2	3:C:218:VAL:HB	2.29	0.47
2:B:1876:LEU:HD22	2:B:1884:PHE:CE2	2.48	0.47
2:D:1961:GLN:O	2:D:1961:GLN:HG2	2.13	0.47
1:A:190:PRO:HB2	1:A:193:HIS:HD2	1.78	0.47
1:A:201:LEU:N	1:A:201:LEU:CD1	2.76	0.47
2:B:1790:ASP:OD1	2:B:1813:ARG:NH2	2.45	0.47
2:B:1967:HIS:CE1	2:B:1968:ASP:HB3	2.49	0.47
2:B:1970:VAL:HG12	2:B:1971:SER:N	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:136:GLN:HB2	3:C:139:LYS:HG3	1.97	0.47
3:C:281:ASP:O	3:C:285:GLU:HG3	2.15	0.47
2:D:1791:PHE:CE1	2:D:1894:THR:HG21	2.50	0.47
2:D:1804:LEU:HD12	2:D:1818:CYS:CB	2.45	0.47
1:A:194:LEU:CD1	1:A:238:CYS:HB2	2.44	0.46
2:B:1769:PRO:N	6:B:2009:HOH:O	2.48	0.46
2:D:1876:LEU:HD22	2:D:1884:PHE:CE2	2.51	0.46
1:A:210:ASN:ND2	1:A:210:ASN:C	2.71	0.46
1:A:119:ALA:O	1:A:122:VAL:HG12	2.16	0.46
2:B:1885:LEU:O	2:B:1889:SER:HB2	2.16	0.46
2:B:1909:ASN:HB3	2:B:1912:ILE:HD11	1.98	0.46
3:C:158:ARG:HB3	3:C:256:THR:OG1	2.16	0.46
1:A:201:LEU:HD23	6:A:2028:HOH:O	2.15	0.45
2:D:1736:LEU:N	2:D:1736:LEU:CD2	2.79	0.45
2:D:1909:ASN:HD22	2:D:1910:LYS:H	1.64	0.45
2:B:1792:ASN:OD1	2:B:1792:ASN:C	2.59	0.45
2:B:1922:THR:OG1	2:B:1923:ASP:N	2.48	0.45
2:B:1771:PHE:CB	2:B:1807:ASP:HB3	2.47	0.45
2:D:1736:LEU:HD22	2:D:1736:LEU:N	2.30	0.45
1:A:124:CYS:SG	1:A:133:MET:HE2	2.57	0.45
1:A:223:PRO:HB3	1:A:229:CYS:C	2.42	0.45
2:B:1958:GLY:HA3	2:B:1961:GLN:HB2	1.99	0.45
2:D:1817:LEU:CD2	2:D:1891:ILE:HG12	2.46	0.45
2:D:1922:THR:OG1	2:D:1923:ASP:N	2.48	0.45
2:D:1739:ALA:CB	2:D:1810:CYS:HB3	2.46	0.45
2:D:1804:LEU:HD13	2:D:1825:CYS:SG	2.57	0.45
1:A:114:LEU:HD12	1:A:142:PRO:HG3	1.98	0.45
1:A:199:GLY:HA3	1:A:201:LEU:CD1	2.47	0.45
2:D:1730:LEU:HD12	2:D:1731:GLY:N	2.32	0.45
3:C:177:PRO:O	3:C:181:ARG:HG3	2.16	0.44
1:A:145:LEU:HB2	1:A:230:THR:HG23	1.99	0.44
1:A:162:ILE:CD1	1:A:254:ILE:HD11	2.47	0.44
1:A:254:ILE:N	1:A:254:ILE:HD12	2.33	0.44
1:A:146:TRP:CD2	1:A:229:CYS:HB3	2.53	0.44
2:D:1786:TYR:CD1	2:D:1786:TYR:C	2.95	0.44
3:C:284:THR:O	3:C:287:GLU:HG3	2.18	0.44
2:D:1879:ASP:OD1	2:D:1879:ASP:C	2.60	0.44
1:A:110:ARG:HG3	1:A:110:ARG:HH11	1.82	0.43
2:B:1745:LEU:O	2:B:1747:SER:N	2.50	0.43
2:B:1804:LEU:HD22	2:B:1825:CYS:SG	2.58	0.43
2:B:1904:HIS:HB3	2:B:1907:ALA:HB2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1948:ILE:O	2:B:1952:ILE:HD13	2.18	0.43
3:C:138:ALA:C	3:C:139:LYS:HG2	2.43	0.43
2:D:1843:TYR:C	2:D:1843:TYR:CD1	2.97	0.43
3:C:138:ALA:O	3:C:139:LYS:HG2	2.19	0.43
1:A:130:LEU:HD21	1:A:289:LEU:HD23	2.00	0.43
3:C:259:ASP:OD1	3:C:261:SER:N	2.52	0.43
1:A:210:ASN:ND2	1:A:211:THR:N	2.48	0.43
2:D:1923:ASP:HB2	2:D:1924:PRO:CD	2.49	0.43
2:B:1745:LEU:HD13	2:B:1745:LEU:C	2.45	0.42
3:C:162:ILE:CD1	3:C:254:ILE:HD11	2.49	0.42
3:C:109:PHE:CE1	3:C:145:LEU:HD22	2.55	0.42
2:D:1811:ARG:HH22	2:D:1945:GLU:CD	2.27	0.42
1:A:193:HIS:CE1	1:A:214:HIS:HB3	2.53	0.42
2:B:1736:LEU:HD22	2:B:1736:LEU:N	2.34	0.42
2:B:1939:LEU:HD12	2:B:1940:PRO:N	2.35	0.42
2:D:1738:MET:HG2	2:D:1773:LYS:CD	2.48	0.42
1:A:119:ALA:C	1:A:121:SER:H	2.27	0.42
1:A:119:ALA:C	1:A:121:SER:N	2.76	0.42
2:B:1937:LEU:N	2:B:1937:LEU:HD12	2.35	0.42
2:D:1869:PHE:CZ	2:D:1947:VAL:HG13	2.54	0.42
2:B:1775:TYR:HB3	6:B:2011:HOH:O	2.20	0.42
3:C:132:LYS:HE3	3:C:273:ARG:HB2	2.01	0.42
3:C:234:TYR:O	3:C:235:ASN:ND2	2.53	0.42
2:D:1804:LEU:HD12	2:D:1818:CYS:HB2	2.01	0.42
3:C:156:ARG:HH12	3:C:204:GLU:CD	2.27	0.42
1:A:151:PRO:HD2	1:A:220:TYR:CE1	2.56	0.41
2:D:1914:LEU:HD12	2:D:1933:CYS:HB3	2.02	0.41
2:D:1964:LYS:HE3	2:D:1964:LYS:HB2	1.88	0.41
1:A:118:THR:HG22	1:A:282:ARG:HD3	2.03	0.41
2:D:1863:GLN:O	2:D:1865:ARG:HD2	2.20	0.41
1:A:137:LEU:HD23	1:A:138:ALA:N	2.35	0.41
1:A:161:ALA:HA	1:A:252:LEU:O	2.21	0.41
1:A:272:VAL:HG12	1:A:273:ARG:N	2.35	0.41
2:B:1876:LEU:HD22	2:B:1884:PHE:HE2	1.84	0.41
1:A:208:ASP:OD1	1:A:210:ASN:ND2	2.54	0.41
3:C:246:MET:SD	3:C:251:ILE:HD13	2.61	0.41
2:D:1790:ASP:OD1	2:D:1813:ARG:NH2	2.40	0.41
2:D:1909:ASN:HD22	2:D:1910:LYS:N	2.19	0.41
2:B:1919:VAL:HG22	2:B:1920:VAL:N	2.36	0.41
1:A:175:ARG:NH1	1:A:179:HIS:HB3	2.36	0.40
2:B:1773:LYS:O	2:B:1777:GLU:HG3	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1887:LEU:HD23	2:B:1891:ILE:HD12	2.03	0.40
1:A:150:THR:HA	1:A:151:PRO:HD3	1.95	0.40
2:B:1843:TYR:C	2:B:1843:TYR:CD1	2.99	0.40
1:A:162:ILE:CG1	1:A:254:ILE:HD11	2.51	0.40
2:B:1887:LEU:HD23	2:B:1887:LEU:C	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/198 (90%)	170 (95%)	8 (4%)	1 (1%)	21	42
2	B	219/249 (88%)	201 (92%)	15 (7%)	3 (1%)	9	19
2	D	207/249 (83%)	194 (94%)	12 (6%)	1 (0%)	24	46
3	C	194/198 (98%)	186 (96%)	7 (4%)	1 (0%)	24	46
All	All	799/894 (89%)	751 (94%)	42 (5%)	6 (1%)	16	34

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	1792	ASN
1	A	290	ARG
3	C	122	VAL
2	B	1971	SER
2	B	1746	ALA
2	B	1970	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/178 (95%)	160 (95%)	9 (5%)	20	43
2	B	197/219 (90%)	188 (95%)	9 (5%)	24	49
2	D	186/219 (85%)	177 (95%)	9 (5%)	23	47
3	C	175/178 (98%)	168 (96%)	7 (4%)	28	55
All	All	727/794 (92%)	693 (95%)	34 (5%)	23	48

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	150	THR
1	A	174	ARG
1	A	201	LEU
1	A	209	ARG
1	A	210	ASN
1	A	216	VAL
1	A	221	GLU
1	A	230	THR
1	A	289	LEU
2	B	1736	LEU
2	B	1781	ARG
2	B	1804	LEU
2	B	1810	CYS
2	B	1874	VAL
2	B	1882	GLN
2	B	1894	THR
2	B	1912	ILE
2	B	1939	LEU
3	C	97	VAL
3	C	106	SER
3	C	125	THR
3	C	171	GLU
3	C	221	GLU
3	C	238	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	252	LEU
2	D	1736	LEU
2	D	1774	GLN
2	D	1778	SER
2	D	1810	CYS
2	D	1839	GLN
2	D	1865	ARG
2	D	1867	ASN
2	D	1874	VAL
2	D	1908	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	GLN
1	A	144	GLN
1	A	210	ASN
1	A	239	ASN
1	A	247	ASN
2	B	1828	HIS
2	B	1841	GLN
2	B	1867	ASN
2	B	1870	GLN
2	B	1967	HIS
3	C	144	GLN
3	C	200	ASN
3	C	235	ASN
3	C	239	ASN
3	C	247	ASN
2	D	1774	GLN
2	D	1779	GLN
2	D	1808	GLN
2	D	1838	ASN
2	D	1841	GLN
2	D	1867	ASN
2	D	1870	GLN
2	D	1883	ASN
2	D	1903	HIS
2	D	1904	HIS
2	D	1908	HIS
2	D	1909	ASN
2	D	1961	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	D	2970	-	4,4,4	0.39	0	6,6,6	0.20	0
5	SO4	B	2972	-	4,4,4	0.46	0	6,6,6	0.18	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	2970	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	187/198 (94%)	0.19	9 (4%) 35 30	21, 35, 58, 83	0
2	B	225/249 (90%)	0.30	13 (5%) 29 23	17, 33, 60, 91	0
2	D	213/249 (85%)	0.30	5 (2%) 61 55	23, 36, 54, 75	0
3	C	196/198 (98%)	0.27	6 (3%) 51 45	22, 36, 55, 71	0
All	All	821/894 (91%)	0.27	33 (4%) 42 37	17, 35, 56, 91	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	1908	HIS	3.7
2	B	1908	HIS	3.6
1	A	182	CYS	3.2
2	B	1798	THR	3.2
1	A	261	SER	3.1
2	B	1749	SER	3.1
2	D	1740	THR	2.9
3	C	287	GLU	2.9
2	B	1970	VAL	2.8
2	B	1972	HIS	2.8
2	B	1971	SER	2.8
3	C	167	GLN	2.8
1	A	95	SER	2.7
2	B	1910	LYS	2.6
2	B	1747	SER	2.6
2	B	1909	ASN	2.6
2	B	1748	ARG	2.6
1	A	292	LYS	2.5
3	C	153	PRO	2.5
1	A	153	PRO	2.4
1	A	96	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	1785	GLY	2.3
2	B	1800	TYR	2.3
3	C	121	SER	2.3
2	B	1906	SER	2.3
1	A	209	ARG	2.2
1	A	280	ARG	2.2
1	A	121	SER	2.2
2	D	1911	ASP	2.2
2	B	1769	PRO	2.1
3	C	95	SER	2.0
2	D	1738	MET	2.0
3	C	290	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	D	2970	5/5	0.89	0.11	54,54,57,57	0
5	SO4	B	2972	5/5	0.94	0.08	36,40,41,46	0
4	ZN	A	1293	1/1	0.99	0.03	31,31,31,31	0
4	ZN	C	1290	1/1	0.99	0.04	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.