



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:38 AM UTC

PDB ID : 2GZ3 / pdb_00002gz3
Title : Structure of Aspartate Semialdehyde Dehydrogenase (ASADH) from Streptococcus pneumoniae complexed with NADP and aspartate-semialdehyde
Authors : Faehnle, C.R.; Le Coq, J.; Liu, X.; Viola, R.E.
Deposited on : 2006-05-10
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	% 84% 12% ..
1	B	366	% 82% 12% • 5%
1	C	366	% 83% 12% • •
1	D	366	% 86% 11% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	AS2	A	400	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11791 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aspartate beta-semialdehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	357	Total	C	N	O	S	0	0	0
			2720	1720	458	529	13			
1	B	347	Total	C	N	O	S	0	0	0
			2622	1653	443	513	13			
1	C	355	Total	C	N	O	S	0	0	0
			2697	1706	454	524	13			
1	D	357	Total	C	N	O	S	0	0	0
			2720	1719	458	530	13			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	359	LEU	-	cloning artifact	UNP Q8DQ00
A	360	GLU	-	cloning artifact	UNP Q8DQ00
A	361	HIS	-	expression tag	UNP Q8DQ00
A	362	HIS	-	expression tag	UNP Q8DQ00
A	363	HIS	-	expression tag	UNP Q8DQ00
A	364	HIS	-	expression tag	UNP Q8DQ00
A	365	HIS	-	expression tag	UNP Q8DQ00
A	366	HIS	-	expression tag	UNP Q8DQ00
B	359	LEU	-	cloning artifact	UNP Q8DQ00
B	360	GLU	-	cloning artifact	UNP Q8DQ00
B	361	HIS	-	expression tag	UNP Q8DQ00
B	362	HIS	-	expression tag	UNP Q8DQ00
B	363	HIS	-	expression tag	UNP Q8DQ00
B	364	HIS	-	expression tag	UNP Q8DQ00
B	365	HIS	-	expression tag	UNP Q8DQ00
B	366	HIS	-	expression tag	UNP Q8DQ00
C	359	LEU	-	cloning artifact	UNP Q8DQ00
C	360	GLU	-	cloning artifact	UNP Q8DQ00
C	361	HIS	-	expression tag	UNP Q8DQ00
C	362	HIS	-	expression tag	UNP Q8DQ00
C	363	HIS	-	expression tag	UNP Q8DQ00

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	364	HIS	-	expression tag	UNP Q8DQ00
C	365	HIS	-	expression tag	UNP Q8DQ00
C	366	HIS	-	expression tag	UNP Q8DQ00
D	359	LEU	-	cloning artifact	UNP Q8DQ00
D	360	GLU	-	cloning artifact	UNP Q8DQ00
D	361	HIS	-	expression tag	UNP Q8DQ00
D	362	HIS	-	expression tag	UNP Q8DQ00
D	363	HIS	-	expression tag	UNP Q8DQ00
D	364	HIS	-	expression tag	UNP Q8DQ00
D	365	HIS	-	expression tag	UNP Q8DQ00
D	366	HIS	-	expression tag	UNP Q8DQ00

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	C	1	Total 48	C 21	N 7	O 17	P 3	0	0
2	D	1	Total 48	C 21	N 7	O 17	P 3	0	0


- Molecule 3 is (2R)-2-AMINO-4-OXOBUTANOIC ACID (CCD ID: AS2) (formula: $C_4H_7NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	232	Total	O	0	0
			232	232		
4	B	207	Total	O	0	0
			207	207		
4	C	156	Total	O	0	0
			156	156		
4	D	213	Total	O	0	0
			213	213		



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.35Å 64.44Å 96.74Å 89.98° 81.06° 82.00°	Depositor
Resolution (Å)	30.01 – 2.10 30.01 – 2.10	Depositor EDS
% Data completeness (in resolution range)	91.7 (30.01-2.10) 91.6 (30.01-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.81 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.211 , 0.277 0.211 , 0.274	Depositor DCC
R_{free} test set	3769 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	24.0	Xtriage
Anisotropy	0.114	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11791	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AS2, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2769	0.93	1/3762 (0.0%)
1	B	0.67	0/2669	0.91	2/3633 (0.1%)
1	C	0.65	0/2744	0.90	2/3728 (0.1%)
1	D	0.68	0/2769	0.89	2/3763 (0.1%)
All	All	0.68	0/10951	0.90	7/14886 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	107	VAL	N-CA-C	6.16	116.73	108.11
1	A	108	VAL	N-CA-C	-6.03	102.18	108.15
1	C	206	LEU	CA-C-N	5.47	126.68	119.84
1	C	206	LEU	C-N-CA	5.47	126.68	119.84
1	B	276	PHE	CA-C-N	5.19	125.43	119.83
1	B	276	PHE	C-N-CA	5.19	125.43	119.83
1	D	266	ILE	N-CA-C	5.17	115.79	110.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2720	0	2723	30	0
1	B	2622	0	2593	26	0
1	C	2697	0	2697	34	0
1	D	2720	0	2718	22	0
2	A	48	0	25	4	0
2	B	48	0	25	0	0
2	C	48	0	25	1	0
2	D	48	0	25	4	0
3	A	8	0	5	1	0
3	B	8	0	5	0	0
3	C	8	0	5	0	0
3	D	8	0	5	1	0
4	A	232	0	0	9	0
4	B	207	0	0	6	0
4	C	156	0	0	3	0
4	D	213	0	0	4	0
All	All	11791	0	10851	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:367:NAP:H5N	4:A:479:HOH:O	1.50	1.07
1:B:154:TYR:HA	4:B:581:HOH:O	1.70	0.90
1:C:327:LEU:HD22	4:C:552:HOH:O	1.83	0.79
1:C:332:TRP:HB2	4:C:552:HOH:O	1.88	0.72
1:D:352:GLU:HG2	1:D:354:LYS:HE2	1.75	0.69
1:A:18:MET:HE3	1:A:94:ASN:OD1	1.98	0.64
1:A:18:MET:CE	1:A:94:ASN:OD1	2.46	0.63
1:A:300:ARG:HD3	1:A:332:TRP:CE2	2.33	0.62
1:C:250:SER:HB2	4:C:401:HOH:O	1.99	0.62
1:C:73:GLY:HA2	2:C:367:NAP:O3D	2.00	0.61
1:C:219:TYR:O	1:C:223:LYS:HG3	2.01	0.61
1:A:29:ILE:HG21	1:A:32:ILE:HG13	1.84	0.59
1:B:7:VAL:HG13	1:B:18:MET:CE	2.35	0.57
1:B:262:GLU:HB2	4:B:603:HOH:O	2.04	0.57
1:C:40:SER:HA	1:C:43:LYS:HD3	1.86	0.57
1:A:183:CYS:HB2	4:A:631:HOH:O	2.04	0.56
1:C:7:VAL:HG13	1:C:18:MET:CE	2.35	0.56
1:C:32:ILE:HG23	1:C:52:ILE:CD1	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:LYS:HG3	4:A:596:HOH:O	2.05	0.56
1:C:59:GLU:N	1:C:59:GLU:OE1	2.38	0.56
1:A:32:ILE:N	1:A:32:ILE:HD12	2.21	0.55
1:C:300:ARG:HD3	1:C:332:TRP:CE2	2.42	0.54
1:B:7:VAL:HG13	1:B:18:MET:HE3	1.89	0.54
1:A:106:LEU:HD21	1:A:227:GLU:HG2	1.90	0.53
1:C:32:ILE:HG23	1:C:52:ILE:HD13	1.91	0.53
1:D:170:ARG:NH2	1:D:186:HIS:O	2.41	0.53
1:A:215:ASN:O	1:A:216:ASP:HB2	2.09	0.53
1:A:143:LYS:HE2	4:A:414:HOH:O	2.09	0.53
1:C:45:LEU:HD13	1:C:54:ILE:HD11	1.91	0.52
1:D:236:SER:HB2	4:D:533:HOH:O	2.10	0.52
1:A:300:ARG:HD3	1:A:332:TRP:CD2	2.45	0.52
1:B:33:ARG:NH1	1:B:61:ALA:O	2.42	0.52
1:A:220:GLU:HA	1:A:223:LYS:HD2	1.92	0.52
1:C:138:GLU:N	1:C:139:PRO:HD2	2.24	0.52
1:C:213:THR:HG22	1:C:219:TYR:CD1	2.45	0.51
1:B:253:SER:HB3	1:B:320:TRP:CZ2	2.46	0.51
1:C:7:VAL:HG13	1:C:18:MET:HE3	1.93	0.51
1:D:40:SER:OG	2:D:367:NAP:O3X	2.28	0.51
1:A:339:GLU:O	1:A:343:GLU:HG3	2.11	0.51
1:B:300:ARG:HD3	1:B:332:TRP:CE2	2.45	0.50
1:A:138:GLU:N	1:A:139:PRO:HD2	2.27	0.50
1:A:153:THR:OG1	1:A:243:CYS:HA	2.11	0.50
1:A:33:ARG:NH1	4:A:496:HOH:O	2.43	0.49
1:A:94:ASN:HB3	2:A:367:NAP:H6N	1.95	0.49
1:D:94:ASN:O	2:D:367:NAP:H6N	2.13	0.49
1:C:154:TYR:HB2	1:C:253:SER:HB2	1.94	0.49
1:C:253:SER:HB3	1:C:320:TRP:CZ2	2.47	0.49
1:A:212:PHE:HA	1:A:218:THR:HA	1.95	0.48
1:A:2:GLY:N	4:A:626:HOH:O	2.46	0.48
1:D:215:ASN:O	1:D:216:ASP:HB2	2.13	0.48
1:D:138:GLU:N	1:D:139:PRO:HD2	2.28	0.47
1:A:249:LEU:HB2	4:A:432:HOH:O	2.15	0.47
1:B:90:VAL:HG11	1:B:341:LEU:HD13	1.96	0.47
1:C:106:LEU:HD21	1:C:227:GLU:HG2	1.96	0.47
1:D:173:ARG:O	1:D:177:ASN:HB2	2.14	0.47
1:A:79:LYS:HG3	4:A:512:HOH:O	2.14	0.47
1:C:20:LYS:O	1:C:24:GLU:HG2	2.15	0.47
1:D:18:MET:SD	1:D:69:LEU:HD13	2.55	0.46
1:D:188:GLU:HG3	4:D:437:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:266:ILE:HG22	1:B:270:LYS:HE3	1.97	0.46
1:D:49:ASP:HB2	4:D:480:HOH:O	2.15	0.46
1:C:213:THR:HG22	1:C:219:TYR:CE1	2.51	0.46
1:D:20:LYS:HA	1:D:20:LYS:HD2	1.71	0.45
1:C:98:PHE:HB3	1:C:104:VAL:HG21	1.98	0.45
1:D:253:SER:HB3	1:D:320:TRP:CZ2	2.51	0.45
1:B:141:ARG:HB2	1:B:146:LEU:HD12	1.99	0.45
1:B:173:ARG:O	1:B:177:ASN:HB2	2.16	0.45
1:C:123:ILE:N	1:C:123:ILE:HD12	2.31	0.45
1:A:330:ALA:HB2	2:A:367:NAP:C4N	2.47	0.44
1:B:169:GLN:HE21	1:B:249:LEU:HD11	1.82	0.44
1:A:127:ASN:HB3	1:A:227:GLU:OE1	2.17	0.44
1:C:261:LYS:O	1:C:315:LYS:NZ	2.48	0.44
1:A:253:SER:HB3	1:A:320:TRP:CZ2	2.51	0.44
1:B:114:HIS:HD2	4:B:604:HOH:O	1.99	0.44
1:B:250:SER:CB	4:B:480:HOH:O	2.66	0.44
1:B:276:PHE:HA	1:B:277:PRO:HD3	1.86	0.44
1:D:32:ILE:HG22	4:D:595:HOH:O	2.17	0.44
1:D:159:GLY:HA2	2:D:367:NAP:N7N	2.32	0.44
1:C:7:VAL:HG13	1:C:18:MET:HE2	2.00	0.44
1:B:244:VAL:HB	4:B:581:HOH:O	2.17	0.44
1:D:134:MET:HA	1:D:134:MET:HE2	2.00	0.44
1:C:327:LEU:C	1:C:332:TRP:HB3	2.43	0.43
1:A:46:LYS:HD2	1:A:48:LYS:O	2.19	0.43
1:D:175:VAL:HG11	1:D:203:PHE:CE2	2.53	0.43
1:B:280:VAL:HG23	1:B:301:ASP:HB3	2.01	0.43
1:A:276:PHE:HA	1:A:277:PRO:HD3	1.87	0.43
1:B:250:SER:HB3	4:B:480:HOH:O	2.18	0.43
1:B:18:MET:HE1	1:B:71:SER:HB2	2.00	0.42
1:B:328:LYS:O	1:B:333:ASN:HB2	2.18	0.42
1:C:250:SER:O	1:C:251:ALA:HB3	2.19	0.42
1:C:7:VAL:HG22	1:C:69:LEU:HD12	2.02	0.42
1:C:165:ILE:HG23	1:C:249:LEU:HD22	2.00	0.42
1:D:250:SER:O	1:D:251:ALA:HB3	2.19	0.42
1:D:73:GLY:HA2	2:D:367:NAP:O3D	2.19	0.42
1:B:211:VAL:HG23	1:B:219:TYR:HD1	1.85	0.42
1:B:190:LEU:HA	1:B:191:PRO:C	2.44	0.42
1:A:182:PRO:HA	1:A:185:LEU:HD12	2.02	0.41
1:D:220:GLU:CD	3:D:400:AS2:HN	2.28	0.41
1:C:170:ARG:NH2	1:C:186:HIS:O	2.53	0.41
1:C:212:PHE:HA	1:C:218:THR:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ILE:HG12	1:B:258:ILE:HG22	2.02	0.41
1:C:206:LEU:HA	1:C:207:PRO:HD2	1.91	0.41
1:B:74:SER:HB2	1:B:97:TYR:HB2	2.02	0.41
1:C:32:ILE:HG23	1:C:52:ILE:HD11	2.03	0.41
1:A:2:GLY:HA2	4:A:626:HOH:O	2.20	0.41
1:B:7:VAL:HG13	1:B:18:MET:HE2	2.02	0.41
1:D:141:ARG:NH1	1:D:232:MET:HB3	2.36	0.41
1:A:125:CYS:HA	1:A:126:PRO:HD3	1.97	0.41
1:C:276:PHE:HA	1:C:277:PRO:HD3	1.94	0.41
2:A:367:NAP:C7N	3:A:400:AS2:HBA	2.51	0.40
1:A:154:TYR:N	1:A:154:TYR:CD2	2.90	0.40
1:D:98:PHE:HB3	1:D:104:VAL:HG21	2.03	0.40
1:C:43:LYS:HB3	1:C:43:LYS:HE2	1.90	0.40
1:B:154:TYR:HB2	1:B:253:SER:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/366 (97%)	342 (96%)	11 (3%)	2 (1%)	21	18
1	B	345/366 (94%)	329 (95%)	14 (4%)	2 (1%)	21	18
1	C	351/366 (96%)	337 (96%)	12 (3%)	2 (1%)	21	18
1	D	355/366 (97%)	336 (95%)	18 (5%)	1 (0%)	36	36
All	All	1406/1464 (96%)	1344 (96%)	55 (4%)	7 (0%)	24	22

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	251	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	251	ALA
1	C	251	ALA
1	D	251	ALA
1	B	330	ALA
1	C	330	ALA
1	A	330	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/302 (97%)	284 (97%)	8 (3%)	39	45
1	B	279/302 (92%)	267 (96%)	12 (4%)	26	27
1	C	289/302 (96%)	276 (96%)	13 (4%)	24	25
1	D	292/302 (97%)	280 (96%)	12 (4%)	27	29
All	All	1152/1208 (95%)	1107 (96%)	45 (4%)	28	31

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ILE
1	A	43	LYS
1	A	74	SER
1	A	129	SER
1	A	154	TYR
1	A	173	ARG
1	A	201	ILE
1	A	352	GLU
1	B	18	MET
1	B	32	ILE
1	B	37	SER
1	B	45	LEU
1	B	59	GLU
1	B	146	LEU
1	B	170	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	209	ILE
1	B	250	SER
1	B	262	GLU
1	B	336	GLN
1	B	348	ARG
1	C	18	MET
1	C	24	GLU
1	C	49	ASP
1	C	50	GLN
1	C	69	LEU
1	C	94	ASN
1	C	95	THR
1	C	129	SER
1	C	170	ARG
1	C	186	HIS
1	C	197	LYS
1	C	267	GLU
1	C	350	THR
1	D	20	LYS
1	D	51	ASP
1	D	63	GLU
1	D	129	SER
1	D	170	ARG
1	D	172	LEU
1	D	201	ILE
1	D	214	ASP
1	D	233	GLU
1	D	314	GLU
1	D	354	LYS
1	D	358	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	169	GLN
1	A	198	HIS
1	B	114	HIS
1	B	169	GLN
1	B	198	HIS
1	B	336	GLN
1	C	50	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	120	ASN
1	C	198	HIS
1	D	94	ASN
1	D	198	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	AS2	A	400	1	6,7,7	1.13	1 (16%)	3,8,8	1.49	1 (33%)
2	NAP	C	367	-	50,52,52	2.50	9 (18%)	71,80,80	1.86	13 (18%)
3	AS2	C	400	1	6,7,7	1.00	0	3,8,8	1.64	1 (33%)
2	NAP	D	367	-	50,52,52	2.62	13 (26%)	71,80,80	1.97	17 (23%)
3	AS2	D	400	1	6,7,7	1.05	1 (16%)	3,8,8	1.53	0
2	NAP	B	367	-	50,52,52	2.74	13 (26%)	71,80,80	1.96	13 (18%)
2	NAP	A	367	-	50,52,52	2.35	9 (18%)	71,80,80	1.92	18 (25%)
3	AS2	B	400	1	6,7,7	0.94	0	3,8,8	1.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AS2	A	400	1	-	7/7/7/7	-
2	NAP	C	367	-	-	3/35/67/67	0/5/5/5
3	AS2	C	400	1	-	6/7/7/7	-
2	NAP	D	367	-	-	9/35/67/67	0/5/5/5
3	AS2	D	400	1	-	5/7/7/7	-
2	NAP	B	367	-	-	14/35/67/67	0/5/5/5
2	NAP	A	367	-	-	13/35/67/67	0/5/5/5
3	AS2	B	400	1	-	7/7/7/7	-

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	367	NAP	PN-O3	9.61	1.69	1.59
2	C	367	NAP	PN-O3	9.09	1.69	1.59
2	D	367	NAP	PN-O3	8.98	1.69	1.59
2	A	367	NAP	PN-O3	8.57	1.68	1.59
2	C	367	NAP	C6N-C5N	7.92	1.55	1.38
2	D	367	NAP	C6N-C5N	7.79	1.54	1.38
2	B	367	NAP	C6N-C5N	7.64	1.54	1.38
2	A	367	NAP	C6N-C5N	7.43	1.54	1.38
2	B	367	NAP	PA-O3	7.13	1.67	1.59
2	D	367	NAP	PA-O3	6.75	1.66	1.59
2	D	367	NAP	C6N-N1N	6.53	1.50	1.35
2	C	367	NAP	C6N-N1N	6.31	1.49	1.35
2	B	367	NAP	C6N-N1N	6.24	1.49	1.35
2	A	367	NAP	C6N-N1N	6.15	1.49	1.35
2	D	367	NAP	C2N-N1N	5.84	1.41	1.35
2	B	367	NAP	C2N-N1N	5.64	1.41	1.35
2	B	367	NAP	O4D-C1D	5.48	1.48	1.40
2	C	367	NAP	C2N-N1N	5.18	1.40	1.35
2	C	367	NAP	PA-O3	4.89	1.64	1.59
2	A	367	NAP	C2N-N1N	4.71	1.40	1.35
2	C	367	NAP	O4D-C1D	4.26	1.46	1.40
2	D	367	NAP	O4D-C1D	3.98	1.46	1.40
2	B	367	NAP	P2B-O2B	3.98	1.66	1.59
2	A	367	NAP	PA-O3	3.93	1.63	1.59
2	A	367	NAP	O4D-C1D	3.62	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	367	NAP	P2B-O1X	3.32	1.60	1.50
2	A	367	NAP	P2B-O2B	3.27	1.65	1.59
2	A	367	NAP	P2B-O1X	3.18	1.60	1.50
2	B	367	NAP	P2B-O1X	3.14	1.60	1.50
2	C	367	NAP	C5A-N7A	-3.10	1.33	1.39
2	D	367	NAP	P2B-O1X	3.00	1.59	1.50
2	D	367	NAP	C3N-C7N	2.84	1.54	1.50
2	B	367	NAP	C5A-N7A	-2.75	1.34	1.39
2	D	367	NAP	C5A-N7A	-2.53	1.34	1.39
2	A	367	NAP	C5A-N7A	-2.47	1.34	1.39
2	B	367	NAP	C3N-C7N	2.40	1.54	1.50
2	D	367	NAP	P2B-O2X	2.24	1.63	1.54
2	D	367	NAP	C4A-N9A	-2.23	1.33	1.37
2	C	367	NAP	C4A-N9A	-2.20	1.33	1.37
3	D	400	AS2	OXT-C	-2.13	1.23	1.30
2	B	367	NAP	C5D-C4D	2.13	1.58	1.51
3	A	400	AS2	OXT-C	-2.12	1.23	1.30
2	D	367	NAP	P2B-O2B	2.10	1.63	1.59
2	D	367	NAP	P2B-O3X	-2.09	1.47	1.54
2	B	367	NAP	C4A-N9A	-2.09	1.33	1.37
2	B	367	NAP	P2B-O3X	-2.06	1.47	1.54

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	367	NAP	C5N-C4N-C3N	8.40	128.62	120.36
2	B	367	NAP	C5N-C4N-C3N	7.57	127.80	120.36
2	A	367	NAP	C5N-C4N-C3N	7.08	127.32	120.36
2	C	367	NAP	C5N-C4N-C3N	6.98	127.23	120.36
2	C	367	NAP	C5A-C4A-N3A	-5.13	119.65	126.72
2	B	367	NAP	C5A-C4A-N3A	-5.06	119.75	126.72
2	B	367	NAP	C2B-C1B-N9A	-4.99	105.53	113.75
2	A	367	NAP	C5A-C4A-N3A	-4.93	119.93	126.72
2	C	367	NAP	C2B-C1B-N9A	-4.78	105.89	113.75
2	D	367	NAP	C5A-C4A-N3A	-4.63	120.34	126.72
2	C	367	NAP	N3A-C2A-N1A	-4.62	121.60	128.58
2	B	367	NAP	N3A-C2A-N1A	-4.39	121.93	128.58
2	A	367	NAP	N3A-C2A-N1A	-4.33	122.03	128.58
2	D	367	NAP	N3A-C2A-N1A	-4.31	122.06	128.58
2	C	367	NAP	C5N-C6N-N1N	-4.28	114.55	120.38
2	B	367	NAP	N3A-C4A-N9A	4.08	134.10	127.17
2	A	367	NAP	C5N-C6N-N1N	-3.84	115.15	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	367	NAP	C4D-O4D-C1D	-3.80	106.44	109.92
2	B	367	NAP	C5N-C6N-N1N	-3.69	115.34	120.38
2	C	367	NAP	N3A-C4A-N9A	3.68	133.43	127.17
2	D	367	NAP	C6N-C5N-C4N	-3.64	114.21	119.45
2	A	367	NAP	C3N-C7N-N7N	-3.55	113.36	117.74
2	D	367	NAP	C5N-C6N-N1N	-3.54	115.55	120.38
2	A	367	NAP	N3A-C4A-N9A	3.54	133.19	127.17
2	C	367	NAP	C2A-N3A-C4A	3.45	120.26	111.83
2	D	367	NAP	N9A-C8A-N7A	-3.44	109.05	113.94
2	B	367	NAP	N9A-C8A-N7A	-3.41	109.10	113.94
2	B	367	NAP	C2A-N3A-C4A	3.35	120.01	111.83
2	D	367	NAP	C2A-N3A-C4A	3.26	119.78	111.83
2	C	367	NAP	N9A-C8A-N7A	-3.25	109.33	113.94
2	A	367	NAP	C2A-N3A-C4A	3.24	119.75	111.83
2	D	367	NAP	N3A-C4A-N9A	3.13	132.50	127.17
2	B	367	NAP	C6N-C5N-C4N	-3.06	115.04	119.45
2	B	367	NAP	C4A-N9A-C8A	2.98	108.87	105.74
2	A	367	NAP	C6N-C5N-C4N	-2.97	115.17	119.45
2	A	367	NAP	N9A-C8A-N7A	-2.93	109.78	113.94
2	D	367	NAP	C4D-O4D-C1D	-2.84	107.32	109.92
2	D	367	NAP	C4A-C5A-N7A	-2.81	107.37	110.58
2	B	367	NAP	C3N-C7N-N7N	-2.80	114.29	117.74
2	D	367	NAP	C4A-N9A-C8A	2.80	108.67	105.74
2	D	367	NAP	C5A-N7A-C8A	2.73	107.74	103.45
2	C	367	NAP	C5A-N7A-C8A	2.66	107.63	103.45
2	C	367	NAP	C6N-C5N-C4N	-2.64	115.64	119.45
2	D	367	NAP	C3N-C7N-N7N	-2.63	114.50	117.74
2	B	367	NAP	C5A-N7A-C8A	2.57	107.48	103.45
2	A	367	NAP	C4A-C5A-N7A	-2.50	107.72	110.58
2	A	367	NAP	C4A-N9A-C8A	2.47	108.33	105.74
2	A	367	NAP	C5A-N7A-C8A	2.44	107.29	103.45
3	C	400	AS2	OXT-C-O	-2.44	118.55	124.08
2	D	367	NAP	O3X-P2B-O2X	2.43	116.91	107.80
2	C	367	NAP	C4A-N9A-C8A	2.38	108.24	105.74
2	C	367	NAP	C4A-C5A-N7A	-2.36	107.88	110.58
2	D	367	NAP	O4B-C4B-C5B	-2.31	101.94	109.33
2	A	367	NAP	O3X-P2B-O2X	2.28	116.36	107.80
2	A	367	NAP	O4B-C1B-N9A	2.24	112.39	108.09
3	A	400	AS2	OXT-C-O	-2.20	119.09	124.08
2	D	367	NAP	O2X-P2B-O1X	-2.15	102.47	110.83
2	C	367	NAP	O4B-C1B-N9A	2.11	112.14	108.09
2	A	367	NAP	C2B-C1B-N9A	-2.10	110.30	113.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	367	NAP	O4B-C1B-C2B	-2.07	103.02	106.59
2	D	367	NAP	C3B-C2B-C1B	-2.05	98.88	102.81
2	A	367	NAP	O7N-C7N-N7N	2.04	125.57	122.62
2	B	367	NAP	C4D-O4D-C1D	-2.03	108.07	109.92

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	367	NAP	O4D-C4D-C5D-O5D
2	A	367	NAP	C3D-C4D-C5D-O5D
2	A	367	NAP	O4D-C1D-N1N-C2N
2	B	367	NAP	C5D-O5D-PN-O1N
2	B	367	NAP	C5D-O5D-PN-O2N
2	B	367	NAP	O4D-C4D-C5D-O5D
2	B	367	NAP	O4D-C1D-N1N-C2N
2	B	367	NAP	O4D-C1D-N1N-C6N
2	B	367	NAP	C2D-C1D-N1N-C2N
2	B	367	NAP	C2D-C1D-N1N-C6N
2	C	367	NAP	O4D-C4D-C5D-O5D
2	D	367	NAP	O4D-C4D-C5D-O5D
2	D	367	NAP	O4D-C1D-N1N-C2N
3	A	400	AS2	C-CA-CB-CG
3	A	400	AS2	N-CA-CB-CG
3	B	400	AS2	C-CA-CB-CG
3	B	400	AS2	N-CA-CB-CG
3	C	400	AS2	O-C-CA-N
3	C	400	AS2	C-CA-CB-CG
3	C	400	AS2	N-CA-CB-CG
3	D	400	AS2	O-C-CA-N
3	D	400	AS2	C-CA-CB-CG
3	D	400	AS2	N-CA-CB-CG
2	C	367	NAP	C3D-C4D-C5D-O5D
2	D	367	NAP	C3D-C4D-C5D-O5D
3	C	400	AS2	OXT-C-CA-N
3	D	400	AS2	OXT-C-CA-N
2	B	367	NAP	C3D-C4D-C5D-O5D
3	A	400	AS2	OXT-C-CA-N
3	B	400	AS2	OXT-C-CA-N
3	A	400	AS2	OXT-C-CA-CB
3	B	400	AS2	OXT-C-CA-CB
2	A	367	NAP	PN-O3-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	400	AS2	O-C-CA-CB
3	B	400	AS2	O-C-CA-CB
3	A	400	AS2	O-C-CA-N
3	B	400	AS2	O-C-CA-N
3	C	400	AS2	O-C-CA-CB
3	C	400	AS2	OXT-C-CA-CB
3	A	400	AS2	CA-CB-CG-OD2
2	A	367	NAP	C5B-O5B-PA-O1A
2	B	367	NAP	C5D-O5D-PN-O3
2	D	367	NAP	C5D-O5D-PN-O1N
2	A	367	NAP	PN-O3-PA-O2A
2	A	367	NAP	C2D-C1D-N1N-C2N
2	A	367	NAP	C2D-C1D-N1N-C6N
2	A	367	NAP	O4D-C1D-N1N-C6N
2	D	367	NAP	O4D-C1D-N1N-C6N
2	A	367	NAP	C2B-O2B-P2B-O1X
2	C	367	NAP	C2B-O2B-P2B-O1X
2	B	367	NAP	PN-O3-PA-O1A
2	D	367	NAP	PA-O3-PN-O2N
3	B	400	AS2	CA-CB-CG-OD2
2	B	367	NAP	O4B-C4B-C5B-O5B
2	A	367	NAP	PA-O3-PN-O1N
2	A	367	NAP	PA-O3-PN-O2N
2	B	367	NAP	PN-O3-PA-O2A
2	D	367	NAP	PN-O3-PA-O2A
2	D	367	NAP	PA-O3-PN-O1N
2	A	367	NAP	O4B-C4B-C5B-O5B
2	B	367	NAP	C2B-O2B-P2B-O3X
2	B	367	NAP	C2B-O2B-P2B-O1X
3	D	400	AS2	CA-CB-CG-OD2
2	D	367	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.


5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	400	AS2	1	0
2	C	367	NAP	1	0
2	D	367	NAP	4	0
3	D	400	AS2	1	0
2	A	367	NAP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	357/366 (97%)	0.02	4 (1%) 78 80	11, 18, 28, 34	0
1	B	347/366 (94%)	0.20	5 (1%) 73 75	10, 21, 32, 42	0
1	C	355/366 (96%)	0.36	3 (0%) 82 84	14, 24, 37, 50	0
1	D	357/366 (97%)	0.21	2 (0%) 85 87	11, 21, 35, 44	0
All	All	1416/1464 (96%)	0.20	14 (0%) 79 81	10, 21, 34, 50	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	219	TYR	3.8
1	C	353	LEU	3.7
1	A	219	TYR	3.0
1	A	49	ASP	2.9
1	A	186	HIS	2.4
1	B	60	THR	2.4
1	D	40	SER	2.3
1	C	39	ARG	2.2
1	B	72	ALA	2.2
1	C	38	ALA	2.1
1	B	83	TYR	2.1
1	A	352	GLU	2.0
1	B	75	SER	2.1
1	B	68	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAP	D	367	48/48	0.84	0.16	30,41,63,64	0
2	NAP	C	367	48/48	0.85	0.14	28,41,56,58	0
2	NAP	B	367	48/48	0.85	0.15	28,40,59,59	0
3	AS2	B	400	8/8	0.85	0.11	24,24,25,26	0
3	AS2	C	400	8/8	0.87	0.11	25,27,27,27	0
2	NAP	A	367	48/48	0.88	0.14	23,32,52,52	0
3	AS2	A	400	8/8	0.89	0.10	21,23,23,24	0
3	AS2	D	400	8/8	0.90	0.09	22,22,23,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP D 367:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP C 367:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 367:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 367:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.