



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:24 PM UTC

PDB ID : 4GZX / pdb_00004gzx
Title : N2 neuraminidase D151G mutant of A/Tanzania/205/2010 H3N2 in complex with human sialic acid receptor
Authors : Zhu, X.; Wilson, I.A.
Deposited on : 2012-09-06
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	393	2% 75% 22% ..
1	B	393	3% 77% 20% ..
1	C	393	3% 78% 18% ...
1	D	393	2% 79% 18% ..
2	E	2	50% 50%

Continued on next page...

Continued from previous page...


Mol	Chain	Length	Quality of chain
2	G	2	 100%
3	F	5	 100%
3	H	5	 40%40%20%
3	I	5	 20%60%20%
3	K	5	 40%60%
4	J	3	 100%
5	L	2	 50%50%

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called neuraminidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total 2998	C 1858	N 531	O 587	S 22	0	0	0
1	B	388	Total 2998	C 1858	N 531	O 587	S 22	0	0	0
1	C	388	Total 2998	C 1858	N 531	O 587	S 22	0	0	0
1	D	388	Total 2998	C 1858	N 531	O 587	S 22	0	0	0

- Molecule 2 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total 32	C 17	N 1	O 14	0	0	0
2	G	2	Total 32	C 17	N 1	O 14	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	5	Total	C	N	O	0	0	0
			61	34	2	25			
3	H	5	Total	C	N	O	0	0	0
			61	34	2	25			
3	I	5	Total	C	N	O	0	0	0
			61	34	2	25			
3	K	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 5 is an oligosaccharide called beta-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	L	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Ca	0	0
			2	2		
7	B	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Ca	0	0
			1	1		
7	D	1	Total	Ca	0	0
			1	1		

- Molecule 8 is N-acetyl-alpha-neuraminic acid (CCD ID: SIA) (formula: $C_{11}H_{19}NO_9$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	C	1	Total	C	N	O	0	0
			21	11	1	9		
8	D	1	Total	C	N	O	0	0
			21	11	1	9		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	147	Total	O	0	0
			147	147		
9	B	139	Total	O	0	0
			139	139		
9	C	99	Total	O	0	0
			99	99		
9	D	130	Total	O	0	0
			130	130		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: neuraminidase



- Molecule 1: neuraminidase





- Molecule 1: neuraminidase





- Molecule 1: neuraminidase



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


nose

Chain I:  20% 60% 20%




• Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  40% 60%



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



• Molecule 5: beta-L-fucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.59Å 110.18Å 110.04Å 90.00° 97.45° 90.00°	Depositor
Resolution (Å)	50.00 – 2.45 50.00 – 2.45	Depositor EDS
% Data completeness (in resolution range)	84.3 (50.00-2.45) 84.3 (50.00-2.45)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.212 , 0.271 0.212 , 0.263	Depositor DCC
R_{free} test set	2997 reflections (4.28%)	wwPDB-VP
Wilson B-factor (Å ²)	21.8	Xtriage
Anisotropy	1.121	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 30.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	13064	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, FUL, MAN, BMA, SIA, FUC, NAG, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/3065	0.94	8/4156 (0.2%)
1	B	0.64	0/3065	0.88	2/4156 (0.0%)
1	C	0.65	0/3065	0.94	6/4156 (0.1%)
1	D	0.63	0/3065	0.91	6/4156 (0.1%)
All	All	0.64	0/12260	0.92	22/16624 (0.1%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	216	VAL	CB-CA-C	-8.34	99.77	111.28
1	C	216	VAL	CB-CA-C	-8.10	100.11	111.28
1	C	467	MET	CA-C-N	7.76	129.54	119.84
1	C	467	MET	C-N-CA	7.76	129.54	119.84
1	A	443	ILE	N-CA-C	7.46	119.09	108.42
1	B	216	VAL	CB-CA-C	-7.22	101.66	111.63
1	A	216	VAL	CB-CA-C	-7.10	101.83	111.63
1	A	467	MET	CA-C-N	7.04	128.64	119.84
1	A	467	MET	C-N-CA	7.04	128.64	119.84
1	C	397	ILE	N-CA-C	-6.90	105.63	111.56
1	D	180	SER	N-CA-C	6.72	117.45	108.38
1	D	226	GLN	N-CA-C	6.26	118.19	111.36
1	A	226	GLN	N-CA-C	6.11	118.01	111.36
1	C	226	GLN	N-CA-C	6.04	117.94	111.36
1	B	226	GLN	N-CA-C	5.93	117.75	111.28
1	A	345	GLY	N-CA-C	5.69	119.77	112.83
1	D	467	MET	CA-C-N	5.67	126.93	119.84
1	D	467	MET	C-N-CA	5.67	126.93	119.84
1	C	318	CYS	N-CA-C	5.43	117.20	111.28
1	A	344	GLU	CA-C-N	5.35	126.02	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	344	GLU	C-N-CA	5.35	126.02	120.03
1	D	397	ILE	N-CA-C	-5.08	106.84	111.67

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2998	0	2855	61	0
1	B	2998	0	2855	58	0
1	C	2998	0	2855	60	0
1	D	2998	0	2855	47	0
2	E	32	0	28	0	0
2	G	32	0	28	0	0
3	F	61	0	52	0	0
3	H	61	0	52	1	0
3	I	61	0	52	1	0
3	K	61	0	52	1	0
4	J	38	0	34	1	0
5	L	24	0	22	1	0
6	A	42	0	39	2	0
6	B	42	0	39	3	0
6	C	28	0	26	0	0
6	D	28	0	26	0	0
7	A	2	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	C	21	0	18	0	0
8	D	21	0	18	0	0
9	A	147	0	0	2	0
9	B	139	0	0	1	0
9	C	99	0	0	2	0
9	D	130	0	0	1	0
All	All	13064	0	11906	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:109:SER:HB3	1:C:114:ILE:HB	1.54	0.90
1:C:228:SER:HB3	1:C:350:LYS:HE2	1.59	0.83
1:A:216:VAL:HG22	1:B:452:THR:HB	1.58	0.83
1:B:194:ILE:HD11	1:B:241:MET:HE3	1.66	0.78
1:C:194:ILE:HD11	1:C:241:MET:HE3	1.65	0.78
1:A:271:SER:HB3	1:A:338:LEU:O	1.86	0.75
1:D:194:ILE:HD11	1:D:241:MET:HE3	1.68	0.75
1:C:216:VAL:HG22	1:D:452:THR:HB	1.68	0.74
1:B:385:ASN:HD22	1:B:387:LYS:H	1.35	0.74
1:A:452:THR:HB	1:D:216:VAL:HG22	1.70	0.73
1:C:279:SER:HB3	1:C:409:ILE:HG22	1.71	0.72
1:A:279:SER:HB3	1:A:409:ILE:HG22	1.70	0.70
1:B:216:VAL:CG2	1:C:452:THR:HB	2.22	0.70
1:C:360:VAL:HG12	1:C:379:VAL:HB	1.72	0.70
1:A:385:ASN:ND2	1:A:387:LYS:H	1.91	0.69
1:C:385:ASN:C	1:C:385:ASN:HD22	2.01	0.68
1:A:146:ASN:O	1:A:147:ASN:HB2	1.93	0.68
1:A:194:ILE:HD11	1:A:241:MET:HE3	1.76	0.67
1:A:278:CYS:HB3	1:A:289:CYS:HB3	1.77	0.67
1:A:385:ASN:HD21	1:A:387:LYS:HB2	1.61	0.66
1:A:330:ASP:N	1:A:330:ASP:OD1	2.28	0.66
1:A:120:PRO:HD3	1:A:425:GLU:OE2	1.96	0.66
1:A:452:THR:CB	1:D:216:VAL:HG22	2.27	0.65
1:C:228:SER:HB3	1:C:350:LYS:CE	2.27	0.64
1:A:453:TYR:C	1:D:216:VAL:HG13	2.23	0.63
1:B:147:ASN:HD21	6:B:809:NAG:H62	1.63	0.63
1:B:385:ASN:ND2	1:B:387:LYS:H	1.97	0.63
1:A:109:SER:HB3	1:A:114:ILE:HB	1.80	0.63
1:B:109:SER:HB3	1:B:114:ILE:HB	1.80	0.62
1:B:216:VAL:HG23	1:C:452:THR:OG1	2.00	0.62
1:B:278:CYS:HB3	1:B:289:CYS:HB3	1.81	0.62
1:A:216:VAL:HG13	1:B:453:TYR:C	2.24	0.62
1:B:328:LYS:HD2	1:B:343:GLU:OE1	2.00	0.60
1:D:446:PHE:HZ	1:D:458:TRP:CE3	2.18	0.60
1:A:216:VAL:CG2	1:B:452:THR:HB	2.30	0.60
1:C:216:VAL:HG13	1:D:453:TYR:C	2.27	0.59
1:A:454:GLY:HA3	1:D:200:ASN:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:TRP:HE3	1:B:418:ILE:HD12	1.66	0.59
1:A:461:GLY:HA3	1:D:155:TYR:CE1	2.39	0.58
1:C:438:TRP:CZ2	1:C:467:MET:HE2	2.39	0.57
1:C:204:SER:HB3	1:C:211:LEU:HD11	1.87	0.57
1:C:216:VAL:HG13	1:D:453:TYR:O	2.04	0.57
1:A:166:PRO:O	1:A:168:HIS:HD2	1.87	0.57
1:C:216:VAL:HG22	1:D:452:THR:CB	2.35	0.55
1:A:284:TYR:CD1	1:A:285:PRO:HA	2.42	0.54
1:C:194:ILE:HD11	1:C:241:MET:CE	2.36	0.54
1:B:360:VAL:HG12	1:B:382:GLY:HA3	1.89	0.54
1:D:391:GLN:O	3:I:3:BMA:H4	2.08	0.54
1:B:380:ILE:HD12	1:B:390:LEU:HG	1.90	0.53
1:C:278:CYS:HB3	1:C:289:CYS:HB3	1.90	0.53
1:B:228:SER:HB3	1:B:423:TYR:OH	2.08	0.53
1:A:168:HIS:HB2	9:A:933:HOH:O	2.08	0.53
1:B:216:VAL:HG23	1:C:452:THR:CB	2.38	0.53
1:D:326:PRO:HA	1:D:368:GLU:O	2.08	0.53
1:A:205:PHE:CE1	1:A:262:ILE:HD11	2.44	0.53
1:C:330:ASP:O	1:C:389:LYS:NZ	2.27	0.52
1:A:271:SER:HB2	1:A:315:SER:HA	1.92	0.52
1:A:302:ILE:HD11	1:A:317:VAL:HA	1.91	0.52
1:C:194:ILE:HG21	1:C:223:LEU:O	2.09	0.52
1:D:278:CYS:HB3	1:D:289:CYS:HB3	1.91	0.52
1:B:216:VAL:HG22	1:C:453:TYR:N	2.25	0.52
1:A:428:ARG:NH1	1:A:460:ASP:OD2	2.41	0.51
1:B:194:ILE:HD11	1:B:241:MET:CE	2.36	0.51
1:D:343:GLU:C	1:D:345:GLY:H	2.18	0.51
1:A:169:LEU:HD11	1:B:112:GLY:HA3	1.92	0.51
1:A:385:ASN:HD22	1:A:385:ASN:C	2.18	0.51
1:C:398:VAL:HG21	1:C:426:LEU:HD21	1.92	0.51
1:B:385:ASN:HD22	1:B:385:ASN:C	2.19	0.51
1:B:216:VAL:HG23	1:C:452:THR:HB	1.92	0.51
1:D:383:TRP:NE1	9:D:1000:HOH:O	2.43	0.50
1:C:385:ASN:C	1:C:385:ASN:ND2	2.70	0.50
1:B:347:HIS:CG	1:B:348:GLY:H	2.30	0.50
1:A:360:VAL:HG12	1:A:379:VAL:HB	1.94	0.49
6:A:810:NAG:H81	9:A:1040:HOH:O	2.13	0.49
1:C:150:ARG:HH12	4:J:3:FUC:H63	1.76	0.49
1:D:107:ARG:HD2	1:D:461:GLY:HA3	1.94	0.48
1:A:200:ASN:O	1:B:454:GLY:HA3	2.13	0.48
1:A:428:ARG:NH2	1:A:464:LEU:HG	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:361:TRP:CE2	1:B:378:LYS:HD3	2.49	0.48
1:B:267:THR:HG22	9:B:982:HOH:O	2.13	0.48
1:C:86:ASN:ND2	1:C:234:ASN:OD1	2.42	0.48
1:C:298:SER:OG	1:C:341:ASN:ND2	2.45	0.48
1:B:117:THR:HB	1:B:133:ALA:HB1	1.96	0.48
1:C:430:ARG:HB3	1:C:431:LYS:HA	1.96	0.48
1:A:304:ASP:HB2	1:A:313:VAL:HG22	1.95	0.48
1:B:232:CYS:HA	1:B:237:CYS:HA	1.96	0.48
1:C:116:VAL:HG11	1:C:148:THR:HG21	1.96	0.48
1:C:385:ASN:ND2	1:C:387:LYS:H	2.12	0.48
1:C:318:CYS:O	1:C:386:PRO:HA	2.14	0.47
1:A:452:THR:OG1	1:D:216:VAL:HG22	2.14	0.47
1:B:121:TYR:CG	1:B:228:SER:HA	2.49	0.47
1:D:158:LEU:O	1:D:174:VAL:HG22	2.14	0.47
1:A:168:HIS:H	1:A:168:HIS:CD2	2.32	0.47
1:B:271:SER:HB2	1:B:338:LEU:O	2.14	0.47
1:C:276:GLU:O	1:C:291:CYS:HB3	2.14	0.47
1:D:223:LEU:HD11	1:D:241:MET:HE2	1.96	0.47
1:B:318:CYS:O	1:B:386:PRO:HA	2.15	0.47
1:D:87:TRP:HE3	1:D:418:ILE:HD12	1.80	0.47
1:C:290:VAL:HG21	1:C:353:ALA:HB3	1.97	0.46
1:A:132:PHE:CE2	1:A:160:MET:HG3	2.49	0.46
1:B:87:TRP:CE3	1:B:418:ILE:HD12	2.49	0.46
1:C:203:ALA:O	1:C:214:SER:HA	2.15	0.46
1:A:106:ILE:HD11	1:A:441:ASN:C	2.41	0.46
1:A:217:SER:OG	1:A:243:ASP:OD2	2.20	0.46
1:B:205:PHE:CE1	1:B:262:ILE:HD11	2.50	0.46
1:B:398:VAL:HG21	1:B:426:LEU:CD2	2.46	0.46
1:A:385:ASN:ND2	1:A:385:ASN:C	2.74	0.46
1:A:410:PHE:CZ	1:A:421:CYS:HB2	2.50	0.46
1:C:380:ILE:HD12	1:C:390:LEU:HD23	1.97	0.46
1:C:467:MET:HB3	1:C:468:PRO:HD2	1.98	0.46
1:A:397:ILE:HG13	1:A:422:PHE:HZ	1.81	0.46
1:B:224:ARG:NE	1:B:276:GLU:OE1	2.39	0.46
1:D:102:LYS:NZ	1:D:104:ASN:OD1	2.47	0.46
1:A:194:ILE:HD11	1:A:241:MET:CE	2.46	0.45
1:B:361:TRP:CZ2	1:B:378:LYS:HD3	2.52	0.45
1:C:283:ARG:O	1:C:284:TYR:C	2.59	0.45
1:A:399:ASP:OD1	1:A:402:ASN:OD1	2.35	0.45
1:B:240:VAL:HG22	1:B:254:ILE:HG13	1.97	0.45
1:B:296:LYS:HB2	1:B:296:LYS:HE3	1.79	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:438:TRP:HZ2	1:C:467:MET:HE2	1.81	0.45
1:A:223:LEU:HD11	1:A:241:MET:HE2	1.98	0.45
1:A:343:GLU:C	1:A:345:GLY:N	2.75	0.45
1:D:293:ASP:OD1	1:D:293:ASP:C	2.59	0.45
1:C:201:ALA:H	1:C:217:SER:HB2	1.81	0.45
1:B:147:ASN:HD21	6:B:809:NAG:C6	2.29	0.45
1:B:284:TYR:CD1	1:B:285:PRO:HA	2.52	0.45
1:B:115:TRP:CH2	1:C:108:LEU:HD21	2.52	0.44
1:D:205:PHE:CE1	1:D:262:ILE:HD11	2.52	0.44
1:B:398:VAL:HG21	1:B:426:LEU:HD21	1.98	0.44
1:C:358:ASN:ND2	9:C:989:HOH:O	2.50	0.44
1:D:283:ARG:O	1:D:284:TYR:C	2.59	0.44
1:A:453:TYR:HA	1:D:202:THR:HG23	1.99	0.44
1:C:136:GLN:HE21	1:C:136:GLN:HA	1.82	0.44
1:D:213:ASP:OD1	1:D:214:SER:N	2.49	0.44
1:A:453:TYR:O	1:D:216:VAL:HG13	2.18	0.44
1:C:315:SER:HB2	1:C:337:CYS:O	2.18	0.44
1:C:392:ILE:O	1:C:393:ASN:HB2	2.17	0.44
1:B:359:ASP:OD1	1:B:380:ILE:HA	2.18	0.43
1:D:337:CYS:SG	1:D:386:PRO:HD3	2.58	0.43
1:B:464:LEU:HA	1:B:467:MET:HG2	2.00	0.43
1:A:228:SER:HB3	1:A:350:LYS:HE2	2.01	0.43
1:C:464:LEU:HA	1:C:467:MET:HG3	2.01	0.43
1:D:343:GLU:C	1:D:345:GLY:N	2.77	0.43
1:C:326:PRO:HA	1:C:368:GLU:O	2.18	0.43
1:C:385:ASN:HD22	1:C:387:LYS:H	1.65	0.43
1:B:279:SER:HB3	1:B:409:ILE:HG22	2.00	0.43
1:A:361:TRP:CE2	1:A:378:LYS:HD3	2.53	0.43
1:B:315:SER:HB2	1:B:337:CYS:O	2.19	0.43
1:B:321:LEU:HD22	1:B:330:ASP:OD1	2.19	0.43
1:D:103:ASP:OD2	1:D:105:SER:HB2	2.18	0.43
1:D:132:PHE:CE1	1:D:160:MET:HG3	2.54	0.43
1:D:431:LYS:HE2	1:D:431:LYS:HB3	1.85	0.43
1:B:115:TRP:CZ2	1:C:108:LEU:HD21	2.54	0.43
1:C:103:ASP:OD2	1:C:105:SER:HB2	2.19	0.43
1:D:147:ASN:HD21	5:L:1:NAG:H62	1.82	0.43
1:A:359:ASP:OD1	1:A:380:ILE:HA	2.19	0.42
1:C:380:ILE:O	1:C:381:GLU:HB2	2.19	0.42
1:B:180:SER:HA	1:B:192:VAL:O	2.20	0.42
1:B:435:GLU:H	1:B:435:GLU:CD	2.28	0.42
1:A:232:CYS:HA	1:A:237:CYS:HA	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:149:VAL:HG21	1:C:431:LYS:HG3	2.01	0.42
1:D:290:VAL:HG21	1:D:353:ALA:HB3	2.00	0.42
1:A:147:ASN:HD21	6:A:809:NAG:C6	2.33	0.42
1:A:321:LEU:HD12	1:A:379:VAL:HG22	2.02	0.42
1:D:125:ASP:HB2	1:D:126:PRO:CD	2.50	0.42
1:C:136:GLN:HA	1:C:136:GLN:NE2	2.35	0.42
1:D:325:THR:O	1:D:348:GLY:HA2	2.20	0.42
1:A:347:HIS:CG	1:A:348:GLY:H	2.38	0.42
1:A:241:MET:HE2	1:A:241:MET:HB3	1.87	0.42
1:B:192:VAL:HG22	1:B:205:PHE:CD2	2.55	0.42
1:A:453:TYR:O	3:K:1:NAG:H62	2.20	0.41
1:B:166:PRO:O	1:B:168:HIS:HD2	2.03	0.41
1:C:341:ASN:ND2	1:C:343:GLU:HB2	2.35	0.41
1:C:360:VAL:CG1	1:C:379:VAL:HB	2.45	0.41
1:A:155:TYR:CZ	1:B:461:GLY:HA3	2.55	0.41
1:B:304:ASP:C	1:B:305:ILE:HG13	2.45	0.41
1:B:322:VAL:HG23	1:B:327:ARG:HD2	2.03	0.41
1:D:343:GLU:O	1:D:345:GLY:N	2.54	0.41
1:A:370:SER:HB3	1:A:372:LEU:HD23	2.02	0.41
1:C:289:CYS:O	1:C:302:ILE:HA	2.20	0.41
1:B:221:GLU:HB3	1:B:244:GLY:HA2	2.03	0.41
1:D:360:VAL:HG12	1:D:379:VAL:HB	2.02	0.41
1:C:393:ASN:HA	3:H:2:NAG:H3	2.03	0.41
1:A:117:THR:HA	1:A:134:LEU:O	2.21	0.41
1:A:452:THR:O	1:D:214:SER:OG	2.38	0.41
1:B:368:GLU:OE1	6:B:810:NAG:H82	2.21	0.41
1:C:128:LYS:HE3	9:C:907:HOH:O	2.20	0.41
1:C:425:GLU:HG2	1:C:427:ILE:HG13	2.03	0.41
1:D:304:ASP:HB2	1:D:313:VAL:HG23	2.03	0.41
1:A:194:ILE:HG12	1:A:203:ALA:HB2	2.03	0.41
1:B:385:ASN:HA	1:B:386:PRO:HD2	1.89	0.41
1:C:140:LEU:C	1:C:140:LEU:HD23	2.45	0.41
1:C:169:LEU:HD23	1:C:169:LEU:HA	1.71	0.41
1:D:120:PRO:HA	1:D:132:PHE:O	2.20	0.41
1:A:290:VAL:HG21	1:A:353:ALA:HB3	2.03	0.40
1:D:385:ASN:HA	1:D:386:PRO:HD2	1.98	0.40
1:D:184:HIS:HE1	1:D:186:GLY:C	2.29	0.40
1:D:119:GLU:N	1:D:120:PRO:CD	2.84	0.40
1:D:327:ARG:CZ	1:D:364:ARG:HD2	2.52	0.40
1:A:132:PHE:HA	1:A:159:LEU:O	2.22	0.40
1:D:212:VAL:HB	1:D:260:GLY:HA3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/393 (98%)	354 (92%)	29 (8%)	3 (1%)	16	20
1	B	386/393 (98%)	358 (93%)	25 (6%)	3 (1%)	16	20
1	C	386/393 (98%)	360 (93%)	22 (6%)	4 (1%)	12	14
1	D	386/393 (98%)	356 (92%)	25 (6%)	5 (1%)	9	9
All	All	1544/1572 (98%)	1428 (92%)	101 (6%)	15 (1%)	12	14

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	393	ASN
1	D	319	SER
1	D	345	GLY
1	A	468	PRO
1	D	344	GLU
1	A	319	SER
1	B	319	SER
1	C	319	SER
1	D	468	PRO
1	A	142	ASN
1	C	222	ILE
1	D	247	SER
1	B	262	ILE
1	C	468	PRO
1	B	222	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/341 (99%)	319 (95%)	18 (5%)	20	30
1	B	337/341 (99%)	323 (96%)	14 (4%)	26	39
1	C	337/341 (99%)	325 (96%)	12 (4%)	31	45
1	D	337/341 (99%)	325 (96%)	12 (4%)	31	45
All	All	1348/1364 (99%)	1292 (96%)	56 (4%)	26	39

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	ASP
1	A	105	SER
1	A	176	ILE
1	A	180	SER
1	A	215	VAL
1	A	216	VAL
1	A	227	GLU
1	A	240	VAL
1	A	267	THR
1	A	276	GLU
1	A	290	VAL
1	A	307	ILE
1	A	319	SER
1	A	330	ASP
1	A	344	GLU
1	A	369	THR
1	A	370	SER
1	A	463	ASP
1	B	83	GLU
1	B	101	SER
1	B	157	THR
1	B	172	LYS
1	B	174	VAL
1	B	216	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	247	SER
1	B	254	ILE
1	B	308	LYS
1	B	368	GLU
1	B	376	THR
1	B	385	ASN
1	B	415	LYS
1	B	463	ASP
1	C	148	THR
1	C	157	THR
1	C	204	SER
1	C	211	LEU
1	C	216	VAL
1	C	234	ASN
1	C	267	THR
1	C	269	SER
1	C	299	ASN
1	C	332	SER
1	C	399	ASP
1	C	467	MET
1	D	139	THR
1	D	140	LEU
1	D	147	ASN
1	D	180	SER
1	D	214	SER
1	D	216	VAL
1	D	261	LYS
1	D	267	THR
1	D	307	ILE
1	D	370	SER
1	D	416	SER
1	D	443	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	GLN
1	A	147	ASN
1	A	168	HIS
1	A	310	HIS
1	A	358	ASN
1	A	385	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	393	ASN
1	A	402	ASN
1	B	136	GLN
1	B	147	ASN
1	B	385	ASN
1	B	393	ASN
1	C	136	GLN
1	C	358	ASN
1	C	385	ASN
1	C	393	ASN
1	D	136	GLN
1	D	147	ASN
1	D	168	HIS
1	D	208	ASN
1	D	342	ASN
1	D	347	HIS
1	D	385	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

29 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GAL	E	1	2	12,12,12	0.68	0	17,17,17	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SIA	E	2	2	20,20,21	0.90	1 (5%)	21,28,31	1.53	4 (19%)
3	NAG	F	1	3,1	14,14,15	0.64	0	17,19,21	1.37	2 (11%)
3	NAG	F	2	3	14,14,15	0.46	0	17,19,21	1.52	3 (17%)
3	BMA	F	3	3	11,11,12	0.62	0	15,15,17	0.93	1 (6%)
3	MAN	F	4	3	11,11,12	0.66	0	15,15,17	1.30	2 (13%)
3	MAN	F	5	3	11,11,12	0.66	0	15,15,17	1.91	3 (20%)
2	GAL	G	1	2	12,12,12	0.70	0	17,17,17	1.83	4 (23%)
2	SIA	G	2	2	20,20,21	0.75	0	21,28,31	1.26	3 (14%)
3	NAG	H	1	3,1	14,14,15	0.58	0	17,19,21	0.81	0
3	NAG	H	2	3	14,14,15	0.57	0	17,19,21	1.46	4 (23%)
3	BMA	H	3	3	11,11,12	0.83	0	15,15,17	0.93	0
3	MAN	H	4	3	11,11,12	0.58	0	15,15,17	1.68	1 (6%)
3	MAN	H	5	3	11,11,12	0.48	0	15,15,17	2.25	3 (20%)
3	NAG	I	1	3,1	14,14,15	0.63	0	17,19,21	1.12	0
3	NAG	I	2	3	14,14,15	0.45	0	17,19,21	1.52	3 (17%)
3	BMA	I	3	3	11,11,12	0.71	0	15,15,17	1.07	1 (6%)
3	MAN	I	4	3	11,11,12	0.65	0	15,15,17	1.42	3 (20%)
3	MAN	I	5	3	11,11,12	0.65	0	15,15,17	2.53	4 (26%)
4	NAG	J	1	4,1	14,14,15	0.66	0	17,19,21	1.39	1 (5%)
4	NAG	J	2	4	14,14,15	0.72	0	17,19,21	1.28	1 (5%)
4	FUC	J	3	4	10,10,11	0.58	0	14,14,16	0.83	0
3	NAG	K	1	3,1	14,14,15	0.67	0	17,19,21	0.91	0
3	NAG	K	2	3	14,14,15	0.38	0	17,19,21	0.98	0
3	BMA	K	3	3	11,11,12	0.60	0	15,15,17	0.77	0
3	MAN	K	4	3	11,11,12	0.44	0	15,15,17	2.66	5 (33%)
3	MAN	K	5	3	11,11,12	0.66	0	15,15,17	2.00	5 (33%)
5	NAG	L	1	5,1	14,14,15	0.46	0	17,19,21	1.44	3 (17%)
5	FUL	L	2	5	10,10,11	0.72	0	14,14,16	1.23	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	E	1	2	-	0/2/22/22	0/1/1/1
2	SIA	E	2	2	-	4/18/34/38	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	2/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	2/2/19/22	0/1/1/1
2	GAL	G	1	2	-	2/2/22/22	0/1/1/1
2	SIA	G	2	2	-	3/18/34/38	0/1/1/1
3	NAG	H	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	1/2/19/22	0/1/1/1
3	MAN	H	4	3	-	0/2/19/22	0/1/1/1
3	MAN	H	5	3	-	0/2/19/22	0/1/1/1
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	BMA	I	3	3	-	2/2/19/22	0/1/1/1
3	MAN	I	4	3	-	1/2/19/22	0/1/1/1
3	MAN	I	5	3	-	2/2/19/22	0/1/1/1
4	NAG	J	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
4	FUC	J	3	4	-	-	0/1/1/1
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
3	BMA	K	3	3	-	2/2/19/22	0/1/1/1
3	MAN	K	4	3	-	0/2/19/22	0/1/1/1
3	MAN	K	5	3	-	2/2/19/22	0/1/1/1
5	NAG	L	1	5,1	-	0/6/23/26	0/1/1/1
5	FUL	L	2	5	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	2	SIA	C7-C6	2.26	1.55	1.52

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	4	MAN	C1-O5-C5	7.90	122.78	112.19
3	H	5	MAN	C1-O5-C5	7.10	121.70	112.19
3	I	5	MAN	C1-O5-C5	6.02	120.25	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	5	MAN	C1-C2-C3	5.86	118.18	109.64
3	H	4	MAN	C1-O5-C5	5.71	119.83	112.19
3	F	5	MAN	C1-O5-C5	4.83	118.66	112.19
2	G	1	GAL	O5-C5-C4	4.71	118.18	109.70
4	J	1	NAG	C4-C3-C2	4.54	117.67	111.02
3	F	5	MAN	C1-C2-C3	4.41	116.06	109.64
2	E	2	SIA	O6-C2-C3	4.16	116.15	110.56
4	J	2	NAG	C4-C3-C2	3.95	116.81	111.02
3	K	5	MAN	C2-C3-C4	3.90	117.73	110.86
3	K	5	MAN	C3-C4-C5	3.63	116.81	110.23
3	F	1	NAG	C1-O5-C5	3.37	116.70	112.19
3	K	5	MAN	C1-C2-C3	3.30	114.46	109.64
3	K	4	MAN	C3-C4-C5	-3.21	104.41	110.23
3	I	2	NAG	O5-C5-C6	3.19	113.88	107.66
2	G	1	GAL	C3-C4-C5	3.11	115.87	110.23
5	L	1	NAG	C4-C3-C2	3.09	115.55	111.02
3	K	5	MAN	C1-O5-C5	3.07	116.30	112.19
5	L	1	NAG	C1-O5-C5	3.03	116.24	112.19
3	K	4	MAN	C2-C3-C4	-3.03	105.54	110.86
2	G	2	SIA	O1B-C1-C2	3.02	120.58	112.71
3	I	4	MAN	C3-C4-C5	-2.97	104.84	110.23
3	F	4	MAN	C3-C4-C5	-2.94	104.90	110.23
3	I	5	MAN	C2-C3-C4	2.94	116.02	110.86
3	H	5	MAN	C1-C2-C3	2.92	113.89	109.64
3	F	2	NAG	O7-C7-C8	-2.82	117.04	122.05
3	K	5	MAN	O5-C5-C6	2.78	113.08	107.66
3	H	2	NAG	C2-N2-C7	-2.77	119.19	122.90
2	E	2	SIA	O1B-C1-C2	2.77	119.92	112.71
3	I	5	MAN	O5-C1-C2	2.77	117.39	110.79
3	F	2	NAG	C4-C3-C2	2.70	114.98	111.02
3	F	5	MAN	O5-C1-C2	2.67	117.16	110.79
2	G	2	SIA	O6-C2-C3	2.63	114.09	110.56
3	I	4	MAN	C1-O5-C5	2.59	115.66	112.19
2	G	1	GAL	C1-O5-C5	2.55	118.59	113.65
5	L	2	FUL	C1-O5-C5	-2.55	106.94	112.97
5	L	2	FUL	C1-C2-C3	-2.44	106.09	109.64
3	H	2	NAG	C1-C2-N2	2.39	114.20	110.43
3	F	3	BMA	O6-C6-C5	-2.38	103.22	111.33
3	H	2	NAG	C3-C4-C5	-2.36	105.95	110.23
3	I	2	NAG	C3-C4-C5	-2.33	106.01	110.23
5	L	1	NAG	O3-C3-C2	-2.31	104.60	109.40
3	I	4	MAN	O4-C4-C5	2.26	114.90	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	SIA	O1A-C1-C2	-2.26	117.97	122.85
3	H	5	MAN	O5-C1-C2	2.25	116.17	110.79
3	F	1	NAG	O3-C3-C2	2.24	114.05	109.40
3	K	4	MAN	O3-C3-C4	2.21	115.59	110.38
3	F	4	MAN	C1-O5-C5	2.21	115.15	112.19
2	G	1	GAL	C1-C2-C3	-2.20	105.86	110.36
3	K	4	MAN	O5-C1-C2	2.20	116.03	110.79
3	H	2	NAG	O4-C4-C3	-2.19	105.20	110.38
2	G	2	SIA	O1A-C1-C2	-2.18	118.14	122.85
2	E	2	SIA	O7-C7-C8	2.17	113.86	108.93
3	F	2	NAG	O4-C4-C3	-2.14	105.34	110.38
3	I	3	BMA	O5-C5-C4	-2.12	105.66	110.83
3	I	2	NAG	C2-N2-C7	2.03	125.61	122.90

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	1	GAL	O5-C5-C6-O6
3	K	3	BMA	O5-C5-C6-O6
2	G	1	GAL	C4-C5-C6-O6
3	F	3	BMA	O5-C5-C6-O6
3	I	3	BMA	O5-C5-C6-O6
3	I	3	BMA	C4-C5-C6-O6
4	J	2	NAG	O5-C5-C6-O6
3	I	5	MAN	C4-C5-C6-O6
3	K	5	MAN	C4-C5-C6-O6
4	J	2	NAG	C4-C5-C6-O6
3	K	5	MAN	O5-C5-C6-O6
3	F	3	BMA	C4-C5-C6-O6
3	I	5	MAN	O5-C5-C6-O6
3	K	3	BMA	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
3	H	3	BMA	O5-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
3	F	5	MAN	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
2	G	2	SIA	O7-C7-C8-C9
3	F	5	MAN	O5-C5-C6-O6
3	I	4	MAN	C4-C5-C6-O6
2	G	2	SIA	O7-C7-C8-O8
2	E	2	SIA	O7-C7-C8-C9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	I	2	NAG	O5-C5-C6-O6
2	E	2	SIA	O7-C7-C8-O8
3	H	1	NAG	C4-C5-C6-O6
2	E	2	SIA	C6-C7-C8-O8
2	G	2	SIA	C6-C7-C8-O8
2	E	2	SIA	C6-C7-C8-C9

There are no ring outliers.


5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	2	NAG	1	0
3	I	3	BMA	1	0
3	K	1	NAG	1	0
4	J	3	FUC	1	0
5	L	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





Oligosaccharide Chain G





Oligosaccharide Chain F














5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 5 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	D	807	1	14,14,15	0.50	0	17,19,21	2.02	2 (11%)
6	NAG	A	808	1	14,14,15	0.53	0	17,19,21	1.49	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	B	808	1	14,14,15	0.47	0	17,19,21	1.45	2 (11%)
6	NAG	C	811	1	14,14,15	0.70	0	17,19,21	1.38	2 (11%)
8	SIA	C	801	-	21,21,21	1.19	2 (9%)	24,31,31	1.56	3 (12%)
6	NAG	C	810	1	14,14,15	0.73	1 (7%)	17,19,21	1.62	4 (23%)
6	NAG	D	810	1	14,14,15	0.52	0	17,19,21	1.71	3 (17%)
6	NAG	A	810	1	14,14,15	0.48	0	17,19,21	1.16	1 (5%)
8	SIA	D	801	-	21,21,21	1.00	2 (9%)	24,31,31	1.71	4 (16%)
6	NAG	B	810	1	14,14,15	0.50	0	17,19,21	1.63	1 (5%)
6	NAG	B	809	1	14,14,15	0.48	0	17,19,21	1.58	4 (23%)
6	NAG	A	809	1	14,14,15	0.53	0	17,19,21	1.46	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	D	807	1	-	2/6/23/26	0/1/1/1
6	NAG	A	808	1	-	2/6/23/26	0/1/1/1
6	NAG	B	808	1	-	2/6/23/26	0/1/1/1
6	NAG	C	811	1	-	0/6/23/26	0/1/1/1
8	SIA	C	801	-	-	7/20/38/38	0/1/1/1
6	NAG	C	810	1	-	2/6/23/26	0/1/1/1
6	NAG	D	810	1	-	1/6/23/26	0/1/1/1
6	NAG	A	810	1	-	2/6/23/26	0/1/1/1
8	SIA	D	801	-	-	9/20/38/38	0/1/1/1
6	NAG	B	810	1	-	1/6/23/26	0/1/1/1
6	NAG	B	809	1	-	0/6/23/26	0/1/1/1
6	NAG	A	809	1	-	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	801	SIA	O2-C2	3.77	1.45	1.39
8	D	801	SIA	C3-C2	2.26	1.54	1.51
6	C	810	NAG	C1-C2	2.24	1.55	1.52
8	C	801	SIA	C3-C2	2.17	1.54	1.51
8	D	801	SIA	O2-C2	2.17	1.42	1.39

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	807	NAG	C1-O5-C5	6.33	120.67	112.19
6	B	810	NAG	C1-O5-C5	6.22	120.52	112.19
8	D	801	SIA	O2-C2-C3	-4.65	102.39	109.44
8	C	801	SIA	O2-C2-C1	-4.60	101.02	110.73
8	D	801	SIA	O2-C2-C1	-4.29	101.66	110.73
6	B	808	NAG	C1-O5-C5	4.24	117.86	112.19
6	A	808	NAG	C3-C4-C5	4.18	117.81	110.23
6	B	809	NAG	C1-O5-C5	4.11	117.70	112.19
6	D	807	NAG	O5-C1-C2	3.85	117.25	111.29
6	A	810	NAG	C1-O5-C5	3.77	117.23	112.19
6	D	810	NAG	C1-C2-N2	3.73	116.31	110.43
6	D	810	NAG	C4-C3-C2	-3.53	105.84	111.02
6	A	809	NAG	C1-O5-C5	3.52	116.90	112.19
6	C	811	NAG	C4-C3-C2	3.38	115.97	111.02
6	C	810	NAG	C1-O5-C5	3.30	116.61	112.19
8	C	801	SIA	O1A-C1-C2	-3.10	118.68	123.85
8	C	801	SIA	O2-C2-C3	-2.85	105.13	109.44
6	C	810	NAG	C4-C3-C2	-2.79	106.94	111.02
6	B	809	NAG	O3-C3-C2	-2.71	103.78	109.40
8	D	801	SIA	O1A-C1-C2	-2.69	119.37	123.85
6	C	811	NAG	C1-O5-C5	2.45	115.47	112.19
6	B	809	NAG	O5-C1-C2	-2.41	107.56	111.29
8	D	801	SIA	C6-C5-N5	2.41	114.74	110.91
6	C	810	NAG	C1-C2-N2	2.40	114.22	110.43
6	A	808	NAG	C4-C3-C2	2.40	114.53	111.02
6	B	808	NAG	C3-C4-C5	2.36	114.52	110.23
6	A	809	NAG	O3-C3-C2	-2.25	104.72	109.40
6	B	809	NAG	C1-C2-N2	2.24	113.97	110.43
6	C	810	NAG	C3-C4-C5	-2.19	106.25	110.23
6	A	809	NAG	C4-C3-C2	2.15	114.18	111.02
6	D	810	NAG	C1-O5-C5	2.04	114.93	112.19

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	801	SIA	O7-C7-C8-C9
8	D	801	SIA	O7-C7-C8-C9
8	D	801	SIA	C7-C8-C9-O9
8	D	801	SIA	O8-C8-C9-O9
6	A	808	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	C	801	SIA	O7-C7-C8-O8
6	C	810	NAG	C4-C5-C6-O6
8	D	801	SIA	C6-C7-C8-C9
6	C	810	NAG	O5-C5-C6-O6
6	D	807	NAG	C4-C5-C6-O6
8	D	801	SIA	O7-C7-C8-O8
8	C	801	SIA	C6-C7-C8-O8
8	D	801	SIA	C6-C7-C8-O8
6	B	808	NAG	C4-C5-C6-O6
8	C	801	SIA	C6-C7-C8-C9
6	A	808	NAG	C4-C5-C6-O6
6	D	807	NAG	O5-C5-C6-O6
6	B	808	NAG	O5-C5-C6-O6
6	A	810	NAG	O5-C5-C6-O6
6	B	810	NAG	O5-C5-C6-O6
6	A	810	NAG	C4-C5-C6-O6
8	C	801	SIA	O6-C6-C7-O7
8	D	801	SIA	O6-C6-C7-O7
8	C	801	SIA	O1A-C1-C2-O2
8	C	801	SIA	C5-C6-C7-C8
8	D	801	SIA	O1A-C1-C2-O6
8	D	801	SIA	O1B-C1-C2-O6
6	D	810	NAG	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	810	NAG	1	0
6	B	810	NAG	1	0
6	B	809	NAG	2	0
6	A	809	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/393 (98%)	0.38	7 (1%) 67 69	15, 26, 40, 54	0
1	B	388/393 (98%)	0.39	10 (2%) 57 58	15, 27, 40, 55	0
1	C	388/393 (98%)	0.37	11 (2%) 55 56	15, 26, 40, 57	0
1	D	388/393 (98%)	0.35	8 (2%) 63 65	16, 26, 40, 55	0
All	All	1552/1572 (98%)	0.37	36 (2%) 61 63	15, 26, 40, 57	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	468	PRO	5.5
1	D	469	ILE	5.3
1	C	469	ILE	5.3
1	C	468	PRO	4.6
1	B	469	ILE	4.6
1	A	469	ILE	4.2
1	B	468	PRO	4.1
1	A	468	PRO	3.6
1	C	337	CYS	3.5
1	B	337	CYS	3.4
1	C	86	ASN	3.3
1	C	103	ASP	2.9
1	A	337	CYS	2.9
1	C	82	ALA	2.9
1	A	330	ASP	2.8
1	D	82	ALA	2.5
1	A	431	LYS	2.5
1	C	344	GLU	2.4
1	D	463	ASP	2.3
1	C	463	ASP	2.3
1	B	147	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	330	ASP	2.3
1	A	384	SER	2.2
1	D	466	LEU	2.2
1	B	270	GLY	2.2
1	C	466	LEU	2.2
1	B	82	ALA	2.1
1	A	466	LEU	2.1
1	D	308	LYS	2.1
1	C	400	ARG	2.0
1	D	150	ARG	2.0
1	C	318	CYS	2.0
1	B	86	ASN	2.0
1	B	249	LYS	2.0
1	B	385	ASN	2.0
1	D	86	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GAL	E	1	12/12	0.51	0.18	54,63,64,64	0
2	GAL	G	1	12/12	0.51	0.21	55,66,67,67	0
4	NAG	J	2	14/15	0.59	0.19	66,68,71,72	0
5	FUL	L	2	10/11	0.63	0.21	59,60,61,61	0
3	MAN	K	4	11/12	0.65	0.19	48,49,50,51	0
3	MAN	K	5	11/12	0.66	0.16	52,54,56,56	0
4	NAG	J	1	14/15	0.66	0.18	56,60,65,65	0
4	FUC	J	3	10/11	0.67	0.22	66,66,67,67	0
3	MAN	H	4	11/12	0.67	0.15	40,43,44,46	0
3	MAN	I	5	11/12	0.70	0.15	52,53,54,55	0
5	NAG	L	1	14/15	0.71	0.15	49,53,56,57	0
3	MAN	F	5	11/12	0.72	0.15	47,48,50,50	0
3	MAN	F	4	11/12	0.74	0.13	39,43,45,46	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	BMA	H	3	11/12	0.75	0.15	40,42,45,49	0
3	MAN	I	4	11/12	0.75	0.16	46,46,48,51	0
3	MAN	H	5	11/12	0.76	0.14	49,50,50,52	0
3	BMA	F	3	11/12	0.76	0.15	41,43,45,47	0
2	SIA	G	2	20/21	0.83	0.13	37,42,44,44	0
3	NAG	H	2	14/15	0.83	0.13	33,35,38,39	0
3	BMA	I	3	11/12	0.84	0.12	41,43,46,49	0
3	NAG	I	2	14/15	0.86	0.12	34,35,36,38	0
3	NAG	K	2	14/15	0.86	0.11	30,33,35,39	0
3	BMA	K	3	11/12	0.86	0.11	42,45,47,50	0
3	NAG	F	1	14/15	0.86	0.12	29,33,37,38	0
2	SIA	E	2	20/21	0.86	0.12	30,40,44,45	0
3	NAG	F	2	14/15	0.88	0.12	36,37,39,40	0
3	NAG	H	1	14/15	0.89	0.10	20,32,36,36	0
3	NAG	I	1	14/15	0.89	0.11	28,33,35,35	0
3	NAG	K	1	14/15	0.89	0.10	23,31,33,34	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	D	807	14/15	0.53	0.20	52,55,58,58	0
6	NAG	B	808	14/15	0.58	0.19	56,59,60,60	0
6	NAG	B	809	14/15	0.63	0.19	52,55,61,61	0
6	NAG	A	808	14/15	0.63	0.16	55,57,58,58	0
6	NAG	C	810	14/15	0.67	0.16	45,49,50,52	0
6	NAG	A	810	14/15	0.71	0.16	47,48,50,50	0
6	NAG	A	809	14/15	0.73	0.19	56,60,67,67	0
6	NAG	B	810	14/15	0.74	0.17	48,50,54,55	0
6	NAG	C	811	14/15	0.75	0.16	45,48,52,53	0
6	NAG	D	810	14/15	0.75	0.14	46,47,48,49	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	CA	A	811	1/1	0.81	0.14	62,62,62,62	0
8	SIA	C	801	21/21	0.82	0.11	29,34,35,36	0
8	SIA	D	801	21/21	0.85	0.12	33,38,39,40	0
7	CA	B	811	1/1	0.97	0.06	32,32,32,32	0
7	CA	C	812	1/1	0.97	0.06	38,38,38,38	0
7	CA	A	812	1/1	0.98	0.04	31,31,31,31	0
7	CA	D	811	1/1	0.98	0.05	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SIA C 801:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SIA D 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.