



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:00 AM UTC

PDB ID : 2H02 / pdb_00002h02
Title : Structural studies of protein tyrosine phosphatase beta catalytic domain in complex with inhibitors
Authors : Evdokimov, A.G.; Pokross, M.E.; Walter, R.L.; Mekel, M.; Gray, J.L.; Peters, K.G.; Maier, M.B.; Amarasinghe, K.D.; Clark, C.M.; Nichols, R.
Deposited on : 2006-05-13
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	% 61% 22% • • 11%
1	B	313	2% 57% 28% 5% 10%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4984 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Protein tyrosine phosphatase, receptor type, B,.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	S	0	6	0
			2304	1456	412	421	15			
1	B	283	Total	C	N	O	S	0	4	0
			2334	1473	418	429	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1661	SER	-	cloning artifact	UNP Q3MIV7
B	1661	SER	-	cloning artifact	UNP Q3MIV7

- Molecule 2 is {4-[2-BENZYL-3-METHOXY-2-(METHOXYCARBONYL)-3-OXOPROPYL]PHENYL}SULFAMIC ACID (CCD ID: 2UN) (formula: C₁₉H₂₁NO₇S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			28	19	1	7	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			28	19	1	7	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	161	Total	O	0	0
			161	161		
3	B	129	Total	O	0	0
			129	129		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.14Å 71.72Å 70.30Å 90.00° 93.41° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.2 (30.00-2.30) 99.2 (30.00-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.29Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.189 , 0.244 0.188 , 0.242	Depositor DCC
R_{free} test set	1379 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4984	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2UN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/2376	1.40	26/3219 (0.8%)
1	B	0.63	0/2400	1.32	11/3252 (0.3%)
All	All	0.66	0/4776	1.36	37/6471 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1946	MET	CG-SD-CE	-9.61	79.76	100.90
1	A	1693	MET	N-CA-C	7.85	120.53	111.11
1	B	1915	ILE	N-CA-C	-7.12	103.24	111.00
1	A	1783	LYS	N-CA-C	6.90	118.80	111.28
1	A	1873	VAL	N-CA-C	-6.78	103.64	109.19
1	A	1932	ILE	N-CA-C	6.73	116.88	110.42
1	B	1873	VAL	CA-C-N	-6.53	112.93	119.92
1	B	1873	VAL	C-N-CA	-6.53	112.93	119.92
1	B	1790	VAL	N-CA-C	-6.42	104.07	110.62
1	A	1736	ILE	CB-CA-C	-6.15	104.26	111.09
1	A	1685	ILE	N-CA-C	6.09	116.75	110.36
1	A	1942	HIS	N-CA-C	5.88	120.60	112.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1769	ARG	N-CA-C	5.68	118.41	111.82
1	A	1876	THR	N-CA-C	5.65	118.28	109.52
1	A	1808	GLY	N-CA-C	5.64	122.58	115.42
1	A	1769	ARG	CA-C-N	-5.63	110.78	121.54
1	A	1769	ARG	C-N-CA	-5.63	110.78	121.54
1	B	1688	PHE	N-CA-C	5.57	117.04	110.97
1	B	1876	THR	N-CA-C	5.40	117.89	109.52
1	A	1887	VAL	N-CA-C	5.35	115.97	110.36
1	A	1838	LEU	CA-C-N	-5.32	113.43	119.28
1	A	1838	LEU	C-N-CA	-5.32	113.43	119.28
1	A	1692	PHE	N-CA-C	5.29	116.73	111.07
1	A	1925	ASP	N-CA-C	-5.26	105.63	111.36
1	A	1795	VAL	N-CA-CB	-5.25	104.81	110.53
1	B	1680	SER	N-CA-C	5.23	121.94	110.80
1	A	1910	ARG	NE-CZ-NH1	-5.22	116.28	121.50
1	A	1829	ILE	N-CA-C	-5.18	101.02	108.48
1	A	1890	TYR	N-CA-C	5.17	116.92	111.28
1	B	1889	ASP	N-CA-C	5.17	117.32	111.11
1	B	1850	GLY	CA-C-N	5.14	127.68	120.28
1	B	1850	GLY	C-N-CA	5.14	127.68	120.28
1	A	1945	HIS	N-CA-C	5.11	118.80	112.47
1	A	1858	ARG	NE-CZ-NH1	-5.07	116.43	121.50
1	A	1696	GLN	N-CA-C	5.07	117.70	111.82
1	A	1786	PHE	N-CA-C	-5.03	105.88	111.36
1	B	1727	ASN	N-CA-C	-5.02	106.85	113.17

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1678	LYS	Peptide
1	A	1926	SER	Peptide
1	B	1766	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2304	0	2260	68	7
1	B	2334	0	2283	98	3
2	A	28	0	21	0	0
2	B	28	0	20	1	0
3	A	161	0	0	7	7
3	B	129	0	0	3	3
All	All	4984	0	4584	163	10

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1684:LYS:HB2	1:B:1687:GLN:CG	1.77	1.15
1:A:1769:ARG:HH11	1:A:1769:ARG:CG	1.66	1.06
1:B:1961:ARG:HD2	1:B:1965:ARG:NH2	1.71	1.06
1:B:1684:LYS:HB2	1:B:1687:GLN:HG3	1.38	1.02
1:B:1683:ILE:HD13	1:B:1691:HIS:ND1	1.77	1.00
1:B:1796:HIS:CD2	1:B:1858:ARG:HD3	2.01	0.95
1:B:1828:LEU:HD13	1:B:1848:ILE:HD11	1.49	0.93
1:B:1908:VAL:HG12	1:B:1946:MET:HE1	1.51	0.92
1:B:1684:LYS:HB2	1:B:1687:GLN:HG2	1.48	0.92
1:B:1961:ARG:HD2	1:B:1965:ARG:HH22	1.31	0.90
1:A:1769:ARG:HH11	1:A:1769:ARG:HG3	1.36	0.90
1:A:1769:ARG:HH11	1:A:1769:ARG:HG2	1.37	0.90
1:B:1726:GLU:OE2	1:B:1754:CYS:HB2	1.70	0.90
1:A:1844:ARG:HD2	3:A:16:HOH:O	1.72	0.89
1:A:1806:GLU:HB3	3:A:226:HOH:O	1.71	0.88
1:A:1678:LYS:HE3	1:A:1709:GLU:OE1	1.77	0.85
1:B:1961:ARG:NH1	1:B:1962:ASP:OD1	2.13	0.79
1:A:1769:ARG:HG2	1:A:1769:ARG:NH1	1.96	0.78
1:B:1877:THR:O	1:B:1881:ILE:HD12	1.87	0.74
1:B:1683:ILE:CD1	1:B:1691:HIS:CE1	2.71	0.74
1:B:1908:VAL:HG12	1:B:1946:MET:CE	2.18	0.73
1:B:1683:ILE:CD1	1:B:1691:HIS:ND1	2.51	0.73
1:B:1685:ILE:HG12	1:B:1928:ASP:C	2.13	0.73
1:B:1683:ILE:HD11	1:B:1691:HIS:CE1	2.24	0.72
1:B:1734[A]:ASN:ND2	3:B:85:HOH:O	2.22	0.70
1:B:1943:ARG:HG2	1:B:1946:MET:HE3	1.73	0.70
1:A:1943:ARG:HB3	1:A:1946:MET:HE3	1.72	0.70
1:B:1695:LEU:O	1:B:1700:ASN:HA	1.95	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1847:LYS:HG3	1:B:1857:HIS:ND1	2.09	0.67
1:B:1832:MET:HE2	1:B:1844:ARG:HD3	1.77	0.66
1:B:1908:VAL:HA	1:B:1946:MET:CE	2.25	0.66
1:A:1878:GLN:OE1	1:A:1882:GLN:NE2	2.27	0.66
1:B:1856:ALA:O	1:B:1857:HIS:CB	2.45	0.64
1:A:1769:ARG:CG	1:A:1769:ARG:NH1	2.35	0.64
1:B:1961:ARG:CD	1:B:1965:ARG:NH2	2.56	0.64
1:A:1865:TYR:HH	1:A:1879:SER:HG	1.44	0.64
1:B:1958:GLN:HG2	1:B:1961:ARG:HH21	1.61	0.64
1:A:1922:GLN:O	1:A:1926:SER:HB2	1.98	0.64
1:B:1692:PHE:O	1:B:1696:GLN:HG3	1.98	0.63
1:A:1830:LEU:HD21	1:A:1846:PHE:HB3	1.81	0.63
1:B:1838:LEU:HB3	1:B:1839:PRO:CD	2.28	0.63
1:A:1679:THR:O	1:A:1680:SER:O	2.18	0.62
1:B:1932:ILE:HD11	1:B:1960:VAL:HG21	1.80	0.62
1:B:1684:LYS:CB	1:B:1687:GLN:HG2	2.25	0.61
1:B:1908:VAL:CG1	1:B:1946:MET:HE1	2.29	0.61
1:B:1908:VAL:HA	1:B:1946:MET:HE1	1.83	0.61
1:A:1923:GLN:HG2	1:A:1927:LYS:HD3	1.83	0.61
1:B:1908:VAL:HB	1:B:1946:MET:HE2	1.83	0.60
1:A:1683:ILE:HD12	1:A:1691:HIS:CD2	2.37	0.60
1:B:1796:HIS:HD2	1:B:1858:ARG:HD3	1.63	0.59
1:A:1689:GLU:H	1:A:1689:GLU:CD	2.11	0.59
1:B:1679:THR:O	1:B:1680:SER:O	2.21	0.58
1:B:1806[A]:GLU:HG3	1:B:1811:LYS:HG3	1.83	0.58
1:B:1684:LYS:CB	1:B:1687:GLN:CG	2.69	0.57
1:B:1838:LEU:HB3	1:B:1839:PRO:HD2	1.86	0.57
1:B:1847:LYS:HD2	1:B:1857:HIS:CE1	2.39	0.57
1:A:1788:LYS:HE2	1:A:1792:GLU:OE2	2.05	0.57
1:B:1828:LEU:HD13	1:B:1848:ILE:CD1	2.27	0.57
1:B:1695:LEU:HB3	1:B:1703:LEU:HB2	1.86	0.57
1:A:1763:ILE:HG21	1:A:1939:LEU:CD2	2.35	0.56
1:B:1703:LEU:CD1	1:B:1954:VAL:HG22	2.34	0.56
1:A:1734:ASN:ND2	3:A:139:HOH:O	2.38	0.56
1:A:1791:TRP:CZ2	1:A:1850:GLY:HA3	2.41	0.56
1:A:1923:GLN:O	1:A:1927:LYS:HB2	2.05	0.56
1:B:1700:ASN:O	1:B:1704:SER:HB2	2.05	0.56
1:A:1685:ILE:HG12	1:A:1928:ASP:O	2.05	0.55
1:B:1685:ILE:HG12	1:B:1928:ASP:O	2.07	0.54
1:B:1800:MET:HG3	1:B:1903:HIS:CE1	2.43	0.54
1:B:1958:GLN:HG2	1:B:1961:ARG:NH2	2.22	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1678:LYS:HG2	1:A:1679:THR:H	1.71	0.54
1:A:1964:LEU:HA	1:A:1967:ARG:HD2	1.90	0.54
1:B:1852:GLU:HG3	1:B:1856:ALA:HB2	1.89	0.54
1:B:1856:ALA:O	1:B:1857:HIS:HB3	2.07	0.54
1:B:1832:MET:CE	1:B:1844:ARG:HD3	2.38	0.53
1:A:1938:ASP:O	1:A:1942:HIS:HD2	1.91	0.53
1:A:1875[A]:GLU:OE2	1:B:1684:LYS:HE3	2.08	0.52
1:A:1680:SER:HB2	1:A:1931:ASP:OD2	2.08	0.52
1:A:1763:ILE:CG2	1:A:1939:LEU:HD23	2.39	0.52
1:B:1736:ILE:HD13	1:B:1945:HIS:HD2	1.75	0.52
1:A:1806:GLU:HG3	1:A:1811:LYS:HG3	1.92	0.51
1:A:1830:LEU:CD2	1:A:1846:PHE:HB3	2.40	0.51
1:A:1878:GLN:HB2	3:A:324:HOH:O	2.11	0.51
1:B:1793:GLN:O	1:B:1794:ASN:HB2	2.10	0.51
1:B:1847:LYS:HD2	1:B:1857:HIS:ND1	2.25	0.51
1:B:1690:GLY:O	1:B:1694:LYS:HG3	2.10	0.51
1:A:1922:GLN:O	1:A:1926:SER:CB	2.59	0.51
1:A:1939:LEU:HG	3:A:127:HOH:O	2.09	0.51
1:B:1961:ARG:HH11	1:B:1961:ARG:HG2	1.76	0.51
1:A:1736:ILE:HG21	1:A:1906:ALA:HB1	1.93	0.50
1:A:1769:ARG:HG3	1:A:1769:ARG:NH1	2.11	0.50
1:B:1936:VAL:HG22	1:B:1947:VAL:HG21	1.93	0.50
1:B:1700:ASN:HB3	1:B:1703:LEU:HB3	1.93	0.50
1:B:1916:ALA:O	1:B:1920:ILE:HG23	2.12	0.50
1:B:1726:GLU:OE2	1:B:1754:CYS:N	2.45	0.50
1:B:1761:SER:OG	1:B:1943:ARG:HD2	2.12	0.50
1:A:1683:ILE:CD1	1:A:1691:HIS:CE1	2.94	0.49
1:B:1881:ILE:O	1:B:1885:ARG:HG3	2.12	0.49
1:B:1806[B]:GLU:HG2	1:B:1807:LYS:HG3	1.94	0.49
1:A:1875[A]:GLU:HG3	1:B:1684:LYS:CE	2.42	0.49
1:B:1944:VAL:O	1:B:1946:MET:CE	2.61	0.49
1:A:1715[B]:ARG:NH1	3:A:268:HOH:O	2.46	0.48
1:B:1736:ILE:HG21	1:B:1906:ALA:HB1	1.96	0.48
1:B:1851:GLU:O	1:B:1852:GLU:CB	2.61	0.48
1:A:1884:VAL:HG22	1:A:1914:PHE:CE1	2.49	0.48
1:B:1703:LEU:HD13	1:B:1954:VAL:HG22	1.95	0.48
1:B:1851:GLU:O	1:B:1852:GLU:HB2	2.13	0.47
1:A:1685:ILE:HG12	1:A:1685:ILE:H	1.52	0.47
1:B:1689:GLU:CD	1:B:1965:ARG:HH21	2.23	0.47
1:A:1695:LEU:HD23	1:A:1703:LEU:HD12	1.97	0.47
1:A:1716:ASN:HA	3:A:203:HOH:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1816:TRP:HB2	1:B:1817:PRO:CD	2.45	0.46
1:B:1884:VAL:HG11	1:B:1918:ASP:HA	1.96	0.46
1:B:1928:ASP:OD2	1:B:1928:ASP:N	2.48	0.46
1:B:1833:LEU:HD13	1:B:1847:LYS:HB2	1.97	0.46
1:A:1875[B]:GLU:CD	1:B:1687:GLN:HE22	2.23	0.45
1:A:1712:ASP:HA	1:A:1715[B]:ARG:HG2	1.98	0.45
1:A:1763:ILE:CG2	1:A:1939:LEU:CD2	2.95	0.45
1:B:1908:VAL:CB	1:B:1946:MET:CE	2.94	0.45
1:B:1847:LYS:CD	1:B:1857:HIS:CE1	2.99	0.45
1:B:1869:PRO:O	1:B:1870:ASP:C	2.59	0.45
1:B:1908:VAL:CG1	1:B:1946:MET:CE	2.90	0.45
1:B:1943:ARG:CG	1:B:1946:MET:HE3	2.45	0.45
1:A:1927:LYS:HB3	1:A:1927:LYS:HE2	1.68	0.45
1:A:1908:VAL:HA	1:A:1946:MET:HE1	1.98	0.44
1:B:1832:MET:HE3	1:B:1846:PHE:HE2	1.81	0.44
1:A:1830:LEU:HG	1:A:1848:ILE:HG12	1.98	0.44
1:B:1695:LEU:HA	1:B:1702:LEU:HB2	1.99	0.44
1:B:1908:VAL:CB	1:B:1946:MET:HE2	2.47	0.44
1:B:1681:CYS:HB3	1:B:1933:TYR:HB3	2.00	0.44
1:A:1679:THR:O	1:A:1680:SER:C	2.60	0.44
1:B:1703:LEU:HD11	1:B:1954:VAL:HG22	1.99	0.44
2:B:401:2UN:C14	2:B:401:2UN:C8	2.96	0.43
1:A:1694:LYS:HE3	1:A:1694:LYS:HB3	1.82	0.43
1:A:1686:ASN:OD1	1:A:1687:GLN:HG3	2.18	0.43
1:A:1908:VAL:HA	1:A:1946:MET:CE	2.49	0.43
1:A:1766[A]:ASN:ND2	1:A:1919:ARG:O	2.51	0.43
1:A:1695:LEU:HA	1:A:1702:LEU:HB2	2.00	0.42
1:B:1844:ARG:NH1	3:B:190:HOH:O	2.48	0.42
1:B:1923:GLN:O	1:B:1927:LYS:HB2	2.20	0.42
1:A:1943:ARG:CB	1:A:1946:MET:HE3	2.47	0.42
1:A:1908:VAL:HG12	1:A:1946:MET:HE1	2.01	0.42
1:B:1796:HIS:HE1	3:B:273:HOH:O	2.03	0.41
1:A:1946:MET:HA	1:A:1946:MET:HE2	2.02	0.41
1:B:1774:VAL:HG13	1:B:1911:THR:HG21	2.02	0.41
1:B:1726:GLU:CD	1:B:1754:CYS:N	2.78	0.41
1:A:1723:LEU:O	1:A:1724:LEU:C	2.63	0.41
1:A:1830:LEU:HD21	1:A:1846:PHE:CB	2.50	0.41
1:A:1880:LEU:O	1:A:1884:VAL:HG23	2.20	0.41
1:B:1847:LYS:HG3	1:B:1857:HIS:CE1	2.55	0.41
1:B:1877:THR:C	1:B:1881:ILE:HD12	2.45	0.41
1:B:1944:VAL:O	1:B:1946:MET:HE2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1964:LEU:C	1:B:1966:ALA:H	2.29	0.41
1:B:1838:LEU:CB	1:B:1839:PRO:CD	2.98	0.41
1:A:1712:ASP:C	1:A:1715[B]:ARG:HG2	2.46	0.41
1:B:1796:HIS:NE2	1:B:1858:ARG:HD3	2.34	0.41
1:A:1837:VAL:C	1:A:1838:LEU:HG	2.46	0.40
1:A:1878:GLN:O	1:A:1882:GLN:HG2	2.21	0.40
1:B:1782:THR:O	1:B:1785:ASP:HB2	2.21	0.40
1:A:1875[A]:GLU:HG3	1:B:1684:LYS:HE2	2.02	0.40
1:A:1916:ALA:O	1:A:1920:ILE:HG23	2.22	0.40
1:A:1946:MET:HE2	1:A:1946:MET:CA	2.50	0.40

All (10) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1715[B]:ARG:NH1	3:B:132:HOH:O[2_747]	0.92	1.28
1:A:1715[B]:ARG:CD	3:A:215:HOH:O[2_556]	1.26	0.94
1:A:1715[B]:ARG:NH1	3:A:129:HOH:O[2_556]	1.28	0.92
1:B:1715[B]:ARG:CZ	3:B:132:HOH:O[2_747]	1.33	0.87
1:A:1715[B]:ARG:CZ	3:A:129:HOH:O[2_556]	1.51	0.69
1:A:1715[B]:ARG:NH2	3:A:129:HOH:O[2_556]	1.59	0.61
1:A:1715[B]:ARG:NE	3:A:215:HOH:O[2_556]	1.71	0.49
1:B:1715[B]:ARG:NH2	3:B:132:HOH:O[2_747]	2.01	0.19
1:A:1715[B]:ARG:NH1	3:A:215:HOH:O[2_556]	2.10	0.10
1:A:1715[B]:ARG:CZ	3:A:215:HOH:O[2_556]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	278/313 (89%)	257 (92%)	18 (6%)	3 (1%)	11 13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	281/313 (90%)	256 (91%)	20 (7%)	5 (2%)	6	6
All	All	559/626 (89%)	513 (92%)	38 (7%)	8 (1%)	8	9

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1680	SER
1	B	1680	SER
1	B	1857	HIS
1	A	1679	THR
1	B	1699	SER
1	B	1871	HIS
1	A	1947	VAL
1	B	1947	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/284 (91%)	239 (93%)	19 (7%)	13	17
1	B	260/284 (92%)	236 (91%)	24 (9%)	8	11
All	All	518/568 (91%)	475 (92%)	43 (8%)	10	14

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1678	LYS
1	A	1679	THR
1	A	1683	ILE
1	A	1685	ILE
1	A	1689	GLU
1	A	1696	GLN
1	A	1699	SER
1	A	1706	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1709	GLU
1	A	1726	GLU
1	A	1755	SER
1	A	1769	ARG
1	A	1774	VAL
1	A	1830	LEU
1	A	1836	SER
1	A	1838	LEU
1	A	1858	ARG
1	A	1920	ILE
1	A	1967	ARG
1	B	1686	ASN
1	B	1687	GLN
1	B	1700	ASN
1	B	1704	SER
1	B	1705	LYS
1	B	1706	GLU
1	B	1709	GLU
1	B	1711	LYS
1	B	1736	ILE
1	B	1754	CYS
1	B	1766	ASN
1	B	1807	LYS
1	B	1809	ARG
1	B	1830	LEU
1	B	1833	LEU
1	B	1838	LEU
1	B	1840	GLU
1	B	1848	ILE
1	B	1859	LEU
1	B	1920	ILE
1	B	1927	LYS
1	B	1928	ASP
1	B	1951	CYS
1	B	1968	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1734	ASN
1	B	1687	GLN
1	B	1793	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1831	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	2UN	A	402	-	29,29,29	2.64	5 (17%)	36,41,41	2.93	11 (30%)
2	2UN	B	401	-	29,29,29	2.70	5 (17%)	36,41,41	2.70	9 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2UN	A	402	-	-	3/31/31/31	0/2/2/2
2	2UN	B	401	-	-	9/31/31/31	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	2UN	O1-C8	7.50	1.47	1.33
2	A	402	2UN	O4-C9	7.13	1.46	1.33
2	A	402	2UN	O1-C8	6.74	1.45	1.33
2	B	401	2UN	O7-S1	6.63	1.49	1.42
2	B	401	2UN	O4-C9	6.37	1.45	1.33
2	A	402	2UN	O5-S1	6.07	1.49	1.42
2	B	401	2UN	O5-S1	5.98	1.48	1.42
2	A	402	2UN	O7-S1	5.33	1.48	1.42
2	A	402	2UN	C5-N1	-4.99	1.35	1.43
2	B	401	2UN	C5-N1	-4.33	1.36	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	402	2UN	C17-O1-C8	8.74	130.26	115.91
2	B	401	2UN	C17-O1-C8	7.81	128.73	115.91
2	B	401	2UN	O1-C8-C7	7.68	124.75	111.08
2	A	402	2UN	O1-C8-C7	6.95	123.44	111.08
2	B	401	2UN	O4-C9-O3	-6.80	112.26	123.95
2	A	402	2UN	O7-S1-O5	-5.85	107.35	120.36
2	A	402	2UN	O1-C8-O2	-5.83	113.93	123.95
2	B	401	2UN	O1-C8-O2	-5.23	114.95	123.95
2	A	402	2UN	C18-O4-C9	5.22	124.48	115.91
2	A	402	2UN	O4-C9-C7	5.12	120.19	111.08
2	B	401	2UN	O4-C9-C7	4.53	119.14	111.08
2	B	401	2UN	O7-S1-O5	-3.40	112.79	120.36
2	A	402	2UN	O4-C9-O3	-3.28	118.30	123.95
2	A	402	2UN	C19-C3-C6	-2.96	117.09	121.06
2	B	401	2UN	O2-C8-C7	-2.47	120.30	124.84
2	A	402	2UN	C1-C4-C5	-2.42	117.51	120.30
2	A	402	2UN	C12-C16-C13	-2.24	117.48	120.24
2	A	402	2UN	C19-C7-C9	-2.23	104.94	109.29
2	B	401	2UN	C6-C2-C5	2.11	122.73	120.30
2	B	401	2UN	O3-C9-C7	2.05	128.60	124.84

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	2UN	C7-C8-O1-C17
2	B	401	2UN	O2-C8-O1-C17

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	402	2UN	C9-C7-C8-O2
2	A	402	2UN	C9-C7-C8-O1
2	B	401	2UN	C19-C7-C8-O2
2	B	401	2UN	C11-C10-C7-C8
2	B	401	2UN	C19-C7-C8-O1
2	B	401	2UN	C9-C7-C8-O2
2	B	401	2UN	C9-C7-C8-O1
2	A	402	2UN	C11-C10-C7-C8
2	B	401	2UN	C11-C10-C7-C9
2	B	401	2UN	C11-C10-C7-C19

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	2UN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	278/313 (88%)	-0.14	2 (0%) 84 85	11, 23, 48, 63	6 (2%)
1	B	283/313 (90%)	0.17	5 (1%) 67 69	12, 28, 56, 82	4 (1%)
All	All	561/626 (89%)	0.02	7 (1%) 76 77	11, 26, 53, 82	10 (1%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1969	LEU	3.2
1	B	1856	ALA	3.0
1	A	1851	GLU	2.7
1	B	1754	CYS	2.6
1	A	1857	HIS	2.6
1	B	1851	GLU	2.4
1	B	1968	LYS	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	2UN	B	401	28/28	0.93	0.10	10,33,50,52	0
2	2UN	A	402	28/28	0.95	0.09	9,28,46,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 2UN B 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.