



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 02:19 PM UTC

PDB ID : 3H17 / pdb_00003h17
Title : Crystal structure of EstE5-PMSF (I)
Authors : Hwang, K.Y.; Nam, K.H.
Deposited on : 2009-04-11
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	322	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PMS	A	310	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Esterase/lipase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2206	1403	388	402	13			

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	expression tag	UNP Q0GMU2
A	-11	ALA	-	expression tag	UNP Q0GMU2
A	-10	SER	-	expression tag	UNP Q0GMU2
A	-9	MET	-	expression tag	UNP Q0GMU2
A	-8	THR	-	expression tag	UNP Q0GMU2
A	-7	GLY	-	expression tag	UNP Q0GMU2
A	-6	GLY	-	expression tag	UNP Q0GMU2
A	-5	GLN	-	expression tag	UNP Q0GMU2
A	-4	GLN	-	expression tag	UNP Q0GMU2
A	-3	MET	-	expression tag	UNP Q0GMU2
A	-2	GLY	-	expression tag	UNP Q0GMU2
A	-1	ARG	-	expression tag	UNP Q0GMU2
A	0	GLY	-	expression tag	UNP Q0GMU2
A	298	LEU	-	expression tag	UNP Q0GMU2
A	299	ALA	-	expression tag	UNP Q0GMU2
A	300	ALA	-	expression tag	UNP Q0GMU2
A	301	ALA	-	expression tag	UNP Q0GMU2
A	302	LEU	-	expression tag	UNP Q0GMU2
A	303	GLU	-	expression tag	UNP Q0GMU2
A	304	HIS	-	expression tag	UNP Q0GMU2
A	305	HIS	-	expression tag	UNP Q0GMU2
A	306	HIS	-	expression tag	UNP Q0GMU2
A	307	HIS	-	expression tag	UNP Q0GMU2
A	308	HIS	-	expression tag	UNP Q0GMU2
A	309	HIS	-	expression tag	UNP Q0GMU2

- Molecule 2 is phenylmethanesulfonic acid (CCD ID: PMS) (formula: C₇H₈O₃S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			10	7	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Esterase/lipase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	61.14Å 61.14Å 148.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.25 – 2.50 47.25 – 2.50	Depositor EDS
% Data completeness (in resolution range)	92.2 (47.25-2.50) 92.1 (47.25-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.51Å)	Xtriage
Refinement program	CNS, REFMAC 5.2.0019	Depositor
R, R_{free}	0.187 , 0.235 0.206 , 0.228	Depositor DCC
R_{free} test set	452 reflections (4.33%)	wwPDB-VP
Wilson B-factor (Å ²)	51.2	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2226	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.79	31/2258 (1.4%)	1.86	60/3064 (2.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	172	SER	C-O	-9.25	1.19	1.23
1	A	12	ILE	CA-CB	7.95	1.64	1.54
1	A	285	VAL	CA-CB	7.94	1.64	1.54
1	A	118	VAL	CA-CB	7.76	1.63	1.54
1	A	93	ILE	CA-CB	7.27	1.63	1.54
1	A	93	ILE	CA-C	6.36	1.61	1.52
1	A	261	GLU	C-O	-6.35	1.16	1.23
1	A	190	ALA	CA-C	6.29	1.61	1.52
1	A	123	ALA	CA-CB	-6.04	1.43	1.53
1	A	258	SER	CA-C	-5.85	1.45	1.52
1	A	81	GLY	N-CA	5.83	1.51	1.45
1	A	75	GLY	C-O	5.83	1.29	1.23
1	A	54	CYS	N-CA	5.76	1.53	1.46
1	A	284	ILE	CA-CB	5.74	1.61	1.54
1	A	145	ALA	CA-CB	-5.66	1.43	1.53
1	A	151	LEU	CA-C	-5.65	1.45	1.52
1	A	186	THR	CA-CB	5.61	1.62	1.53
1	A	69	ALA	N-CA	5.57	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	ALA	CA-CB	-5.50	1.44	1.53
1	A	40	ALA	N-CA	5.39	1.52	1.46
1	A	147	GLY	C-O	5.39	1.30	1.23
1	A	296	ALA	N-CA	5.37	1.53	1.46
1	A	114	PHE	C-O	5.34	1.31	1.24
1	A	6	ILE	CA-CB	-5.30	1.47	1.54
1	A	58	TRP	CA-C	-5.26	1.46	1.52
1	A	56	ALA	CA-CB	5.20	1.62	1.53
1	A	208	ASN	CA-C	5.13	1.59	1.53
1	A	77	GLY	C-O	5.12	1.31	1.24
1	A	84	ASN	CA-C	5.10	1.59	1.52
1	A	162	LEU	N-CA	-5.03	1.38	1.46
1	A	83	ILE	CA-CB	-5.01	1.47	1.54

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	19	PRO	CB-CA-C	16.02	130.47	110.92
1	A	19	PRO	CA-C-N	13.68	136.94	119.84
1	A	19	PRO	C-N-CA	13.68	136.94	119.84
1	A	218	SER	CA-C-N	9.64	130.45	120.04
1	A	218	SER	C-N-CA	9.64	130.45	120.04
1	A	146	GLY	N-CA-C	-9.21	100.98	112.77
1	A	18	VAL	CB-CA-C	8.82	127.41	111.36
1	A	246	LYS	N-CA-C	-8.49	101.53	112.23
1	A	281	LYS	N-CA-C	-8.49	102.11	111.36
1	A	35	LYS	CA-C-N	-8.21	112.08	122.26
1	A	35	LYS	C-N-CA	-8.21	112.08	122.26
1	A	80	MET	N-CA-C	8.04	119.83	108.74
1	A	38	PHE	N-CA-C	7.38	121.09	110.10
1	A	204	ALA	N-CA-C	-7.36	103.28	111.82
1	A	69	ALA	N-CA-C	7.33	119.72	108.42
1	A	202	MET	N-CA-C	7.23	119.16	111.28
1	A	58	TRP	N-CA-C	-7.21	97.50	109.46
1	A	272	ALA	N-CA-C	-6.88	104.86	113.18
1	A	172	SER	CB-CA-C	-6.79	106.38	111.20
1	A	162	LEU	CB-CA-C	6.76	118.40	108.87
1	A	240	LEU	N-CA-C	-6.63	105.16	112.72
1	A	254	ASP	N-CA-C	6.40	120.70	113.02
1	A	280	GLY	N-CA-C	-6.34	105.14	112.50
1	A	274	HIS	CA-C-N	-6.32	112.33	119.28
1	A	274	HIS	C-N-CA	-6.32	112.33	119.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	112	HIS	CA-C-N	-6.19	113.90	120.03
1	A	112	HIS	C-N-CA	-6.19	113.90	120.03
1	A	128	LEU	N-CA-C	-6.02	104.72	111.28
1	A	46	VAL	N-CA-CB	-5.99	102.40	112.47
1	A	145	ALA	N-CA-C	-5.95	104.92	111.82
1	A	76	GLY	CA-C-N	-5.86	110.56	121.93
1	A	76	GLY	C-N-CA	-5.86	110.56	121.93
1	A	6	ILE	CB-CA-C	-5.85	102.78	112.26
1	A	72	TYR	CA-CB-CG	-5.84	103.39	113.90
1	A	98	GLN	N-CA-C	-5.83	105.47	112.58
1	A	75	GLY	O-C-N	5.82	127.82	122.81
1	A	81	GLY	CA-C-O	-5.80	117.23	122.57
1	A	85	THR	N-CA-C	-5.79	105.47	112.54
1	A	190	ALA	N-CA-C	5.78	120.18	113.18
1	A	93	ILE	CA-CB-CG2	5.64	120.08	110.50
1	A	270	TRP	N-CA-C	-5.61	105.70	112.54
1	A	96	ALA	N-CA-C	-5.45	106.14	112.89
1	A	275	PRO	CA-C-N	-5.41	114.04	122.37
1	A	275	PRO	C-N-CA	-5.41	114.04	122.37
1	A	126	ARG	CB-CG-CD	5.34	123.58	111.30
1	A	259	THR	N-CA-C	-5.25	98.68	108.02
1	A	159	ASP	CA-C-N	-5.24	114.26	122.65
1	A	159	ASP	C-N-CA	-5.24	114.26	122.65
1	A	90	VAL	N-CA-C	-5.24	106.03	111.58
1	A	81	GLY	N-CA-C	-5.21	105.09	112.81
1	A	214	HIS	CA-C-N	5.21	125.26	119.32
1	A	214	HIS	C-N-CA	5.21	125.26	119.32
1	A	67	GLY	CA-C-N	-5.20	113.28	122.74
1	A	67	GLY	C-N-CA	-5.20	113.28	122.74
1	A	247	LEU	N-CA-C	-5.16	105.78	111.71
1	A	152	ALA	N-CA-C	-5.16	105.84	111.82
1	A	252	LYS	CD-CE-NZ	-5.13	95.48	111.90
1	A	174	TRP	CA-C-N	-5.04	115.65	123.17
1	A	174	TRP	C-N-CA	-5.04	115.65	123.17
1	A	235	GLY	N-CA-C	-5.02	102.26	111.25

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	19	PRO	Peptide
1	A	191	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2206	0	2210	100	0
2	A	10	0	7	4	0
3	A	10	0	0	1	0
All	All	2226	0	2217	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ILE:C	1:A:93:ILE:HD12	1.72	1.11
1:A:169:ILE:HG21	1:A:287:VAL:HG13	1.51	0.89
1:A:136:GLN:H	1:A:136:GLN:HE21	1.14	0.87
1:A:136:GLN:H	1:A:136:GLN:NE2	1.73	0.86
1:A:168:ALA:C	1:A:169:ILE:HD12	2.00	0.86
1:A:109:ALA:HB1	1:A:110:PRO:HA	1.61	0.83
1:A:260:LEU:HD22	1:A:262:ILE:HG13	1.67	0.77
1:A:44:ILE:HD13	1:A:91:GLY:HA3	1.70	0.74
1:A:187:ARG:HD3	1:A:236:ARG:O	1.87	0.74
1:A:278:PRO:O	1:A:282:GLN:HG3	1.89	0.73
1:A:136:GLN:HE21	1:A:136:GLN:N	1.85	0.73
1:A:169:ILE:HD12	1:A:169:ILE:N	2.06	0.70
1:A:175:ALA:HB1	1:A:219:PRO:HD2	1.75	0.68
1:A:187:ARG:CD	1:A:236:ARG:O	2.41	0.68
1:A:65:GLN:HE21	1:A:66:ALA:N	1.91	0.68
1:A:134:LYS:O	1:A:137:HIS:N	2.24	0.68
1:A:8:LYS:O	1:A:12:ILE:HG12	1.94	0.67
1:A:27:ASP:HB2	1:A:31:LYS:NZ	2.09	0.67
1:A:64:CYS:HB2	3:A:407:HOH:O	1.94	0.67
1:A:11:LYS:O	1:A:15:GLU:HG2	1.95	0.66
1:A:27:ASP:HB2	1:A:31:LYS:HZ2	1.60	0.66
1:A:44:ILE:CD1	1:A:91:GLY:HA3	2.26	0.65
1:A:127:TRP:O	1:A:131:GLN:HG2	1.97	0.65
1:A:181:ASN:HB3	1:A:242:ASP:CB	2.27	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ASN:HB3	1:A:242:ASP:HB2	1.77	0.65
1:A:250:LYS:O	1:A:253:ALA:HB3	1.97	0.65
1:A:80:MET:HE2	2:A:310:PMS:H4	1.78	0.64
1:A:93:ILE:HD13	1:A:291:MET:CE	2.27	0.64
1:A:93:ILE:HD13	1:A:291:MET:HE1	1.78	0.64
1:A:271:HIS:H	1:A:271:HIS:HD1	1.45	0.63
1:A:70:ILE:CD1	1:A:93:ILE:HD11	2.29	0.62
1:A:283:ALA:O	1:A:287:VAL:HG23	1.99	0.62
1:A:201:LYS:HE3	1:A:205:ARG:CZ	2.30	0.62
1:A:222:ALA:O	1:A:250:LYS:NZ	2.32	0.62
1:A:104:LEU:HD13	1:A:106:TYR:HB3	1.81	0.62
1:A:268:HIS:NE2	2:A:310:PMS:H2A	2.16	0.61
1:A:93:ILE:HD12	1:A:94:SER:N	2.15	0.60
1:A:214:HIS:CE1	1:A:216:TYR:HB2	2.36	0.60
1:A:93:ILE:C	1:A:93:ILE:CD1	2.58	0.59
1:A:230:LEU:HD23	1:A:232:ILE:HD11	1.86	0.58
2:A:310:PMS:C2	2:A:310:PMS:O2S	2.51	0.58
1:A:248:ASP:O	1:A:252:LYS:HG2	2.04	0.56
1:A:92:GLU:HG3	1:A:274:HIS:CE1	2.41	0.56
1:A:79:VAL:HA	1:A:109:ALA:O	2.04	0.56
1:A:233:HIS:HD2	1:A:271:HIS:NE2	2.03	0.56
1:A:83:ILE:HG23	1:A:103:LEU:HD23	1.87	0.55
1:A:223:ASN:HD21	1:A:225:LYS:HB2	1.72	0.54
1:A:156:SER:O	1:A:160:GLN:HG3	2.07	0.54
1:A:181:ASN:O	1:A:184:PHE:HD1	1.91	0.53
1:A:143:ASP:O	1:A:144:SER:CB	2.55	0.53
1:A:93:ILE:HD12	1:A:93:ILE:O	2.06	0.53
1:A:169:ILE:HG21	1:A:287:VAL:CG1	2.32	0.53
1:A:230:LEU:O	1:A:258:SER:HA	2.09	0.53
1:A:10:LYS:NZ	1:A:237:ASP:OD2	2.41	0.53
1:A:114:PHE:CD1	1:A:115:PRO:HA	2.44	0.52
1:A:42:ASP:O	1:A:42:ASP:OD2	2.27	0.52
1:A:46:VAL:HG21	1:A:87:ARG:HD3	1.91	0.52
1:A:113:PRO:O	1:A:114:PHE:C	2.50	0.51
1:A:235:GLY:O	1:A:238:GLU:HG2	2.10	0.51
1:A:177:MET:HG2	1:A:218:SER:OG	2.11	0.51
1:A:201:LYS:HE3	1:A:205:ARG:NE	2.27	0.50
1:A:18:VAL:HG23	1:A:22:THR:OG1	2.12	0.49
1:A:280:GLY:O	1:A:284:ILE:HG13	2.11	0.49
1:A:274:HIS:CD2	1:A:275:PRO:HD3	2.48	0.49
1:A:70:ILE:HD13	1:A:93:ILE:HD11	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ALA:HB1	1:A:62:PRO:HD2	1.94	0.48
1:A:250:LYS:O	1:A:254:ASP:N	2.46	0.48
1:A:245:ILE:HA	1:A:260:LEU:HD11	1.96	0.47
1:A:260:LEU:CD2	1:A:262:ILE:HG13	2.43	0.47
1:A:169:ILE:N	1:A:169:ILE:CD1	2.76	0.47
1:A:4:PRO:HD2	1:A:5:GLU:OE1	2.15	0.47
1:A:89:MET:O	1:A:93:ILE:HG23	2.15	0.46
1:A:170:PRO:HD2	1:A:231:LEU:O	2.16	0.46
1:A:184:PHE:O	1:A:188:ALA:HB2	2.16	0.46
1:A:183:SER:O	1:A:187:ARG:HB2	2.15	0.46
1:A:265:ASP:C	1:A:266:MET:HE2	2.41	0.46
1:A:143:ASP:O	1:A:144:SER:HB3	2.16	0.46
1:A:134:LYS:O	1:A:135:PRO:C	2.59	0.45
1:A:223:ASN:ND2	1:A:225:LYS:H	2.13	0.45
1:A:279:GLU:OE1	1:A:279:GLU:N	2.42	0.45
1:A:286:ARG:HA	1:A:289:GLU:OE2	2.15	0.45
1:A:214:HIS:HA	1:A:215:PRO:HD3	1.82	0.45
1:A:162:LEU:HA	1:A:163:PRO:HD2	1.62	0.45
1:A:227:LEU:HB3	1:A:228:PRO:CD	2.46	0.45
1:A:121:GLY:HA3	1:A:153:VAL:HG21	1.99	0.44
1:A:182:ASP:O	1:A:185:LYS:N	2.48	0.44
1:A:187:ARG:HD2	1:A:236:ARG:O	2.16	0.44
1:A:55:ALA:O	1:A:105:ASP:HB3	2.17	0.44
1:A:157:ALA:HB1	1:A:162:LEU:HB2	1.99	0.43
1:A:158:ARG:HB2	1:A:164:MET:HE3	2.01	0.43
2:A:310:PMS:C6	2:A:310:PMS:O1S	2.65	0.43
1:A:134:LYS:O	1:A:136:GLN:N	2.52	0.42
1:A:268:HIS:CD2	1:A:269:VAL:HG23	2.55	0.42
1:A:267:ILE:O	1:A:268:HIS:C	2.62	0.41
1:A:97:SER:HB3	1:A:288:GLY:HA2	2.01	0.41
1:A:124:ALA:O	1:A:127:TRP:HB3	2.21	0.41
1:A:242:ASP:O	1:A:246:LYS:HG3	2.21	0.41
1:A:162:LEU:HA	1:A:162:LEU:HD23	1.83	0.41
1:A:181:ASN:HD22	1:A:246:LYS:NZ	2.19	0.40
1:A:19:PRO:HA	1:A:20:PRO:HD2	1.78	0.40
1:A:268:HIS:O	1:A:269:VAL:C	2.64	0.40
1:A:284:ILE:O	1:A:285:VAL:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	288/322 (89%)	261 (91%)	24 (8%)	3 (1%)	12 24

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	SER
1	A	4	PRO
1	A	234	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	225/246 (92%)	189 (84%)	36 (16%)	2 5

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ILE
1	A	11	LYS
1	A	15	GLU
1	A	16	LYS
1	A	18	VAL
1	A	23	GLU
1	A	26	LEU
1	A	33	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	35	LYS
1	A	45	GLN
1	A	46	VAL
1	A	49	VAL
1	A	65	GLN
1	A	93	ILE
1	A	98	GLN
1	A	102	LEU
1	A	104	LEU
1	A	126	ARG
1	A	136	GLN
1	A	149	LEU
1	A	167	SER
1	A	169	ILE
1	A	186	THR
1	A	201	LYS
1	A	225	LYS
1	A	231	LEU
1	A	233	HIS
1	A	241	LEU
1	A	243	ASP
1	A	258	SER
1	A	264	ASP
1	A	269	VAL
1	A	281	LYS
1	A	282	GLN
1	A	284	ILE
1	A	291	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	GLN
1	A	98	GLN
1	A	131	GLN
1	A	136	GLN
1	A	181	ASN
1	A	200	ASN
1	A	223	ASN
1	A	233	HIS
1	A	282	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PMS	A	310	1	7,10,11	2.50	5 (71%)	11,12,15	4.04	5 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PMS	A	310	1	-	0/4/4/5	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	310	PMS	C4-C3	3.31	1.45	1.38
2	A	310	PMS	C5-C4	3.25	1.45	1.38
2	A	310	PMS	C6-C1	2.68	1.44	1.38
2	A	310	PMS	C3-C2	2.58	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	310	PMS	C5-C6	2.43	1.43	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	310	PMS	O2S-S-C	-9.17	89.73	105.55
2	A	310	PMS	O1S-S-C	-8.09	91.59	105.55
2	A	310	PMS	C6-C1-C2	3.17	122.94	118.23
2	A	310	PMS	C3-C2-C1	-2.53	117.05	120.61
2	A	310	PMS	C4-C5-C6	-2.11	117.63	120.24

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	310	PMS	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/322 (90%)	-0.31	3 (1%) 79 76	36, 48, 67, 73	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	3.8
1	A	192	PRO	2.5
1	A	297	ALA	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PMS	A	310	10/11	0.96	0.09	41,49,58,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.