



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 03:56 AM UTC

PDB ID : 4H19 / pdb_00004h19
Title : Crystal structure of an enolase (mandelate racemase subgroup, target EFI-502087) from agrobacterium tumefaciens, with bound Mg and d-ribonohydroxamate, ordered loop
Authors : Vetting, M.W.; Bouvier, J.T.; Morisco, L.L.; Wasserman, S.R.; Sojitra, S.; Imker, H.J.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)
Deposited on : 2012-09-10
Resolution : 1.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	372	93% 7%
1	B	372	92% 8%
1	C	372	92% 7%
1	D	372	93% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	372	 94% 6%
1	F	372	 93% 6% .
1	G	372	 92% 7%
1	H	372	 94% 6%
1	I	372	 92% 8%
1	J	372	 93% 7%
1	K	372	 91% 8% .
1	L	372	 94% 6%
1	M	372	 92% 8%
1	N	372	 94% 6%
1	O	372	 90% 10%
1	P	372	 94% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	A	404	-	-	X	-
3	CL	B	403	-	-	X	-
3	CL	D	403	-	-	X	-
3	CL	D	404	-	-	X	-
3	CL	D	405	-	-	X	-
3	CL	E	402	-	-	X	-
3	CL	G	404	-	-	X	-
3	CL	I	403	-	-	X	-
3	CL	K	404	-	-	X	-
3	CL	L	402	-	-	X	-
3	CL	O	403	-	-	X	-
5	GOL	C	406	-	X	-	-
5	GOL	G	407	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 53008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mandelate racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	372	Total	C	N	O	S	0	2	0
			2922	1868	505	543	6			
1	B	372	Total	C	N	O	S	0	1	0
			2913	1863	503	541	6			
1	C	372	Total	C	N	O	S	0	1	0
			2913	1863	503	541	6			
1	D	372	Total	C	N	O	S	0	2	0
			2924	1869	507	542	6			
1	E	372	Total	C	N	O	S	0	3	0
			2925	1869	505	545	6			
1	F	372	Total	C	N	O	S	0	2	0
			2919	1866	504	543	6			
1	G	372	Total	C	N	O	S	0	2	0
			2919	1866	504	543	6			
1	H	372	Total	C	N	O	S	0	0	0
			2907	1860	502	539	6			
1	I	372	Total	C	N	O	S	0	1	0
			2913	1863	503	541	6			
1	K	372	Total	C	N	O	S	0	2	0
			2919	1866	504	543	6			
1	L	372	Total	C	N	O	S	0	0	0
			2907	1860	502	539	6			
1	M	372	Total	C	N	O	S	0	1	0
			2913	1863	503	541	6			
1	N	372	Total	C	N	O	S	0	2	0
			2919	1866	504	543	6			
1	P	372	Total	C	N	O	S	0	2	0
			2922	1869	505	542	6			
1	J	372	Total	C	N	O	S	0	3	0
			2928	1871	505	546	6			
1	O	372	Total	C	N	O	S	0	2	0
			2919	1866	504	543	6			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Ca 1	0	0
2	B	1	Total 1	Ca 1	0	0
2	D	1	Total 1	Ca 1	0	0
2	G	1	Total 1	Ca 1	0	0
2	H	1	Total 1	Ca 1	0	0
2	K	1	Total 1	Ca 1	0	0
2	M	1	Total 1	Ca 1	0	0
2	N	1	Total 1	Ca 1	0	0
2	J	1	Total 1	Ca 1	0	0
2	O	1	Total 1	Ca 1	0	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Cl 3	0	0
3	B	3	Total 3	Cl 3	0	0
3	C	3	Total 3	Cl 3	0	0
3	D	5	Total 5	Cl 5	0	0
3	E	3	Total 3	Cl 3	0	0
3	F	3	Total 3	Cl 3	0	0
3	G	3	Total 3	Cl 3	0	0
3	H	3	Total 3	Cl 3	0	0
3	I	3	Total 3	Cl 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	K	3	Total 3	Cl 3	0	0
3	L	3	Total 3	Cl 3	0	0
3	M	3	Total 3	Cl 3	0	0
3	N	3	Total 3	Cl 3	0	0
3	P	3	Total 3	Cl 3	0	0
3	J	2	Total 2	Cl 2	0	0
3	O	3	Total 3	Cl 3	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Mg 1	0	0
4	B	1	Total 1	Mg 1	0	0
4	C	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0
4	E	1	Total 1	Mg 1	0	0
4	F	1	Total 1	Mg 1	0	0
4	G	1	Total 1	Mg 1	0	0
4	H	1	Total 1	Mg 1	0	0
4	I	1	Total 1	Mg 1	0	0
4	K	1	Total 1	Mg 1	0	0
4	L	1	Total 1	Mg 1	0	0
4	M	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	N	1	Total 1	Mg 1	0	0
4	P	1	Total 1	Mg 1	0	0
4	J	1	Total 1	Mg 1	0	0
4	O	1	Total 1	Mg 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 6	C 3	O 3	0	0
5	A	1	Total 6	C 3	O 3	0	0
5	A	1	Total 6	C 3	O 3	0	0
5	A	1	Total 6	C 3	O 3	0	0
5	B	1	Total 6	C 3	O 3	0	0
5	B	1	Total 6	C 3	O 3	0	0
5	B	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total 6	C 3	O 3	0	0
5	C	1	Total 6	C 3	O 3	0	0
5	C	1	Total 6	C 3	O 3	0	0
5	D	1	Total 6	C 3	O 3	0	0
5	D	1	Total 6	C 3	O 3	0	0
5	D	1	Total 6	C 3	O 3	0	0
5	E	1	Total 6	C 3	O 3	0	0
5	E	1	Total 6	C 3	O 3	0	0
5	E	1	Total 6	C 3	O 3	0	0
5	F	1	Total 6	C 3	O 3	0	0
5	F	1	Total 6	C 3	O 3	0	0
5	F	1	Total 6	C 3	O 3	0	0
5	G	1	Total 6	C 3	O 3	0	0
5	G	1	Total 6	C 3	O 3	0	0
5	G	1	Total 6	C 3	O 3	0	0
5	H	1	Total 6	C 3	O 3	0	0
5	H	1	Total 6	C 3	O 3	0	0
5	H	1	Total 6	C 3	O 3	0	0
5	I	1	Total 6	C 3	O 3	0	0
5	K	1	Total 6	C 3	O 3	0	0
5	K	1	Total 6	C 3	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	K	1	Total	C	O	0	0
			6	3	3		
5	L	1	Total	C	O	0	0
			6	3	3		
5	L	1	Total	C	O	0	0
			6	3	3		
5	M	1	Total	C	O	0	0
			6	3	3		
5	N	1	Total	C	O	0	0
			6	3	3		
5	N	1	Total	C	O	0	0
			6	3	3		
5	N	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		
5	O	1	Total	C	O	0	0
			6	3	3		
5	O	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is (2R,3R,4R)-N,2,3,4,5-pentakis(oxidanyl)pentanamide (CCD ID: 0YR) (formula: C₅H₁₁NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			12	5	1	6		
6	B	1	Total	C	N	O	0	0
			12	5	1	6		
6	C	1	Total	C	N	O	0	0
			12	5	1	6		
6	D	1	Total	C	N	O	0	0
			12	5	1	6		
6	E	1	Total	C	N	O	0	0
			12	5	1	6		
6	F	1	Total	C	N	O	0	0
			12	5	1	6		
6	G	1	Total	C	N	O	0	0
			12	5	1	6		
6	H	1	Total	C	N	O	0	0
			12	5	1	6		
6	I	1	Total	C	N	O	0	0
			12	5	1	6		
6	K	1	Total	C	N	O	0	0
			12	5	1	6		
6	L	1	Total	C	N	O	0	0
			12	5	1	6		
6	M	1	Total	C	N	O	0	0
			12	5	1	6		
6	N	1	Total	C	N	O	0	0
			12	5	1	6		
6	P	1	Total	C	N	O	0	0
			12	5	1	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	J	1	Total	C	N	O	0	0
			12	5	1	6		
6	O	1	Total	C	N	O	0	0
			12	5	1	6		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	354	Total	O	0	0
			354	354		
7	B	383	Total	O	0	0
			383	383		
7	C	345	Total	O	0	0
			345	345		
7	D	430	Total	O	0	0
			430	430		
7	E	370	Total	O	0	0
			370	370		
7	F	353	Total	O	0	0
			353	353		
7	G	375	Total	O	0	0
			375	375		
7	H	378	Total	O	0	0
			378	378		
7	I	352	Total	O	0	0
			352	352		
7	K	370	Total	O	0	0
			370	370		
7	L	333	Total	O	0	1
			334	334		
7	M	354	Total	O	0	0
			354	354		
7	N	393	Total	O	0	1
			394	394		
7	P	329	Total	O	0	0
			329	329		
7	J	321	Total	O	0	0
			321	321		
7	O	353	Total	O	0	0
			353	353		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Mandelate racemase



- Molecule 1: Mandelate racemase



- Molecule 1: Mandelate racemase




- Molecule 1: Mandelate racemase



- Molecule 1: Mandelate racemase




- Molecule 1: Mandelate racemase

Chain F:  93% 6% .




- Molecule 1: Mandelate racemase

Chain G:  92% 7%



- Molecule 1: Mandelate racemase

Chain H:  94% 6%




- Molecule 1: Mandelate racemase

Chain I:  92% 8%




- Molecule 1: Mandelate racemase

Chain K:  91% 8% .





- Molecule 1: Mandelate racemase

Chain L:  94% 6%



- Molecule 1: Mandelate racemase

Chain M:  92% 8%



- Molecule 1: Mandelate racemase

Chain N: 94% 6%



- Molecule 1: Mandelate racemase

Chain P: 94% 6%



- Molecule 1: Mandelate racemase

Chain J: 93% 7%



- Molecule 1: Mandelate racemase

Chain O: 90% 10%



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	178.36Å 395.69Å 177.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	197.84 – 1.80 197.84 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (197.84-1.80) 99.9 (197.84-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.137 , 0.175 0.151 , 0.184	Depositor DCC
R_{free} test set	28792 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	15.3	Xtriage
Anisotropy	0.435	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	53008	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0094e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 0YR, GOL, CL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.27	3/3003 (0.1%)	1.15	7/4102 (0.2%)
1	B	1.34	8/2994 (0.3%)	1.10	1/4089 (0.0%)
1	C	1.30	2/2994 (0.1%)	1.16	9/4089 (0.2%)
1	D	1.32	4/3005 (0.1%)	1.15	5/4104 (0.1%)
1	E	1.28	4/3006 (0.1%)	1.10	2/4105 (0.0%)
1	F	1.31	2/3000 (0.1%)	1.10	3/4097 (0.1%)
1	G	1.26	6/3000 (0.2%)	1.10	3/4097 (0.1%)
1	H	1.30	5/2988 (0.2%)	1.12	2/4081 (0.0%)
1	I	1.30	3/2994 (0.1%)	1.11	5/4089 (0.1%)
1	J	1.32	4/3009 (0.1%)	1.13	1/4109 (0.0%)
1	K	1.34	5/3000 (0.2%)	1.15	7/4097 (0.2%)
1	L	1.32	7/2988 (0.2%)	1.10	1/4081 (0.0%)
1	M	1.31	6/2994 (0.2%)	1.09	3/4089 (0.1%)
1	N	1.27	5/3000 (0.2%)	1.07	2/4097 (0.0%)
1	O	1.30	10/3000 (0.3%)	1.12	5/4097 (0.1%)
1	P	1.26	4/3003 (0.1%)	1.09	3/4100 (0.1%)
All	All	1.30	78/47978 (0.2%)	1.11	59/65523 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

The worst 5 of 78 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	230	GLU	C-O	-9.01	1.19	1.23
1	C	230	GLU	C-O	-8.97	1.19	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	319	TRP	CA-C	8.28	1.59	1.52
1	I	230	GLU	C-O	-7.95	1.20	1.23
1	D	210	LEU	N-CA	-6.94	1.40	1.46

The worst 5 of 59 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	331	TRP	N-CA-C	8.10	120.11	111.28
1	I	367	TYR	CA-C-N	7.12	126.76	119.92
1	I	367	TYR	C-N-CA	7.12	126.76	119.92
1	E	331	TRP	N-CA-C	6.76	118.64	111.28
1	D	16	THR	CB-CA-C	-6.67	98.28	110.63

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	215	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2922	0	2862	14	0
1	B	2913	0	2854	14	0
1	C	2913	0	2854	12	0
1	D	2924	0	2867	17	0
1	E	2925	0	2862	13	0
1	F	2919	0	2858	18	0
1	G	2919	0	2858	18	0
1	H	2907	0	2850	16	0
1	I	2913	0	2854	14	0
1	J	2928	0	2863	14	0
1	K	2919	0	2858	21	0
1	L	2907	0	2850	10	0
1	M	2913	0	2854	12	0
1	N	2919	0	2858	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	O	2919	0	2858	18	0
1	P	2922	0	2866	15	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	D	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	M	1	0	0	0	0
2	N	1	0	0	0	0
2	O	1	0	0	0	0
3	A	3	0	0	3	0
3	B	3	0	0	3	0
3	C	3	0	0	2	0
3	D	5	0	0	6	0
3	E	3	0	0	3	0
3	F	3	0	0	2	0
3	G	3	0	0	3	0
3	H	3	0	0	2	0
3	I	3	0	0	3	0
3	J	2	0	0	1	0
3	K	3	0	0	4	0
3	L	3	0	0	3	0
3	M	3	0	0	1	0
3	N	3	0	0	2	0
3	O	3	0	0	3	0
3	P	3	0	0	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	M	1	0	0	0	0
4	N	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	O	1	0	0	0	0
4	P	1	0	0	0	0
5	A	24	0	31	0	0
5	B	18	0	24	0	0
5	C	18	0	24	0	0
5	D	18	0	24	1	0
5	E	18	0	24	3	0
5	F	18	0	24	0	0
5	G	18	0	24	1	0
5	H	18	0	24	0	0
5	I	6	0	8	0	0
5	J	18	0	24	0	0
5	K	18	0	24	1	0
5	L	12	0	16	0	0
5	M	6	0	8	1	0
5	N	18	0	23	0	0
5	O	12	0	16	0	0
5	P	24	0	32	2	0
6	A	12	0	10	0	0
6	B	12	0	10	0	0
6	C	12	0	10	0	0
6	D	12	0	10	0	0
6	E	12	0	10	0	0
6	F	12	0	10	0	0
6	G	12	0	10	0	0
6	H	12	0	10	0	0
6	I	12	0	10	0	0
6	J	12	0	10	0	0
6	K	12	0	10	0	0
6	L	12	0	10	0	0
6	M	12	0	10	0	0
6	N	12	0	10	0	0
6	O	12	0	10	0	0
6	P	12	0	10	0	0
7	A	354	0	0	5	1
7	B	383	0	0	4	0
7	C	345	0	0	6	0
7	D	430	0	0	5	0
7	E	370	0	0	3	0
7	F	353	0	0	1	3
7	G	375	0	0	5	0
7	H	378	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	I	352	0	0	2	1
7	J	321	0	0	4	0
7	K	370	0	0	6	3
7	L	334	0	0	0	0
7	M	354	0	0	0	0
7	N	394	0	0	1	0
7	O	353	0	0	6	0
7	P	329	0	0	5	0
All	All	53008	0	46236	230	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 230 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:81:HIS:CD2	7:H:612:HOH:O	2.09	1.03
1:D:161:ARG:NH1	7:D:828:HOH:O	1.98	0.95
1:B:52:HIS:HD2	7:B:881:HOH:O	1.56	0.89
1:C:118:LYS:HE3	7:C:842:HOH:O	1.73	0.89
1:O:81:HIS:ND1	7:O:691:HOH:O	2.09	0.86

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:F:852:HOH:O	7:K:868:HOH:O[3_553]	1.34	0.86
7:F:853:HOH:O	7:K:870:HOH:O[3_553]	1.61	0.59
7:K:825:HOH:O	7:K:825:HOH:O[3_553]	1.76	0.44
7:A:818:HOH:O	7:A:818:HOH:O[3_553]	2.02	0.18
7:F:841:HOH:O	7:I:838:HOH:O[3_554]	2.06	0.14

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/372 (100%)	362 (97%)	10 (3%)	0	100	100
1	B	371/372 (100%)	361 (97%)	10 (3%)	0	100	100
1	C	371/372 (100%)	361 (97%)	10 (3%)	0	100	100
1	D	372/372 (100%)	361 (97%)	11 (3%)	0	100	100
1	E	373/372 (100%)	366 (98%)	7 (2%)	0	100	100
1	F	372/372 (100%)	361 (97%)	11 (3%)	0	100	100
1	G	372/372 (100%)	358 (96%)	14 (4%)	0	100	100
1	H	370/372 (100%)	361 (98%)	9 (2%)	0	100	100
1	I	371/372 (100%)	363 (98%)	8 (2%)	0	100	100
1	J	373/372 (100%)	363 (97%)	10 (3%)	0	100	100
1	K	372/372 (100%)	359 (96%)	13 (4%)	0	100	100
1	L	370/372 (100%)	359 (97%)	11 (3%)	0	100	100
1	M	371/372 (100%)	362 (98%)	9 (2%)	0	100	100
1	N	372/372 (100%)	360 (97%)	12 (3%)	0	100	100
1	O	372/372 (100%)	361 (97%)	11 (3%)	0	100	100
1	P	372/372 (100%)	363 (98%)	9 (2%)	0	100	100
All	All	5946/5952 (100%)	5781 (97%)	165 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/304 (101%)	305 (100%)	1 (0%)	86	86
1	B	305/304 (100%)	302 (99%)	3 (1%)	68	64
1	C	305/304 (100%)	302 (99%)	3 (1%)	68	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	306/304 (101%)	304 (99%)	2 (1%)	76	73
1	E	307/304 (101%)	306 (100%)	1 (0%)	86	86
1	F	306/304 (101%)	302 (99%)	4 (1%)	61	54
1	G	306/304 (101%)	304 (99%)	2 (1%)	76	73
1	H	304/304 (100%)	303 (100%)	1 (0%)	86	86
1	I	305/304 (100%)	302 (99%)	3 (1%)	68	64
1	J	307/304 (101%)	306 (100%)	1 (0%)	86	86
1	K	306/304 (101%)	301 (98%)	5 (2%)	55	47
1	L	304/304 (100%)	301 (99%)	3 (1%)	68	64
1	M	305/304 (100%)	303 (99%)	2 (1%)	76	73
1	N	306/304 (101%)	303 (99%)	3 (1%)	68	64
1	O	306/304 (101%)	301 (98%)	5 (2%)	55	47
1	P	306/304 (101%)	305 (100%)	1 (0%)	86	86
All	All	4890/4864 (100%)	4850 (99%)	40 (1%)	73	70

5 of 40 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	308	GLU
1	O	104	HIS
1	M	362	GLU
1	N	362	GLU
1	O	303	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
1	J	128	HIS
1	P	246	ASN
1	F	246	ASN
1	P	214	GLN
1	F	128	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 135 ligands modelled in this entry, 75 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	0YR	H	409	4	10,11,11	1.52	1 (10%)	12,14,14	2.30	6 (50%)
5	GOL	I	405	-	5,5,5	0.47	0	5,5,5	0.43	0
5	GOL	D	410	-	5,5,5	0.62	0	5,5,5	1.26	0
5	GOL	H	407	-	5,5,5	0.67	0	5,5,5	0.74	0
5	GOL	B	407	-	5,5,5	0.51	0	5,5,5	0.96	0
5	GOL	P	405	-	5,5,5	0.65	0	5,5,5	0.86	0
5	GOL	P	406	-	5,5,5	0.63	0	5,5,5	0.81	0
6	0YR	K	409	4	10,11,11	1.63	3 (30%)	12,14,14	2.33	5 (41%)
6	0YR	A	410	4	10,11,11	1.85	2 (20%)	12,14,14	2.11	8 (66%)
6	0YR	I	406	4	10,11,11	1.67	2 (20%)	12,14,14	1.67	3 (25%)
5	GOL	E	405	-	5,5,5	0.76	0	5,5,5	0.73	0
5	GOL	B	408	-	5,5,5	0.18	0	5,5,5	0.91	0
5	GOL	F	407	-	5,5,5	0.60	0	5,5,5	1.39	0
5	GOL	O	406	-	5,5,5	0.60	0	5,5,5	0.56	0
6	0YR	P	409	4	10,11,11	0.99	0	12,14,14	2.50	7 (58%)
5	GOL	J	407	-	5,5,5	0.53	0	5,5,5	0.52	0
5	GOL	D	408	-	5,5,5	0.59	0	5,5,5	0.43	0
5	GOL	P	408	-	5,5,5	0.40	0	5,5,5	1.33	1 (20%)
5	GOL	N	407	-	5,5,5	0.79	0	5,5,5	1.20	0
5	GOL	B	406	-	5,5,5	0.58	0	5,5,5	0.68	0
5	GOL	L	406	-	5,5,5	0.92	0	5,5,5	1.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	G	408	-	5,5,5	0.58	0	5,5,5	0.73	0
6	OYR	O	408	4	10,11,11	1.63	2 (20%)	12,14,14	2.30	4 (33%)
6	OYR	C	408	4	10,11,11	1.89	3 (30%)	12,14,14	1.66	3 (25%)
5	GOL	C	407	-	5,5,5	0.81	0	5,5,5	0.40	0
5	GOL	J	405	-	5,5,5	0.72	0	5,5,5	0.37	0
5	GOL	O	407	-	5,5,5	0.51	0	5,5,5	0.72	0
5	GOL	A	406	-	5,5,5	0.39	0	5,5,5	0.68	0
5	GOL	N	406	-	5,5,5	0.80	0	5,5,5	0.65	0
5	GOL	H	406	-	5,5,5	0.74	0	5,5,5	0.62	0
5	GOL	K	408	-	5,5,5	0.58	0	5,5,5	2.07	3 (60%)
5	GOL	C	405	-	5,5,5	0.57	0	5,5,5	0.69	0
5	GOL	K	406	-	5,5,5	0.44	0	5,5,5	0.73	0
5	GOL	A	409	-	5,5,5	0.62	0	5,5,5	0.77	0
5	GOL	D	409	-	5,5,5	0.64	0	5,5,5	1.80	2 (40%)
5	GOL	J	406	-	5,5,5	0.80	0	5,5,5	1.52	1 (20%)
5	GOL	M	406	-	5,5,5	0.55	0	5,5,5	0.79	0
6	OYR	B	409	4	10,11,11	2.08	3 (30%)	12,14,14	1.94	5 (41%)
6	OYR	D	411	4	10,11,11	1.90	2 (20%)	12,14,14	1.96	5 (41%)
5	GOL	F	406	-	5,5,5	0.65	0	5,5,5	0.70	0
5	GOL	A	408	-	5,5,5	0.25	0	5,5,5	1.14	0
5	GOL	C	406	-	5,5,5	0.92	0	5,5,5	1.73	2 (40%)
6	OYR	L	407	4	10,11,11	2.08	4 (40%)	12,14,14	2.56	7 (58%)
5	GOL	L	405	-	5,5,5	0.19	0	5,5,5	0.57	0
6	OYR	N	409	4	10,11,11	1.97	3 (30%)	12,14,14	1.84	4 (33%)
5	GOL	N	408	-	5,5,5	0.66	0	5,5,5	0.97	0
6	OYR	F	408	4	10,11,11	1.71	2 (20%)	12,14,14	2.51	8 (66%)
5	GOL	G	406	-	5,5,5	0.62	0	5,5,5	0.57	0
5	GOL	H	408	-	5,5,5	0.78	0	5,5,5	0.80	0
5	GOL	A	407	-	5,5,5	1.32	0	5,5,5	2.32	1 (20%)
6	OYR	M	407	4	10,11,11	1.69	3 (30%)	12,14,14	1.64	3 (25%)
5	GOL	E	406	-	5,5,5	0.71	0	5,5,5	0.68	0
5	GOL	E	407	-	5,5,5	0.75	0	5,5,5	1.55	1 (20%)
5	GOL	K	407	-	5,5,5	0.55	0	5,5,5	1.03	0
6	OYR	E	408	4	10,11,11	1.82	2 (20%)	12,14,14	1.84	4 (33%)
5	GOL	P	407	-	5,5,5	0.64	0	5,5,5	1.40	0
6	OYR	G	409	4	10,11,11	1.57	3 (30%)	12,14,14	2.19	7 (58%)
5	GOL	F	405	-	5,5,5	0.33	0	5,5,5	0.68	0
6	OYR	J	408	4	10,11,11	1.52	2 (20%)	12,14,14	1.99	4 (33%)
5	GOL	G	407	-	5,5,5	0.91	0	5,5,5	2.24	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	0YR	H	409	4	-	4/16/16/16	-
5	GOL	I	405	-	-	0/4/4/4	-
5	GOL	D	410	-	-	0/4/4/4	-
5	GOL	H	407	-	-	1/4/4/4	-
5	GOL	B	407	-	-	0/4/4/4	-
5	GOL	P	405	-	-	0/4/4/4	-
5	GOL	P	406	-	-	2/4/4/4	-
6	0YR	K	409	4	-	3/16/16/16	-
6	0YR	A	410	4	-	4/16/16/16	-
6	0YR	I	406	4	-	4/16/16/16	-
5	GOL	E	405	-	-	0/4/4/4	-
5	GOL	B	408	-	-	3/4/4/4	-
5	GOL	F	407	-	-	2/4/4/4	-
5	GOL	O	406	-	-	0/4/4/4	-
6	0YR	P	409	4	-	3/16/16/16	-
5	GOL	J	407	-	-	2/4/4/4	-
5	GOL	D	408	-	-	0/4/4/4	-
5	GOL	P	408	-	-	0/4/4/4	-
5	GOL	N	407	-	-	2/4/4/4	-
5	GOL	B	406	-	-	0/4/4/4	-
5	GOL	L	406	-	-	3/4/4/4	-
5	GOL	G	408	-	-	4/4/4/4	-
6	0YR	O	408	4	-	4/16/16/16	-
6	0YR	C	408	4	-	4/16/16/16	-
5	GOL	C	407	-	-	2/4/4/4	-
5	GOL	J	405	-	-	0/4/4/4	-
5	GOL	O	407	-	-	2/4/4/4	-
5	GOL	A	406	-	-	0/4/4/4	-
5	GOL	N	406	-	-	0/4/4/4	-
5	GOL	H	406	-	-	0/4/4/4	-
5	GOL	K	408	-	-	2/4/4/4	-
5	GOL	C	405	-	-	0/4/4/4	-
5	GOL	K	406	-	-	0/4/4/4	-
5	GOL	A	409	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	409	-	-	3/4/4/4	-
5	GOL	J	406	-	-	2/4/4/4	-
5	GOL	M	406	-	-	0/4/4/4	-
6	0YR	B	409	4	-	3/16/16/16	-
6	0YR	D	411	4	-	4/16/16/16	-
5	GOL	F	406	-	-	1/4/4/4	-
5	GOL	A	408	-	-	4/4/4/4	-
5	GOL	C	406	-	-	4/4/4/4	-
6	0YR	L	407	4	-	4/16/16/16	-
5	GOL	L	405	-	-	0/4/4/4	-
6	0YR	N	409	4	-	3/16/16/16	-
5	GOL	N	408	-	-	2/4/4/4	-
6	0YR	F	408	4	-	4/16/16/16	-
5	GOL	G	406	-	-	0/4/4/4	-
5	GOL	H	408	-	-	3/4/4/4	-
5	GOL	A	407	-	-	2/4/4/4	-
6	0YR	M	407	4	-	3/16/16/16	-
5	GOL	E	406	-	-	2/4/4/4	-
5	GOL	E	407	-	-	2/4/4/4	-
5	GOL	K	407	-	-	0/4/4/4	-
6	0YR	E	408	4	-	4/16/16/16	-
5	GOL	P	407	-	-	2/4/4/4	-
6	0YR	G	409	4	-	4/16/16/16	-
5	GOL	F	405	-	-	0/4/4/4	-
6	0YR	J	408	4	-	4/16/16/16	-
5	GOL	G	407	-	-	4/4/4/4	-

The worst 5 of 37 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	411	0YR	CAK-CAI	4.83	1.62	1.52
6	E	408	0YR	CAK-CAI	4.44	1.61	1.52
6	B	409	0YR	CAJ-CAL	4.02	1.60	1.53
6	N	409	0YR	CAK-CAI	3.84	1.60	1.52
6	C	408	0YR	OAE-CAK	3.67	1.49	1.42

The worst 5 of 97 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	O	408	0YR	OAE-CAK-CAL	-5.19	99.11	110.38
6	L	407	0YR	OAE-CAK-CAL	-4.65	100.28	110.38
5	A	407	GOL	O3-C3-C2	-4.48	90.19	110.38
6	K	409	0YR	OAE-CAK-CAL	-4.36	100.92	110.38
6	J	408	0YR	CAJ-CAL-CAK	-4.21	105.14	112.05

There are no chirality outliers.

5 of 117 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	407	GOL	C1-C2-C3-O3
5	A	408	GOL	C1-C2-C3-O3
5	A	409	GOL	C1-C2-C3-O3
5	A	409	GOL	O2-C2-C3-O3
5	C	407	GOL	C1-C2-C3-O3

There are no ring outliers.

8 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	P	408	GOL	1	0
5	K	406	GOL	1	0
5	D	409	GOL	1	0
5	M	406	GOL	1	0
5	E	406	GOL	2	0
5	E	407	GOL	1	0
5	P	407	GOL	1	0
5	G	407	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	372/372 (100%)	-0.60	2 (0%) 87 88	5, 12, 26, 42	2 (0%)
1	B	372/372 (100%)	-0.53	1 (0%) 90 90	5, 14, 27, 50	2 (0%)
1	C	372/372 (100%)	-0.55	1 (0%) 90 90	5, 14, 28, 47	3 (0%)
1	D	372/372 (100%)	-0.69	1 (0%) 90 90	6, 12, 24, 43	4 (1%)
1	E	372/372 (100%)	-0.60	0 100 100	5, 13, 25, 45	5 (1%)
1	F	372/372 (100%)	-0.59	0 100 100	5, 14, 27, 46	3 (0%)
1	G	372/372 (100%)	-0.63	0 100 100	5, 13, 25, 47	3 (0%)
1	H	372/372 (100%)	-0.49	2 (0%) 87 88	8, 14, 29, 51	1 (0%)
1	I	372/372 (100%)	-0.43	1 (0%) 90 90	7, 15, 30, 46	1 (0%)
1	J	372/372 (100%)	-0.41	2 (0%) 87 88	6, 16, 30, 58	4 (1%)
1	K	372/372 (100%)	-0.44	2 (0%) 87 88	7, 15, 29, 54	3 (0%)
1	L	372/372 (100%)	-0.38	2 (0%) 87 88	8, 16, 30, 52	2 (0%)
1	M	372/372 (100%)	-0.45	2 (0%) 87 88	8, 16, 29, 49	2 (0%)
1	N	372/372 (100%)	-0.59	0 100 100	5, 14, 25, 50	5 (1%)
1	O	372/372 (100%)	-0.42	3 (0%) 82 83	6, 15, 29, 56	3 (0%)
1	P	372/372 (100%)	-0.47	1 (0%) 90 90	7, 15, 30, 50	3 (0%)
All	All	5952/5952 (100%)	-0.52	20 (0%) 90 90	5, 14, 28, 58	46 (0%)

The worst 5 of 20 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	364	PHE	3.4
1	L	365	THR	3.3
1	J	362	GLU	2.9
1	O	364	PHE	2.8
1	P	362	GLU	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	H	408	6/6	0.87	0.13	34,35,36,38	0
5	GOL	N	408	6/6	0.87	0.13	34,37,39,39	0
5	GOL	O	407	6/6	0.88	0.12	36,36,39,40	0
5	GOL	B	408	6/6	0.89	0.11	30,34,37,45	0
5	GOL	P	406	6/6	0.90	0.11	33,35,36,37	0
6	0YR	F	408	12/12	0.90	0.10	18,28,31,31	0
5	GOL	A	407	6/6	0.91	0.14	15,22,25,38	0
5	GOL	P	407	6/6	0.91	0.11	20,27,29,39	0
5	GOL	L	406	6/6	0.91	0.10	32,36,38,38	0
5	GOL	C	406	6/6	0.91	0.10	29,34,35,35	0
5	GOL	D	410	6/6	0.92	0.09	32,34,37,37	0
5	GOL	P	408	6/6	0.92	0.09	26,30,36,38	0
5	GOL	F	407	6/6	0.92	0.09	20,34,35,39	0
6	0YR	A	410	12/12	0.92	0.09	14,24,27,31	0
5	GOL	A	408	6/6	0.92	0.10	25,32,36,43	0
6	0YR	K	409	12/12	0.92	0.09	20,28,39,45	0
6	0YR	L	407	12/12	0.92	0.09	17,27,32,35	0
6	0YR	N	409	12/12	0.92	0.09	16,27,32,33	0
6	0YR	J	408	12/12	0.92	0.09	19,30,35,36	0
6	0YR	O	408	12/12	0.92	0.09	17,26,34,36	0
5	GOL	H	407	6/6	0.93	0.09	31,33,35,36	0
5	GOL	A	409	6/6	0.93	0.09	32,36,37,38	0
6	0YR	E	408	12/12	0.93	0.08	17,25,28,29	0
5	GOL	K	408	6/6	0.93	0.10	18,25,29,33	0
6	0YR	H	409	12/12	0.93	0.08	16,27,29,31	0
6	0YR	I	406	12/12	0.93	0.08	16,27,32,35	0
5	GOL	B	407	6/6	0.93	0.08	32,34,35,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	E	407	6/6	0.93	0.09	32,33,33,34	0
6	OYR	M	407	12/12	0.93	0.08	19,29,31,35	0
3	CL	D	406	1/1	0.93	0.10	27,27,27,27	1
6	OYR	P	409	12/12	0.93	0.09	19,27,37,39	0
5	GOL	G	407	6/6	0.93	0.10	17,26,29,34	0
5	GOL	G	408	6/6	0.93	0.09	33,34,36,36	0
5	GOL	D	409	6/6	0.94	0.10	16,27,31,38	0
5	GOL	E	406	6/6	0.94	0.11	16,25,26,33	0
6	OYR	B	409	12/12	0.94	0.08	17,27,30,33	0
6	OYR	C	408	12/12	0.94	0.08	20,27,32,36	0
6	OYR	D	411	12/12	0.94	0.07	14,24,29,29	0
5	GOL	K	407	6/6	0.94	0.08	30,32,34,35	0
5	GOL	J	406	6/6	0.94	0.09	18,30,32,36	0
5	GOL	J	407	6/6	0.94	0.10	37,37,40,42	0
5	GOL	J	405	6/6	0.95	0.07	16,18,19,22	0
5	GOL	A	406	6/6	0.95	0.08	13,17,19,19	0
5	GOL	P	405	6/6	0.95	0.07	16,19,20,24	0
5	GOL	C	407	6/6	0.95	0.10	14,22,26,31	0
6	OYR	G	409	12/12	0.95	0.07	13,25,28,33	0
3	CL	M	404	1/1	0.95	0.09	28,28,28,28	0
5	GOL	F	406	6/6	0.95	0.10	14,20,24,29	0
5	GOL	H	406	6/6	0.96	0.06	14,15,16,18	0
5	GOL	L	405	6/6	0.96	0.06	15,17,19,19	0
5	GOL	B	406	6/6	0.96	0.07	15,17,19,21	0
5	GOL	N	406	6/6	0.96	0.06	15,16,17,18	0
5	GOL	N	407	6/6	0.96	0.10	16,22,26,33	0
5	GOL	C	405	6/6	0.97	0.06	13,17,17,22	0
5	GOL	E	405	6/6	0.97	0.06	15,16,18,19	0
5	GOL	M	406	6/6	0.97	0.06	16,18,19,21	0
5	GOL	G	406	6/6	0.97	0.05	14,16,18,19	0
5	GOL	K	406	6/6	0.97	0.05	14,15,16,18	0
5	GOL	D	408	6/6	0.97	0.06	13,14,15,16	0
5	GOL	O	406	6/6	0.97	0.05	15,17,17,19	0
3	CL	O	404	1/1	0.97	0.14	35,35,35,35	0
3	CL	M	403	1/1	0.98	0.23	33,33,33,33	0
3	CL	C	402	1/1	0.98	0.14	35,35,35,35	0
3	CL	P	402	1/1	0.98	0.16	29,29,29,29	0
3	CL	P	403	1/1	0.98	0.22	36,36,36,36	0
3	CL	O	403	1/1	0.98	0.25	31,31,31,31	0
3	CL	D	403	1/1	0.98	0.13	26,26,26,26	0
4	MG	K	405	1/1	0.98	0.03	12,12,12,12	0
5	GOL	I	405	6/6	0.98	0.05	15,16,17,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	A	401	1/1	0.98	0.07	26,26,26,26	1
3	CL	F	403	1/1	0.98	0.18	32,32,32,32	0
3	CL	I	402	1/1	0.98	0.17	30,30,30,30	0
3	CL	K	404	1/1	0.98	0.14	32,32,32,32	0
5	GOL	F	405	6/6	0.98	0.04	14,16,17,19	0
3	CL	L	402	1/1	0.98	0.11	34,34,34,34	0
3	CL	L	403	1/1	0.99	0.15	29,29,29,29	0
3	CL	M	402	1/1	0.99	0.02	16,16,16,16	0
3	CL	B	403	1/1	0.99	0.19	28,28,28,28	0
3	CL	B	404	1/1	0.99	0.16	35,35,35,35	0
3	CL	N	402	1/1	0.99	0.03	16,16,16,16	0
3	CL	N	403	1/1	0.99	0.19	28,28,28,28	0
3	CL	N	404	1/1	0.99	0.13	30,30,30,30	0
3	CL	P	401	1/1	0.99	0.03	15,15,15,15	0
2	CA	B	401	1/1	0.99	0.12	24,24,24,24	0
3	CL	C	403	1/1	0.99	0.21	31,31,31,31	0
3	CL	J	403	1/1	0.99	0.19	31,31,31,31	0
3	CL	O	402	1/1	0.99	0.02	13,13,13,13	0
2	CA	G	401	1/1	0.99	0.07	20,20,20,20	0
3	CL	D	404	1/1	0.99	0.22	29,29,29,29	0
4	MG	C	404	1/1	0.99	0.03	12,12,12,12	0
4	MG	D	407	1/1	0.99	0.01	11,11,11,11	0
4	MG	E	404	1/1	0.99	0.02	11,11,11,11	0
4	MG	H	405	1/1	0.99	0.02	12,12,12,12	0
3	CL	D	405	1/1	0.99	0.17	26,26,26,26	0
4	MG	L	404	1/1	0.99	0.06	14,14,14,14	0
4	MG	N	405	1/1	0.99	0.04	13,13,13,13	0
4	MG	P	404	1/1	0.99	0.04	13,13,13,13	0
4	MG	J	404	1/1	0.99	0.03	14,14,14,14	0
4	MG	O	405	1/1	0.99	0.04	11,11,11,11	0
2	CA	M	401	1/1	0.99	0.08	21,21,21,21	0
3	CL	E	402	1/1	0.99	0.20	29,29,29,29	0
3	CL	E	403	1/1	0.99	0.16	29,29,29,29	0
3	CL	F	402	1/1	0.99	0.19	29,29,29,29	0
2	CA	O	401	1/1	0.99	0.12	22,22,22,22	1
3	CL	G	403	1/1	0.99	0.15	27,27,27,27	0
3	CL	G	404	1/1	0.99	0.12	30,30,30,30	0
3	CL	H	402	1/1	0.99	0.03	15,15,15,15	0
3	CL	H	403	1/1	0.99	0.17	27,27,27,27	0
3	CL	H	404	1/1	0.99	0.19	31,31,31,31	0
3	CL	I	401	1/1	0.99	0.03	15,15,15,15	0
3	CL	A	403	1/1	0.99	0.19	29,29,29,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	I	403	1/1	0.99	0.18	33,33,33,33	0
3	CL	K	402	1/1	0.99	0.04	14,14,14,14	0
3	CL	K	403	1/1	0.99	0.19	28,28,28,28	0
3	CL	A	404	1/1	0.99	0.21	29,29,29,29	0
3	CL	L	401	1/1	0.99	0.03	16,16,16,16	0
3	CL	B	402	1/1	0.99	0.03	14,14,14,14	0
3	CL	F	401	1/1	1.00	0.04	13,13,13,13	0
4	MG	F	404	1/1	1.00	0.04	11,11,11,11	0
4	MG	G	405	1/1	1.00	0.02	11,11,11,11	0
2	CA	K	401	1/1	1.00	0.07	22,22,22,22	1
4	MG	I	404	1/1	1.00	0.03	13,13,13,13	0
3	CL	D	402	1/1	1.00	0.03	14,14,14,14	0
3	CL	G	402	1/1	1.00	0.02	13,13,13,13	0
4	MG	M	405	1/1	1.00	0.01	13,13,13,13	0
2	CA	D	401	1/1	1.00	0.06	21,21,21,21	0
3	CL	J	402	1/1	1.00	0.02	15,15,15,15	0
2	CA	N	401	1/1	1.00	0.07	20,20,20,20	0
2	CA	J	401	1/1	1.00	0.10	21,21,21,21	1
2	CA	H	401	1/1	1.00	0.06	23,23,23,23	0
3	CL	E	401	1/1	1.00	0.03	14,14,14,14	0
4	MG	A	405	1/1	1.00	0.03	12,12,12,12	0
4	MG	B	405	1/1	1.00	0.03	12,12,12,12	0
3	CL	C	401	1/1	1.00	0.01	13,13,13,13	0
3	CL	A	402	1/1	1.00	0.02	13,13,13,13	0

6.5 Other polymers

There are no such residues in this entry.