



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:03 AM UTC

PDB ID : 5H16 / pdb_00005h16
Title : Crystal structure of the complex of Phosphopantetheine adenylyltransferase from *Acinetobacter baumannii* with citrate at 2.3 Å resolution.
Authors : Gupta, A.; Singh, P.K.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2016-10-08
Resolution : 2.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	15% 78% 14% 7% .
1	B	163	26% 77% 19% . .
1	C	163	17% 80% 13% 6% .
1	D	163	19% 80% 12% 6% . .
1	E	163	14% 83% 12% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	163	15% 80% 15% • •

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphopantetheine adenylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			
1	B	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	C	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	D	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	E	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			
1	F	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			

- Molecule 2 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 13 6 7	0	0
2	B	1	Total C O 13 6 7	0	0
2	C	1	Total C O 13 6 7	0	0
2	D	1	Total C O 13 6 7	0	0
2	E	1	Total C O 13 6 7	0	0
2	F	1	Total C O 13 6 7	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	27	Total O 27 27	0	0
3	B	12	Total O 12 12	0	0
3	C	22	Total O 22 22	0	0
3	D	21	Total O 21 21	0	0
3	E	16	Total O 16 16	0	0
3	F	26	Total O 26 26	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Phosphopantetheine adenylyltransferase



• Molecule 1: Phosphopantetheine adenylyltransferase




• Molecule 1: Phosphopantetheine adenylyltransferase




• Molecule 1: Phosphopantetheine adenylyltransferase







● Molecule 1: Phosphopantetheine adenylyltransferase



● Molecule 1: Phosphopantetheine adenylyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.59Å 109.81Å 121.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.56 – 2.30 81.56 – 2.31	Depositor EDS
% Data completeness (in resolution range)	98.7 (81.56-2.30) 98.8 (81.56-2.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.261 , 0.302 0.262 , 0.300	Depositor DCC
R_{free} test set	955 reflections (2.02%)	wwPDB-VP
Wilson B-factor (Å ²)	31.1	Xtriage
Anisotropy	0.378	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 21.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7990	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	0/1335	1.03	5/1806 (0.3%)
1	B	0.79	0/1321	1.03	5/1788 (0.3%)
1	C	0.86	0/1321	1.05	5/1788 (0.3%)
1	D	0.88	1/1321 (0.1%)	1.10	8/1788 (0.4%)
1	E	0.87	1/1335 (0.1%)	1.07	6/1806 (0.3%)
1	F	0.91	1/1335 (0.1%)	1.04	4/1806 (0.2%)
All	All	0.86	3/7968 (0.0%)	1.05	33/10782 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	40	GLY	C-O	-7.30	1.14	1.23
1	F	43	LYS	C-O	-7.28	1.14	1.24
1	E	3	LYS	CA-C	7.14	1.61	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	73	GLY	N-CA-C	9.71	125.35	114.67
1	E	25	ARG	CG-CD-NE	9.16	132.15	112.00
1	F	3	LYS	N-CA-C	8.60	122.91	110.10
1	E	3	LYS	N-CA-C	8.11	122.17	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	73	GLY	N-CA-C	7.84	125.03	115.31
1	C	72	ASP	N-CA-C	-7.67	94.68	108.48
1	F	120	THR	CB-CA-C	7.54	118.37	109.47
1	C	120	THR	CB-CA-C	7.51	118.33	109.47
1	E	120	THR	CB-CA-C	7.42	118.23	109.47
1	D	120	THR	CB-CA-C	7.37	118.17	109.47
1	A	120	THR	CB-CA-C	7.09	117.84	109.47
1	B	120	THR	CB-CA-C	6.90	117.62	109.47
1	C	135	GLU	CA-CB-CG	6.70	127.50	114.10
1	D	41	HIS	CA-C-O	-6.44	112.01	119.61
1	A	145	LYS	CB-CG-CD	6.35	125.90	111.30
1	A	3	LYS	N-CA-C	6.17	123.94	110.80
1	F	85	THR	CA-CB-CG2	6.15	120.96	110.50
1	D	15	ILE	N-CA-CB	6.08	122.31	110.45
1	B	161	GLN	CA-C-O	5.67	126.95	120.71
1	F	74	LEU	N-CA-C	5.62	118.74	110.30
1	B	162	GLY	N-CA-C	-5.59	99.92	113.18
1	E	74	LEU	N-CA-C	5.59	118.28	109.96
1	D	40	GLY	CA-C-O	-5.51	112.19	119.25
1	B	44	ASN	N-CA-C	5.50	116.34	109.57
1	D	41	HIS	N-CA-C	5.49	119.48	112.34
1	D	95	SER	CA-CB-OG	-5.19	100.72	111.10
1	E	25	ARG	NE-CZ-NH1	-5.18	116.32	121.50
1	E	44	ASN	N-CA-C	5.17	115.93	109.57
1	C	44	ASN	N-CA-C	5.17	115.92	109.57
1	D	138	ARG	CB-CG-CD	5.13	123.10	111.30
1	A	72	ASP	N-CA-C	-5.11	104.13	110.41
1	C	126	SER	N-CA-C	5.07	117.46	111.33
1	D	7	ILE	CB-CA-C	5.00	117.64	110.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	41	HIS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1305	0	1295	32	0
1	B	1291	0	1278	23	0
1	C	1291	0	1278	24	0
1	D	1291	0	1278	21	0
1	E	1305	0	1295	14	0
1	F	1305	0	1295	31	0
2	A	13	0	5	2	0
2	B	13	0	5	0	0
2	C	13	0	5	0	0
2	D	13	0	5	1	0
2	E	13	0	5	0	0
2	F	13	0	5	0	0
3	A	27	0	0	7	0
3	B	12	0	0	5	0
3	C	22	0	0	1	0
3	D	21	0	0	0	0
3	E	16	0	0	0	0
3	F	26	0	0	1	0
All	All	7990	0	7749	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:PHE:CD2	1:B:72:ASP:O	2.24	0.90
1:A:71:PHE:CD2	1:A:72:ASP:O	2.25	0.90
1:F:5:ARG:H	1:F:85:THR:HG23	1.41	0.85
1:A:43:LYS:O	1:A:43:LYS:HD3	1.81	0.80
1:F:5:ARG:H	1:F:85:THR:CG2	1.95	0.77
1:A:74:LEU:HD11	1:C:141:GLY:HA2	1.67	0.77
1:C:75:LEU:HD11	1:C:87:VAL:HG21	1.68	0.74
1:F:75:LEU:HD11	1:F:87:VAL:HG21	1.69	0.74
1:B:86:ALA:HB2	1:E:29:MET:HE1	1.70	0.73
1:A:25:ARG:HD2	1:F:115:GLU:OE1	1.87	0.73
1:D:39:ILE:HD13	1:D:49:LEU:HD22	1.74	0.70
1:A:75:LEU:HD11	1:A:87:VAL:HG11	1.75	0.69
1:A:106:MET:HE3	1:A:107:ASN:OD1	1.93	0.69
1:C:138:ARG:HD2	1:C:163:TRP:CZ3	2.28	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:ILE:HD12	1:C:49:LEU:HD22	1.75	0.68
1:D:106:MET:HE3	1:D:107:ASN:OD1	1.95	0.67
1:A:43:LYS:HD3	1:A:43:LYS:C	2.20	0.66
1:A:41:HIS:CE1	1:C:139:LEU:HD11	2.30	0.66
1:B:94:VAL:HG22	1:C:98:GLU:CD	2.19	0.66
1:B:75:LEU:HD11	1:B:87:VAL:HG11	1.78	0.66
2:A:201:CIT:O7	3:A:301:HOH:O	2.03	0.66
1:D:12:PHE:HB3	1:D:15:ILE:HG22	1.76	0.66
1:E:39:ILE:HD12	1:E:49:LEU:HD22	1.77	0.66
1:C:101:PHE:HD1	1:C:102:GLN:OE1	1.79	0.65
1:D:74:LEU:HD11	1:F:141:GLY:HA2	1.78	0.64
1:B:153:GLU:HA	1:B:156:GLU:OE1	1.99	0.63
1:B:39:ILE:HD12	1:B:49:LEU:HD22	1.80	0.62
1:D:7:ILE:HD13	1:D:87:VAL:HG23	1.81	0.62
1:F:5:ARG:N	1:F:85:THR:HG23	2.14	0.62
1:D:7:ILE:CD1	1:D:87:VAL:HG23	2.31	0.61
1:F:4:THR:HA	1:F:85:THR:HG21	1.82	0.61
1:A:39:ILE:HD12	1:A:49:LEU:HD22	1.82	0.60
1:B:27:SER:HB2	1:B:65:ASN:HD21	1.66	0.60
1:C:27:SER:HB2	1:C:65:ASN:HD21	1.67	0.60
1:F:23:VAL:HG21	1:F:60:LEU:CD2	2.32	0.60
1:F:27:SER:HB2	1:F:65:ASN:HD21	1.67	0.59
1:F:1:MET:HE3	1:F:1:MET:HA	1.83	0.59
1:D:27:SER:HB2	1:D:65:ASN:HD21	1.68	0.58
1:B:108:ARG:NH2	3:B:301:HOH:O	2.28	0.58
1:A:27:SER:HB2	1:A:65:ASN:HD21	1.68	0.58
1:E:27:SER:HB2	1:E:65:ASN:HD21	1.67	0.57
1:D:12:PHE:HD2	1:D:15:ILE:HG22	1.70	0.56
1:A:41:HIS:CG	1:C:139:LEU:HD21	2.41	0.56
1:D:12:PHE:CD2	1:D:15:ILE:HG22	2.40	0.56
1:E:25:ARG:NH1	1:E:120:THR:O	2.34	0.56
1:A:44:ASN:OD1	1:A:44:ASN:N	2.38	0.56
1:A:92:ARG:NH2	1:A:128:ILE:O	2.39	0.56
1:A:85:THR:HB	3:A:319:HOH:O	2.07	0.55
1:C:23:VAL:HG11	1:C:60:LEU:CD2	2.36	0.55
1:B:23:VAL:HG21	1:B:60:LEU:CD2	2.37	0.55
1:C:65:ASN:HD22	1:C:65:ASN:H	1.54	0.55
1:B:108:ARG:NH1	3:B:301:HOH:O	2.36	0.55
1:A:43:LYS:O	1:A:43:LYS:CD	2.53	0.54
1:F:65:ASN:H	1:F:65:ASN:HD22	1.55	0.54
1:A:25:ARG:NH1	1:A:120:THR:O	2.33	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:65:ASN:HD22	1:D:65:ASN:H	1.56	0.53
1:A:92:ARG:NH1	2:A:201:CIT:O5	2.41	0.53
1:A:65:ASN:H	1:A:65:ASN:HD22	1.55	0.52
1:A:108:ARG:NH1	3:A:305:HOH:O	2.37	0.52
1:D:131:THR:N	2:D:201:CIT:O3	2.42	0.52
1:B:65:ASN:H	1:B:65:ASN:HD22	1.58	0.52
1:B:136:ILE:HA	1:C:74:LEU:HD21	1.92	0.51
1:A:74:LEU:HD11	1:C:141:GLY:CA	2.39	0.51
1:E:162:GLY:O	1:E:163:TRP:C	2.54	0.51
1:C:39:ILE:HD12	1:C:49:LEU:CD2	2.40	0.51
1:F:23:VAL:HG21	1:F:60:LEU:CD1	2.41	0.51
1:F:135:GLU:OE1	1:F:138:ARG:NH1	2.44	0.51
1:E:76:VAL:HG13	1:E:107:ASN:OD1	2.12	0.50
1:E:127:PHE:HA	1:F:102:GLN:HE21	1.76	0.50
1:B:23:VAL:HG21	1:B:60:LEU:CD1	2.42	0.50
1:A:74:LEU:HD13	1:A:77:ASN:ND2	2.27	0.50
1:A:72:ASP:OD1	3:A:302:HOH:O	2.20	0.50
1:D:74:LEU:HD13	1:D:77:ASN:ND2	2.27	0.49
1:B:93:ALA:HB2	3:B:309:HOH:O	2.11	0.49
1:D:7:ILE:HD13	1:D:7:ILE:O	2.12	0.49
1:E:139:LEU:HD22	1:F:73:GLY:HA2	1.95	0.49
1:A:39:ILE:HD12	1:A:49:LEU:CD2	2.43	0.49
1:A:73:GLY:N	3:A:306:HOH:O	2.46	0.49
1:C:21:ASP:OD2	3:C:301:HOH:O	2.18	0.49
1:C:101:PHE:CD1	1:C:102:GLN:OE1	2.64	0.48
1:B:93:ALA:HB1	1:C:98:GLU:CD	2.38	0.48
1:F:138:ARG:HD3	1:F:163:TRP:CH2	2.49	0.48
3:A:309:HOH:O	1:F:120:THR:CG2	2.61	0.48
1:D:74:LEU:HD11	1:F:141:GLY:CA	2.43	0.48
1:B:39:ILE:HD12	1:B:49:LEU:CD2	2.43	0.47
1:F:23:VAL:CG2	1:F:60:LEU:CD2	2.92	0.47
1:E:39:ILE:HD12	1:E:49:LEU:CD2	2.43	0.47
1:D:43:LYS:HG3	1:D:44:ASN:N	2.31	0.46
1:E:65:ASN:HD22	1:E:65:ASN:H	1.64	0.46
1:A:29:MET:HE1	1:F:86:ALA:HB2	1.98	0.45
1:E:74:LEU:HG	1:E:76:VAL:HG22	1.97	0.45
1:A:25:ARG:NH2	1:F:115:GLU:OE2	2.48	0.45
1:A:106:MET:HG3	1:A:107:ASN:N	2.32	0.45
1:D:43:LYS:HG3	1:D:44:ASN:H	1.82	0.45
1:D:106:MET:HG3	1:D:107:ASN:N	2.32	0.44
1:A:86:ALA:HB2	1:F:29:MET:HE1	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:PHE:CE2	1:A:72:ASP:O	2.70	0.44
3:B:301:HOH:O	1:E:120:THR:HG22	2.17	0.44
1:C:23:VAL:HG11	1:C:60:LEU:CD1	2.47	0.44
1:D:7:ILE:HD11	1:D:75:LEU:HD21	2.00	0.44
1:F:108:ARG:HD3	3:F:314:HOH:O	2.16	0.44
1:B:5:ARG:HH11	1:B:82:GLN:HE22	1.67	0.43
1:F:23:VAL:CG2	1:F:60:LEU:HD22	2.48	0.43
1:A:41:HIS:ND1	1:C:139:LEU:HD21	2.34	0.43
1:B:94:VAL:HG22	1:C:98:GLU:OE1	2.19	0.43
1:B:71:PHE:CE2	1:B:72:ASP:O	2.70	0.43
1:B:108:ARG:CZ	3:B:301:HOH:O	2.66	0.43
1:B:23:VAL:CG2	1:B:60:LEU:CD2	2.97	0.42
1:C:119:LEU:HD11	1:D:117:VAL:HG12	2.01	0.42
1:B:94:VAL:HG22	1:C:98:GLU:OE2	2.20	0.42
1:C:163:TRP:CD1	1:C:163:TRP:C	2.98	0.42
1:F:23:VAL:HG21	1:F:60:LEU:HD22	2.00	0.42
1:F:1:MET:HA	1:F:1:MET:CE	2.49	0.41
1:A:29:MET:CE	1:F:115:GLU:HG2	2.50	0.41
1:E:3:LYS:N	1:E:3:LYS:HD2	2.35	0.41
1:F:4:THR:HA	1:F:85:THR:CG2	2.49	0.41
1:B:163:TRP:HA	1:B:163:TRP:CE3	2.56	0.41
1:C:119:LEU:CD1	1:D:117:VAL:HG12	2.51	0.41
1:D:46:LEU:HD12	1:D:47:PHE:CE2	2.56	0.41
1:A:65:ASN:HD22	1:A:65:ASN:N	2.20	0.40
1:F:135:GLU:OE1	1:F:138:ARG:CZ	2.69	0.40
3:A:309:HOH:O	1:F:120:THR:HG23	2.22	0.40
1:E:93:ALA:HB1	1:F:98:GLU:CD	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	161/163 (99%)	156 (97%)	4 (2%)	1 (1%)	21	27
1	B	159/163 (98%)	154 (97%)	4 (2%)	1 (1%)	21	27
1	C	159/163 (98%)	154 (97%)	4 (2%)	1 (1%)	21	27
1	D	159/163 (98%)	156 (98%)	3 (2%)	0	100	100
1	E	161/163 (99%)	156 (97%)	5 (3%)	0	100	100
1	F	161/163 (99%)	157 (98%)	4 (2%)	0	100	100
All	All	960/978 (98%)	933 (97%)	24 (2%)	3 (0%)	36	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	B	41	HIS
1	C	41	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/141 (100%)	121 (86%)	20 (14%)	3	3
1	B	139/141 (99%)	124 (89%)	15 (11%)	6	7
1	C	139/141 (99%)	123 (88%)	16 (12%)	5	6
1	D	139/141 (99%)	121 (87%)	18 (13%)	4	4
1	E	141/141 (100%)	127 (90%)	14 (10%)	7	9
1	F	141/141 (100%)	127 (90%)	14 (10%)	7	9
All	All	840/846 (99%)	743 (88%)	97 (12%)	5	6

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	22	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	37	ILE
1	A	39	ILE
1	A	43	LYS
1	A	57	GLN
1	A	65	ASN
1	A	74	LEU
1	A	75	LEU
1	A	80	LYS
1	A	92	ARG
1	A	94	VAL
1	A	106	MET
1	A	119	LEU
1	A	120	THR
1	A	132	LEU
1	A	135	GLU
1	A	140	LYS
1	A	145	LYS
1	A	160	GLN
1	B	3	LYS
1	B	37	ILE
1	B	39	ILE
1	B	43	LYS
1	B	65	ASN
1	B	74	LEU
1	B	75	LEU
1	B	109	GLN
1	B	119	LEU
1	B	120	THR
1	B	132	LEU
1	B	135	GLU
1	B	140	LYS
1	B	145	LYS
1	B	163	TRP
1	C	37	ILE
1	C	39	ILE
1	C	43	LYS
1	C	44	ASN
1	C	58	SER
1	C	65	ASN
1	C	75	LEU
1	C	102	GLN
1	C	109	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	119	LEU
1	C	120	THR
1	C	132	LEU
1	C	135	GLU
1	C	140	LYS
1	C	145	LYS
1	C	163	TRP
1	D	3	LYS
1	D	7	ILE
1	D	15	ILE
1	D	37	ILE
1	D	39	ILE
1	D	42	HIS
1	D	43	LYS
1	D	44	ASN
1	D	46	LEU
1	D	65	ASN
1	D	74	LEU
1	D	75	LEU
1	D	106	MET
1	D	119	LEU
1	D	120	THR
1	D	132	LEU
1	D	135	GLU
1	D	140	LYS
1	E	1	MET
1	E	29	MET
1	E	37	ILE
1	E	39	ILE
1	E	43	LYS
1	E	57	GLN
1	E	65	ASN
1	E	98	GLU
1	E	109	GLN
1	E	119	LEU
1	E	120	THR
1	E	132	LEU
1	E	135	GLU
1	E	140	LYS
1	F	1	MET
1	F	37	ILE
1	F	39	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	43	LYS
1	F	65	ASN
1	F	75	LEU
1	F	80	LYS
1	F	85	THR
1	F	109	GLN
1	F	119	LEU
1	F	120	THR
1	F	132	LEU
1	F	135	GLU
1	F	140	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	57	GLN
1	A	65	ASN
1	A	77	ASN
1	A	82	GLN
1	A	102	GLN
1	A	159	HIS
1	A	160	GLN
1	B	17	ASN
1	B	57	GLN
1	B	65	ASN
1	B	82	GLN
1	B	102	GLN
1	B	160	GLN
1	C	17	ASN
1	C	57	GLN
1	C	65	ASN
1	C	82	GLN
1	C	160	GLN
1	D	17	ASN
1	D	42	HIS
1	D	57	GLN
1	D	65	ASN
1	D	77	ASN
1	D	82	GLN
1	D	109	GLN
1	D	160	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	57	GLN
1	E	65	ASN
1	E	82	GLN
1	E	159	HIS
1	E	160	GLN
1	F	17	ASN
1	F	41	HIS
1	F	42	HIS
1	F	57	GLN
1	F	65	ASN
1	F	82	GLN
1	F	102	GLN
1	F	160	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CIT	B	201	-	12,12,12	1.20	2 (16%)	17,17,17	1.35	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CIT	F	201	-	12,12,12	2.16	2 (16%)	17,17,17	4.47	9 (52%)
2	CIT	D	201	-	12,12,12	1.49	2 (16%)	17,17,17	1.82	6 (35%)
2	CIT	E	201	-	12,12,12	1.07	0	17,17,17	1.52	4 (23%)
2	CIT	C	201	-	12,12,12	1.22	0	17,17,17	1.62	4 (23%)
2	CIT	A	201	-	12,12,12	2.65	2 (16%)	17,17,17	4.48	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIT	B	201	-	-	5/16/16/16	-
2	CIT	F	201	-	-	5/16/16/16	-
2	CIT	D	201	-	-	2/16/16/16	-
2	CIT	E	201	-	-	10/16/16/16	-
2	CIT	C	201	-	-	6/16/16/16	-
2	CIT	A	201	-	-	5/16/16/16	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	CIT	C3-C6	6.58	1.60	1.53
2	A	201	CIT	C4-C3	-5.29	1.47	1.54
2	F	201	CIT	C4-C3	-5.21	1.47	1.54
2	F	201	CIT	C3-C6	3.84	1.57	1.53
2	D	201	CIT	C3-C6	-3.33	1.50	1.53
2	D	201	CIT	O4-C5	-2.45	1.22	1.30
2	B	201	CIT	O4-C5	-2.22	1.23	1.30
2	B	201	CIT	C3-C6	-2.07	1.51	1.53

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	201	CIT	O7-C3-C6	-12.57	91.14	108.96
2	A	201	CIT	C4-C3-C2	9.28	133.12	109.31
2	A	201	CIT	O7-C3-C6	-8.64	96.71	108.96
2	F	201	CIT	C4-C3-C2	8.04	129.94	109.31
2	A	201	CIT	C2-C3-C6	-7.33	93.81	110.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	CIT	O6-C6-C3	6.32	125.27	113.14
2	A	201	CIT	C4-C3-C6	-6.17	96.38	110.03
2	F	201	CIT	C2-C3-C6	-5.68	97.47	110.03
2	F	201	CIT	O6-C6-C3	5.26	123.23	113.14
2	F	201	CIT	O7-C3-C2	4.55	119.75	109.38
2	A	201	CIT	O7-C3-C2	4.12	118.78	109.38
2	D	201	CIT	O6-C6-C3	3.65	120.15	113.14
2	C	201	CIT	O4-C5-C4	3.30	124.79	114.35
2	D	201	CIT	O5-C6-C3	-3.28	115.73	122.09
2	F	201	CIT	C4-C3-C6	-3.16	103.04	110.03
2	D	201	CIT	O4-C5-O3	-3.12	115.31	123.33
2	A	201	CIT	O6-C6-O5	-3.01	114.24	123.86
2	E	201	CIT	O3-C5-C4	-2.77	115.11	122.95
2	B	201	CIT	O1-C1-C2	-2.70	115.30	122.95
2	C	201	CIT	C3-C2-C1	-2.67	106.63	113.92
2	D	201	CIT	C2-C3-C6	-2.58	104.33	110.03
2	F	201	CIT	O2-C1-O1	-2.51	116.89	123.33
2	C	201	CIT	O3-C5-C4	-2.48	115.93	122.95
2	B	201	CIT	O6-C6-C3	2.47	117.88	113.14
2	E	201	CIT	O4-C5-C4	2.41	121.98	114.35
2	D	201	CIT	C4-C3-C2	2.35	115.34	109.31
2	C	201	CIT	O1-C1-C2	-2.35	116.30	122.95
2	E	201	CIT	O2-C1-C2	2.32	121.71	114.35
2	F	201	CIT	O2-C1-C2	2.21	121.34	114.35
2	A	201	CIT	O2-C1-C2	2.20	121.31	114.35
2	D	201	CIT	O4-C5-C4	2.17	121.23	114.35
2	B	201	CIT	O4-C5-O3	-2.13	117.84	123.33
2	F	201	CIT	O6-C6-O5	-2.11	117.11	123.86
2	E	201	CIT	O1-C1-C2	-2.04	117.17	122.95

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	CIT	C6-C3-C4-C5
2	B	201	CIT	C1-C2-C3-O7
2	B	201	CIT	C1-C2-C3-C4
2	B	201	CIT	C1-C2-C3-C6
2	E	201	CIT	C1-C2-C3-C4
2	E	201	CIT	C1-C2-C3-C6
2	F	201	CIT	C2-C3-C4-C5
2	A	201	CIT	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	201	CIT	C1-C2-C3-C4
2	F	201	CIT	C6-C3-C4-C5
2	E	201	CIT	C1-C2-C3-O7
2	F	201	CIT	C1-C2-C3-O7
2	D	201	CIT	C1-C2-C3-C6
2	C	201	CIT	C1-C2-C3-C6
2	E	201	CIT	O7-C3-C6-O5
2	E	201	CIT	C2-C3-C6-O5
2	C	201	CIT	C1-C2-C3-C4
2	A	201	CIT	C4-C3-C6-O5
2	A	201	CIT	C4-C3-C6-O6
2	E	201	CIT	C2-C3-C6-O6
2	E	201	CIT	C4-C3-C6-O5
2	F	201	CIT	C4-C3-C6-O5
2	C	201	CIT	C3-C4-C5-O3
2	C	201	CIT	C3-C4-C5-O4
2	C	201	CIT	C2-C3-C6-O5
2	C	201	CIT	C2-C3-C6-O6
2	F	201	CIT	C4-C3-C6-O6
2	A	201	CIT	C1-C2-C3-O7
2	E	201	CIT	C4-C3-C6-O6
2	B	201	CIT	O1-C1-C2-C3
2	E	201	CIT	C3-C4-C5-O3
2	E	201	CIT	C3-C4-C5-O4
2	B	201	CIT	O2-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	201	CIT	1	0
2	A	201	CIT	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	163/163 (100%)	0.93	25 (15%)	5 6	20, 31, 56, 101	0
1	B	161/163 (98%)	1.53	43 (26%)	1 1	21, 38, 84, 142	0
1	C	161/163 (98%)	1.10	27 (16%)	4 5	20, 32, 56, 149	0
1	D	161/163 (98%)	1.28	31 (19%)	3 3	21, 35, 70, 100	0
1	E	163/163 (100%)	1.06	23 (14%)	6 7	20, 35, 57, 131	0
1	F	163/163 (100%)	1.03	25 (15%)	5 6	19, 31, 61, 130	0
All	All	972/978 (99%)	1.16	174 (17%)	3 4	19, 34, 68, 149	0

All (174) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	41	HIS	8.3
1	B	72	ASP	5.9
1	B	73	GLY	5.9
1	B	47	PHE	5.6
1	B	41	HIS	5.1
1	B	39	ILE	5.1
1	C	41	HIS	4.8
1	B	43	LYS	4.7
1	D	163	TRP	4.7
1	D	41	HIS	4.5
1	E	39	ILE	4.4
1	F	135	GLU	4.4
1	A	73	GLY	4.3
1	E	41	HIS	4.2
1	C	99	TYR	4.2
1	B	42	HIS	4.2
1	D	42	HIS	4.2
1	F	39	ILE	4.2
1	C	72	ASP	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	163	TRP	4.0
1	F	41	HIS	4.0
1	F	163	TRP	3.9
1	A	1	MET	3.9
1	C	73	GLY	3.9
1	F	42	HIS	3.9
1	C	3	LYS	3.8
1	C	23	VAL	3.7
1	C	42	HIS	3.7
1	B	160	GLN	3.6
1	D	160	GLN	3.6
1	D	161	GLN	3.6
1	C	141	GLY	3.6
1	F	162	GLY	3.5
1	F	139	LEU	3.5
1	A	74	LEU	3.5
1	A	94	VAL	3.5
1	E	43	LYS	3.5
1	E	99	TYR	3.4
1	A	43	LYS	3.4
1	A	161	GLN	3.4
1	B	136	ILE	3.3
1	D	15	ILE	3.2
1	B	157	ARG	3.2
1	D	43	LYS	3.2
1	E	40	GLY	3.2
1	E	42	HIS	3.2
1	B	29	MET	3.2
1	D	159	HIS	3.2
1	B	149	GLN	3.2
1	E	50	GLU	3.1
1	A	8	TYR	3.1
1	D	74	LEU	3.1
1	F	157	ARG	3.1
1	D	22	LEU	3.1
1	F	138	ARG	3.1
1	D	39	ILE	3.1
1	B	59	SER	3.1
1	B	40	GLY	3.0
1	E	76	VAL	3.0
1	D	8	TYR	3.0
1	C	163	TRP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	162	GLY	3.0
1	F	40	GLY	3.0
1	E	38	ALA	2.9
1	B	139	LEU	2.9
1	C	7	ILE	2.9
1	A	162	GLY	2.9
1	A	140	LYS	2.9
1	B	161	GLN	2.9
1	C	140	LYS	2.9
1	B	69	VAL	2.9
1	D	101	PHE	2.9
1	E	160	GLN	2.9
1	B	8	TYR	2.8
1	B	46	LEU	2.8
1	B	146	PHE	2.8
1	F	106	MET	2.8
1	D	140	LYS	2.8
1	B	138	ARG	2.8
1	C	162	GLY	2.8
1	C	43	LYS	2.8
1	E	140	LYS	2.8
1	D	138	ARG	2.8
1	B	155	PHE	2.8
1	B	23	VAL	2.8
1	D	44	ASN	2.7
1	E	45	PRO	2.7
1	D	69	VAL	2.7
1	F	69	VAL	2.7
1	F	44	ASN	2.7
1	A	40	GLY	2.7
1	C	97	PHE	2.7
1	A	163	TRP	2.7
1	E	163	TRP	2.7
1	A	101	PHE	2.6
1	B	140	LYS	2.6
1	A	42	HIS	2.6
1	B	49	LEU	2.6
1	B	162	GLY	2.6
1	A	39	ILE	2.6
1	A	105	ASN	2.6
1	A	29	MET	2.6
1	E	106	MET	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	94	VAL	2.6
1	D	136	ILE	2.6
1	B	158	LYS	2.6
1	F	43	LYS	2.6
1	F	46	LEU	2.5
1	B	156	GLU	2.5
1	C	40	GLY	2.5
1	F	99	TYR	2.5
1	C	75	LEU	2.5
1	B	45	PRO	2.5
1	F	160	GLN	2.5
1	B	152	VAL	2.4
1	D	88	LEU	2.4
1	E	46	LEU	2.4
1	C	38	ALA	2.4
1	F	15	ILE	2.4
1	C	103	LEU	2.4
1	E	8	TYR	2.4
1	B	44	ASN	2.4
1	B	123	GLU	2.4
1	B	127	PHE	2.4
1	D	146	PHE	2.4
1	A	72	ASP	2.4
1	B	6	VAL	2.4
1	D	6	VAL	2.4
1	C	102	GLN	2.4
1	A	93	ALA	2.3
1	B	48	SER	2.3
1	E	133	ILE	2.3
1	E	97	PHE	2.3
1	B	74	LEU	2.3
1	D	60	LEU	2.3
1	C	106	MET	2.3
1	B	60	LEU	2.3
1	B	141	GLY	2.3
1	A	60	LEU	2.2
1	D	139	LEU	2.2
1	D	3	LYS	2.2
1	C	39	ILE	2.2
1	D	119	LEU	2.2
1	C	105	ASN	2.2
1	E	1	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	72	ASP	2.2
1	B	30	PHE	2.1
1	E	156	GLU	2.1
1	F	102	GLN	2.1
1	C	49	LEU	2.1
1	D	76	VAL	2.1
1	C	126	SER	2.1
1	A	91	LEU	2.1
1	B	132	LEU	2.1
1	C	136	ILE	2.1
1	E	49	LEU	2.1
1	D	94	VAL	2.1
1	A	155	PHE	2.1
1	F	47	PHE	2.1
1	E	162	GLY	2.1
1	A	2	SER	2.1
1	F	154	ALA	2.1
1	D	141	GLY	2.1
1	F	146	PHE	2.1
1	F	155	PHE	2.1
1	C	74	LEU	2.0
1	D	77	ASN	2.0
1	E	44	ASN	2.0
1	F	103	LEU	2.0
1	B	128	ILE	2.0
1	D	155	PHE	2.0
1	A	85	THR	2.0
1	A	126	SER	2.0
1	C	44	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CIT	A	201	13/13	0.79	0.12	30,40,42,43	0
2	CIT	C	201	13/13	0.79	0.13	41,51,54,56	0
2	CIT	D	201	13/13	0.79	0.12	39,52,57,59	0
2	CIT	F	201	13/13	0.79	0.14	28,38,46,46	0
2	CIT	E	201	13/13	0.82	0.11	38,46,52,52	0
2	CIT	B	201	13/13	0.83	0.11	47,52,62,62	0

6.5 Other polymers [i](#)

There are no such residues in this entry.