



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:20 AM UTC

PDB ID : 6H14 / pdb_00006h14
Title : Crystal structure of TcACHE complexed to 1-(6-oxo-1,2,3,4,6,10b-hexahydro pyrido[2,1-a]isoindol-10-yl)-3-(4-(1-(2-((1,2,3,4-tetrahydroacridin-9-yl)amino) ethyl)-1H-1,2,3-triazol-4-yl)pyridin-2-yl)urea
Authors : Coquelle, N.; Colletier, J.P.
Deposited on : 2018-07-10
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	565	% 87% 7% 6%
1	B	565	% 85% 8% 6%
2	C	2	50% 50%

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 10007 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholinesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	530	Total	C	N	O	S	0	13	0
			4288	2758	725	782	23			
1	B	530	Total	C	N	O	S	0	9	0
			4266	2741	720	782	23			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is 1-[(10 {b} {S})-6-oxidanylidene-2,3,4,10 {b}-tetrahydro-1 {H}-pyrido[2,1-a]is oindol-10-yl]-3-[4-[1-[2-(1,2,3,4-tetrahydroacridin-9-ylamino)ethyl]-1,2,3-triazol-4-yl]pyridin-2-yl]urea (CCD ID: FW8) (formula: C₃₅H₃₅N₉O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	1
			92	70	18	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	1
			92	70	18	4		

- Molecule 8 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			10	6	4		
8	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 9 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	Cl	0	0
			1	1		

- Molecule 11 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	516	Total	O	0	0
			516	516		
12	B	566	Total	O	0	0
			566	566		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Acetylcholinesterase



• Molecule 1: Acetylcholinesterase



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.59Å 107.93Å 150.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.49 – 1.86 46.49 – 1.86	Depositor EDS
% Data completeness (in resolution range)	98.4 (46.49-1.86) 98.4 (46.49-1.86)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 1.86Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.177 , 0.211 0.178 , 0.213	Depositor DCC
R_{free} test set	6203 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	24.6	Xtriage
Anisotropy	0.730	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10007	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.3774e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, EDO, PEG, GOL, SO4, CL, MES, FW8, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4448	0.49	0/6036
1	B	0.28	0/4414	0.50	0/5990
All	All	0.29	0/8862	0.49	0/12026

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4288	0	4177	30	0
1	B	4266	0	4140	33	0
2	C	28	0	25	1	0
3	A	42	0	39	0	0
3	B	28	0	26	0	0
4	A	16	0	24	0	0
4	B	16	0	24	3	0
5	A	7	0	9	0	0
6	A	6	0	8	2	0
6	B	6	0	8	1	0
7	A	92	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	92	0	0	3	0
8	A	10	0	14	2	0
8	B	10	0	14	2	0
9	A	5	0	0	0	0
10	B	1	0	0	0	0
11	B	12	0	12	1	0
12	A	516	0	0	9	0
12	B	566	0	0	10	0
All	All	10007	0	8520	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:GLN:NE2	12:B:704:HOH:O	2.12	0.82
1:B:406:HIS:HA	6:B:606:GOL:H32	1.67	0.75
1:A:406:HIS:HA	6:A:607:GOL:H31	1.66	0.74
4:B:607:EDO:H11	4:B:608:EDO:H11	1.71	0.72
7:B:609[B]:FW8:OBL	12:B:702:HOH:O	2.09	0.70
1:B:533:ASN:ND2	12:B:709:HOH:O	2.24	0.70
1:A:65:ASN:ND2	12:A:702:HOH:O	2.17	0.69
1:B:65:ASN:OD1	12:B:703:HOH:O	2.11	0.69
1:B:26:HIS:ND1	12:B:710:HOH:O	2.26	0.68
1:A:88[B]:ARG:NH2	12:A:705:HOH:O	2.30	0.64
1:B:455:GLU:N	1:B:455:GLU:OE1	2.31	0.62
8:B:611:PGE:O4	12:B:701:HOH:O	2.02	0.61
1:B:62:THR:HG23	1:B:88[B]:ARG:HH22	1.65	0.60
1:A:288:PHE:H	7:A:610[B]:FW8:CAZ	2.14	0.60
1:B:288:PHE:H	7:B:609[B]:FW8:CAZ	2.15	0.60
1:B:478:LYS:NZ	12:B:720:HOH:O	2.35	0.60
1:A:107:LYS:NZ	12:A:708:HOH:O	2.34	0.59
1:B:79:SER:HB2	8:B:611:PGE:H42	1.84	0.58
1:A:211:LEU:HD23	1:A:314:PHE:HB3	1.87	0.56
1:A:47:ARG:NH1	12:A:711:HOH:O	2.39	0.55
1:A:451:PRO:HA	1:A:458:TYR:CD1	2.42	0.55
1:A:83:MET:HE2	8:A:611:PGE:H3	1.88	0.54
1:A:526:GLN:OE1	12:A:701:HOH:O	2.19	0.54
1:A:48:PRO:HB2	1:A:175:MET:CE	2.38	0.53
1:B:4:SER:OG	12:B:705:HOH:O	2.19	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:GLY:HA3	1:A:143:LEU:HD22	1.89	0.53
1:B:27:ILE:HD11	1:B:133:LYS:HB2	1.90	0.53
1:B:211:LEU:HD23	1:B:314:PHE:HB3	1.92	0.52
1:B:355:GLY:HA3	1:B:391:LEU:HD21	1.91	0.51
1:B:62:THR:HG23	1:B:88[B]:ARG:NH2	2.25	0.51
1:B:132:GLY:HA3	1:B:143:LEU:HD22	1.94	0.50
1:A:434:GLU:HG3	12:A:1061:HOH:O	2.13	0.49
1:B:59:ASN:H	4:B:607:EDO:HO1	1.60	0.49
6:A:607:GOL:O2	12:A:701:HOH:O	2.15	0.48
1:A:288:PHE:H	7:A:610[A]:FW8:CAZ	2.26	0.48
1:B:405:MET:HA	1:B:408:VAL:HG12	1.94	0.48
1:B:409:ASN:ND2	12:B:722:HOH:O	2.38	0.48
1:B:451:PRO:HA	1:B:458:TYR:CD1	2.50	0.47
1:B:288:PHE:H	7:B:609[A]:FW8:CAZ	2.29	0.46
1:A:62:THR:HG23	1:A:88[B]:ARG:NH2	2.29	0.46
1:A:48:PRO:HB2	1:A:175:MET:HE1	1.98	0.45
1:A:478:LYS:NZ	12:A:719:HOH:O	2.48	0.45
1:A:43[B]:MET:HE2	1:A:46[B]:ARG:NH2	2.32	0.44
1:B:58:TRP:CD2	4:B:607:EDO:H21	2.53	0.43
1:A:353:MET:O	1:A:356[A]:VAL:HG22	2.18	0.43
1:B:223:ILE:HA	1:B:320:LEU:O	2.18	0.43
1:A:426:ARG:NH2	1:A:432:TRP:O	2.50	0.43
1:A:199:GLU:HA	1:A:225:GLN:O	2.19	0.42
1:B:502:PHE:CZ	1:B:513:HIS:HB2	2.54	0.42
1:B:59:ASN:HD22	2:C:1:NAG:H83	1.84	0.42
1:A:207:GLY:HA3	1:A:229:PRO:HD3	2.02	0.42
1:A:223:ILE:HA	1:A:320:LEU:O	2.19	0.42
1:A:132:GLY:CA	1:A:143:LEU:HD22	2.49	0.42
1:A:357:LYS:HD2	12:A:853:HOH:O	2.20	0.42
1:B:228:SER:HB2	1:B:229:PRO:HD2	2.02	0.41
1:B:485:PRO:O	1:B:486:HIS:HB2	2.20	0.41
1:B:426:ARG:NH2	1:B:432:TRP:O	2.49	0.41
11:B:612:MES:H82	11:B:612:MES:H31	1.64	0.41
1:B:484:GLU:O	1:B:486:HIS:N	2.53	0.41
1:A:83:MET:HA	8:A:611:PGE:H52	2.02	0.41
1:A:405:MET:HA	1:A:408:VAL:HG12	2.02	0.41
1:B:73[A]:GLU:OE1	12:B:706:HOH:O	2.22	0.41
1:B:236:VAL:HG23	1:B:295:VAL:HG12	2.03	0.41
1:B:474:ALA:O	1:B:478:LYS:HG3	2.21	0.41
1:B:515:ARG:HB3	1:B:518:VAL:HB	2.03	0.41
1:A:347:ILE:HD13	1:A:347:ILE:HA	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46[A]:ARG:HE	1:A:163:GLU:CD	2.29	0.40
1:A:197:PHE:HB3	1:A:223:ILE:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	539/565 (95%)	519 (96%)	19 (4%)	1 (0%)	43	31
1	B	535/565 (95%)	513 (96%)	20 (4%)	2 (0%)	30	17
All	All	1074/1130 (95%)	1032 (96%)	39 (4%)	3 (0%)	36	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	486	HIS
1	A	486	HIS
1	B	485	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	472/494 (96%)	467 (99%)	5 (1%)	65	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	469/494 (95%)	463 (99%)	6 (1%)	61	51
All	All	941/988 (95%)	930 (99%)	11 (1%)	63	55

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	SER
1	A	12	SER
1	A	143	LEU
1	A	197	PHE
1	A	333	LEU
1	B	12	SER
1	B	62	THR
1	B	143	LEU
1	B	274	LEU
1	B	356	VAL
1	B	535	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	ASN
1	A	526	GLN
1	B	65	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.21	0	17,19,21	0.51	0
2	NAG	C	2	2	14,14,15	0.24	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C1-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 1 is monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	608	-	3,3,3	0.49	0	2,2,2	0.28	0
7	FW8	B	609[B]	-	53,53,53	2.86	18 (33%)	68,76,76	2.12	21 (30%)
8	PGE	A	611	-	9,9,9	0.37	0	8,8,8	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MES	B	612	-	12,12,12	1.64	1 (8%)	15,16,16	3.10	7 (46%)
4	EDO	A	604	-	3,3,3	0.51	0	2,2,2	0.26	0
3	NAG	A	601	1	14,14,15	0.40	0	17,19,21	0.72	1 (5%)
9	SO4	A	612	-	4,4,4	0.43	0	6,6,6	0.32	0
3	NAG	A	603	1	14,14,15	0.21	0	17,19,21	0.46	0
7	FW8	A	610[B]	-	53,53,53	2.83	19 (35%)	68,76,76	2.13	24 (35%)
5	PEG	A	606	-	6,6,6	0.57	0	5,5,5	0.23	0
6	GOL	A	607	-	5,5,5	0.26	0	5,5,5	0.71	0
4	EDO	B	607	-	3,3,3	0.42	0	2,2,2	0.38	0
6	GOL	B	606	-	5,5,5	0.28	0	5,5,5	0.64	0
4	EDO	B	608	-	3,3,3	0.43	0	2,2,2	0.26	0
7	FW8	B	609[A]	-	53,53,53	2.86	18 (33%)	68,76,76	2.21	19 (27%)
4	EDO	A	605	-	3,3,3	0.45	0	2,2,2	0.49	0
8	PGE	B	611	-	9,9,9	0.34	0	8,8,8	0.39	0
4	EDO	B	605	-	3,3,3	0.39	0	2,2,2	0.45	0
4	EDO	A	609	-	3,3,3	0.39	0	2,2,2	0.39	0
3	NAG	A	602	1	14,14,15	0.36	0	17,19,21	0.44	0
3	NAG	B	604	1	14,14,15	0.31	0	17,19,21	0.43	0
7	FW8	A	610[A]	-	53,53,53	2.83	18 (33%)	68,76,76	2.20	20 (29%)
4	EDO	B	613	-	3,3,3	0.33	0	2,2,2	1.75	1 (50%)
3	NAG	B	603	1	14,14,15	0.33	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	608	-	-	0/1/1/1	-
7	FW8	B	609[B]	-	-	6/18/48/48	0/8/8/8
8	PGE	A	611	-	-	2/7/7/7	-
11	MES	B	612	-	-	4/6/14/14	0/1/1/1
4	EDO	A	604	-	-	1/1/1/1	-
3	NAG	A	601	1	-	4/6/23/26	0/1/1/1
3	NAG	A	603	1	-	0/6/23/26	0/1/1/1
7	FW8	A	610[B]	-	-	4/18/48/48	0/8/8/8
5	PEG	A	606	-	-	3/4/4/4	-
6	GOL	A	607	-	-	4/4/4/4	-
4	EDO	B	607	-	-	0/1/1/1	-
6	GOL	B	606	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	608	-	-	0/1/1/1	-
7	FW8	B	609[A]	-	-	5/18/48/48	0/8/8/8
4	EDO	A	605	-	-	0/1/1/1	-
8	PGE	B	611	-	-	2/7/7/7	-
4	EDO	B	605	-	-	1/1/1/1	-
4	EDO	A	609	-	-	0/1/1/1	-
3	NAG	A	602	1	-	2/6/23/26	0/1/1/1
3	NAG	B	604	1	-	2/6/23/26	0/1/1/1
7	FW8	A	610[A]	-	-	4/18/48/48	0/8/8/8
4	EDO	B	613	-	-	0/1/1/1	-
3	NAG	B	603	1	-	0/6/23/26	0/1/1/1

All (74) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	609[B]	FW8	CBH-CBM	-9.43	1.33	1.48
7	A	610[A]	FW8	CBH-CBM	-9.41	1.33	1.48
7	B	609[A]	FW8	CBH-CBM	-9.35	1.33	1.48
7	A	610[A]	FW8	CAW-CAS	-9.24	1.33	1.47
7	A	610[B]	FW8	CBH-CBM	-9.18	1.34	1.48
7	A	610[B]	FW8	CAW-CAS	-8.84	1.34	1.47
7	B	609[A]	FW8	CAW-CAS	-8.78	1.34	1.47
7	B	609[B]	FW8	CAW-CAS	-8.76	1.34	1.47
7	B	609[B]	FW8	CAJ-CAI	-6.74	1.40	1.50
7	B	609[A]	FW8	CAJ-CAI	-6.67	1.40	1.50
7	A	610[A]	FW8	CAJ-CAI	-6.43	1.41	1.50
7	A	610[B]	FW8	CAJ-CAI	-6.39	1.41	1.50
7	A	610[B]	FW8	CBG-CBN	-6.28	1.40	1.51
7	B	609[B]	FW8	CAM-CAH	-6.25	1.42	1.51
7	B	609[A]	FW8	CAM-CAH	-6.16	1.42	1.51
7	B	609[B]	FW8	CBG-CBN	-6.16	1.40	1.51
7	A	610[A]	FW8	CAM-CAH	-5.98	1.42	1.51
7	A	610[B]	FW8	CAM-CAH	-5.96	1.42	1.51
7	B	609[A]	FW8	CBG-CBN	-5.80	1.41	1.51
7	A	610[A]	FW8	CBG-CBN	-5.52	1.41	1.51
7	B	609[A]	FW8	NAV-NAU	-4.99	1.23	1.32
11	B	612	MES	C8-S	-4.65	1.71	1.77
7	B	609[B]	FW8	CBI-CBH	-4.28	1.33	1.39
7	B	609[A]	FW8	CBI-CBH	-4.23	1.33	1.39
7	A	610[A]	FW8	CBI-CBH	-4.21	1.33	1.39
7	A	610[B]	FW8	CBI-CBH	-4.20	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	610[B]	FW8	CBF-CBG	-4.01	1.34	1.39
7	B	609[B]	FW8	CBF-CBG	-3.98	1.34	1.39
7	B	609[A]	FW8	CBM-NBS	-3.86	1.32	1.36
7	A	610[B]	FW8	CBF-NBE	-3.76	1.34	1.41
7	A	610[A]	FW8	CBF-NBE	-3.65	1.34	1.41
7	A	610[A]	FW8	CBF-CBG	-3.63	1.34	1.39
7	A	610[A]	FW8	NAT-NAU	-3.58	1.29	1.34
7	B	609[B]	FW8	CBF-NBE	-3.57	1.34	1.41
7	A	610[B]	FW8	CBM-NBS	-3.57	1.32	1.36
7	B	609[B]	FW8	CBM-NBS	-3.53	1.32	1.36
7	A	610[B]	FW8	CBH-CBG	-3.51	1.34	1.39
7	B	609[B]	FW8	CBH-CBG	-3.37	1.34	1.39
7	B	609[A]	FW8	CBF-CBG	-3.36	1.35	1.39
7	B	609[A]	FW8	NAT-NAU	-3.33	1.29	1.34
7	B	609[A]	FW8	CBH-CBG	-3.32	1.35	1.39
7	B	609[B]	FW8	CAZ-NBB	3.32	1.41	1.34
7	A	610[A]	FW8	CBH-CBG	-3.31	1.35	1.39
7	A	610[B]	FW8	CAZ-NBB	3.20	1.41	1.34
7	B	609[A]	FW8	CBF-NBE	-3.19	1.35	1.41
7	A	610[A]	FW8	CBM-NBS	-3.16	1.33	1.36
7	A	610[A]	FW8	NAV-NAU	-3.06	1.27	1.32
7	A	610[B]	FW8	NAT-NAU	-3.04	1.29	1.34
7	B	609[B]	FW8	NAV-NAU	-2.95	1.27	1.32
7	A	610[B]	FW8	CAY-NBD	-2.66	1.34	1.40
7	B	609[B]	FW8	CAY-NBD	-2.60	1.34	1.40
7	B	609[A]	FW8	CAR-CAS	-2.39	1.33	1.37
7	B	609[B]	FW8	CAR-CAS	-2.36	1.33	1.37
7	A	610[A]	FW8	CAF-CAE	-2.35	1.38	1.42
7	A	610[B]	FW8	CAF-CAE	-2.30	1.38	1.42
7	A	610[A]	FW8	CAY-NBD	-2.23	1.35	1.40
7	B	609[A]	FW8	CAZ-NBB	2.22	1.39	1.34
7	A	610[B]	FW8	CAI-NAN	2.21	1.34	1.32
7	A	610[B]	FW8	CAR-CAS	-2.20	1.33	1.37
7	A	610[A]	FW8	CAR-CAS	-2.19	1.33	1.37
7	B	609[B]	FW8	CAE-NAN	-2.18	1.34	1.37
7	A	610[A]	FW8	CAZ-NBB	2.18	1.39	1.34
7	B	609[B]	FW8	NAT-NAU	-2.17	1.31	1.34
7	A	610[A]	FW8	CAI-NAN	2.13	1.34	1.32
7	B	609[A]	FW8	CAE-NAN	-2.12	1.34	1.37
7	B	609[A]	FW8	CAI-NAN	2.11	1.34	1.32
7	B	609[B]	FW8	CAI-NAN	2.11	1.34	1.32
7	B	609[A]	FW8	CAF-CAE	-2.11	1.39	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	610[A]	FW8	CAG-CAF	-2.09	1.39	1.43
7	B	609[B]	FW8	CAF-CAE	-2.08	1.39	1.42
7	A	610[B]	FW8	CAG-CAF	-2.06	1.39	1.43
7	B	609[A]	FW8	CAY-NBD	-2.04	1.35	1.40
7	A	610[B]	FW8	CAE-NAN	-2.01	1.34	1.37
7	A	610[B]	FW8	CAS-NAV	-2.01	1.33	1.36

All (93) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	610[A]	FW8	CBH-CBM-NBS	8.14	111.60	106.42
7	B	609[A]	FW8	CBH-CBM-NBS	8.08	111.56	106.42
7	B	609[B]	FW8	CBH-CBM-NBS	7.44	111.15	106.42
7	A	610[B]	FW8	CBH-CBM-NBS	7.29	111.05	106.42
11	B	612	MES	O2S-S-C8	6.29	116.23	106.73
7	A	610[B]	FW8	CBR-NBS-CBM	5.74	133.14	124.50
7	B	609[B]	FW8	CBR-NBS-CBM	5.61	132.95	124.50
7	A	610[A]	FW8	CBR-NBS-CBM	5.26	132.41	124.50
11	B	612	MES	C2-C3-N4	-5.09	102.39	110.12
11	B	612	MES	C5-N4-C3	5.03	119.68	108.84
7	A	610[A]	FW8	CBN-NBS-CBM	-4.96	106.15	112.86
7	B	609[A]	FW8	CBA-CAW-CAS	-4.78	115.51	120.87
7	B	609[A]	FW8	CAI-NAN-CAE	4.77	123.31	117.67
7	B	609[A]	FW8	CBN-NBS-CBM	-4.77	106.41	112.86
7	A	610[B]	FW8	CAH-CAI-NAN	-4.74	120.30	123.66
7	A	610[A]	FW8	CAH-CAI-NAN	-4.69	120.34	123.66
7	A	610[A]	FW8	CAI-NAN-CAE	4.67	123.20	117.67
7	B	609[B]	FW8	CAI-NAN-CAE	4.60	123.11	117.67
7	A	610[B]	FW8	CAI-NAN-CAE	4.56	123.07	117.67
7	B	609[A]	FW8	CBR-NBS-CBM	4.45	131.19	124.50
7	A	610[A]	FW8	CBA-CAW-CAS	-4.44	115.90	120.87
7	B	609[B]	FW8	CAH-CAI-NAN	-4.43	120.52	123.66
7	B	609[A]	FW8	CAH-CAI-NAN	-4.39	120.55	123.66
7	A	610[B]	FW8	CBN-NBS-CBM	-4.21	107.16	112.86
7	B	609[B]	FW8	CBN-NBS-CBM	-4.16	107.23	112.86
7	B	609[A]	FW8	CAZ-NBB-CAY	3.78	122.61	117.21
7	A	610[A]	FW8	CBA-CAZ-NBB	-3.74	119.39	123.97
7	B	609[A]	FW8	CBA-CAZ-NBB	-3.63	119.53	123.97
7	B	609[A]	FW8	NAT-NAU-NAV	3.55	110.22	107.02
7	A	610[A]	FW8	NAT-NAU-NAV	3.51	110.18	107.02
7	A	610[A]	FW8	CAZ-NBB-CAY	3.49	122.20	117.21
11	B	612	MES	O3S-S-C8	3.46	112.78	106.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	610[B]	FW8	NAT-NAU-NAV	3.30	109.98	107.02
7	A	610[A]	FW8	CAG-CAH-CAI	-3.29	116.66	118.68
7	B	609[B]	FW8	NBD-CAY-NBB	3.27	124.69	114.87
7	B	609[A]	FW8	CAG-CAH-CAI	-3.26	116.68	118.68
7	B	609[A]	FW8	CAX-CAY-NBB	-3.25	118.65	122.92
11	B	612	MES	O2S-S-O1S	-3.24	103.28	113.82
7	A	610[B]	FW8	NBD-CAY-NBB	3.21	124.52	114.87
7	B	609[B]	FW8	CBG-CBF-NBE	-3.16	112.65	119.89
7	B	609[A]	FW8	CAF-CAE-NAN	-3.14	119.47	122.80
7	A	610[B]	FW8	CBG-CBF-NBE	-3.09	112.80	119.89
7	B	609[B]	FW8	NAT-NAU-NAV	3.04	109.76	107.02
7	A	610[B]	FW8	CAG-CAH-CAI	-2.96	116.86	118.68
7	B	609[B]	FW8	CAW-CAS-CAR	-2.96	125.13	129.65
11	B	612	MES	C7-N4-C3	2.92	119.02	111.24
7	B	609[B]	FW8	CAF-CAE-NAN	-2.89	119.74	122.80
7	A	610[A]	FW8	CAX-CAY-NBB	-2.86	119.16	122.92
7	B	609[B]	FW8	CAG-CAH-CAI	-2.85	116.93	118.68
7	A	610[A]	FW8	CAF-CAE-NAN	-2.85	119.78	122.80
7	B	609[B]	FW8	CAX-CAY-NBB	-2.80	119.24	122.92
7	B	609[A]	FW8	CBG-CBN-NBS	2.80	104.87	102.08
11	B	612	MES	O3S-S-O2S	-2.79	104.42	111.40
7	A	610[B]	FW8	CAX-CAY-NBB	-2.74	119.33	122.92
7	A	610[B]	FW8	CAW-CAS-CAR	-2.73	125.48	129.65
7	A	610[B]	FW8	CAF-CAE-NAN	-2.72	119.92	122.80
7	A	610[A]	FW8	CBG-CBN-NBS	2.64	104.71	102.08
7	A	610[A]	FW8	OBT-CBM-CBH	-2.64	123.55	128.66
7	B	609[A]	FW8	CAX-CAW-CAS	2.63	124.89	120.43
7	B	609[B]	FW8	CAW-CAX-CAY	2.58	122.50	118.45
7	A	610[B]	FW8	CAW-CAX-CAY	2.58	122.49	118.45
7	B	609[B]	FW8	CAW-CAS-NAV	2.57	126.18	122.05
7	A	610[B]	FW8	CAR-NAT-NAU	-2.48	108.34	110.75
7	A	610[A]	FW8	CBG-CBF-NBE	-2.47	114.23	119.89
7	B	609[B]	FW8	CAQ-NAT-NAU	2.44	125.69	120.78
7	B	609[B]	FW8	CAX-CAY-NBD	-2.42	116.03	122.53
7	A	610[B]	FW8	CAQ-NAT-NAU	2.41	125.63	120.78
7	A	610[B]	FW8	CAX-CAY-NBD	-2.39	116.12	122.53
7	A	610[B]	FW8	CAW-CAS-NAV	2.35	125.83	122.05
7	A	610[A]	FW8	CAX-CAW-CAS	2.31	124.34	120.43
7	A	610[B]	FW8	CAJ-CAI-CAH	2.25	123.70	121.40
7	B	609[B]	FW8	OBT-CBM-CBH	-2.25	124.30	128.66
7	A	610[A]	FW8	CAJ-CAI-CAH	2.24	123.69	121.40
7	B	609[B]	FW8	CBK-CBF-NBE	2.22	126.95	121.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	NAG	C1-O5-C5	2.21	115.15	112.19
7	B	609[B]	FW8	CAR-NAT-NAU	-2.20	108.61	110.75
7	B	609[A]	FW8	OBT-CBM-CBH	-2.20	124.41	128.66
7	B	609[A]	FW8	CAX-CAY-NBD	2.17	128.37	122.53
7	A	610[A]	FW8	CAF-CAG-NAO	-2.17	115.11	121.86
7	A	610[B]	FW8	CAS-NAV-NAU	-2.15	106.92	109.23
7	A	610[A]	FW8	CAA-CAF-CAG	-2.15	120.82	124.70
4	B	613	EDO	O2-C2-C1	-2.14	96.06	112.39
7	A	610[B]	FW8	CAA-CAF-CAG	-2.13	120.86	124.70
7	A	610[B]	FW8	CAY-NBD-CBC	-2.12	125.95	129.91
7	B	609[B]	FW8	CAA-CAF-CAG	-2.11	120.91	124.70
7	B	609[A]	FW8	CAF-CAG-NAO	-2.11	115.31	121.86
7	B	609[A]	FW8	CAA-CAF-CAG	-2.10	120.91	124.70
7	B	609[B]	FW8	CAY-NBD-CBC	-2.07	126.04	129.91
7	A	610[B]	FW8	OBT-CBM-CBH	-2.07	124.66	128.66
7	B	609[A]	FW8	CAP-CAQ-NAT	-2.06	108.24	111.61
7	A	610[A]	FW8	CAP-CAQ-NAT	-2.06	108.25	111.61
7	A	610[B]	FW8	CAF-CAG-NAO	-2.05	115.48	121.86
7	A	610[B]	FW8	CBK-CBF-NBE	2.03	126.52	121.82

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	607	GOL	C1-C2-C3-O3
7	A	610[A]	FW8	CAP-CAQ-NAT-NAU
7	A	610[A]	FW8	NAO-CAP-CAQ-NAT
7	A	610[B]	FW8	CAP-CAQ-NAT-CAR
7	A	610[B]	FW8	CAP-CAQ-NAT-NAU
7	B	609[A]	FW8	CAP-CAQ-NAT-CAR
7	B	609[A]	FW8	CAP-CAQ-NAT-NAU
7	B	609[A]	FW8	NAO-CAP-CAQ-NAT
7	B	609[B]	FW8	CAP-CAQ-NAT-NAU
7	B	609[B]	FW8	NAO-CAP-CAQ-NAT
11	B	612	MES	C8-C7-N4-C3
8	A	611	PGE	C6-C5-O3-C4
7	A	610[B]	FW8	NAO-CAP-CAQ-NAT
3	A	601	NAG	O5-C5-C6-O6
3	B	604	NAG	O5-C5-C6-O6
8	B	611	PGE	C6-C5-O3-C4
3	A	601	NAG	C4-C5-C6-O6
3	B	604	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	601	NAG	C8-C7-N2-C2
3	A	601	NAG	O7-C7-N2-C2
6	A	607	GOL	O2-C2-C3-O3
6	A	607	GOL	O1-C1-C2-C3
5	A	606	PEG	O2-C3-C4-O4
5	A	606	PEG	O1-C1-C2-O2
8	A	611	PGE	O3-C5-C6-O4
11	B	612	MES	C7-C8-S-O3S
7	A	610[A]	FW8	CAP-CAQ-NAT-CAR
7	B	609[B]	FW8	CAP-CAQ-NAT-CAR
7	A	610[A]	FW8	CAF-CAG-NAO-CAP
7	A	610[B]	FW8	CAF-CAG-NAO-CAP
7	B	609[A]	FW8	CAF-CAG-NAO-CAP
7	B	609[B]	FW8	CAF-CAG-NAO-CAP
6	A	607	GOL	O1-C1-C2-O2
11	B	612	MES	C7-C8-S-O1S
11	B	612	MES	C7-C8-S-O2S
5	A	606	PEG	C4-C3-O2-C2
3	A	602	NAG	C4-C5-C6-O6
4	A	604	EDO	O1-C1-C2-O2
8	B	611	PGE	O2-C3-C4-O3
7	B	609[B]	FW8	CAQ-CAP-NAO-CAG
7	B	609[B]	FW8	CAH-CAG-NAO-CAP
4	B	605	EDO	O1-C1-C2-O2
3	A	602	NAG	O5-C5-C6-O6
7	B	609[A]	FW8	CAH-CAG-NAO-CAP

There are no ring outliers.


11 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	609[B]	FW8	2	0
8	A	611	PGE	2	0
11	B	612	MES	1	0
7	A	610[B]	FW8	1	0
6	A	607	GOL	2	0
4	B	607	EDO	3	0
6	B	606	GOL	1	0
4	B	608	EDO	1	0
7	B	609[A]	FW8	1	0
8	B	611	PGE	2	0
7	A	610[A]	FW8	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand FW8 A 610 (B)



Ligand FW8 B 609 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	530/565 (93%)	-0.13	8 (1%) 72 76	14, 26, 42, 78	15 (2%)
1	B	530/565 (93%)	-0.12	8 (1%) 72 76	16, 26, 43, 72	11 (2%)
All	All	1060/1130 (93%)	-0.12	16 (1%) 72 76	14, 26, 42, 78	26 (2%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	485	PRO	4.9
1	B	486	HIS	4.3
1	B	487	SER	3.7
1	A	108	SER	3.3
1	A	485	PRO	3.3
1	A	487	SER	3.2
1	B	535	THR	3.1
1	B	534	ALA	3.0
1	A	486	HIS	2.9
1	A	490	SER	2.8
1	A	284	PHE	2.6
1	A	535	THR	2.6
1	B	257	ASN	2.3
1	B	334	TYR	2.3
1	A	4	SER	2.3
1	B	46	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	C	2	14/15	0.71	0.23	111,122,131,133	0
2	NAG	C	1	14/15	0.80	0.13	43,60,72,86	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	B	604	14/15	0.43	0.18	61,72,82,83	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	601	14/15	0.68	0.15	48,56,66,67	0
4	EDO	A	604	4/4	0.73	0.17	48,48,49,52	0
4	EDO	A	605	4/4	0.73	0.18	42,44,47,48	0
3	NAG	A	603	14/15	0.75	0.12	58,65,70,70	0
8	PGE	A	611	10/10	0.76	0.16	31,43,49,49	0
8	PGE	B	611	10/10	0.76	0.15	36,42,51,53	0
11	MES	B	612	12/12	0.77	0.17	42,50,60,61	12
7	FW8	B	609[B]	46/46	0.78	0.18	22,28,40,42	46
7	FW8	B	609[A]	46/46	0.78	0.18	22,27,39,40	46
4	EDO	B	605	4/4	0.80	0.17	37,40,40,51	0
5	PEG	A	606	7/7	0.80	0.15	45,49,52,54	0
6	GOL	B	606	6/6	0.80	0.13	34,35,38,41	0
4	EDO	A	609	4/4	0.80	0.15	40,40,51,58	0
6	GOL	A	607	6/6	0.81	0.13	35,39,42,43	0
7	FW8	A	610[B]	46/46	0.82	0.17	20,25,37,38	46
9	SO4	A	612	5/5	0.82	0.13	51,53,58,71	0
7	FW8	A	610[A]	46/46	0.82	0.17	20,25,37,39	46
4	EDO	B	613	4/4	0.83	0.17	31,46,49,50	0
4	EDO	A	608	4/4	0.86	0.13	48,50,51,54	0
3	NAG	A	602	14/15	0.88	0.10	31,40,49,56	0
3	NAG	B	603	14/15	0.88	0.10	30,37,53,58	0
4	EDO	B	608	4/4	0.88	0.14	40,45,53,53	0
4	EDO	B	607	4/4	0.89	0.11	37,39,42,47	0
10	CL	B	610	1/1	0.97	0.20	57,57,57,57	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FW8 B 609 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FW8 B 609 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FW8 A 610 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FW8 A 610 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.