



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 02:16 PM UTC

PDB ID : 4H2O / pdb_00004h2o
Title : Structure of E. coli undecaprenyl diphosphate synthase in complex with BPH-1248
Authors : Zhu, W.; Oldfield, E.
Deposited on : 2012-09-13
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	253	11% 68% 12% • 19%
1	B	253	12% 59% 19% • 18%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Undecaprenyl pyrophosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	208	Total	C	N	O	S	0	0	0
			1612	1013	303	291	5			
1	A	206	Total	C	N	O	S	0	0	0
			1605	1013	297	289	6			

- Molecule 2 is 2-([3-(decyloxy)benzoyl]amino)-5-nitrobenzoic acid (CCD ID: 0YW) (formula: $C_{24}H_{30}N_2O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			32	24	2	6		
2	B	1	Total	C	N	O	0	0
			32	24	2	6		
2	A	1	Total	C	N	O	0	0
			32	24	2	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	23	Total 23	O 23	0	0
3	A	28	Total 28	O 28	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Undecaprenyl pyrophosphate synthase



- Molecule 1: Undecaprenyl pyrophosphate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.38Å 68.37Å 109.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.48 – 2.14 46.48 – 2.14	Depositor EDS
% Data completeness (in resolution range)	99.5 (46.48-2.14) 99.6 (46.48-2.14)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.09 (at 2.14Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.232 , 0.295 0.238 , 0.289	Depositor DCC
R_{free} test set	1358 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	35.3	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 31.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3364	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 0YW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.28	4/1636 (0.2%)	1.17	3/2209 (0.1%)
1	B	1.33	10/1642 (0.6%)	1.29	7/2216 (0.3%)
All	All	1.30	14/3278 (0.4%)	1.23	10/4425 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	199	HIS	CG-ND1	-8.99	1.28	1.38
1	B	199	HIS	CD2-NE2	-6.73	1.30	1.37
1	B	137	LEU	N-CA	6.63	1.54	1.46
1	A	103	HIS	CG-ND1	-6.62	1.30	1.38
1	B	90	VAL	N-CA	-6.48	1.39	1.46
1	A	20	HIS	CG-ND1	-6.38	1.31	1.38
1	B	189	VAL	C-O	-5.57	1.18	1.24
1	A	31	TRP	NE1-CE2	-5.42	1.31	1.37
1	A	103	HIS	CD2-NE2	-5.33	1.31	1.37
1	B	139	LEU	CA-C	-5.18	1.46	1.52
1	B	20	HIS	CD2-NE2	-5.17	1.32	1.37
1	B	221	TRP	NE1-CE2	-5.15	1.31	1.37
1	B	192	VAL	N-CA	5.06	1.52	1.46
1	B	90	VAL	C-O	-5.04	1.18	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	200	ARG	N-CA-CB	-7.98	98.81	110.70
1	B	199	HIS	N-CA-C	7.43	122.06	112.92
1	B	90	VAL	CB-CA-C	7.38	121.71	112.04
1	A	238	ASN	N-CA-C	5.81	118.36	111.33
1	B	93	LEU	N-CA-C	-5.66	105.63	112.54
1	A	197	GLY	N-CA-C	5.36	122.48	115.36
1	A	156	ARG	N-CA-C	-5.22	105.50	111.14
1	B	180	HIS	N-CA-C	5.21	119.61	112.88
1	B	114	SER	N-CA-C	-5.10	106.89	113.01
1	B	200	ARG	N-CA-C	5.08	117.61	110.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	92	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1605	0	1550	32	0
1	B	1612	0	1568	41	0
2	A	32	0	29	17	0
2	B	64	0	58	9	0
3	A	28	0	0	0	0
3	B	23	0	0	4	0
All	All	3364	0	3205	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:PHE:N	2:B:302:OYW:H14	1.73	1.02

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:PHE:N	2:B:302:0YW:CAT	2.33	0.91
1:A:100:LEU:HD23	2:A:301:0YW:H9	1.55	0.88
1:A:105:VAL:HG21	2:A:301:0YW:H8	1.57	0.86
3:B:420:HOH:O	1:A:239:ARG:HB3	1.73	0.86
1:A:100:LEU:HD21	2:A:301:0YW:H15	1.58	0.86
1:B:200:ARG:NH2	1:A:213:GLU:OE1	2.14	0.79
1:B:104:ASN:HA	1:B:134:ASN:OD1	1.87	0.74
1:B:239:ARG:NH1	1:A:197:GLY:O	2.23	0.72
1:B:99:SER:HA	1:B:102:ARG:HG2	1.71	0.72
1:B:89:PHE:HA	2:B:302:0YW:H10	1.76	0.68
1:B:131:THR:CA	1:B:134:ASN:HD22	2.07	0.66
1:A:199:HIS:O	1:A:200:ARG:HG2	1.97	0.65
1:B:131:THR:HA	1:B:134:ASN:HD22	1.61	0.64
1:B:131:THR:HA	1:B:134:ASN:ND2	2.12	0.64
1:A:109:ILE:HD13	1:A:141:ILE:HB	1.79	0.64
1:A:59:ASN:OD1	2:A:301:0YW:CAJ	2.49	0.60
1:B:89:PHE:N	2:B:302:0YW:H15	2.15	0.60
1:A:89:PHE:CE1	2:A:301:0YW:H28	2.36	0.60
2:A:301:0YW:H4	2:A:301:0YW:OAC	2.04	0.57
1:B:235:ALA:O	1:B:239:ARG:HB2	2.05	0.56
1:B:179:GLN:HA	1:B:179:GLN:NE2	2.20	0.56
2:A:301:0YW:OAE	2:A:301:0YW:NAW	2.29	0.56
1:B:100:LEU:HD21	2:B:301:0YW:H15	1.87	0.56
1:A:89:PHE:CD1	2:A:301:0YW:H28	2.42	0.55
1:B:109:ILE:HG13	1:B:124:ILE:HG23	1.88	0.55
1:A:116:PHE:O	1:A:117:ASN:C	2.47	0.55
1:B:117:ASN:OD1	1:B:119:ARG:N	2.41	0.53
1:A:105:VAL:CG2	2:A:301:0YW:H8	2.35	0.53
1:B:174:GLU:O	1:B:178:ASN:HB2	2.10	0.52
1:B:159:ALA:O	1:B:160:GLU:C	2.52	0.52
1:A:89:PHE:CE1	2:A:301:0YW:CAA	2.92	0.52
2:B:301:0YW:OAB	2:B:301:0YW:NAW	2.42	0.52
1:B:93:LEU:HB3	2:B:301:0YW:H28	1.91	0.51
1:B:125:ARG:HD2	1:B:126:LYS:NZ	2.25	0.50
1:B:20:HIS:HE1	1:B:66:THR:OG1	1.95	0.49
1:A:199:HIS:C	1:A:200:ARG:HG2	2.37	0.49
1:B:117:ASN:OD1	1:B:117:ASN:C	2.56	0.49
2:B:302:0YW:CAY	2:B:302:0YW:OAC	2.61	0.49
2:A:301:0YW:OAC	2:A:301:0YW:CAK	2.51	0.48
1:B:44:LYS:HB3	1:B:44:LYS:HE3	1.57	0.47
1:B:175:GLU:HB2	3:B:412:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:301:0YW:H9	2:B:301:0YW:H10	1.59	0.46
1:B:22:ALA:O	1:B:192:VAL:HA	2.16	0.46
1:B:99:SER:O	1:B:100:LEU:C	2.58	0.46
1:B:113:THR:C	1:B:115:ARG:H	2.23	0.46
1:A:59:ASN:HD21	2:A:301:0YW:H4	1.80	0.46
1:A:204:PHE:O	1:A:205:LEU:C	2.58	0.46
1:B:176:MET:O	1:B:179:GLN:HB2	2.16	0.46
1:B:174:GLU:O	1:B:178:ASN:CB	2.65	0.45
1:B:104:ASN:CA	1:B:134:ASN:OD1	2.62	0.44
1:B:39:ARG:HH21	1:B:71:SER:HB2	1.83	0.44
1:A:106:ARG:CZ	1:A:108:ARG:HH21	2.31	0.44
1:B:131:THR:CA	1:B:134:ASN:ND2	2.76	0.44
1:B:111:GLY:HA2	1:B:149:TRP:CZ3	2.53	0.44
1:A:189:VAL:HG21	1:A:205:LEU:HD13	2.00	0.44
1:A:89:PHE:CD1	2:A:301:0YW:CAA	3.01	0.43
1:A:98:LYS:HD3	1:A:98:LYS:HA	1.79	0.43
1:B:90:VAL:O	1:B:91:TRP:C	2.61	0.43
1:A:89:PHE:HE1	2:A:301:0YW:CAA	2.32	0.43
1:A:89:PHE:HE1	2:A:301:0YW:H28	1.82	0.43
1:A:113:THR:O	1:A:116:PHE:HB2	2.19	0.43
1:A:59:ASN:HD21	2:A:301:0YW:CAK	2.32	0.43
1:B:131:THR:O	1:B:134:ASN:HB2	2.19	0.43
1:A:116:PHE:O	1:A:121:GLN:NE2	2.43	0.43
1:B:113:THR:C	1:B:115:ARG:N	2.75	0.42
1:A:96:GLU:HG3	2:A:301:0YW:H20	2.00	0.42
1:B:100:LEU:HD23	1:B:100:LEU:HA	1.86	0.42
1:A:168:GLN:O	1:A:169:PRO:C	2.63	0.42
1:B:18:CYS:SG	1:B:190:ASP:HB2	2.60	0.41
1:B:194:ARG:HB3	1:B:216:PHE:HD1	1.86	0.41
3:B:420:HOH:O	1:A:239:ARG:CG	2.67	0.41
3:B:420:HOH:O	1:A:239:ARG:HG2	2.20	0.41
1:B:142:ALA:HB1	1:B:145:TYR:HB3	2.03	0.41
1:B:234:ASN:O	1:B:238:ASN:CG	2.64	0.41
1:A:173:ASP:O	1:A:174:GLU:C	2.64	0.41
1:A:31:TRP:O	1:A:35:GLN:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/253 (79%)	187 (94%)	12 (6%)	1 (0%)	24	19
1	B	202/253 (80%)	188 (93%)	14 (7%)	0	100	100
All	All	402/506 (79%)	375 (93%)	26 (6%)	1 (0%)	43	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/206 (77%)	156 (99%)	2 (1%)	61	67
1	B	160/206 (78%)	148 (92%)	12 (8%)	12	7
All	All	318/412 (77%)	304 (96%)	14 (4%)	25	22

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	30	ARG
1	B	44	LYS
1	B	71	SER
1	B	89	PHE
1	B	90	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	97	VAL
1	B	108	ARG
1	B	118	SER
1	B	162	VAL
1	B	164	GLN
1	B	179	GLN
1	B	239	ARG
1	A	117	ASN
1	A	125	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	20	HIS
1	B	43	HIS
1	B	59	ASN
1	B	60	ASN
1	B	157	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	0YW	B	301	-	33,33,33	2.71	6 (18%)	40,42,42	1.35	8 (20%)
2	0YW	B	302	-	33,33,33	2.85	5 (15%)	40,42,42	1.48	3 (7%)
2	0YW	A	301	-	33,33,33	2.55	9 (27%)	40,42,42	2.09	13 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0YW	B	301	-	-	9/25/27/27	0/2/2/2
2	0YW	B	302	-	-	15/25/27/27	0/2/2/2
2	0YW	A	301	-	-	12/25/27/27	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	0YW	OAD-NBF	13.53	1.46	1.22
2	B	301	0YW	OAD-NBF	11.44	1.42	1.22
2	A	301	0YW	CBB-CAZ	-7.06	1.34	1.50
2	A	301	0YW	CBD-NAW	-5.97	1.30	1.41
2	A	301	0YW	CBE-CAY	-5.81	1.37	1.49
2	A	301	0YW	OAD-NBF	5.73	1.32	1.22
2	B	301	0YW	CBB-CAZ	-5.55	1.38	1.50
2	B	302	0YW	CBE-CAY	-4.90	1.39	1.49
2	B	301	0YW	CBD-NAW	-4.60	1.32	1.41
2	B	301	0YW	CBC-NBF	-4.56	1.34	1.45
2	B	301	0YW	CBE-CAY	-4.50	1.40	1.49
2	B	302	0YW	CBC-NBF	-4.40	1.34	1.45
2	A	301	0YW	CBC-NBF	-4.11	1.35	1.45
2	B	302	0YW	CBB-CAZ	-4.10	1.41	1.50
2	A	301	0YW	CBE-CBD	-3.16	1.36	1.41
2	A	301	0YW	CAI-CBB	-2.48	1.35	1.39
2	A	301	0YW	CAL-CBB	-2.35	1.36	1.39
2	B	302	0YW	OAF-NBF	2.26	1.50	1.35
2	B	301	0YW	OAE-CAY	-2.18	1.24	1.30
2	A	301	0YW	OAX-CBA	-2.07	1.33	1.37

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	0YW	CAV-OAX-CBA	-5.80	102.85	117.93
2	B	302	0YW	CBD-CBE-CAY	4.92	127.20	121.72
2	B	302	0YW	CBE-CBD-NAW	4.46	126.73	118.70
2	A	301	0YW	CBD-NAW-CAZ	-4.13	115.43	126.90
2	A	301	0YW	CAM-CBE-CBD	4.10	122.78	119.09
2	A	301	0YW	CAJ-CBC-NBF	3.93	122.77	119.34
2	A	301	0YW	CBD-CBE-CAY	-3.63	117.67	121.72
2	A	301	0YW	CAJ-CBC-CAM	-3.23	115.95	120.11
2	A	301	0YW	CAG-CAI-CBB	-3.22	117.20	120.36
2	A	301	0YW	CAM-CBC-NBF	2.95	121.28	118.74
2	B	302	0YW	CAK-CBD-NAW	-2.89	115.11	121.82
2	A	301	0YW	CBE-CBD-NAW	-2.89	113.49	118.70
2	B	301	0YW	CAM-CBC-NBF	2.83	121.17	118.74
2	A	301	0YW	CAI-CBB-CAL	2.77	122.45	119.25
2	B	301	0YW	CBD-CBE-CAY	-2.69	118.73	121.72
2	B	301	0YW	CBE-CBD-NAW	-2.68	113.88	118.70
2	A	301	0YW	CAK-CAJ-CBC	2.63	123.56	120.08
2	A	301	0YW	CAK-CBD-NAW	2.48	127.56	121.82
2	B	301	0YW	OAE-CAY-OAB	-2.36	118.28	123.35
2	B	301	0YW	OAE-CAY-CBE	2.16	121.43	115.28
2	B	301	0YW	CBB-CAL-CBA	2.16	121.79	119.56
2	B	301	0YW	CAH-CBA-CAL	-2.10	117.68	120.50
2	B	301	0YW	CBD-NAW-CAZ	-2.07	121.14	126.90
2	A	301	0YW	OAB-CAY-CBE	-2.07	117.03	121.97

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	0YW	CAM-CBC-NBF-OAD
2	B	301	0YW	CAJ-CBC-NBF-OAD
2	B	302	0YW	CAM-CBC-NBF-OAD
2	B	302	0YW	CAJ-CBC-NBF-OAD
2	B	302	0YW	CBE-CBD-NAW-CAZ
2	A	301	0YW	CAM-CBC-NBF-OAD
2	A	301	0YW	CAJ-CBC-NBF-OAD
2	B	302	0YW	CAK-CBD-NAW-CAZ
2	B	301	0YW	CAT-CAU-CAV-OAX
2	A	301	0YW	CAT-CAU-CAV-OAX
2	B	301	0YW	CAN-CAO-CAP-CAQ
2	B	302	0YW	CAT-CAU-CAV-OAX

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301	0YW	CAQ-CAR-CAS-CAT
2	B	302	0YW	CAQ-CAR-CAS-CAT
2	A	301	0YW	CAR-CAS-CAT-CAU
2	A	301	0YW	CAS-CAT-CAU-CAV
2	A	301	0YW	CAP-CAQ-CAR-CAS
2	A	301	0YW	CAN-CAO-CAP-CAQ
2	B	301	0YW	CAO-CAP-CAQ-CAR
2	B	302	0YW	CAP-CAQ-CAR-CAS
2	B	302	0YW	CAR-CAS-CAT-CAU
2	A	301	0YW	CAQ-CAR-CAS-CAT
2	B	301	0YW	CAA-CAN-CAO-CAP
2	A	301	0YW	CAU-CAV-OAX-CBA
2	A	301	0YW	CAA-CAN-CAO-CAP
2	B	301	0YW	CAU-CAV-OAX-CBA
2	B	302	0YW	OAB-CAY-CBE-CAM
2	B	302	0YW	OAE-CAY-CBE-CAM
2	B	302	0YW	OAE-CAY-CBE-CBD
2	B	302	0YW	OAB-CAY-CBE-CBD
2	B	302	0YW	CAA-CAN-CAO-CAP
2	B	302	0YW	CAO-CAP-CAQ-CAR
2	A	301	0YW	OAE-CAY-CBE-CBD
2	B	301	0YW	OAE-CAY-CBE-CBD
2	A	301	0YW	OAB-CAY-CBE-CBD
2	B	302	0YW	CAN-CAO-CAP-CAQ



There are no ring outliers.


3 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	0YW	4	0
2	B	302	0YW	5	0
2	A	301	0YW	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	206/253 (81%)	0.65	27 (13%) 7 9	20, 36, 61, 73	0
1	B	208/253 (82%)	0.92	31 (14%) 5 7	22, 38, 63, 80	0
All	All	414/506 (81%)	0.79	58 (14%) 6 8	20, 37, 63, 80	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	92	ALA	8.0
1	B	89	PHE	7.9
1	A	84	ALA	6.3
1	B	90	VAL	4.7
1	B	160	GLU	4.2
1	B	170	ASP	4.0
1	A	85	LEU	3.9
1	A	167	LEU	3.8
1	A	159	ALA	3.7
1	B	91	TRP	3.7
1	A	88	LEU	3.5
1	B	165	GLY	3.5
1	A	93	LEU	3.3
1	B	162	VAL	3.3
1	B	93	LEU	3.2
1	A	89	PHE	3.2
1	B	158	LEU	3.1
1	A	239	ARG	3.1
1	A	172	ILE	3.1
1	B	169	PRO	3.0
1	B	14	PRO	2.9
1	A	180	HIS	2.9
1	B	108	ARG	2.9
1	B	239	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	234	ASN	2.8
1	A	17	GLY	2.8
1	A	169	PRO	2.8
1	B	71	SER	2.7
1	B	118	SER	2.7
1	B	176	MET	2.7
1	B	106	ARG	2.7
1	A	158	LEU	2.6
1	A	155	VAL	2.5
1	A	70	PHE	2.5
1	B	164	GLN	2.5
1	B	126	LYS	2.5
1	B	238	ASN	2.5
1	A	62	ILE	2.5
1	B	180	HIS	2.4
1	A	115	ARG	2.4
1	B	157	GLN	2.4
1	A	43	HIS	2.4
1	A	71	SER	2.4
1	B	105	VAL	2.3
1	A	154	GLY	2.3
1	A	161	LYS	2.3
1	B	152	VAL	2.3
1	B	159	ALA	2.3
1	A	156	ARG	2.3
1	A	91	TRP	2.3
1	B	154	GLY	2.2
1	B	115	ARG	2.2
1	B	117	ASN	2.2
1	B	163	GLN	2.1
1	A	129	ALA	2.1
1	A	160	GLU	2.1
1	A	102	ARG	2.1
1	B	136	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	0YW	B	302	32/32	0.74	0.18	39,89,118,122	0
2	0YW	A	301	32/32	0.77	0.17	46,56,100,114	0
2	0YW	B	301	32/32	0.78	0.16	40,51,95,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 0YW A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 0YW B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.