



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:47 PM UTC

PDB ID : 1H3U / pdb_00001h3u
Title : CRYSTAL STRUCTURE OF THE HUMAN IGG1 FC-FRAGMENT, GLYC
OFORM (M3N2F)2
Authors : Krapp, S.; Mimura, Y.; Jefferis, R.; Huber, R.; Sonderrmann, P.
Deposited on : 2002-09-19
Resolution : 2.40 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	223	
1	B	223	
2	C	6	
3	D	6	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IG GAMMA-1 CHAIN C REGION.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	1
			1661	1057	283	314	7			
1	B	207	Total	C	N	O	S	0	0	1
			1656	1054	282	313	7			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			71	40	2	29			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	6	Total	C	N	O	0	0	0
			71	40	2	29			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	83	Total 83	O 83	0	0
4	B	62	Total 62	O 62	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: IG GAMMA-1 CHAIN C REGION



• Molecule 1: IG GAMMA-1 CHAIN C REGION



• Molecule 2: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  17% 83%

NAG1
NAG2
BMA3
BMA4
MAN5
FUC6

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.48Å 79.63Å 143.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.9 (50.00-2.40) 97.8 (50.00-2.40)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.41Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.253 , 0.289 0.245 , 0.284	Depositor DCC
R_{free} test set	1091 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	50.3	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 35.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3604	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	1/1707 (0.1%)	0.98	5/2325 (0.2%)
1	B	0.43	1/1702 (0.1%)	0.91	6/2318 (0.3%)
All	All	0.45	2/3409 (0.1%)	0.94	11/4643 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	444	SER	C-N	-5.42	1.25	1.34
1	B	443	LEU	C-N	-5.30	1.25	1.33

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	285	HIS	N-CA-C	-9.03	100.92	113.20
1	A	282	VAL	N-CA-C	7.53	119.45	108.53
1	A	284	VAL	N-CA-C	-7.47	103.00	110.62
1	B	390	ASN	N-CA-C	6.20	118.91	109.62
1	A	366	THR	N-CA-C	6.12	119.21	109.24
1	A	270	ASP	CA-C-N	5.76	126.51	120.12
1	A	270	ASP	C-N-CA	5.76	126.51	120.12
1	B	366	THR	N-CA-C	5.59	118.07	109.07
1	B	292	ARG	N-CA-C	5.31	116.52	108.07
1	B	424	SER	N-CA-C	5.19	117.54	108.76
1	B	270	ASP	N-CA-C	5.11	118.26	108.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1661	0	1631	84	0
1	B	1656	0	1629	87	0
2	C	71	0	61	3	0
3	D	71	0	61	6	0
4	A	83	0	0	2	0
4	B	62	0	0	4	0
All	All	3604	0	3382	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:1:NAG:H61	3:D:2:NAG:HN2	1.24	1.03
1:A:283:GLN:HE22	1:A:287:ALA:HB3	1.27	0.97
1:A:283:GLN:HE22	1:A:287:ALA:CB	1.85	0.90
1:A:350:THR:HB	1:A:441:LEU:HG	1.58	0.85
1:A:283:GLN:O	1:A:283:GLN:HG3	1.73	0.85
1:B:276:ASN:HB2	1:B:322:LYS:HB3	1.63	0.80
1:B:249:ASP:O	1:B:257:PRO:HG3	1.81	0.80
1:B:288:LYS:HE2	1:B:306:LEU:HD11	1.65	0.79
1:B:284:VAL:C	1:B:286:ASN:H	1.88	0.79
1:B:346:PRO:HB3	1:B:372:PHE:HB3	1.66	0.78
1:A:268:HIS:CE1	1:A:295:GLN:HE21	2.04	0.74
1:A:283:GLN:NE2	1:A:287:ALA:CB	2.52	0.73
1:B:282:VAL:O	1:B:283:GLN:HB2	1.86	0.72
1:B:328:LEU:HD21	1:B:332:ILE:HG13	1.70	0.72
3:D:1:NAG:C6	3:D:2:NAG:HN2	2.00	0.72
1:B:283:GLN:NE2	1:B:284:VAL:H	1.89	0.70
1:B:288:LYS:HE3	4:B:2011:HOH:O	1.90	0.70
3:D:1:NAG:H61	3:D:2:NAG:N2	2.04	0.69
1:A:346:PRO:HB3	1:A:372:PHE:HB3	1.73	0.69
1:B:288:LYS:HG2	1:B:306:LEU:CD1	2.23	0.69
1:B:429:HIS:CD2	1:B:431:ALA:H	2.10	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:VAL:O	1:A:282:VAL:HG22	1.93	0.68
1:A:289:THR:HG22	1:A:290:LYS:H	1.57	0.68
1:B:429:HIS:HD2	1:B:431:ALA:H	1.41	0.68
1:B:350:THR:HB	1:B:441:LEU:HG	1.75	0.68
1:B:243:PHE:HB2	1:B:260:THR:HG23	1.75	0.67
1:B:266:VAL:HB	1:B:300:TYR:HB2	1.76	0.67
1:B:279:VAL:O	1:B:279:VAL:HG23	1.97	0.65
1:B:288:LYS:HG2	1:B:306:LEU:HD11	1.79	0.65
1:A:277:TRP:O	1:A:283:GLN:HG3	1.98	0.64
1:A:283:GLN:NE2	1:A:287:ALA:HB3	2.06	0.63
1:A:252:MET:SD	1:A:428:MET:HE1	2.39	0.62
1:A:353:PRO:HD3	1:A:365:LEU:HD23	1.81	0.62
3:D:1:NAG:O3	3:D:1:NAG:H82	1.99	0.62
1:B:277:TRP:O	1:B:283:GLN:HB3	2.00	0.61
1:B:308:VAL:HG13	1:B:319:TYR:OH	2.00	0.61
1:A:265:ASP:OD2	2:C:1:NAG:O7	2.17	0.61
1:A:240:VAL:HG22	1:A:263:VAL:HG22	1.82	0.61
1:B:295:GLN:H	1:B:300:TYR:HD1	1.49	0.61
1:A:346:PRO:HG2	1:A:432:LEU:HD21	1.84	0.60
1:B:270:ASP:HA	1:B:272:GLN:HE22	1.63	0.60
1:A:421:ASN:N	1:A:421:ASN:HD22	1.99	0.60
1:B:311:GLN:H	1:B:311:GLN:CD	2.09	0.59
1:A:271:PRO:HB3	1:A:300:TYR:CD2	2.38	0.59
1:B:289:THR:HG22	1:B:290:LYS:N	2.17	0.59
1:A:432:LEU:HD13	1:A:437:THR:HG22	1.84	0.59
1:B:284:VAL:C	1:B:286:ASN:N	2.59	0.59
1:B:252:MET:SD	1:B:428:MET:HE1	2.43	0.59
1:A:285:HIS:O	1:A:286:ASN:C	2.46	0.58
1:B:295:GLN:HA	1:B:300:TYR:HD1	1.69	0.58
1:B:283:GLN:O	1:B:284:VAL:HB	2.03	0.58
1:A:293:GLU:HG2	1:A:294:GLN:H	1.68	0.58
1:A:414:LYS:HE2	1:A:418:GLN:OE1	2.05	0.56
1:A:283:GLN:NE2	1:A:287:ALA:HB2	2.20	0.56
1:B:250:THR:HG22	1:B:257:PRO:HB3	1.87	0.56
1:B:277:TRP:O	1:B:283:GLN:NE2	2.37	0.56
1:B:289:THR:HG22	1:B:290:LYS:H	1.71	0.56
1:A:289:THR:HG22	1:A:290:LYS:N	2.21	0.56
1:A:286:ASN:ND2	1:A:286:ASN:O	2.39	0.55
1:A:406:LEU:C	1:A:406:LEU:HD12	2.32	0.54
1:A:368:LEU:HD13	1:A:407:TYR:CZ	2.42	0.54
1:B:288:LYS:N	1:B:288:LYS:HD3	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:GLN:HG3	1:A:296:TYR:HE1	1.73	0.54
1:B:283:GLN:NE2	1:B:284:VAL:N	2.55	0.54
1:A:296:TYR:CD2	2:C:1:NAG:H62	2.43	0.53
1:B:295:GLN:HA	1:B:300:TYR:CD1	2.44	0.53
3:D:1:NAG:C6	3:D:2:NAG:N2	2.69	0.53
1:B:252:MET:CG	1:B:428:MET:HE1	2.39	0.53
1:B:249:ASP:C	1:B:257:PRO:HG3	2.34	0.53
1:A:253:ILE:H	1:A:253:ILE:HD12	1.74	0.53
1:B:279:VAL:O	1:B:280:ASP:HB2	2.09	0.53
1:A:268:HIS:CE1	1:A:295:GLN:NE2	2.77	0.52
1:A:290:LYS:O	1:A:290:LYS:HD3	2.09	0.52
1:A:325:ASN:ND2	1:A:327:ALA:HB3	2.24	0.52
1:A:368:LEU:HD13	1:A:407:TYR:CE2	2.45	0.52
1:A:429:HIS:CD2	1:A:431:ALA:H	2.26	0.52
1:B:331:PRO:HG2	4:B:2016:HOH:O	2.10	0.52
1:B:288:LYS:HG2	1:B:306:LEU:HD12	1.92	0.52
1:A:278:TYR:CE2	1:A:284:VAL:HA	2.45	0.51
1:A:308:VAL:HG12	1:A:319:TYR:CE2	2.46	0.51
1:B:283:GLN:O	1:B:284:VAL:CB	2.58	0.51
1:B:350:THR:HG23	1:B:439:LYS:HG3	1.93	0.50
1:A:374:PRO:HG3	4:A:2036:HOH:O	2.10	0.50
1:A:429:HIS:HD2	1:A:431:ALA:H	1.58	0.50
1:A:325:ASN:HD21	1:A:327:ALA:HB3	1.77	0.50
1:B:293:GLU:O	1:B:294:GLN:HG3	2.12	0.49
1:B:295:GLN:O	1:B:296:TYR:HD1	1.96	0.49
1:B:295:GLN:N	1:B:300:TYR:HD1	2.09	0.49
1:B:295:GLN:CA	1:B:300:TYR:HD1	2.25	0.49
1:B:261:CYS:HB2	1:B:277:TRP:CH2	2.48	0.49
1:A:278:TYR:OH	1:A:284:VAL:HG13	2.13	0.49
1:B:406:LEU:HD12	1:B:406:LEU:C	2.38	0.49
1:B:278:TYR:CE2	1:B:284:VAL:HG21	2.48	0.48
1:B:367:CYS:HB2	1:B:381:TRP:CZ2	2.48	0.48
1:B:239:SER:HB2	1:B:264:VAL:HG23	1.95	0.48
1:B:278:TYR:CE2	1:B:284:VAL:CG2	2.97	0.48
1:A:253:ILE:HD12	1:A:253:ILE:N	2.27	0.48
1:B:242:LEU:HD13	1:B:336:ILE:HB	1.95	0.48
1:B:357:GLU:C	1:B:359:THR:H	2.21	0.48
1:B:384:ASN:HB2	4:B:2037:HOH:O	2.14	0.48
1:A:358:MET:HE1	1:A:417:TRP:CD1	2.48	0.48
1:B:443:LEU:HD12	1:B:444:SER:N	2.28	0.48
1:A:286:ASN:C	1:A:286:ASN:ND2	2.72	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:414:LYS:O	1:A:418:GLN:HG2	2.14	0.47
1:B:260:THR:HG22	4:B:2006:HOH:O	2.14	0.47
1:B:287:ALA:O	1:B:288:LYS:HB3	2.14	0.47
1:B:261:CYS:HB2	1:B:277:TRP:CZ2	2.49	0.47
3:D:3:BMA:O2	3:D:4:BMA:C1	2.62	0.47
1:B:294:GLN:HB3	1:B:295:GLN:H	1.51	0.47
1:B:282:VAL:O	1:B:283:GLN:CB	2.59	0.47
1:B:353:PRO:HG3	1:B:365:LEU:HD23	1.97	0.47
1:A:268:HIS:HE1	1:A:295:GLN:HE21	1.58	0.47
1:B:271:PRO:O	1:B:272:GLN:C	2.58	0.47
1:B:283:GLN:OE1	1:B:287:ALA:N	2.48	0.46
1:A:293:GLU:HG2	1:A:294:GLN:N	2.31	0.46
1:B:436:TYR:OH	1:B:438:GLN:HG3	2.16	0.46
1:A:261:CYS:HB2	1:A:277:TRP:CH2	2.51	0.46
1:A:291:PRO:HA	1:A:303:VAL:O	2.15	0.46
1:B:350:THR:CB	1:B:441:LEU:HG	2.45	0.46
1:A:287:ALA:O	1:A:288:LYS:O	2.34	0.45
1:A:328:LEU:HD21	1:A:332:ILE:HG13	1.98	0.45
1:B:290:LYS:HG2	1:B:292:ARG:HH21	1.81	0.45
1:B:361:ASN:ND2	1:B:362:GLN:HG3	2.32	0.45
1:A:421:ASN:N	1:A:421:ASN:ND2	2.64	0.45
1:A:320:LYS:HB2	1:A:335:THR:HG22	1.98	0.45
1:B:415:SER:O	1:B:419:GLN:HG3	2.17	0.45
1:A:286:ASN:HA	4:A:2016:HOH:O	2.17	0.45
1:B:308:VAL:HG12	1:B:309:LEU:N	2.31	0.44
1:A:282:VAL:O	1:A:283:GLN:HG2	2.18	0.44
1:A:343:PRO:HA	1:A:373:TYR:O	2.17	0.44
1:B:308:VAL:CG1	1:B:319:TYR:OH	2.65	0.44
1:B:388:GLU:OE1	1:B:416:ARG:NH2	2.46	0.44
1:A:278:TYR:HE2	1:A:284:VAL:HG22	1.82	0.44
1:A:351:LEU:N	1:A:366:THR:O	2.41	0.44
1:B:309:LEU:O	1:B:310:HIS:C	2.61	0.44
1:A:423:PHE:O	1:A:441:LEU:N	2.47	0.43
1:A:277:TRP:NE1	1:A:289:THR:HG23	2.33	0.43
1:B:314:LEU:O	1:B:338:LYS:HE2	2.17	0.43
1:A:276:ASN:HB2	1:A:322:LYS:HB3	2.00	0.43
1:B:252:MET:HG3	1:B:428:MET:HE1	2.01	0.43
1:A:429:HIS:O	1:A:435:HIS:HA	2.19	0.43
1:A:262:VAL:HG13	1:A:303:VAL:HG22	2.00	0.43
1:B:326:LYS:C	1:B:328:LEU:H	2.27	0.43
1:A:292:ARG:O	1:A:293:GLU:CB	2.68	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:MET:HE1	1:A:417:TRP:HD1	1.83	0.42
1:B:439:LYS:HD2	1:B:439:LYS:HA	1.80	0.42
1:B:294:GLN:O	1:B:295:GLN:O	2.37	0.42
1:B:415:SER:HA	1:B:418:GLN:HE21	1.84	0.42
1:B:434:ASN:HD22	1:B:434:ASN:HA	1.64	0.42
1:A:436:TYR:CD1	1:A:436:TYR:C	2.98	0.42
1:B:287:ALA:C	1:B:288:LYS:HD3	2.44	0.42
1:A:320:LYS:CB	1:A:335:THR:HG22	2.49	0.42
1:A:384:ASN:HB3	1:A:385:GLY:H	1.68	0.42
1:B:252:MET:HB2	1:B:255:ARG:HG3	2.01	0.42
1:B:347:GLN:NE2	1:B:349:TYR:OH	2.51	0.42
1:A:242:LEU:HD13	1:A:336:ILE:HB	2.02	0.41
1:A:430:GLU:HG3	1:A:431:ALA:N	2.35	0.41
1:A:291:PRO:C	1:A:292:ARG:CG	2.94	0.41
1:A:244:PRO:HB3	1:A:336:ILE:CD1	2.50	0.41
1:B:279:VAL:O	1:B:279:VAL:CG2	2.67	0.41
1:B:357:GLU:C	1:B:359:THR:N	2.77	0.41
1:B:386:GLN:HA	1:B:387:PRO:HD3	1.81	0.41
1:A:291:PRO:C	1:A:292:ARG:HG2	2.45	0.41
1:A:347:GLN:NE2	1:A:349:TYR:OH	2.54	0.41
1:B:436:TYR:C	1:B:436:TYR:CD1	2.99	0.41
1:A:263:VAL:CG2	1:A:323:VAL:HG21	2.49	0.41
1:A:380:GLU:O	1:A:425:CYS:HA	2.20	0.41
1:B:278:TYR:CZ	1:B:284:VAL:CG2	3.03	0.41
1:A:283:GLN:O	1:A:283:GLN:CG	2.51	0.40
1:A:417:TRP:HH2	1:A:441:LEU:HD22	1.86	0.40
1:A:370:LYS:HE3	1:A:370:LYS:HB2	1.91	0.40
1:A:378:ALA:HB3	1:A:428:MET:HB2	2.03	0.40
2:C:1:NAG:O7	2:C:1:NAG:H3	2.21	0.40
1:A:351:LEU:HB2	1:A:366:THR:HB	2.02	0.40
1:A:432:LEU:O	1:A:433:HIS:C	2.62	0.40
1:A:268:HIS:HE1	1:A:295:GLN:HG3	1.86	0.40
1:A:397:VAL:HG21	1:B:394:THR:HG22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/223 (92%)	184 (89%)	13 (6%)	9 (4%)	2	1
1	B	205/223 (92%)	182 (89%)	13 (6%)	10 (5%)	1	1
All	All	411/446 (92%)	366 (89%)	26 (6%)	19 (5%)	2	1

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	283	GLN
1	A	288	LYS
1	A	293	GLU
1	B	271	PRO
1	B	283	GLN
1	B	284	VAL
1	B	288	LYS
1	B	293	GLU
1	B	295	GLN
1	A	286	ASN
1	B	286	ASN
1	A	294	GLN
1	B	272	GLN
1	A	285	HIS
1	B	329	PRO
1	A	297	ASN
1	A	329	PRO
1	B	287	ALA
1	A	433	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/206 (94%)	183 (95%)	10 (5%)	21	36
1	B	193/206 (94%)	182 (94%)	11 (6%)	18	33
All	All	386/412 (94%)	365 (95%)	21 (5%)	20	35

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	LEU
1	A	283	GLN
1	A	284	VAL
1	A	285	HIS
1	A	286	ASN
1	A	292	ARG
1	A	297	ASN
1	A	344	ARG
1	A	418	GLN
1	A	441	LEU
1	B	242	LEU
1	B	256	THR
1	B	260	THR
1	B	268	HIS
1	B	278	TYR
1	B	283	GLN
1	B	296	TYR
1	B	297	ASN
1	B	311	GLN
1	B	390	ASN
1	B	441	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	268	HIS
1	A	272	GLN
1	A	283	GLN
1	A	286	ASN
1	A	294	GLN
1	A	295	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	325	ASN
1	A	347	GLN
1	A	361	ASN
1	A	390	ASN
1	A	419	GLN
1	A	421	ASN
1	A	429	HIS
1	B	272	GLN
1	B	286	ASN
1	B	311	GLN
1	B	325	ASN
1	B	361	ASN
1	B	362	GLN
1	B	390	ASN
1	B	418	GLN
1	B	419	GLN
1	B	429	HIS
1	B	434	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	1,2	14,14,15	0.66	0	17,19,21	1.09	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	2	2	14,14,15	0.65	0	17,19,21	0.69	0
2	BMA	C	3	2	11,11,12	0.50	0	15,15,17	0.59	0
2	MAN	C	4	2	11,11,12	0.51	0	15,15,17	0.57	1 (6%)
2	MAN	C	5	2	11,11,12	0.45	0	15,15,17	0.53	0
2	FUL	C	6	2	10,10,11	0.67	0	14,14,16	0.50	0
3	NAG	D	1	3,1	14,14,15	0.65	0	17,19,21	0.78	0
3	NAG	D	2	3	14,14,15	0.59	0	17,19,21	0.64	0
3	BMA	D	3	3	11,11,12	0.64	0	15,15,17	0.54	0
3	BMA	D	4	3	11,11,12	0.52	0	15,15,17	0.32	0
3	MAN	D	5	3	11,11,12	0.56	0	15,15,17	0.62	1 (6%)
3	FUL	D	6	3	10,10,11	0.62	0	14,14,16	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	MAN	C	5	2	-	0/2/19/22	0/1/1/1
2	FUL	C	6	2	-	-	0/1/1/1
3	NAG	D	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
3	BMA	D	4	3	-	2/2/19/22	0/1/1/1
3	MAN	D	5	3	-	0/2/19/22	0/1/1/1
3	FUL	D	6	3	-	-	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	5	MAN	C1-O5-C5	2.13	115.04	112.19
2	C	1	NAG	C4-C3-C2	-2.06	107.99	111.02
2	C	4	MAN	C1-O5-C5	2.00	114.87	112.19

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C3-C2-N2-C7
3	D	1	NAG	C3-C2-N2-C7
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
3	D	2	NAG	O5-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
3	D	4	BMA	C4-C5-C6-O6
3	D	4	BMA	O5-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6


There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	2	NAG	4	0
2	C	1	NAG	3	0
3	D	1	NAG	5	0
3	D	4	BMA	1	0
3	D	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/223 (93%)	0.22	14 (6%) 24 20	27, 42, 66, 74	0
1	B	207/223 (92%)	0.51	23 (11%) 10 7	28, 49, 96, 108	0
All	All	415/446 (93%)	0.36	37 (8%) 15 12	27, 45, 89, 108	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	285	HIS	7.9
1	A	284	VAL	6.3
1	A	285	HIS	5.3
1	A	297	ASN	4.7
1	A	286	ASN	4.5
1	B	287	ALA	4.2
1	B	296	TYR	4.1
1	B	444	SER	3.9
1	B	297	ASN	3.7
1	A	445	PRO	3.5
1	B	284	VAL	3.5
1	B	238	PRO	3.5
1	A	289	THR	3.2
1	B	299	THR	3.1
1	B	267	SER	3.1
1	A	296	TYR	3.0
1	A	287	ALA	2.9
1	B	289	THR	2.8
1	B	293	GLU	2.8
1	A	386	GLN	2.8
1	B	288	LYS	2.8
1	A	269	GLU	2.7
1	A	298	SER	2.7
1	B	291	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	271	PRO	2.6
1	B	283	GLN	2.5
1	A	288	LYS	2.4
1	A	293	GLU	2.4
1	B	327	ALA	2.4
1	B	286	ASN	2.3
1	B	300	TYR	2.3
1	B	273	VAL	2.2
1	B	326	LYS	2.2
1	B	268	HIS	2.2
1	B	298	SER	2.2
1	A	292	ARG	2.1
1	B	266	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FUL	D	6	10/11	0.49	0.17	108,109,109,110	0
3	NAG	D	1	14/15	0.72	0.17	98,103,104,106	0
2	MAN	C	4	11/12	0.73	0.12	57,60,63,64	0
2	MAN	C	5	11/12	0.75	0.13	66,67,69,69	0
2	FUL	C	6	10/11	0.75	0.14	74,76,76,77	0
3	MAN	D	5	11/12	0.77	0.11	76,78,79,80	0
2	NAG	C	1	14/15	0.79	0.13	59,62,67,72	0
3	NAG	D	2	14/15	0.80	0.12	89,92,93,95	0
3	BMA	D	4	11/12	0.84	0.11	80,80,81,82	0
3	BMA	D	3	11/12	0.87	0.09	80,82,84,85	0
2	BMA	C	3	11/12	0.88	0.10	56,57,61,64	0
2	NAG	C	2	14/15	0.92	0.08	52,55,56,57	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.