



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:28 AM UTC

PDB ID : 1H49 / pdb_00001h49
Title : CRYSTAL STRUCTURE OF THE INACTIVE DOUBLE MUTANT OF THE MAIZE BETA-GLUCOSIDASE ZMGLU1-E191D-F198V IN COMPLEX WITH DIMBOA-GLUCOSIDE
Authors : Czjzek, M.; Moriniere, J.; Verdoucq, L.; Bevan, D.R.; Henrissat, B.; Esen, A.
Deposited on : 2003-02-25
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	512	4% 81% 12% • •
1	B	512	3% 85% 9% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BGC	A	1503	-	-	X	-
3	BGC	B	1503	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA-GLUCOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	0	1
			3963	2539	657	749	18			
1	B	491	Total	C	N	O	S	0	0	1
			3963	2539	657	749	18			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	191	ASP	GLU	engineered mutation	UNP P49235
A	198	VAL	PHE	engineered mutation	UNP P49235
B	191	ASP	GLU	engineered mutation	UNP P49235
B	198	VAL	PHE	engineered mutation	UNP P49235

- Molecule 2 is 2,4-DIHYDROXY-7-(METHYLOXY)-2H-1,4-BENZOXAZIN-3(4H)-ONE (CCD ID: HBO) (formula: C₉H₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	9	1	5		
2	B	1	Total	C	N	O	0	0
			15	9	1	5		

- Molecule 3 is beta-D-glucopyranose (CCD ID: BGC) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		
3	B	1	Total	C	O	0	0
			11	6	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	215	Total	O	0	0
			215	215		
4	B	276	Total	O	0	0
			276	276		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-GLUCOSIDASE



• Molecule 1: BETA-GLUCOSIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.15Å 114.09Å 80.13Å 90.00° 93.88° 90.00°	Depositor
Resolution (Å)	79.06 – 1.90 79.06 – 1.90	Depositor EDS
% Data completeness (in resolution range)	86.5 (79.06-1.90) 86.5 (79.06-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.78 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.1.19	Depositor
R, R_{free}	0.184 , 0.221 0.193 , 0.228	Depositor DCC
R_{free} test set	3518 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8469	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HBO, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.72	2/4083 (0.0%)	0.91	4/5545 (0.1%)
1	B	0.76	2/4083 (0.0%)	0.93	8/5545 (0.1%)
All	All	0.74	4/8166 (0.0%)	0.92	12/11090 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	79	MET	SD-CE	-8.48	1.58	1.79
1	B	501	ALA	C-N	-7.04	1.23	1.33
1	A	90	MET	SD-CE	-6.74	1.62	1.79
1	A	501	ALA	C-N	-6.13	1.24	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	58	HIS	CA-CB-CG	-9.32	104.47	113.80
1	B	58	HIS	CB-CA-C	7.72	125.22	109.55
1	A	58	HIS	CA-CB-CG	-7.42	106.39	113.80
1	B	60	HIS	CA-CB-CG	-6.34	107.46	113.80
1	A	58	HIS	CB-CA-C	6.29	120.59	109.65
1	A	58	HIS	N-CA-C	5.62	120.29	113.38
1	B	60	HIS	CB-CG-CD2	-5.43	124.15	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	58	HIS	CB-CG-CD2	-5.36	124.23	131.20
1	B	457	TRP	O-C-N	5.35	129.60	123.02
1	B	40	GLU	N-CA-C	5.15	116.70	111.14
1	B	457	TRP	CA-C-N	5.12	131.31	121.54
1	B	457	TRP	C-N-CA	5.12	131.31	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	58	HIS	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3963	0	3757	89	0
1	B	3963	0	3757	81	0
2	A	15	0	8	1	0
2	B	15	0	8	0	0
3	A	11	0	10	17	0
3	B	11	0	10	19	0
4	A	215	0	0	22	0
4	B	276	0	0	17	0
All	All	8469	0	7550	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:HIS:CE1	1:A:232:HIS:CE1	2.04	1.46
1:A:161:HIS:ND1	1:A:232:HIS:CE1	1.84	1.43
1:A:56:PHE:O	1:A:60:HIS:CE1	1.72	1.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:HIS:CE1	1:A:232:HIS:HE1	1.38	1.38
1:B:238:HIS:HD2	1:B:239:ALA:N	1.17	1.38
1:B:56:PHE:O	1:B:60:HIS:NE2	1.59	1.33
1:B:55:HIS:NE2	4:B:2029:HOH:O	1.62	1.27
1:B:56:PHE:CD1	1:B:60:HIS:HE1	1.55	1.23
1:B:238:HIS:CD2	1:B:239:ALA:N	2.08	1.21
1:A:232:HIS:HD2	1:A:233:ASN:N	1.41	1.17
1:A:56:PHE:C	1:A:60:HIS:HE1	1.57	1.12
1:B:161:HIS:ND1	1:B:232:HIS:NE2	1.95	1.12
1:A:55:HIS:NE2	4:A:2020:HOH:O	1.82	1.10
1:B:458:SER:HA	4:B:2250:HOH:O	1.49	1.09
1:B:55:HIS:HD2	1:B:56:PHE:N	1.52	1.05
1:B:56:PHE:CD1	1:B:60:HIS:CE1	2.43	1.05
1:B:56:PHE:O	1:B:60:HIS:CD2	2.09	1.04
1:A:161:HIS:ND1	1:A:232:HIS:NE2	1.94	1.02
1:B:161:HIS:ND1	1:B:232:HIS:CE1	2.28	1.02
1:B:238:HIS:CD2	1:B:238:HIS:C	2.37	1.00
1:A:232:HIS:CD2	1:A:233:ASN:N	2.31	0.98
1:A:56:PHE:O	1:A:60:HIS:ND1	1.95	0.98
1:B:58:HIS:HE1	1:B:69:ASN:CB	1.77	0.97
1:A:232:HIS:CD2	1:A:232:HIS:C	2.39	0.95
1:B:238:HIS:HE1	1:B:293:VAL:HG12	1.34	0.91
1:A:56:PHE:O	1:A:60:HIS:HE1	1.30	0.90
1:B:60:HIS:CD2	1:B:60:HIS:O	2.25	0.90
1:B:58:HIS:HE1	1:B:69:ASN:HB3	1.35	0.89
1:B:232:HIS:HB2	4:B:2174:HOH:O	1.72	0.89
1:B:55:HIS:CD2	1:B:56:PHE:N	2.40	0.88
1:B:55:HIS:CD2	1:B:55:HIS:C	2.53	0.86
1:A:232:HIS:HD2	1:A:232:HIS:C	1.81	0.85
1:A:56:PHE:C	1:A:60:HIS:CE1	2.41	0.85
1:A:464:GLU:OE2	3:A:1503:BGC:O6	1.93	0.85
1:B:238:HIS:HD2	1:B:238:HIS:C	1.79	0.84
1:B:161:HIS:CE1	1:B:232:HIS:NE2	2.45	0.83
1:B:238:HIS:CE1	1:B:293:VAL:HG12	2.13	0.83
1:A:232:HIS:HB2	4:A:2093:HOH:O	1.79	0.82
3:B:1503:BGC:H4	4:B:2276:HOH:O	1.76	0.81
1:A:465:TRP:CD1	3:A:1503:BGC:O6	2.33	0.81
1:B:60:HIS:CD2	1:B:60:HIS:C	2.54	0.81
3:A:1503:BGC:O2	4:A:2215:HOH:O	1.99	0.81
1:A:57:CYS:C	1:A:58:HIS:HD2	1.89	0.81
1:A:464:GLU:CD	3:A:1503:BGC:O6	2.24	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:PHE:C	1:B:60:HIS:NE2	2.40	0.79
1:A:238:HIS:ND1	1:A:238:HIS:C	2.41	0.79
1:B:58:HIS:CE1	1:B:69:ASN:ND2	2.51	0.79
3:B:1503:BGC:C4	4:B:2276:HOH:O	2.18	0.78
1:B:60:HIS:C	1:B:60:HIS:HD2	1.92	0.77
1:A:161:HIS:ND1	1:A:232:HIS:HE1	1.44	0.77
1:B:191:ASP:OD2	3:B:1503:BGC:C2	2.33	0.76
1:B:56:PHE:CE1	1:B:60:HIS:CE1	2.73	0.75
1:B:465:TRP:CD1	3:B:1503:BGC:O6	2.39	0.75
1:A:464:GLU:CD	3:A:1503:BGC:H6	1.94	0.74
1:B:232:HIS:C	1:B:232:HIS:ND1	2.46	0.74
1:B:414:THR:HG23	1:B:417:THR:H	1.52	0.73
1:B:58:HIS:CE1	1:B:69:ASN:HB3	2.22	0.73
1:B:56:PHE:CE1	1:B:60:HIS:HE1	2.06	0.71
1:B:58:HIS:CE1	1:B:69:ASN:CB	2.69	0.70
1:B:238:HIS:HD2	1:B:239:ALA:CA	2.05	0.69
1:B:238:HIS:HD2	1:B:239:ALA:H	1.32	0.69
3:A:1503:BGC:C4	4:A:2214:HOH:O	2.38	0.69
3:A:1503:BGC:H4	4:A:2214:HOH:O	1.92	0.68
1:B:238:HIS:CD2	1:B:239:ALA:CA	2.76	0.68
1:B:238:HIS:NE2	1:B:321:LEU:HD23	2.09	0.67
3:B:1503:BGC:O2	4:B:2273:HOH:O	2.07	0.67
1:A:191:ASP:OD2	3:A:1503:BGC:H2	1.95	0.67
3:B:1503:BGC:O2	4:B:2274:HOH:O	2.12	0.65
1:B:56:PHE:CG	1:B:60:HIS:CE1	2.85	0.65
1:A:191:ASP:OD2	3:A:1503:BGC:C2	2.45	0.65
1:B:191:ASP:OD2	3:B:1503:BGC:H2	1.96	0.65
1:B:58:HIS:CE1	1:B:69:ASN:HD22	2.13	0.64
1:A:57:CYS:C	1:A:58:HIS:CD2	2.75	0.64
3:B:1503:BGC:H5	4:B:2254:HOH:O	1.99	0.63
1:A:238:HIS:NE2	1:A:321:LEU:HD23	2.13	0.63
1:B:191:ASP:OD2	3:B:1503:BGC:O2	2.17	0.63
1:B:90:MET:HE1	1:B:475:ILE:HD12	1.81	0.63
1:B:198:VAL:HG13	1:B:204:VAL:HG22	1.80	0.62
1:A:238:HIS:ND1	1:A:239:ALA:N	2.47	0.62
1:A:465:TRP:HD1	3:A:1503:BGC:O6	1.81	0.62
1:A:60:HIS:CD2	1:A:63:ARG:HB2	2.34	0.61
1:B:464:GLU:OE1	3:B:1503:BGC:H6C2	2.00	0.61
1:A:238:HIS:CE1	1:A:321:LEU:HD23	2.36	0.61
1:A:60:HIS:CG	1:A:60:HIS:O	2.53	0.61
1:B:58:HIS:NE2	1:B:69:ASN:ND2	2.49	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:58:HIS:HE1	1:B:69:ASN:CG	2.10	0.60
1:B:465:TRP:NE1	3:B:1503:BGC:O6	2.35	0.60
1:A:161:HIS:HE1	1:A:232:HIS:CE1	2.07	0.60
1:A:238:HIS:C	1:A:238:HIS:HD1	2.07	0.60
1:A:57:CYS:O	1:A:58:HIS:HD2	1.84	0.59
1:A:198:VAL:HG13	1:A:204:VAL:HG22	1.85	0.58
1:A:238:HIS:NE2	1:A:321:LEU:CD2	2.66	0.58
1:B:79:MET:HE1	1:B:483:ASN:O	2.02	0.58
1:A:458:SER:HA	4:A:2189:HOH:O	2.02	0.57
1:A:191:ASP:OD2	3:A:1503:BGC:O2	2.22	0.57
1:A:238:HIS:NE2	1:A:293:VAL:HG12	2.19	0.57
1:B:58:HIS:CE1	1:B:69:ASN:CG	2.82	0.57
3:A:1503:BGC:H6C1	4:A:2214:HOH:O	2.04	0.56
1:B:60:HIS:CD2	1:B:60:HIS:N	2.68	0.56
1:B:308:GLU:HB3	4:B:2080:HOH:O	2.06	0.56
1:B:58:HIS:CE1	4:B:2030:HOH:O	2.57	0.56
1:A:465:TRP:HE1	3:A:1503:BGC:H6C1	1.71	0.56
1:A:90:MET:HE1	1:A:475:ILE:HD12	1.86	0.56
1:B:55:HIS:HD2	1:B:56:PHE:CA	2.18	0.55
1:B:464:GLU:OE1	3:B:1503:BGC:C6	2.55	0.55
2:A:1502:HBO:O3B	4:A:2213:HOH:O	2.18	0.54
1:B:465:TRP:CD1	3:B:1503:BGC:H6	2.26	0.54
1:B:198:VAL:CG1	1:B:204:VAL:HG22	2.36	0.53
1:A:60:HIS:CD2	1:A:60:HIS:O	2.61	0.53
1:A:60:HIS:HB3	4:A:2022:HOH:O	2.09	0.53
1:A:414:THR:HG23	1:A:417:THR:H	1.73	0.52
1:A:419:LEU:HD13	1:A:424:ALA:HB2	1.91	0.52
1:B:75:ASN:HD21	1:B:78:HIS:HD2	1.58	0.52
1:A:52:ASN:N	1:A:52:ASN:HD22	2.08	0.52
3:B:1503:BGC:C1	4:B:2275:HOH:O	2.58	0.52
1:B:55:HIS:ND1	1:B:147:GLN:NE2	2.58	0.51
1:B:52:ASN:HD21	1:B:144:ASP:HA	1.74	0.51
1:B:232:HIS:CE1	1:B:233:ASN:OD1	2.63	0.51
1:A:198:VAL:CG1	1:A:204:VAL:HG22	2.40	0.51
1:B:52:ASN:HD22	1:B:52:ASN:N	2.09	0.51
1:A:406:GLU:OE2	3:A:1503:BGC:O3	2.28	0.50
1:B:198:VAL:CG1	1:B:204:VAL:CG2	2.89	0.50
1:B:58:HIS:HB2	4:B:2026:HOH:O	2.11	0.50
1:A:240:GLU:HG2	4:A:2095:HOH:O	2.10	0.50
1:A:351:LEU:HD23	4:A:2072:HOH:O	2.12	0.50
1:A:55:HIS:CD2	4:A:2020:HOH:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:HIS:O	1:B:60:HIS:CG	2.66	0.49
1:A:330:LEU:HG	1:A:389:LEU:HD21	1.94	0.48
1:B:55:HIS:CD2	4:B:2029:HOH:O	2.39	0.47
1:B:464:GLU:OE2	3:B:1503:BGC:C6	2.62	0.47
1:A:60:HIS:HD2	1:A:63:ARG:HG3	1.79	0.47
1:B:326:ASN:O	1:B:401:PRO:HG2	2.14	0.47
1:A:482:ASN:ND2	4:A:2197:HOH:O	2.47	0.47
1:B:101:TRP:HB3	1:B:102:PRO:HD3	1.96	0.47
1:B:464:GLU:CD	3:B:1503:BGC:H6C2	2.39	0.47
1:A:371:GLY:HA3	1:A:381:MET:O	2.15	0.47
1:A:464:GLU:OE1	3:A:1503:BGC:H6C2	2.15	0.47
3:B:1503:BGC:O4	4:B:2276:HOH:O	1.72	0.46
1:A:90:MET:HE3	1:A:492:ALA:O	2.16	0.46
1:A:52:ASN:HD21	1:A:144:ASP:HA	1.80	0.46
1:A:351:LEU:CD2	4:A:2072:HOH:O	2.63	0.46
1:A:223:SER:CB	4:A:2072:HOH:O	2.63	0.46
1:A:56:PHE:CG	1:A:60:HIS:CE1	3.04	0.45
1:A:464:GLU:OE1	3:A:1503:BGC:O6	2.34	0.45
1:A:275:LYS:NZ	1:A:279:GLU:OE2	2.49	0.45
1:B:465:TRP:HD1	3:B:1503:BGC:H6	1.63	0.45
1:B:458:SER:HB2	1:B:473:TYR:O	2.16	0.45
1:A:60:HIS:ND1	1:A:60:HIS:N	2.65	0.45
1:A:165:VAL:CG1	1:A:240:GLU:HG3	2.46	0.45
1:A:394:LYS:NZ	4:A:2159:HOH:O	2.45	0.45
1:A:376:ASN:HB2	1:A:377:PRO:CD	2.47	0.45
1:A:60:HIS:HD2	1:A:63:ARG:CG	2.30	0.44
1:B:58:HIS:CB	4:B:2026:HOH:O	2.65	0.44
1:B:238:HIS:HB2	4:B:2135:HOH:O	2.18	0.44
1:A:56:PHE:CE1	1:A:60:HIS:NE2	2.85	0.44
1:B:462:ASN:C	1:B:462:ASN:HD22	2.25	0.44
1:A:213:GLY:HA3	4:A:2079:HOH:O	2.17	0.44
1:A:464:GLU:OE1	3:A:1503:BGC:C6	2.66	0.43
1:A:191:ASP:OD1	1:A:261:ASP:HB3	2.19	0.43
1:A:58:HIS:CD2	1:A:58:HIS:N	2.83	0.43
1:A:248:HIS:HB3	4:A:2099:HOH:O	2.19	0.43
1:A:56:PHE:CA	1:A:60:HIS:HE1	2.29	0.43
1:B:238:HIS:CG	4:B:2135:HOH:O	2.72	0.43
1:A:98:SER:HA	1:A:139:THR:O	2.18	0.43
1:A:462:ASN:C	1:A:462:ASN:HD22	2.27	0.43
1:A:462:ASN:ND2	4:A:2190:HOH:O	2.42	0.43
1:A:303:ARG:HH22	1:A:312:PHE:HA	1.84	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:ASN:OD1	1:B:79:MET:HE3	2.19	0.42
1:A:82:THR:HG23	4:A:2011:HOH:O	2.19	0.41
1:A:433:TYR:CE2	1:A:437:HIS:HE1	2.39	0.41
1:B:232:HIS:C	1:B:232:HIS:HD1	2.25	0.41
1:B:308:GLU:HG2	1:B:309:ARG:N	2.35	0.41
1:A:101:TRP:HB3	1:A:102:PRO:HD3	2.03	0.41
1:A:214:LEU:CD1	4:A:2072:HOH:O	2.68	0.41
1:A:262:VAL:HG11	1:A:389:LEU:HD21	2.01	0.41
1:A:429:LYS:NZ	4:A:2179:HOH:O	2.53	0.41
1:B:464:GLU:OE2	3:B:1503:BGC:H6C2	2.21	0.41
1:A:224:LEU:HD13	1:A:350:VAL:O	2.19	0.41
1:B:60:HIS:O	1:B:60:HIS:HD2	1.87	0.41
1:A:96:ARG:HA	1:A:137:TYR:O	2.21	0.40
1:A:114:ILE:O	1:A:116:PRO:HD3	2.21	0.40
1:A:56:PHE:CA	1:A:60:HIS:CE1	3.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/512 (96%)	468 (96%)	20 (4%)	1 (0%)	43	36
1	B	489/512 (96%)	470 (96%)	18 (4%)	1 (0%)	43	36
All	All	978/1024 (96%)	938 (96%)	38 (4%)	2 (0%)	43	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	458	SER
1	B	458	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	423/441 (96%)	401 (95%)	22 (5%)	21	13
1	B	423/441 (96%)	401 (95%)	22 (5%)	21	13
All	All	846/882 (96%)	802 (95%)	44 (5%)	21	13

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	MET
1	A	14	SER
1	A	52	ASN
1	A	55	HIS
1	A	70	SER
1	A	111	GLU
1	A	162	LYS
1	A	191	ASP
1	A	224	LEU
1	A	232	HIS
1	A	238	HIS
1	A	262	VAL
1	A	263	MET
1	A	316	GLU
1	A	328	LEU
1	A	330	LEU
1	A	348	SER
1	A	386	LEU
1	A	419	LEU
1	A	429	LYS
1	A	459	LEU
1	A	462	ASN
1	B	13	LEU
1	B	52	ASN
1	B	55	HIS
1	B	70	SER
1	B	86	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	111	GLU
1	B	162	LYS
1	B	191	ASP
1	B	224	LEU
1	B	232	HIS
1	B	238	HIS
1	B	250	LYS
1	B	262	VAL
1	B	263	MET
1	B	328	LEU
1	B	330	LEU
1	B	348	SER
1	B	386	LEU
1	B	419	LEU
1	B	429	LYS
1	B	459	LEU
1	B	462	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	75	ASN
1	A	193	GLN
1	A	246	ASN
1	A	407	ASN
1	A	452	GLN
1	A	462	ASN
1	B	52	ASN
1	B	75	ASN
1	B	132	ASN
1	B	178	ASN
1	B	238	HIS
1	B	246	ASN
1	B	407	ASN
1	B	452	GLN
1	B	462	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BGC	B	1503	2	11,11,12	1.37	2 (18%)	15,15,17	3.11	7 (46%)
2	HBO	B	1502	3	15,16,16	2.46	4 (26%)	16,23,23	3.21	6 (37%)
2	HBO	A	1502	3	15,16,16	2.15	3 (20%)	16,23,23	3.91	6 (37%)
3	BGC	A	1503	2	11,11,12	0.82	0	15,15,17	1.99	6 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BGC	B	1503	2	-	2/2/19/22	0/1/1/1
2	HBO	B	1502	3	-	2/2/18/18	0/2/2/2
2	HBO	A	1502	3	-	2/2/18/18	0/2/2/2
3	BGC	A	1503	2	-	2/2/19/22	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1502	HBO	C4B-C1B	6.86	1.51	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1502	HBO	C4B-C1B	6.74	1.50	1.40
2	B	1502	HBO	O1A-C2B	4.55	1.49	1.38
2	A	1502	HBO	O1A-C2B	3.25	1.46	1.38
2	B	1502	HBO	O1B-C1B	3.08	1.42	1.38
2	A	1502	HBO	O1B-C1B	2.19	1.41	1.38
2	B	1502	HBO	C2B-C3B	2.15	1.54	1.51
3	B	1503	BGC	O3-C3	-2.11	1.37	1.43
3	B	1503	BGC	C4-C5	-2.06	1.48	1.53

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1502	HBO	C1B-O1B-C2B	-11.18	106.50	116.44
2	A	1502	HBO	OHB-N3B-C3B	8.71	124.19	116.88
2	B	1502	HBO	C1B-O1B-C2B	-7.86	109.45	116.44
2	B	1502	HBO	OHB-N3B-C3B	6.40	122.26	116.88
3	B	1503	BGC	O3-C3-C4	-5.30	97.89	110.38
3	B	1503	BGC	C1-C2-C3	5.29	117.34	109.64
2	B	1502	HBO	O3B-C3B-C2B	4.73	125.64	119.29
3	B	1503	BGC	C3-C4-C5	-4.46	102.15	110.23
3	B	1503	BGC	O2-C2-C3	-4.43	100.98	110.15
2	B	1502	HBO	O1B-C1B-C8B	4.20	123.46	116.29
2	A	1502	HBO	O1B-C1B-C8B	4.07	123.24	116.29
3	B	1503	BGC	O5-C5-C6	4.06	115.56	107.66
3	A	1503	BGC	C1-O5-C5	3.61	117.02	112.19
3	A	1503	BGC	C6-C5-C4	-3.18	105.22	113.02
3	A	1503	BGC	O4-C4-C3	2.82	117.01	110.38
3	A	1503	BGC	C3-C4-C5	-2.76	105.22	110.23
2	A	1502	HBO	O3B-C3B-C2B	2.74	122.97	119.29
2	B	1502	HBO	C8B-C1B-C4B	-2.66	117.13	120.59
3	A	1503	BGC	C1-C2-C3	2.60	113.42	109.64
2	A	1502	HBO	C8B-C1B-C4B	-2.56	117.27	120.59
3	B	1503	BGC	O5-C5-C4	-2.55	104.62	110.83
2	B	1502	HBO	C1B-C4B-N3B	-2.43	116.33	118.20
3	B	1503	BGC	O5-C1-C2	-2.38	105.10	110.79
2	A	1502	HBO	C1B-C4B-N3B	-2.21	116.50	118.20
3	A	1503	BGC	O5-C5-C6	2.05	111.65	107.66

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1502	HBO	C8B-C7B-O7B-C9B
2	A	1502	HBO	C6B-C7B-O7B-C9B
2	A	1502	HBO	C8B-C7B-O7B-C9B
2	B	1502	HBO	C6B-C7B-O7B-C9B
3	A	1503	BGC	O5-C5-C6-O6
3	B	1503	BGC	O5-C5-C6-O6
3	A	1503	BGC	C4-C5-C6-O6
3	B	1503	BGC	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1503	BGC	19	0
2	A	1502	HBO	1	0
3	A	1503	BGC	17	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	491/512 (95%)	0.44	19 (3%)	43 46	7, 15, 26, 44	1 (0%)
1	B	491/512 (95%)	0.02	13 (2%)	57 61	7, 15, 26, 39	1 (0%)
All	All	982/1024 (95%)	0.23	32 (3%)	49 52	7, 15, 26, 44	2 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	58	HIS	7.9
1	B	60	HIS	6.7
1	A	232	HIS	6.4
1	B	55	HIS	6.4
1	B	238	HIS	6.4
1	A	55	HIS	6.3
1	B	232	HIS	6.3
1	A	60	HIS	5.6
1	B	58	HIS	5.6
1	A	238	HIS	5.3
1	B	458	SER	3.9
1	A	414	THR	3.4
1	A	458	SER	3.4
1	A	12	MET	3.2
1	A	210	CYS	3.2
1	A	13	LEU	2.9
1	A	501	ALA	2.9
1	A	482	ASN	2.8
1	A	57	CYS	2.8
1	B	12	MET	2.8
1	A	120	LYS	2.6
1	A	148	ALA	2.6
1	B	502	LYS	2.4
1	B	482	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	218	TYR	2.3
1	A	204	VAL	2.3
1	B	252	ASP	2.2
1	A	59	ASN	2.1
1	B	13	LEU	2.1
1	A	153	TYR	2.1
1	B	414	THR	2.1
1	B	501	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	HBO	B	1502	15/15	0.32	0.24	42,47,48,50	0
2	HBO	A	1502	15/15	0.56	0.20	39,44,47,48	0
3	BGC	A	1503	11/12	0.72	0.20	19,33,38,42	0
3	BGC	B	1503	11/12	0.80	0.18	19,31,36,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.