



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:07 PM UTC

PDB ID : 3H49 / pdb_00003h49
Title : Crystal structure of a putative Ribokinase (Apo Form) from E.coli at 1.8Å resolution
Authors : Satyanarayana, L.; Eswaramoorthy, S.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2009-04-18
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	
1	B	325	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 4901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribokinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	307	Total	C	N	O	S	Se	0	0	0
			2321	1463	396	448	8	6			
1	B	299	Total	C	N	O	S	Se	0	0	0
			2269	1432	387	436	8	6			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP P77493
A	0	SER	-	expression tag	UNP P77493
A	1	LEU	-	expression tag	UNP P77493
A	316	GLU	-	expression tag	UNP P77493
A	317	GLY	-	expression tag	UNP P77493
A	318	HIS	-	expression tag	UNP P77493
A	319	HIS	-	expression tag	UNP P77493
A	320	HIS	-	expression tag	UNP P77493
A	321	HIS	-	expression tag	UNP P77493
A	322	HIS	-	expression tag	UNP P77493
A	323	HIS	-	expression tag	UNP P77493
B	-1	MSE	-	expression tag	UNP P77493
B	0	SER	-	expression tag	UNP P77493
B	1	LEU	-	expression tag	UNP P77493
B	316	GLU	-	expression tag	UNP P77493
B	317	GLY	-	expression tag	UNP P77493
B	318	HIS	-	expression tag	UNP P77493
B	319	HIS	-	expression tag	UNP P77493
B	320	HIS	-	expression tag	UNP P77493
B	321	HIS	-	expression tag	UNP P77493
B	322	HIS	-	expression tag	UNP P77493
B	323	HIS	-	expression tag	UNP P77493


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	152	Total 152	O 152	0	0
2	B	159	Total 159	O 159	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ribokinase



• Molecule 1: Ribokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.09Å 73.72Å 82.15Å 90.00° 96.49° 90.00°	Depositor
Resolution (Å)	34.71 – 1.80 34.71 – 1.80	Depositor EDS
% Data completeness (in resolution range)	94.5 (34.71-1.80) 94.6 (34.71-1.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.34 (at 1.81Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.213 , 0.237 0.211 , 0.237	Depositor DCC
R_{free} test set	1984 reflections (3.84%)	wwPDB-VP
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4901	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0304e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2342	0.92	7/3156 (0.2%)
1	B	0.39	0/2289	0.91	10/3081 (0.3%)
All	All	0.39	0/4631	0.92	17/6237 (0.3%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	142	ILE	N-CA-C	-8.33	98.13	109.37
1	B	142	ILE	N-CA-C	-8.21	98.98	109.58
1	A	141	SER	N-CA-C	6.24	124.09	110.80
1	B	102	VAL	N-CA-C	6.17	116.81	108.17
1	A	166	ILE	N-CA-C	-6.06	100.96	109.21
1	B	145	SER	CA-C-N	5.93	126.35	119.47
1	B	145	SER	C-N-CA	5.93	126.35	119.47
1	A	140	ALA	CA-C-N	5.81	132.64	121.54
1	A	140	ALA	C-N-CA	5.81	132.64	121.54
1	B	111	VAL	N-CA-C	-5.45	99.79	107.75
1	B	244	VAL	CA-C-N	5.45	125.44	120.21
1	B	244	VAL	C-N-CA	5.45	125.44	120.21
1	B	166	ILE	N-CA-C	-5.28	101.93	108.89
1	B	108	ARG	N-CA-C	5.22	116.78	108.79
1	A	111	VAL	N-CA-C	-5.20	100.26	107.80
1	B	190	VAL	N-CA-C	5.16	115.70	108.89
1	A	6	VAL	N-CA-C	5.01	117.02	108.86

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2321	0	2373	87	0
1	B	2269	0	2322	59	0
2	A	152	0	0	21	0
2	B	159	0	0	8	0
All	All	4901	0	4695	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:ASP:HA	2:A:351:HOH:O	1.57	1.00
1:A:240:MSE:HE1	1:A:242:MSE:HB2	1.44	1.00
1:A:304:LYS:HA	2:A:426:HOH:O	1.63	0.98
1:B:139:LEU:HD21	1:B:153:LEU:HD22	1.45	0.94
1:B:229:GLY:O	1:B:230:LYS:HB2	1.69	0.93
1:A:252:ALA:HB1	1:A:291:VAL:HB	1.50	0.92
1:A:16:ILE:HG12	1:A:38:MSE:HG2	1.53	0.91
1:A:3:ASN:HD22	1:A:3:ASN:N	1.69	0.90
1:A:304:LYS:HG2	2:A:340:HOH:O	1.74	0.88
1:A:307:GLU:HB2	2:A:426:HOH:O	1.77	0.83
1:A:19:GLN:HB2	1:A:102:VAL:HB	1.60	0.83
1:A:16:ILE:HD11	1:A:38:MSE:HE3	1.59	0.82
1:A:14:VAL:HG11	1:A:38:MSE:HE2	1.63	0.81
1:B:139:LEU:HD22	1:B:157:PHE:CZ	2.18	0.79
1:A:206:LYS:HB3	1:A:211:GLU:HG3	1.65	0.79
1:B:301:LYS:HB3	1:B:304:LYS:HG2	1.65	0.77
1:A:37:ALA:HB2	2:A:439:HOH:O	1.82	0.77
1:B:139:LEU:HD21	1:B:153:LEU:CD2	2.17	0.74
1:B:74:LEU:HD22	1:B:84:ILE:HD12	1.70	0.73
1:A:240:MSE:CE	1:A:242:MSE:HB2	2.18	0.73
1:A:251:THR:HG23	1:A:252:ALA:H	1.58	0.69
1:A:196:ASN:HB3	2:A:457:HOH:O	1.92	0.68
1:B:19:GLN:HB2	1:B:102:VAL:HB	1.74	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:ILE:HD12	1:A:294:VAL:HG13	1.75	0.68
1:B:236:LYS:HG3	1:B:241:THR:HG22	1.75	0.68
1:A:3:ASN:OD1	1:A:57:ARG:NH1	2.27	0.67
1:A:254:ASP:OD2	1:A:256:ILE:HG12	1.95	0.67
1:A:196:ASN:HB3	2:A:367:HOH:O	1.97	0.65
1:A:251:THR:HG22	2:A:415:HOH:O	1.97	0.65
1:B:74:LEU:O	1:B:78:ARG:HG3	1.98	0.64
1:A:277:ARG:HB3	1:A:277:ARG:NH1	2.13	0.62
1:B:298:THR:HG21	1:B:302:ASN:ND2	2.15	0.62
1:A:199:GLU:HG3	2:A:367:HOH:O	2.00	0.62
1:B:301:LYS:HB3	1:B:304:LYS:CG	2.30	0.62
1:A:3:ASN:O	1:A:57:ARG:HB3	2.00	0.61
1:A:35:ARG:HD2	2:A:459:HOH:O	1.99	0.61
1:B:74:LEU:HD21	1:B:87:LEU:HD23	1.83	0.61
1:B:74:LEU:CD2	1:B:87:LEU:HD23	2.31	0.61
1:A:3:ASN:N	1:A:3:ASN:ND2	2.39	0.60
1:B:122:ASN:ND2	1:B:124:ASP:H	2.00	0.60
1:A:229:GLY:O	1:A:230:LYS:HB2	2.00	0.60
1:A:173:LYS:HG3	1:A:199:GLU:OE2	2.01	0.59
1:A:232:GLY:H	1:A:246:ALA:HB2	1.66	0.59
1:B:49:THR:OG1	1:B:76:HIS:HE1	1.83	0.59
1:A:3:ASN:ND2	2:A:350:HOH:O	2.36	0.58
1:A:211:GLU:HB2	2:A:461:HOH:O	2.03	0.58
1:B:139:LEU:CD2	1:B:153:LEU:HD22	2.26	0.57
1:B:4:LEU:HD22	1:B:134:ALA:HB2	1.87	0.57
1:B:50:ILE:HD13	1:B:261:ASN:HA	1.87	0.57
1:A:229:GLY:O	1:A:230:LYS:CB	2.52	0.56
1:B:59:ALA:HA	1:B:83:ASP:HB3	1.87	0.56
1:A:252:ALA:CB	1:A:291:VAL:HB	2.28	0.56
1:B:300:VAL:HG12	1:B:301:LYS:N	2.21	0.56
1:A:139:LEU:HD23	1:A:142:ILE:HG12	1.87	0.56
1:B:141:SER:N	1:B:170:ASP:OD1	2.39	0.56
1:A:217:LEU:HD11	1:A:236:LYS:HG3	1.87	0.55
1:A:71:GLN:NE2	2:A:435:HOH:O	2.39	0.55
1:A:14:VAL:CG1	1:A:38:MSE:HE2	2.35	0.55
1:A:235:ILE:HG21	1:A:276:LEU:HD21	1.89	0.55
1:B:229:GLY:O	1:B:230:LYS:CB	2.49	0.54
1:A:251:THR:O	1:A:252:ALA:HB3	2.07	0.53
1:A:201:LYS:HG3	1:A:206:LYS:O	2.08	0.53
1:B:139:LEU:HD22	1:B:157:PHE:HZ	1.72	0.53
1:A:193:LEU:HG	1:A:195:PRO:HD3	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:ILE:O	1:B:143:PHE:HB2	2.08	0.52
1:A:10:GLY:HA3	1:A:44:ALA:HB2	1.91	0.52
1:A:175:ARG:NH1	2:A:404:HOH:O	2.41	0.52
1:A:163:ARG:HH11	1:A:163:ARG:HG3	1.74	0.52
1:A:232:GLY:N	1:A:246:ALA:HB2	2.25	0.51
1:A:274:LYS:HB3	1:A:278:GLU:HB2	1.93	0.51
1:B:4:LEU:N	2:B:411:HOH:O	2.43	0.51
1:B:62:SER:HB3	1:B:87:LEU:CD1	2.40	0.51
1:B:144:ASN:HA	1:B:172:ILE:HD11	1.93	0.51
1:B:118:LEU:C	1:B:118:LEU:HD23	2.37	0.50
1:A:208:THR:OG1	1:A:211:GLU:HG2	2.11	0.50
1:B:240:MSE:HG2	1:B:241:THR:N	2.25	0.50
1:A:228:THR:O	1:A:229:GLY:C	2.55	0.49
1:B:295:GLY:HA2	1:B:302:ASN:HD21	1.78	0.49
1:A:208:THR:O	1:A:212:ILE:HG13	2.13	0.49
1:B:35:ARG:NH1	1:B:37:ALA:HB3	2.28	0.48
1:A:142:ILE:O	1:A:143:PHE:HB2	2.13	0.48
1:A:63:ARG:NH2	2:A:460:HOH:O	2.46	0.48
1:B:292:LEU:O	2:B:439:HOH:O	2.20	0.48
1:A:74:LEU:HD21	1:A:87:LEU:HD22	1.95	0.48
1:A:254:ASP:CG	1:A:256:ILE:HG12	2.37	0.48
1:A:118:LEU:C	1:A:118:LEU:HD23	2.39	0.48
1:B:292:LEU:HD12	2:B:439:HOH:O	2.14	0.48
1:A:173:LYS:HE3	1:A:199:GLU:HG2	1.95	0.47
1:A:63:ARG:HD2	1:A:125:ASP:OD1	2.14	0.47
1:A:141:SER:HB3	1:A:172:ILE:HG23	1.96	0.47
1:B:143:PHE:CE2	1:B:171:MSE:HE2	2.49	0.47
1:A:59:ALA:HA	1:A:83:ASP:HB3	1.97	0.47
1:A:139:LEU:HD22	1:A:153:LEU:HD22	1.97	0.47
1:B:134:ALA:HB3	1:B:165:MSE:HE3	1.96	0.47
1:B:35:ARG:HH11	1:B:37:ALA:HB3	1.80	0.47
1:B:90:ASP:HB3	1:B:93:ILE:HG12	1.97	0.47
1:B:275:ASN:OD1	1:B:278:GLU:HG3	2.15	0.47
1:A:304:LYS:O	1:A:308:GLN:HB2	2.15	0.46
1:B:39:THR:HG23	2:B:342:HOH:O	2.16	0.46
1:B:69:ALA:HB3	1:B:95:THR:HB	1.98	0.45
1:A:108:ARG:HA	2:A:379:HOH:O	2.16	0.45
1:A:139:LEU:CD2	1:A:153:LEU:HD22	2.46	0.45
1:B:45:ILE:HG22	2:B:356:HOH:O	2.15	0.45
1:B:291:VAL:HG13	2:B:437:HOH:O	2.17	0.45
1:A:114:ARG:HH11	1:A:114:ARG:HG3	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:MSE:HE2	1:A:241:THR:C	2.41	0.45
1:B:144:ASN:HA	1:B:172:ILE:CD1	2.46	0.45
1:A:171:MSE:HE1	1:A:203:LEU:CD2	2.45	0.45
1:B:122:ASN:HD22	1:B:124:ASP:H	1.64	0.45
1:A:64:ILE:HG13	1:A:89:GLN:HG2	1.97	0.45
1:B:143:PHE:HE2	1:B:171:MSE:HE2	1.82	0.45
1:A:75:ASP:HA	1:A:78:ARG:NH1	2.32	0.45
1:A:144:ASN:HA	1:A:172:ILE:CD1	2.47	0.45
1:A:104:GLU:H	1:A:104:GLU:CD	2.26	0.44
1:A:253:ILE:HD11	1:A:293:SER:HA	1.99	0.44
1:B:10:GLY:HA3	1:B:44:ALA:HB2	2.00	0.44
1:A:87:LEU:C	1:A:87:LEU:HD23	2.43	0.44
1:A:251:THR:HG23	1:A:252:ALA:N	2.30	0.44
1:A:56:HIS:HE1	1:A:272:GLU:OE2	2.00	0.43
1:A:250:ILE:HA	2:A:415:HOH:O	2.17	0.43
1:B:131:PHE:HB3	1:B:163:ARG:HD2	2.00	0.43
1:A:35:ARG:NH1	2:A:428:HOH:O	2.50	0.43
1:A:131:PHE:HB3	1:A:163:ARG:HD2	2.01	0.43
1:A:302:ASN:HB2	2:A:340:HOH:O	2.18	0.43
1:A:78:ARG:CZ	1:A:78:ARG:HB2	2.49	0.43
1:A:139:LEU:HD21	1:A:153:LEU:CD2	2.49	0.43
1:A:196:ASN:CB	2:A:367:HOH:O	2.59	0.43
1:B:122:ASN:HD21	1:B:124:ASP:HB2	1.84	0.43
1:B:228:THR:O	1:B:229:GLY:C	2.61	0.43
1:B:285:ALA:HB2	1:B:310:LEU:HD21	2.01	0.42
1:B:175:ARG:O	1:B:176:LEU:HD23	2.19	0.42
1:A:136:LEU:C	1:A:136:LEU:HD23	2.45	0.42
1:A:161:LYS:HD3	1:A:161:LYS:HA	1.79	0.42
1:B:141:SER:HB3	1:B:172:ILE:HG23	2.02	0.42
1:B:291:VAL:HA	2:B:437:HOH:O	2.19	0.42
1:A:163:ARG:HG3	1:A:163:ARG:NH1	2.34	0.42
1:B:274:LYS:HB3	1:B:278:GLU:HB2	2.01	0.41
1:B:198:ALA:O	1:B:202:LEU:HD13	2.21	0.41
1:A:131:PHE:CB	1:A:163:ARG:HD2	2.51	0.41
1:A:160:ALA:HB3	1:A:167:ILE:HD11	2.03	0.41
1:B:103:THR:OG1	1:B:107:GLU:HB3	2.21	0.41
1:B:208:THR:O	1:B:212:ILE:HG13	2.21	0.40
1:A:139:LEU:HD21	1:A:153:LEU:HD21	2.03	0.40
1:B:122:ASN:HD21	1:B:124:ASP:CG	2.28	0.40
1:B:290:SER:HB3	2:B:393:HOH:O	2.20	0.40
1:A:35:ARG:CG	2:A:439:HOH:O	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/325 (94%)	292 (96%)	9 (3%)	4 (1%)	9	3
1	B	295/325 (91%)	284 (96%)	8 (3%)	3 (1%)	12	4
All	All	600/650 (92%)	576 (96%)	17 (3%)	7 (1%)	10	3

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	229	GLY
1	B	230	LYS
1	A	229	GLY
1	A	230	LYS
1	B	141	SER
1	A	141	SER
1	A	303	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/261 (97%)	245 (97%)	7 (3%)	38	26
1	B	247/261 (95%)	247 (100%)	0	100	100
All	All	499/522 (96%)	492 (99%)	7 (1%)	59	52

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	45	ILE
1	A	231	ASP
1	A	240	MSE
1	A	251	THR
1	A	254	ASP
1	A	294	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	HIS
1	A	71	GLN
1	A	81	ASN
1	A	133	GLN
1	B	76	HIS
1	B	89	GLN
1	B	122	ASN
1	B	302	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/325 (92%)	0.68	39 (12%) 7 6	14, 25, 47, 52	0
1	B	293/325 (90%)	0.35	29 (9%) 13 11	12, 22, 40, 46	0
All	All	594/650 (91%)	0.52	68 (11%) 10 8	12, 23, 44, 52	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	252	ALA	4.9
1	A	309	LEU	4.5
1	A	302	ASN	4.3
1	B	256	ILE	4.1
1	A	247	VAL	4.0
1	B	229	GLY	3.9
1	B	238	GLY	3.9
1	A	253	ILE	3.9
1	A	140	ALA	3.5
1	B	300	VAL	3.4
1	A	3	ASN	3.3
1	B	35	ARG	3.2
1	A	229	GLY	3.2
1	A	209	LEU	3.1
1	A	210	ASP	3.1
1	B	246	ALA	3.1
1	B	141	SER	3.0
1	A	107	GLU	3.0
1	A	197	PHE	3.0
1	B	140	ALA	3.0
1	A	88	LYS	2.9
1	A	254	ASP	2.9
1	A	305	LEU	2.9
1	B	310	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	4	LEU	2.9
1	B	239	ASP	2.8
1	B	295	GLY	2.8
1	A	141	SER	2.8
1	B	107	GLU	2.8
1	B	176	LEU	2.7
1	A	196	ASN	2.7
1	B	302	ASN	2.7
1	B	104	GLU	2.7
1	A	208	THR	2.7
1	A	181	ASP	2.6
1	B	202	LEU	2.6
1	B	291	VAL	2.6
1	A	105	ASP	2.6
1	B	299	GLY	2.5
1	A	308	GLN	2.5
1	A	246	ALA	2.5
1	A	212	ILE	2.4
1	A	251	THR	2.4
1	A	300	VAL	2.4
1	B	237	ARG	2.4
1	A	211	GLU	2.4
1	A	87	LEU	2.4
1	B	304	LYS	2.4
1	A	177	ASN	2.4
1	B	309	LEU	2.3
1	A	198	ALA	2.3
1	A	230	LYS	2.3
1	A	294	VAL	2.3
1	B	114	ARG	2.3
1	A	104	GLU	2.3
1	A	200	ALA	2.2
1	A	170	ASP	2.2
1	A	202	LEU	2.2
1	A	231	ASP	2.2
1	A	256	ILE	2.2
1	B	293	SER	2.1
1	B	298	THR	2.1
1	B	231	ASP	2.1
1	A	298	THR	2.1
1	B	308	GLN	2.0
1	A	292	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	296	ALA	2.0
1	B	255	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.