



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:37 AM UTC

PDB ID : 3H4B / pdb_00003h4b
Title : Ternary complex of human DNA polymerase iota with template U/T and incoming dATP
Authors : Jain, R.; Nair, D.T.; Johnson, R.E.; Prakash, L.; Prakash, S.; Aggarwal, A.K.
Deposited on : 2009-04-18
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	
2	P	7	
3	T	9	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 3404 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase iota.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
			2877	1809	504	543	21			


- Molecule 2 is a DNA chain called 5'-D(*AP*GP*GP*AP*CP*CP*(DOC))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	P	0	0	0
			139	67	29	37	6			

- Molecule 3 is a DNA chain called 5'-D(*TP*(BRU)P*GP*GP*GP*TP*CP*CP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	T	9	Total	Br	C	N	O	P	0	1
			201	2	96	31	63	9		0

- Molecule 4 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (CCD ID: DTP) (formula: C₁₀H₁₆N₅O₁₂P₃)



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	141	Total	O	0	0
			141	141		
6	P	7	Total	O	0	0
			7	7		
6	T	8	Total	O	0	0
			8	8		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA polymerase iota



- Molecule 2: 5'-D(*AP*GP*GP*AP*CP*CP*(DOC))-3'



- Molecule 3: 5'-D(*TP*(BRU)P*GP*GP*GP*TP*CP*CP*T)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	98.00Å 98.00Å 203.67Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.73 – 2.85 39.73 – 2.85	Depositor EDS
% Data completeness (in resolution range)	96.5 (39.73-2.85) 96.5 (39.73-2.85)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.91 (at 2.86Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.240 , 0.281 0.245 , 0.288	Depositor DCC
R_{free} test set	1094 reflections (7.72%)	wwPDB-VP
Wilson B-factor (Å ²)	45.5	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 63.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	3404	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, DOC, BRU, DTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/2915	0.97	12/3934 (0.3%)
2	P	0.33	0/136	0.76	0/208
3	T	0.34	0/178	0.96	0/271
All	All	0.45	0/3229	0.96	12/4413 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	2
3	T	0	2
All	All	0	4

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	ASN	N-CA-C	-9.29	101.37	112.89
1	A	214	LYS	N-CA-C	8.17	127.86	109.81
1	A	87	LYS	N-CA-C	-7.87	104.56	114.56
1	A	283	LYS	N-CA-C	-5.94	104.88	111.36
1	A	297	GLY	CA-C-N	5.74	123.79	119.66
1	A	297	GLY	C-N-CA	5.74	123.79	119.66
1	A	226	CYS	N-CA-C	5.71	117.18	111.07
1	A	175	VAL	N-CA-C	-5.41	105.23	110.42
1	A	390	LEU	N-CA-C	-5.29	105.68	111.82
1	A	212	VAL	N-CA-C	5.16	115.78	110.36
1	A	47	ASN	CA-C-N	5.15	125.19	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	47	ASN	C-N-CA	5.15	125.19	119.32

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	P	871	DC	Sidechain
2	P	872	DC	Sidechain
3	T	842	DG	Sidechain
3	T	843	DG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2877	0	2899	168	0
2	P	139	0	79	4	0
3	T	201	0	111	29	0
4	A	30	0	10	3	0
5	A	1	0	0	0	0
6	A	141	0	0	9	0
6	P	7	0	0	1	0
6	T	8	0	0	2	0
All	All	3404	0	3099	194	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (194) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:MET:HE3	1:A:84:ALA:HA	1.33	1.08
1:A:44:MET:HE2	1:A:51:LYS:HA	1.45	0.99
3:T:842:DG:H2''	3:T:843:DG:H5''	1.47	0.95
1:A:77:LYS:NZ	1:A:77:LYS:HB2	1.87	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:MET:HE3	1:A:67:ASN:HD22	1.36	0.88
1:A:344:LEU:HD11	1:A:387:LEU:HD22	1.53	0.87
3:T:842:DG:H2''	3:T:843:DG:C5'	2.06	0.85
1:A:309:LYS:HD3	1:A:309:LYS:H	1.39	0.84
1:A:365:PRO:O	1:A:368:VAL:HG22	1.77	0.84
1:A:313:SER:O	1:A:314:GLU:HB2	1.78	0.81
1:A:388:MET:O	1:A:391:PHE:HB3	1.80	0.81
1:A:79:MET:HE3	1:A:84:ALA:CA	2.10	0.81
3:T:839:DT:H2''	3:T:840[A]:BRU:O5'	1.82	0.79
1:A:270:GLU:HG3	1:A:275:ILE:HA	1.65	0.78
1:A:59:GLN:OE1	3:T:840[B]:BRU:H6	1.86	0.75
1:A:321:ILE:O	1:A:325:LEU:HD13	1.87	0.75
1:A:44:MET:CE	1:A:67:ASN:HD22	1.99	0.75
1:A:347:ARG:HD2	1:A:404:THR:OG1	1.87	0.75
1:A:309:LYS:H	1:A:309:LYS:CD	1.96	0.74
1:A:164:ASN:H	1:A:170:HIS:HD2	1.36	0.73
1:A:304:GLU:HG3	1:A:328:LEU:HG	1.69	0.73
1:A:184:ARG:HA	1:A:187:MET:HE3	1.71	0.72
3:T:841:DG:H2''	3:T:842:DG:H5''	1.69	0.72
1:A:384:VAL:O	1:A:388:MET:HG2	1.89	0.71
1:A:77:LYS:HB2	1:A:77:LYS:HZ2	1.54	0.70
1:A:344:LEU:HD21	1:A:387:LEU:HB3	1.71	0.70
1:A:39:TYR:HB2	1:A:65:THR:HG21	1.74	0.69
3:T:839:DT:H2'	3:T:840[A]:BRU:BR	2.48	0.68
1:A:254:GLY:O	6:A:469:HOH:O	2.12	0.68
1:A:315:VAL:C	1:A:317:ALA:H	2.00	0.68
3:T:841:DG:C2'	3:T:842:DG:H5''	2.24	0.67
1:A:51:LYS:O	1:A:53:LYS:N	2.28	0.67
1:A:77:LYS:HE2	4:A:875:DTP:PB	2.34	0.67
1:A:75:VAL:HA	1:A:79:MET:HE1	1.76	0.67
1:A:310:LYS:HG3	6:A:507:HOH:O	1.94	0.67
4:A:875:DTP:O1G	6:A:526:HOH:O	2.12	0.67
1:A:365:PRO:HB2	1:A:368:VAL:HG13	1.78	0.66
1:A:335:ASP:OD2	1:A:337:ARG:HD3	1.96	0.66
3:T:841:DG:H1'	3:T:842:DG:H5''	1.78	0.65
1:A:71:ARG:HH22	4:A:875:DTP:PG	2.19	0.65
1:A:233:LEU:HD22	1:A:238:GLU:HB3	1.79	0.65
1:A:305:GLU:HG3	1:A:407:SER:HB3	1.78	0.65
1:A:51:LYS:C	1:A:53:LYS:H	2.04	0.65
1:A:132:LEU:HD22	1:A:179:ILE:HG21	1.79	0.64
2:P:870:DA:H1'	2:P:871:DC:H5'	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:LEU:HD11	1:A:387:LEU:CD1	2.27	0.64
1:A:320:LYS:O	1:A:323:GLU:HB2	1.97	0.64
2:P:867:DA:H1'	2:P:868:DG:H5'	1.80	0.64
1:A:381:THR:O	6:A:517:HOH:O	2.16	0.63
1:A:69:GLU:O	1:A:73:LEU:HD13	1.99	0.63
1:A:387:LEU:HA	1:A:390:LEU:HD12	1.81	0.62
1:A:381:THR:OG1	1:A:382:PRO:HD3	1.98	0.62
1:A:318:LYS:HD2	1:A:388:MET:HE1	1.81	0.62
1:A:325:LEU:O	1:A:329:LEU:HD13	1.99	0.62
1:A:62:LEU:CD1	3:T:840[A]:BRU:H5''	2.30	0.62
1:A:88:CYS:SG	1:A:90:GLN:HG3	2.40	0.62
1:A:143:LEU:HA	1:A:147:GLU:OE2	1.98	0.62
1:A:43:GLU:HG3	1:A:94:VAL:HG21	1.81	0.61
1:A:214:LYS:HB3	1:A:215:PRO:HD3	1.83	0.61
1:A:164:ASN:H	1:A:170:HIS:CD2	2.18	0.60
1:A:202:ASN:ND2	1:A:205:LEU:H	2.00	0.59
2:P:870:DA:N3	6:P:80:HOH:O	2.32	0.58
1:A:300:GLN:NE2	6:A:491:HOH:O	2.35	0.58
1:A:343:ARG:C	1:A:344:LEU:HD12	2.28	0.58
1:A:196:CYS:SG	1:A:214:LYS:O	2.62	0.57
1:A:249:CYS:SG	1:A:273:LEU:HD21	2.44	0.57
1:A:107:TYR:OH	1:A:299:PRO:HG3	2.05	0.57
3:T:839:DT:H5''	6:T:170:HOH:O	2.04	0.57
1:A:62:LEU:HD11	3:T:839:DT:O2	2.05	0.57
1:A:59:GLN:OE1	1:A:64:VAL:HG11	2.05	0.56
1:A:81:VAL:HG12	1:A:85:LYS:HE3	1.87	0.56
1:A:85:LYS:O	1:A:89:PRO:HG3	2.06	0.56
1:A:227:GLN:O	1:A:230:ILE:HG22	2.05	0.56
1:A:325:LEU:HD11	1:A:387:LEU:HD11	1.88	0.56
3:T:839:DT:H2''	3:T:840[B]:BRU:O5'	2.06	0.55
1:A:35:LEU:HD13	6:A:436:HOH:O	2.05	0.55
1:A:380:MET:HE2	1:A:384:VAL:HG22	1.89	0.55
1:A:309:LYS:O	1:A:310:LYS:C	2.51	0.54
1:A:27:SER:HA	6:A:498:HOH:O	2.08	0.54
1:A:36:ASP:O	1:A:37:CYS:C	2.50	0.54
1:A:332:VAL:CG1	1:A:339:PRO:HD3	2.37	0.54
1:A:62:LEU:HD11	3:T:839:DT:C2	2.42	0.54
1:A:144:GLN:H	1:A:147:GLU:CD	2.16	0.54
1:A:62:LEU:HD12	3:T:840[A]:BRU:H5''	1.89	0.54
1:A:385:ASP:HA	1:A:388:MET:HG2	1.89	0.54
1:A:163:ILE:HD13	1:A:174:LEU:HD11	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:LEU:HA	1:A:253:LEU:HD12	1.89	0.53
1:A:339:PRO:HG3	1:A:410:PHE:HD2	1.74	0.53
2:P:868:DG:H2''	2:P:869:DG:OP2	2.07	0.53
1:A:82:ARG:HG2	6:A:490:HOH:O	2.08	0.53
1:A:112:LEU:C	1:A:112:LEU:HD23	2.34	0.53
1:A:325:LEU:CD1	1:A:408:VAL:HG21	2.38	0.53
1:A:204:LEU:HG	1:A:284:LEU:HD22	1.89	0.53
1:A:215:PRO:O	1:A:217:GLN:HG3	2.09	0.52
1:A:365:PRO:HB2	1:A:368:VAL:CG1	2.40	0.52
1:A:106:SER:OG	1:A:122:ARG:NH2	2.43	0.52
1:A:388:MET:HE3	1:A:388:MET:HA	1.90	0.52
1:A:386:ILE:O	1:A:390:LEU:HG	2.10	0.51
1:A:316:GLU:C	1:A:318:LYS:H	2.17	0.51
1:A:344:LEU:O	1:A:359:SER:HA	2.11	0.51
3:T:842:DG:C2'	3:T:843:DG:H5''	2.31	0.51
1:A:270:GLU:HA	1:A:278:ALA:CB	2.41	0.51
3:T:845:DC:H2''	3:T:846:DC:OP2	2.11	0.50
1:A:161:GLN:HG2	1:A:162:SER:N	2.27	0.50
1:A:99:LEU:HD12	3:T:842:DG:H4'	1.94	0.50
1:A:347:ARG:HG2	1:A:348:ARG:N	2.27	0.50
1:A:185:GLU:OE2	1:A:189:ASN:ND2	2.45	0.49
1:A:315:VAL:C	1:A:317:ALA:N	2.68	0.49
1:A:343:ARG:HG2	1:A:344:LEU:N	2.26	0.49
1:A:144:GLN:O	1:A:146:ASP:N	2.37	0.49
1:A:309:LYS:HD3	1:A:309:LYS:N	2.18	0.49
1:A:360:ARG:HG2	1:A:394:MET:SD	2.52	0.49
3:T:841:DG:C1'	3:T:842:DG:H5''	2.41	0.49
3:T:841:DG:H2''	3:T:842:DG:C5'	2.42	0.49
1:A:385:ASP:HA	1:A:388:MET:CG	2.43	0.48
1:A:82:ARG:HG3	1:A:83:ASP:H	1.77	0.48
1:A:153:VAL:HG22	1:A:154:SER:N	2.28	0.48
1:A:381:THR:O	1:A:382:PRO:C	2.57	0.48
1:A:75:VAL:HA	1:A:79:MET:CE	2.42	0.48
1:A:123:LEU:O	1:A:127:GLU:HB2	2.13	0.48
1:A:138:LYS:O	1:A:142:GLN:HG2	2.14	0.48
1:A:230:ILE:CG2	1:A:231:HIS:N	2.77	0.48
1:A:44:MET:HE3	1:A:67:ASN:ND2	2.17	0.48
1:A:202:ASN:OD1	1:A:205:LEU:HD22	2.14	0.48
1:A:302:PHE:N	1:A:302:PHE:CD1	2.82	0.48
1:A:308:PHE:O	1:A:310:LYS:N	2.47	0.47
1:A:233:LEU:HD22	1:A:238:GLU:CB	2.43	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:LYS:HB2	1:A:85:LYS:NZ	2.29	0.47
1:A:333:CYS:O	1:A:334:GLN:C	2.57	0.47
1:A:380:MET:O	1:A:381:THR:C	2.57	0.47
1:A:46:SER:O	1:A:48:PRO:HD3	2.15	0.47
1:A:122:ARG:NH1	6:A:13:HOH:O	2.48	0.46
1:A:153:VAL:CB	1:A:174:LEU:HD22	2.46	0.46
1:A:202:ASN:HD22	1:A:202:ASN:C	2.23	0.46
1:A:236:ILE:HD12	1:A:250:LEU:HD12	1.97	0.46
1:A:144:GLN:H	1:A:147:GLU:CG	2.28	0.46
1:A:251:GLU:C	1:A:253:LEU:N	2.73	0.46
1:A:214:LYS:HB3	1:A:215:PRO:CD	2.46	0.46
1:A:412:ASN:OD1	1:A:414:LYS:HE3	2.16	0.46
1:A:31:VAL:CG1	1:A:130:VAL:HB	2.45	0.46
1:A:323:GLU:O	1:A:326:ALA:HB3	2.16	0.46
1:A:62:LEU:CD1	3:T:840[B]:BRU:H5''	2.45	0.45
1:A:214:LYS:CB	1:A:215:PRO:HD3	2.44	0.45
1:A:47:ASN:OD1	1:A:49:GLU:HB2	2.16	0.45
1:A:82:ARG:C	1:A:84:ALA:N	2.73	0.45
1:A:251:GLU:C	1:A:253:LEU:H	2.24	0.45
3:T:846:DC:H1'	3:T:847:DT:H5''	1.99	0.45
1:A:39:TYR:HB2	1:A:65:THR:CG2	2.43	0.45
1:A:202:ASN:HD21	1:A:205:LEU:H	1.64	0.45
1:A:120:VAL:HG22	1:A:130:VAL:HG22	2.00	0.44
1:A:325:LEU:HD11	1:A:408:VAL:HG21	1.99	0.44
1:A:236:ILE:HD12	1:A:250:LEU:CD1	2.48	0.44
1:A:346:ILE:HG22	1:A:406:LEU:CD2	2.47	0.44
1:A:277:VAL:O	1:A:281:ILE:HG12	2.17	0.44
1:A:337:ARG:HB3	1:A:414:LYS:O	2.18	0.44
1:A:97:GLU:HG2	3:T:841:DG:OP1	2.17	0.44
1:A:345:ILE:HA	1:A:358:GLU:O	2.17	0.44
3:T:847:DT:H6	3:T:847:DT:H5'	1.83	0.44
1:A:79:MET:HE3	1:A:84:ALA:CB	2.49	0.43
1:A:224:GLU:H	1:A:224:GLU:CD	2.25	0.43
1:A:282:GLN:O	1:A:286:PHE:HD1	2.01	0.43
1:A:304:GLU:O	1:A:407:SER:HB2	2.18	0.43
3:T:841:DG:N2	6:T:135:HOH:O	2.51	0.43
1:A:38:PHE:O	1:A:42:VAL:HG23	2.19	0.43
1:A:309:LYS:O	1:A:311:CYS:N	2.51	0.43
1:A:388:MET:HE1	1:A:391:PHE:HD1	1.83	0.43
1:A:413:LEU:N	1:A:413:LEU:HD22	2.33	0.43
3:T:843:DG:H2'	3:T:844:DT:H72	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:846:DC:H2''	3:T:847:DT:H5'	2.01	0.43
1:A:153:VAL:HB	1:A:174:LEU:HD22	2.01	0.42
1:A:86:GLU:O	1:A:86:GLU:HG3	2.18	0.42
1:A:318:LYS:CD	1:A:388:MET:HE1	2.48	0.42
1:A:60:LYS:HE2	1:A:307:SER:O	2.18	0.42
1:A:392:ARG:C	1:A:394:MET:N	2.75	0.42
1:A:313:SER:OG	1:A:315:VAL:O	2.38	0.42
1:A:315:VAL:O	1:A:317:ALA:N	2.47	0.42
3:T:842:DG:H2''	3:T:843:DG:H5'	1.94	0.42
1:A:36:ASP:O	1:A:38:PHE:N	2.53	0.42
1:A:68:TYR:OH	1:A:214:LYS:HD2	2.20	0.42
1:A:121:GLU:O	1:A:128:ASN:HA	2.20	0.42
1:A:196:CYS:HA	1:A:217:GLN:O	2.20	0.42
3:T:843:DG:C8	3:T:844:DT:H72	2.55	0.42
1:A:79:MET:CE	1:A:84:ALA:HA	2.25	0.41
3:T:839:DT:C2'	3:T:840[A]:BRU:O5'	2.61	0.41
1:A:48:PRO:C	1:A:50:LEU:N	2.76	0.41
1:A:388:MET:CE	1:A:391:PHE:HD1	2.33	0.41
1:A:255:ILE:HD11	1:A:264:PHE:CG	2.56	0.41
1:A:36:ASP:O	1:A:41:GLN:NE2	2.53	0.41
1:A:123:LEU:HA	1:A:123:LEU:HD23	1.73	0.41
1:A:150:ALA:O	1:A:152:THR:HG23	2.21	0.41
1:A:276:SER:O	1:A:277:VAL:C	2.63	0.41
1:A:391:PHE:CD2	1:A:391:PHE:C	2.98	0.41
1:A:413:LEU:N	1:A:413:LEU:CD2	2.85	0.40
1:A:380:MET:O	1:A:384:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	367/390 (94%)	307 (84%)	48 (13%)	12 (3%)	3 7

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	ASP
1	A	309	LYS
1	A	350	SER
1	A	26	SER
1	A	37	CYS
1	A	145	SER
1	A	310	LYS
1	A	334	GLN
1	A	146	ASP
1	A	276	SER
1	A	333	CYS
1	A	381	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	321/354 (91%)	304 (95%)	17 (5%)	20 42

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	LEU
1	A	77	LYS
1	A	90	GLN
1	A	123	LEU
1	A	202	ASN
1	A	204	LEU
1	A	205	LEU
1	A	209	VAL
1	A	214	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	229	LEU
1	A	302	PHE
1	A	309	LYS
1	A	318	LYS
1	A	342	VAL
1	A	362	CYS
1	A	381	THR
1	A	394	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	ASN
1	A	90	GLN
1	A	170	HIS
1	A	202	ASN
1	A	216	ASN
1	A	235	HIS
1	A	256	ASN
1	A	262	GLN
1	A	279	GLN
1	A	334	GLN
1	A	340	HIS
1	A	361	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BRU	T	840[B]	3	18,21,22	0.36	0	25,30,33	0.76	0
3	BRU	T	840[A]	3	18,21,22	0.37	0	25,30,33	0.58	0
2	DOC	P	873	2,3	16,19,20	0.34	0	20,26,29	0.66	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BRU	T	840[B]	3	-	4/7/21/22	0/2/2/2
3	BRU	T	840[A]	3	-	4/7/21/22	0/2/2/2
2	DOC	P	873	2,3	-	2/7/18/19	0/2/2/2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	873	DOC	C2'-C1'-N1	2.28	116.73	112.40

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	T	840[B]	BRU	O4'-C1'-N1-C6
3	T	840[B]	BRU	O4'-C1'-N1-C2
3	T	840[B]	BRU	O4'-C4'-C5'-O5'
2	P	873	DOC	O4'-C4'-C5'-O5'
3	T	840[A]	BRU	C2'-C1'-N1-C6
2	P	873	DOC	C3'-C4'-C5'-O5'
3	T	840[A]	BRU	O4'-C1'-N1-C6
3	T	840[B]	BRU	C3'-C4'-C5'-O5'
3	T	840[A]	BRU	O4'-C1'-N1-C2
3	T	840[A]	BRU	C2'-C1'-N1-C2

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	T	840[B]	BRU	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	T	840[A]	BRU	5	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	DTP	A	875	5	31,32,32	1.39	3 (9%)	46,50,50	1.39	9 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DTP	A	875	5	-	4/22/34/34	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	875	DTP	C3'-C4'	5.04	1.66	1.53
4	A	875	DTP	PA-O3A	2.39	1.62	1.59
4	A	875	DTP	PA-O1A	-2.01	1.43	1.50

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	875	DTP	O2B-PB-O3A	3.83	117.62	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	875	DTP	PA-O5'-C5'	-3.81	99.54	121.35
4	A	875	DTP	O4'-C4'-C3'	-2.97	98.88	105.65
4	A	875	DTP	O3A-PB-O1B	-2.68	102.64	110.70
4	A	875	DTP	O4'-C4'-C5'	-2.57	101.12	109.33
4	A	875	DTP	C2'-C3'-C4'	-2.50	97.73	102.80
4	A	875	DTP	C5'-C4'-C3'	2.48	128.50	114.64
4	A	875	DTP	O2A-PA-O3A	-2.45	100.66	107.27
4	A	875	DTP	O3G-PG-O2G	2.20	116.06	107.80

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	875	DTP	C5'-O5'-PA-O1A
4	A	875	DTP	C5'-O5'-PA-O2A
4	A	875	DTP	C5'-O5'-PA-O3A
4	A	875	DTP	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	875	DTP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	373/390 (95%)	0.56	49 (13%) 7 5	16, 48, 99, 120	1 (0%)
2	P	6/7 (85%)	1.00	1 (16%) 4 3	38, 52, 54, 56	0
3	T	8/9 (88%)	0.39	1 (12%) 8 6	30, 35, 42, 77	0
All	All	387/406 (95%)	0.57	51 (13%) 7 5	16, 48, 97, 120	1 (0%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	354	HIS	4.5
1	A	355	TYR	4.4
1	A	345	ILE	4.0
1	A	360	ARG	3.6
1	A	336	GLY	3.6
1	A	25	ALA	3.4
1	A	359	SER	3.4
1	A	349	TYR	3.4
1	A	379	VAL	3.3
1	A	311	CYS	3.3
1	A	406	LEU	3.3
1	A	348	ARG	3.2
1	A	357	ARG	3.2
1	A	356	GLY	3.2
1	A	394	MET	3.1
1	A	351	SER	3.1
1	A	346	ILE	3.1
1	A	361	GLN	3.0
1	A	318	LYS	3.0
1	A	312	SER	3.0
1	A	243	GLY	2.9
1	A	347	ARG	2.8
1	A	321	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	T	839	DT	2.8
1	A	335	ASP	2.8
1	A	350	SER	2.8
1	A	328	LEU	2.7
1	A	317	ALA	2.7
1	A	386	ILE	2.6
1	A	68	TYR	2.6
1	A	390	LEU	2.5
1	A	369	ILE	2.4
1	A	391	PHE	2.4
1	A	73	LEU	2.4
1	A	367	HIS	2.3
1	A	353	LYS	2.3
1	A	314	GLU	2.3
1	A	332	VAL	2.3
1	A	389	LYS	2.2
1	A	383	MET	2.2
1	A	80	ASN	2.2
1	A	235	HIS	2.1
1	A	368	VAL	2.1
1	A	381	THR	2.1
1	A	404	THR	2.1
1	A	82	ARG	2.1
2	P	867	DA	2.1
1	A	408	VAL	2.1
1	A	387	LEU	2.1
1	A	358	GLU	2.1
1	A	214	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BRU	T	840[A]	20/21	0.87	0.14	42,47,68,127	0
3	BRU	T	840[B]	20/21	0.87	0.14	50,55,65,72	20
2	DOC	P	873	18/19	0.94	0.11	35,37,43,43	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DTP	A	875	30/30	0.80	0.17	62,73,91,92	0
5	MG	A	871	1/1	0.91	0.09	58,58,58,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.