



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:22 AM UTC

PDB ID : 3H6T / pdb_00003h6t
Title : Crystal structure of the iGluR2 ligand-binding core (S1S2J-N754S) in complex with glutamate and cyclothiazide at 2.25 Å resolution
Authors : Hald, H.; Gajhede, M.; Kastrup, J.S.
Deposited on : 2009-04-24
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	 78% 19% ..
1	B	263	 81% 16% .
1	C	263	 75% 21% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	270	-	-	X	-
5	GOL	C	270	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	1	0
			2042	1299	340	389	14			
1	B	263	Total	C	N	O	S	0	1	0
			2055	1305	345	391	14			
1	C	261	Total	C	N	O	S	0	1	0
			2046	1300	343	389	14			

There are 15 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P19491
A	2	ALA	-	expression tag	UNP P19491
A	118	GLY	-	linker	UNP P19491
A	119	THR	-	linker	UNP P19491
A	242	SER	ASN	engineered mutation	UNP P19491
B	1	GLY	-	expression tag	UNP P19491
B	2	ALA	-	expression tag	UNP P19491
B	118	GLY	-	linker	UNP P19491
B	119	THR	-	linker	UNP P19491
B	242	SER	ASN	engineered mutation	UNP P19491
C	1	GLY	-	expression tag	UNP P19491
C	2	ALA	-	expression tag	UNP P19491
C	118	GLY	-	linker	UNP P19491
C	119	THR	-	linker	UNP P19491
C	242	SER	ASN	engineered mutation	UNP P19491

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	1	4		
2	B	1	Total	C	N	O	0	0
			10	5	1	4		
2	C	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 3 is CYCLOTHIAZIDE (CCD ID: CYZ) (formula: $C_{14}H_{16}ClN_3O_4S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	S	0	0
			24	14	1	3	4	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	Cl	N	O	S	
			24	14	1	3	4	2	0
3	C	1	Total	C	Cl	N	O	S	
			24	14	1	3	4	2	0

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Zn		
			3	3	0	0
4	B	5	Total	Zn		
			5	5	0	0
4	C	2	Total	Zn		
			2	2	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O		
			6	3	3	0	0
5	A	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 8 is CACODYLATE ION (CCD ID: CAC) (formula: $C_2H_6AsO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	As	C	O	0	0
			5	1	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	329	Total 329	O 329	0	0
9	B	399	Total 399	O 399	0	0
9	C	303	Total 303	O 303	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glutamate receptor 2



• Molecule 1: Glutamate receptor 2



• Molecule 1: Glutamate receptor 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.49Å 163.14Å 47.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	22.84 – 2.25 22.84 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.0 (22.84-2.25) 98.9 (22.84-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 2.26Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.182 , 0.228 0.179 , 0.176	Depositor DCC
R_{free} test set	2156 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 60.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7357	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, CYZ, GOL, ZN, DMS, CAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2078	0.87	2/2794 (0.1%)
1	B	0.41	0/2091	0.89	3/2809 (0.1%)
1	C	0.38	0/2082	0.88	4/2797 (0.1%)
All	All	0.39	0/6251	0.88	9/8400 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	262	GLY	N-CA-C	7.01	129.81	113.18
1	C	116	LYS	N-CA-C	-6.94	100.00	110.28
1	B	116	LYS	N-CA-C	-6.39	99.61	109.76
1	A	162	MET	N-CA-C	6.20	118.55	111.11
1	C	151	LYS	N-CA-C	-6.12	105.94	113.41
1	A	259	GLY	N-CA-C	-6.01	104.53	112.82
1	C	154	VAL	N-CA-C	5.74	116.48	110.62
1	B	103	SER	N-CA-C	-5.46	103.49	110.53
1	C	254	TRP	N-CA-C	5.13	119.69	113.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2042	0	2068	46	0
1	B	2055	0	2086	38	0
1	C	2046	0	2075	51	0
2	A	10	0	5	0	0
2	B	10	0	5	0	0
2	C	10	0	5	0	0
3	A	24	0	16	2	0
3	B	24	0	16	1	0
3	C	24	0	16	2	0
4	A	3	0	0	0	0
4	B	5	0	0	0	0
4	C	2	0	0	0	0
5	A	12	0	16	6	0
5	B	18	0	24	2	0
5	C	24	0	32	5	0
6	A	4	0	3	0	0
6	C	4	0	3	0	0
7	A	4	0	6	0	0
8	B	5	0	0	1	0
9	A	329	0	0	6	0
9	B	399	0	0	9	0
9	C	303	0	0	5	0
All	All	7357	0	6376	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:LEU:HD13	5:B:272:GOL:H12	1.37	1.02
1:C:120:PRO:HD3	5:C:270:GOL:H32	1.47	0.93
1:C:119:THR:HA	5:C:270:GOL:H32	1.51	0.91
1:C:186:GLY:HA3	5:C:270:GOL:H12	1.52	0.89
1:A:216:ASP:HA	5:A:270:GOL:H11	1.60	0.83
1:C:148:ARG:HD2	1:C:149[B]:ARG:NH1	1.94	0.81
1:B:107:MET:HE2	1:B:251:LYS:HD3	1.63	0.78
1:C:258:LYS:HG2	1:C:258:LYS:O	1.82	0.77
1:C:148:ARG:HG3	1:C:149[B]:ARG:HD2	1.67	0.77
1:A:199:TYR:CZ	1:A:203:ARG:HD2	2.19	0.77
1:C:180:ARG:HG2	1:C:188:TYR:CD2	2.21	0.75
1:C:120:PRO:HD3	5:C:270:GOL:C3	2.17	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:LYS:HE2	9:B:384:HOH:O	1.92	0.70
1:C:204:LYS:HG3	1:C:205:PRO:HA	1.74	0.70
1:B:149[B]:ARG:HD2	9:B:894:HOH:O	1.94	0.68
1:B:153:ALA:HB3	9:B:297:HOH:O	1.93	0.68
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.77	0.65
1:A:241:LEU:HD22	1:A:246:LEU:HD22	1.78	0.64
1:B:88:ALA:HB1	1:B:89:PRO:HD2	1.80	0.64
1:C:26:LEU:HB3	1:C:30:GLU:CG	2.29	0.63
1:B:241:LEU:HG	1:B:246:LEU:CD2	2.28	0.63
1:C:88:ALA:HB1	1:C:89:PRO:HD2	1.80	0.62
1:A:166:GLU:HA	1:A:167:PRO:C	2.24	0.62
1:B:145:GLU:HG3	1:B:149[A]:ARG:HD3	1.82	0.62
1:A:109:LEU:C	1:A:109:LEU:HD22	2.25	0.62
1:A:241:LEU:HD13	1:A:246:LEU:HD23	1.83	0.61
1:A:2:ALA:C	1:A:3:ASN:HD22	2.08	0.61
1:A:64:ARG:HE	1:A:69:LYS:HE2	1.65	0.61
1:A:209:MET:HE2	1:A:211:VAL:HG12	1.83	0.61
1:B:241:LEU:HG	1:B:246:LEU:HD23	1.82	0.60
1:C:204:LYS:CG	1:C:205:PRO:HA	2.31	0.60
1:A:42:GLU:HG3	1:A:246:LEU:HD21	1.85	0.58
1:A:94:LEU:O	1:A:98:GLU:HG3	2.04	0.58
1:A:216:ASP:HA	5:A:270:GOL:H31	1.86	0.58
1:C:150:SER:OG	1:C:155:PHE:HB2	2.03	0.57
1:C:26:LEU:HB3	1:C:30:GLU:HG3	1.87	0.57
1:C:136:GLY:HA3	1:C:169:VAL:HG13	1.85	0.57
1:B:94:LEU:O	1:B:98:GLU:HG3	2.06	0.56
1:A:241:LEU:HD22	1:A:246:LEU:CD2	2.36	0.55
1:A:50:LYS:HD3	9:A:751:HOH:O	2.06	0.55
1:B:246:LEU:O	1:B:246:LEU:HG	2.07	0.55
1:C:204:LYS:CD	1:C:205:PRO:HA	2.38	0.55
1:A:194:SER:O	1:A:198:GLU:HG3	2.07	0.54
1:B:252:ASN:HB3	9:B:530:HOH:O	2.07	0.54
1:B:145:GLU:OE2	1:B:149[A]:ARG:HD2	2.06	0.54
1:B:109:LEU:C	1:B:109:LEU:HD22	2.33	0.54
1:B:81:GLY:HA2	9:B:296:HOH:O	2.08	0.54
1:B:16:TYR:CE2	1:B:196:MET:HE2	2.43	0.53
1:C:128:SER:O	1:C:157:LYS:HE3	2.09	0.53
1:C:19:MET:HE3	9:C:355:HOH:O	2.08	0.53
1:A:81:GLY:HA2	9:A:519:HOH:O	2.09	0.52
1:B:16:TYR:HE2	1:B:196:MET:HE2	1.74	0.52
1:A:10:THR:O	1:A:56:VAL:HG22	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:204:LYS:HA	1:C:206:CYS:SG	2.50	0.51
1:C:240:LYS:O	1:C:244:GLN:HG2	2.10	0.51
1:A:3:ASN:CG	1:A:3:ASN:O	2.52	0.51
1:A:236:LEU:HD11	5:C:271:GOL:H32	1.94	0.50
1:B:12:LEU:CD1	5:B:272:GOL:H12	2.27	0.50
1:C:109:LEU:HD22	1:C:109:LEU:C	2.36	0.50
1:B:252:ASN:O	1:B:257:ASP:HB2	2.12	0.50
1:A:216:ASP:CA	5:A:270:GOL:H31	2.42	0.50
1:B:139:ASP:HB2	9:B:991:HOH:O	2.12	0.49
1:C:145:GLU:OE1	1:C:148:ARG:NH1	2.45	0.49
1:B:114:MET:HE1	1:B:178:VAL:HG22	1.94	0.49
1:C:145:GLU:CD	1:C:148:ARG:HH12	2.22	0.48
1:A:136:GLY:HA3	1:A:169:VAL:O	2.13	0.47
1:A:217:SER:OG	5:A:270:GOL:H32	2.14	0.47
3:C:265:CYZ:O4	3:C:265:CYZ:CL	2.68	0.47
1:C:19:MET:HE2	1:C:23:HIS:CD2	2.49	0.47
1:A:3:ASN:O	1:A:3:ASN:ND2	2.48	0.47
1:A:100:ILE:C	1:A:226:LYS:HE2	2.40	0.47
1:A:163:ARG:NH1	9:A:378:HOH:O	2.48	0.47
1:C:180:ARG:HD2	9:C:336:HOH:O	2.15	0.47
1:B:168:SER:HB2	8:B:274:CAC:O2	2.15	0.47
1:A:105:PRO:HA	1:A:220:TYR:O	2.15	0.46
1:C:159:TRP:NE1	1:C:163:ARG:HD3	2.30	0.46
1:B:241:LEU:HG	1:B:246:LEU:HD22	1.97	0.46
1:A:216:ASP:CA	5:A:270:GOL:H11	2.39	0.46
1:A:192:LEU:HD23	1:A:192:LEU:H	1.80	0.46
1:C:81:GLY:HA2	9:C:301:HOH:O	2.15	0.46
5:A:270:GOL:O1	1:C:248:ASP:HB2	2.16	0.45
1:A:199:TYR:CE2	1:A:203:ARG:HD2	2.52	0.45
1:C:182:ARG:HG2	1:C:207:ASP:OD2	2.17	0.45
1:A:239:LEU:CD1	1:C:97:GLU:HG3	2.46	0.45
1:B:136:GLY:HA3	1:B:169:VAL:O	2.17	0.45
1:A:39:LEU:O	1:A:43:ILE:HG12	2.17	0.45
1:C:125:GLU:O	1:C:129:LYS:HG2	2.17	0.44
1:B:105:PRO:HA	1:B:220:TYR:O	2.18	0.44
1:C:151:LYS:O	1:C:152:ILE:C	2.60	0.44
1:A:68:THR:HA	9:A:537:HOH:O	2.17	0.44
1:A:97:GLU:HG2	1:C:239:LEU:CD1	2.47	0.44
1:B:68:THR:O	1:B:69:LYS:HB2	2.16	0.44
1:B:179:ALA:O	1:B:183:LYS:HE3	2.18	0.44
1:C:204:LYS:HG3	9:C:936:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239:LEU:HD11	1:C:97:GLU:HG3	2.00	0.44
1:C:94:LEU:O	1:C:98:GLU:HG3	2.17	0.44
1:C:157:LYS:HE2	9:C:565:HOH:O	2.17	0.44
1:A:64:ARG:NE	1:A:69:LYS:HE2	2.32	0.43
1:C:166:GLU:HA	1:C:167:PRO:C	2.42	0.43
1:B:145:GLU:OE1	1:B:148:ARG:NH1	2.49	0.43
1:B:184:SER:HB2	9:B:327:HOH:O	2.17	0.43
1:A:256:TYR:O	1:A:257:ASP:C	2.62	0.43
3:B:265:CYZ:CL	3:B:265:CYZ:O4	2.74	0.43
1:A:192:LEU:HD23	1:A:192:LEU:N	2.34	0.43
1:B:104:LYS:HG2	1:B:235:ASN:OD1	2.18	0.43
1:C:105:PRO:HA	1:C:220:TYR:O	2.19	0.43
1:C:109:LEU:CD1	1:C:219:GLY:HA2	2.48	0.42
1:C:180:ARG:HG2	1:C:188:TYR:CE2	2.53	0.42
1:C:137:THR:HG22	1:C:191:LEU:HB2	2.01	0.42
1:A:52:LYS:HE2	9:A:302:HOH:O	2.20	0.42
1:C:241:LEU:HD22	1:C:246:LEU:HG	2.02	0.42
1:C:145:GLU:CD	1:C:148:ARG:NH1	2.77	0.42
3:A:265:CYZ:O4	3:A:265:CYZ:CL	2.75	0.42
1:A:131:THR:HA	9:A:553:HOH:O	2.20	0.41
1:A:2:ALA:O	1:A:3:ASN:C	2.63	0.41
1:A:134:ALA:O	1:A:188:TYR:HA	2.20	0.41
1:B:116:LYS:NZ	9:B:482:HOH:O	2.54	0.41
1:B:253:LYS:O	1:B:258:LYS:HG2	2.21	0.41
1:B:251:LYS:O	1:B:255:TRP:HB2	2.20	0.41
1:B:35:TYR:CD1	1:B:35:TYR:C	2.99	0.41
1:C:256:TYR:O	1:C:257:ASP:C	2.63	0.41
1:A:109:LEU:C	1:A:109:LEU:CD2	2.94	0.41
1:A:128:SER:O	1:A:157:LYS:HE3	2.21	0.41
1:B:49:PHE:C	1:B:49:PHE:CD1	2.99	0.41
1:B:56:VAL:O	1:B:56:VAL:HG13	2.21	0.41
1:C:204:LYS:HE2	1:C:205:PRO:HA	2.03	0.41
3:A:265:CYZ:H81	1:C:218:LYS:HA	2.03	0.40
1:B:145:GLU:HG2	9:B:392:HOH:O	2.21	0.40
1:A:35:TYR:CD1	1:A:35:TYR:C	2.99	0.40
1:C:126:ASP:O	1:C:130:GLN:HG3	2.21	0.40
1:C:148:ARG:HB2	1:C:159:TRP:CZ2	2.57	0.40
1:C:204:LYS:HA	1:C:206:CYS:N	2.36	0.40
1:A:218:LYS:HA	3:C:265:CYZ:H81	2.03	0.40
1:B:139:ASP:O	1:B:140:SER:HB2	2.20	0.40
1:C:119:THR:HA	1:C:120:PRO:HD3	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/263 (99%)	244 (94%)	14 (5%)	2 (1%)	16	14
1	B	262/263 (100%)	251 (96%)	10 (4%)	1 (0%)	30	31
1	C	260/263 (99%)	248 (95%)	9 (4%)	3 (1%)	10	7
All	All	782/789 (99%)	743 (95%)	33 (4%)	6 (1%)	16	14

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	262	GLY
1	A	3	ASN
1	A	153	ALA
1	C	262	GLY
1	C	153	ALA
1	C	152	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/219 (100%)	210 (96%)	9 (4%)	27	33
1	B	220/219 (100%)	210 (96%)	10 (4%)	24	29
1	C	220/219 (100%)	208 (94%)	12 (6%)	19	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	659/657 (100%)	628 (95%)	31 (5%)	23	26

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	24	GLU
1	A	56	VAL
1	A	82	LYS
1	A	94	LEU
1	A	109	LEU
1	A	163	ARG
1	A	166	GLU
1	A	228	SER
1	B	15	PRO
1	B	30	GLU
1	B	82	LYS
1	B	109	LEU
1	B	116	LYS
1	B	125	GLU
1	B	139	ASP
1	B	183	LYS
1	B	196	MET
1	B	241	LEU
1	C	15	PRO
1	C	109	LEU
1	C	129	LYS
1	C	148	ARG
1	C	152	ILE
1	C	169	VAL
1	C	180	ARG
1	C	183	LYS
1	C	211	VAL
1	C	229	SER
1	C	244	GLN
1	C	258	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	202	GLN
1	C	252	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 29 ligands modelled in this entry, 10 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	269	-	5,5,5	0.32	0	5,5,5	0.34	0
3	CYZ	C	265	-	26,27,27	3.04	6 (23%)	38,44,44	2.59	12 (31%)
7	DMS	A	272	-	3,3,3	0.28	0	3,3,3	1.31	1 (33%)
5	GOL	B	272	-	5,5,5	0.31	0	5,5,5	0.35	0
5	GOL	A	270	-	5,5,5	0.32	0	5,5,5	0.31	0
5	GOL	B	271	-	5,5,5	0.32	0	5,5,5	0.34	0
2	GLU	A	264	-	8,9,9	1.10	0	8,11,11	0.73	0
2	GLU	B	264	-	8,9,9	1.07	0	8,11,11	0.72	0
5	GOL	B	273	-	5,5,5	0.32	0	5,5,5	0.31	0
5	GOL	C	268	-	5,5,5	0.32	0	5,5,5	0.19	0
5	GOL	C	269	-	5,5,5	0.30	0	5,5,5	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	CAC	B	274	4	2,4,4	3.58	2 (100%)	4,6,6	1.75	1 (25%)
5	GOL	C	270	-	5,5,5	0.32	0	5,5,5	0.31	0
6	ACT	A	271	4	3,3,3	1.01	0	3,3,3	0.89	0
2	GLU	C	264	-	8,9,9	1.07	0	8,11,11	0.76	0
5	GOL	C	271	-	5,5,5	0.32	0	5,5,5	0.30	0
3	CYZ	A	265	-	26,27,27	3.04	6 (23%)	38,44,44	2.48	11 (28%)
6	ACT	C	272	-	3,3,3	1.07	0	3,3,3	0.85	0
3	CYZ	B	265	-	26,27,27	3.05	6 (23%)	38,44,44	2.57	11 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CYZ	A	265	-	-	2/7/42/42	0/5/4/4
5	GOL	A	269	-	-	0/4/4/4	-
5	GOL	B	272	-	-	0/4/4/4	-
5	GOL	A	270	-	-	0/4/4/4	-
5	GOL	C	271	-	-	0/4/4/4	-
3	CYZ	C	265	-	-	2/7/42/42	0/5/4/4
5	GOL	B	271	-	-	0/4/4/4	-
2	GLU	A	264	-	-	1/9/9/9	-
5	GOL	C	270	-	-	0/4/4/4	-
3	CYZ	B	265	-	-	2/7/42/42	0/5/4/4
2	GLU	B	264	-	-	2/9/9/9	-
5	GOL	B	273	-	-	0/4/4/4	-
5	GOL	C	268	-	-	0/4/4/4	-
2	GLU	C	264	-	-	2/9/9/9	-
5	GOL	C	269	-	-	0/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	265	CYZ	C13-CL	-8.62	1.53	1.73
3	A	265	CYZ	C13-CL	-8.60	1.53	1.73
3	B	265	CYZ	C13-CL	-8.56	1.53	1.73
3	B	265	CYZ	C4-C3	7.41	1.53	1.32
3	A	265	CYZ	C4-C3	7.41	1.53	1.32
3	C	265	CYZ	C4-C3	7.39	1.53	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	265	CYZ	O1-S1	6.01	1.50	1.43
3	C	265	CYZ	O2-S1	5.94	1.50	1.43
3	A	265	CYZ	O1-S1	5.94	1.50	1.43
3	A	265	CYZ	O2-S1	5.92	1.50	1.43
3	B	265	CYZ	O2-S1	5.91	1.50	1.43
3	C	265	CYZ	O1-S1	5.89	1.50	1.43
3	C	265	CYZ	O3-S2	3.78	1.50	1.43
3	C	265	CYZ	O4-S2	3.76	1.50	1.43
3	A	265	CYZ	O4-S2	3.76	1.50	1.43
3	A	265	CYZ	O3-S2	3.76	1.50	1.43
3	B	265	CYZ	O4-S2	3.76	1.50	1.43
3	B	265	CYZ	O3-S2	3.71	1.50	1.43
8	B	274	CAC	AS-C2	3.69	1.99	1.90
8	B	274	CAC	AS-C1	3.47	1.98	1.90

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	265	CYZ	O2-S1-O1	-8.15	110.14	118.44
3	B	265	CYZ	O2-S1-O1	-8.03	110.27	118.44
3	A	265	CYZ	O2-S1-O1	-7.96	110.34	118.44
3	B	265	CYZ	O3-S2-C12	7.86	118.68	107.26
3	C	265	CYZ	O3-S2-C12	7.64	118.37	107.26
3	A	265	CYZ	O3-S2-C12	7.39	117.99	107.26
3	C	265	CYZ	O3-S2-N3	-5.09	100.02	107.35
3	B	265	CYZ	O3-S2-N3	-4.85	100.36	107.35
3	A	265	CYZ	O3-S2-N3	-4.65	100.65	107.35
3	C	265	CYZ	O4-S2-N3	-4.42	100.98	107.35
3	B	265	CYZ	O4-S2-N3	-4.17	101.34	107.35
3	B	265	CYZ	C12-S2-N3	-4.14	100.83	108.28
3	A	265	CYZ	O4-S2-N3	-4.05	101.51	107.35
3	A	265	CYZ	C12-S2-N3	-3.85	101.36	108.28
3	C	265	CYZ	C12-S2-N3	-3.78	101.48	108.28
3	A	265	CYZ	O4-S2-C12	3.39	112.18	107.26
3	C	265	CYZ	O4-S2-C12	3.38	112.17	107.26
3	B	265	CYZ	O4-S2-C12	3.37	112.16	107.26
3	B	265	CYZ	O1-S1-N1	3.02	111.00	108.00
3	B	265	CYZ	C1-C2-C3	2.94	111.39	106.86
3	A	265	CYZ	C1-C2-C3	2.92	111.37	106.86
3	C	265	CYZ	C1-C2-C3	2.87	111.28	106.86
3	A	265	CYZ	O1-S1-N1	2.75	110.74	108.00
3	C	265	CYZ	O1-S1-N1	2.57	110.56	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	265	CYZ	C2-C1-C8	-2.56	111.20	114.88
3	C	265	CYZ	C2-C1-C8	-2.55	111.22	114.88
3	A	265	CYZ	C2-C1-C8	-2.54	111.23	114.88
3	C	265	CYZ	C9-S1-N1	2.47	106.43	103.42
8	B	274	CAC	O1-AS-C2	-2.46	108.45	111.50
3	C	265	CYZ	C13-C12-S2	-2.39	120.61	123.47
3	B	265	CYZ	C2-C3-C4	-2.21	102.52	107.97
7	A	272	DMS	C2-S-C1	2.16	109.47	98.42
3	C	265	CYZ	C2-C3-C4	-2.14	102.69	107.97
3	A	265	CYZ	C9-S1-N1	2.12	106.00	103.42
3	A	265	CYZ	C2-C3-C4	-2.06	102.89	107.97
3	B	265	CYZ	C9-S1-N1	2.05	105.91	103.42

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	265	CYZ	C13-C12-S2-O4
3	C	265	CYZ	C13-C12-S2-O4
3	A	265	CYZ	C13-C12-S2-O4
3	C	265	CYZ	C11-C12-S2-O4
3	B	265	CYZ	C11-C12-S2-O4
3	A	265	CYZ	C11-C12-S2-O4
2	B	264	GLU	OXT-C-CA-CB
2	B	264	GLU	O-C-CA-CB
2	C	264	GLU	O-C-CA-CB
2	C	264	GLU	OXT-C-CA-CB
2	A	264	GLU	O-C-CA-CB


There are no ring outliers.


8 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	265	CYZ	2	0
5	B	272	GOL	2	0
5	A	270	GOL	6	0
8	B	274	CAC	1	0
5	C	270	GOL	4	0
5	C	271	GOL	1	0
3	A	265	CYZ	2	0
3	B	265	CYZ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/263 (99%)	-0.40	1 (0%) 88 89	12, 25, 44, 53	1 (0%)
1	B	263/263 (100%)	-0.60	2 (0%) 82 84	11, 20, 42, 60	1 (0%)
1	C	261/263 (99%)	-0.28	6 (2%) 61 61	13, 27, 53, 63	1 (0%)
All	All	785/789 (99%)	-0.42	9 (1%) 78 79	11, 23, 47, 63	3 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	262	GLY	3.3
1	A	2	ALA	3.0
1	C	263	SER	2.7
1	C	256	TYR	2.7
1	B	263	SER	2.5
1	C	3	ASN	2.4
1	C	149[A]	ARG	2.3
1	C	262	GLY	2.1
1	C	165	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	B	271	6/6	0.71	0.13	59,60,61,62	0
5	GOL	C	268	6/6	0.72	0.16	56,57,57,58	0
5	GOL	C	269	6/6	0.74	0.15	58,58,59,60	0
6	ACT	C	272	4/4	0.75	0.14	48,50,50,50	0
5	GOL	C	271	6/6	0.76	0.20	56,57,58,59	0
5	GOL	B	272	6/6	0.76	0.21	53,54,55,57	0
5	GOL	C	270	6/6	0.80	0.18	49,49,50,50	0
5	GOL	A	270	6/6	0.84	0.16	49,52,53,54	0
5	GOL	B	273	6/6	0.85	0.14	52,52,53,53	0
5	GOL	A	269	6/6	0.85	0.12	53,53,54,56	0
3	CYZ	A	265	24/24	0.86	0.09	18,20,22,24	0
3	CYZ	B	265	24/24	0.86	0.09	15,19,21,22	0
3	CYZ	C	265	24/24	0.87	0.08	17,19,22,23	0
7	DMS	A	272	4/4	0.87	0.15	51,52,53,54	0
4	ZN	A	268	1/1	0.88	0.09	100,100,100,100	0
4	ZN	C	267	1/1	0.92	0.06	100,100,100,100	0
4	ZN	B	269	1/1	0.92	0.07	100,100,100,100	0
6	ACT	A	271	4/4	0.93	0.10	35,36,37,37	0
4	ZN	B	270	1/1	0.94	0.10	90,90,90,90	0
4	ZN	B	268	1/1	0.94	0.07	100,100,100,100	0
8	CAC	B	274	5/5	0.96	0.13	57,57,58,59	0
2	GLU	C	264	10/10	0.97	0.05	13,15,19,20	0
2	GLU	A	264	10/10	0.97	0.05	14,15,17,20	0
4	ZN	C	266	1/1	0.99	0.05	52,52,52,52	0
4	ZN	B	266	1/1	0.99	0.06	28,28,28,28	0
4	ZN	A	266	1/1	0.99	0.05	27,27,27,27	0
4	ZN	A	267	1/1	0.99	0.05	29,29,29,29	0
2	GLU	B	264	10/10	0.99	0.04	12,13,14,14	0
4	ZN	B	267	1/1	1.00	0.04	24,24,24,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around CYZ A 265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CYZ B 265:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.