



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 05:42 AM UTC

PDB ID : 6H64 / pdb_00006h64
Title : Crystal structure of the CRD-SAT
Authors : Charron, C.; Kriznik, A.; Yelehe-Okouma, M.; Jouzeau, J.-Y.; Reboul, P.
Deposited on : 2018-07-26
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	170	4% 65% 14% • 19%
1	B	170	4% 61% 19% • 19%
1	C	170	4% 61% 15% 5% 19%
1	D	170	5% 62% 18% • 19%
1	E	170	5% 62% 17% •• 19%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	170	5% 64% 15% 19%
2	G	2	50% 50%
2	H	2	100%
2	I	2	100%
2	J	2	100%
2	K	2	100%
2	L	2	100%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galectin-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			
1	B	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			
1	C	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			
1	D	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			
1	E	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			
1	F	137	Total	C	N	O	S	0	0	0
			1100	704	197	196	3			

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	95	MET	-	initiating methionine	UNP P17931
A	129	LYS	ARG	engineered mutation	UNP P17931
A	245	THR	ALA	engineered mutation	UNP P17931
A	251	SER	-	expression tag	UNP P17931
A	252	SER	-	expression tag	UNP P17931
A	253	GLY	-	expression tag	UNP P17931
A	254	VAL	-	expression tag	UNP P17931
A	255	ASP	-	expression tag	UNP P17931
A	256	LEU	-	expression tag	UNP P17931
A	257	GLY	-	expression tag	UNP P17931
A	258	THR	-	expression tag	UNP P17931
A	259	GLU	-	expression tag	UNP P17931
A	260	ASN	-	expression tag	UNP P17931
A	261	LEU	-	expression tag	UNP P17931
A	262	TYR	-	expression tag	UNP P17931
A	263	PHE	-	expression tag	UNP P17931
A	264	GLN	-	expression tag	UNP P17931

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	95	MET	-	initiating methionine	UNP P17931
B	129	LYS	ARG	engineered mutation	UNP P17931
B	245	THR	ALA	engineered mutation	UNP P17931
B	251	SER	-	expression tag	UNP P17931
B	252	SER	-	expression tag	UNP P17931
B	253	GLY	-	expression tag	UNP P17931
B	254	VAL	-	expression tag	UNP P17931
B	255	ASP	-	expression tag	UNP P17931
B	256	LEU	-	expression tag	UNP P17931
B	257	GLY	-	expression tag	UNP P17931
B	258	THR	-	expression tag	UNP P17931
B	259	GLU	-	expression tag	UNP P17931
B	260	ASN	-	expression tag	UNP P17931
B	261	LEU	-	expression tag	UNP P17931
B	262	TYR	-	expression tag	UNP P17931
B	263	PHE	-	expression tag	UNP P17931
B	264	GLN	-	expression tag	UNP P17931
C	95	MET	-	initiating methionine	UNP P17931
C	129	LYS	ARG	engineered mutation	UNP P17931
C	245	THR	ALA	engineered mutation	UNP P17931
C	251	SER	-	expression tag	UNP P17931
C	252	SER	-	expression tag	UNP P17931
C	253	GLY	-	expression tag	UNP P17931
C	254	VAL	-	expression tag	UNP P17931
C	255	ASP	-	expression tag	UNP P17931
C	256	LEU	-	expression tag	UNP P17931
C	257	GLY	-	expression tag	UNP P17931
C	258	THR	-	expression tag	UNP P17931
C	259	GLU	-	expression tag	UNP P17931
C	260	ASN	-	expression tag	UNP P17931
C	261	LEU	-	expression tag	UNP P17931
C	262	TYR	-	expression tag	UNP P17931
C	263	PHE	-	expression tag	UNP P17931
C	264	GLN	-	expression tag	UNP P17931
D	95	MET	-	initiating methionine	UNP P17931
D	129	LYS	ARG	engineered mutation	UNP P17931
D	245	THR	ALA	engineered mutation	UNP P17931
D	251	SER	-	expression tag	UNP P17931
D	252	SER	-	expression tag	UNP P17931
D	253	GLY	-	expression tag	UNP P17931
D	254	VAL	-	expression tag	UNP P17931
D	255	ASP	-	expression tag	UNP P17931

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	256	LEU	-	expression tag	UNP P17931
D	257	GLY	-	expression tag	UNP P17931
D	258	THR	-	expression tag	UNP P17931
D	259	GLU	-	expression tag	UNP P17931
D	260	ASN	-	expression tag	UNP P17931
D	261	LEU	-	expression tag	UNP P17931
D	262	TYR	-	expression tag	UNP P17931
D	263	PHE	-	expression tag	UNP P17931
D	264	GLN	-	expression tag	UNP P17931
E	95	MET	-	initiating methionine	UNP P17931
E	129	LYS	ARG	engineered mutation	UNP P17931
E	245	THR	ALA	engineered mutation	UNP P17931
E	251	SER	-	expression tag	UNP P17931
E	252	SER	-	expression tag	UNP P17931
E	253	GLY	-	expression tag	UNP P17931
E	254	VAL	-	expression tag	UNP P17931
E	255	ASP	-	expression tag	UNP P17931
E	256	LEU	-	expression tag	UNP P17931
E	257	GLY	-	expression tag	UNP P17931
E	258	THR	-	expression tag	UNP P17931
E	259	GLU	-	expression tag	UNP P17931
E	260	ASN	-	expression tag	UNP P17931
E	261	LEU	-	expression tag	UNP P17931
E	262	TYR	-	expression tag	UNP P17931
E	263	PHE	-	expression tag	UNP P17931
E	264	GLN	-	expression tag	UNP P17931
F	95	MET	-	initiating methionine	UNP P17931
F	129	LYS	ARG	engineered mutation	UNP P17931
F	245	THR	ALA	engineered mutation	UNP P17931
F	251	SER	-	expression tag	UNP P17931
F	252	SER	-	expression tag	UNP P17931
F	253	GLY	-	expression tag	UNP P17931
F	254	VAL	-	expression tag	UNP P17931
F	255	ASP	-	expression tag	UNP P17931
F	256	LEU	-	expression tag	UNP P17931
F	257	GLY	-	expression tag	UNP P17931
F	258	THR	-	expression tag	UNP P17931
F	259	GLU	-	expression tag	UNP P17931
F	260	ASN	-	expression tag	UNP P17931
F	261	LEU	-	expression tag	UNP P17931
F	262	TYR	-	expression tag	UNP P17931
F	263	PHE	-	expression tag	UNP P17931

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	264	GLN	-	expression tag	UNP P17931

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-alpha-D-glucopyranoside.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	G	2	Total	C	O	0	0	0
			23	12	11			
2	H	2	Total	C	O	0	0	0
			23	12	11			
2	I	2	Total	C	O	0	0	0
			23	12	11			
2	J	2	Total	C	O	0	0	0
			23	12	11			
2	K	2	Total	C	O	0	0	0
			23	12	11			
2	L	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	E	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	84	Total O 84 84	0	0
4	B	80	Total O 80 80	0	0
4	C	64	Total O 64 64	0	0
4	D	76	Total O 76 76	0	0
4	E	71	Total O 71 71	0	0
4	F	82	Total O 82 82	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galectin-3




• Molecule 1: Galectin-3




• Molecule 1: Galectin-3



• Molecule 1: Galectin-3






- Molecule 1: Galectin-3



- Molecule 1: Galectin-3



- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose



GLC1
GAL2

- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain K:  100%

GLC1
GAL2

- Molecule 2: beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain L:  100%

GLC1
GAL2

4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, α , β , γ	118.06Å 118.06Å 137.51Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 1.80 10.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.3 (10.00-1.80) 99.2 (10.00-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.201 , 0.238 0.205 , 0.245	Depositor DCC
R_{free} test set	1082 reflections (1.08%)	wwPDB-VP
Wilson B-factor (Å ²)	20.6	Xtriage
Anisotropy	0.011	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.117 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7240	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.72 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4662e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, GAL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.65	10/1125 (0.9%)	1.52	12/1526 (0.8%)
1	B	1.70	15/1125 (1.3%)	1.53	8/1526 (0.5%)
1	C	1.71	12/1125 (1.1%)	1.45	7/1526 (0.5%)
1	D	1.59	4/1125 (0.4%)	1.44	10/1526 (0.7%)
1	E	1.61	10/1125 (0.9%)	1.50	13/1526 (0.9%)
1	F	1.62	13/1125 (1.2%)	1.47	8/1526 (0.5%)
All	All	1.65	64/6750 (0.9%)	1.48	58/9156 (0.6%)

All (64) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	145	ILE	C-O	9.86	1.33	1.23
1	C	131	LEU	C-O	7.79	1.32	1.24
1	D	175	THR	C-O	7.71	1.32	1.23
1	C	132	ILE	C-O	-7.48	1.16	1.24
1	F	181	TRP	N-CA	7.46	1.55	1.46
1	F	175	THR	C-O	7.30	1.32	1.23
1	F	137	THR	C-O	-7.16	1.15	1.24
1	F	219	LEU	C-O	7.12	1.32	1.23
1	C	224	ARG	CA-C	6.90	1.61	1.53
1	C	240	ILE	CA-C	6.71	1.60	1.52
1	E	135	LEU	C-O	6.63	1.31	1.24
1	E	148	ASP	CA-C	6.59	1.60	1.53
1	B	206	PRO	CA-C	6.59	1.61	1.52
1	B	138	VAL	CA-C	6.56	1.60	1.52
1	E	122	LEU	N-CA	-6.54	1.38	1.46
1	F	173	CYS	N-CA	-6.54	1.38	1.46
1	F	148	ASP	C-O	6.52	1.31	1.24
1	E	169	ARG	CZ-NH2	-6.49	1.25	1.33
1	A	161	PRO	C-O	6.44	1.31	1.23
1	B	147	LEU	C-O	6.41	1.31	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	HIS	CA-C	-6.37	1.44	1.52
1	E	147	LEU	CA-C	-6.32	1.45	1.52
1	B	182	GLY	CA-C	6.28	1.59	1.51
1	B	240	ILE	CA-C	6.09	1.59	1.52
1	B	134	ILE	C-O	6.08	1.30	1.24
1	C	169	ARG	CZ-NH2	-6.01	1.25	1.33
1	F	235	GLY	C-O	-6.00	1.18	1.24
1	D	202	VAL	C-O	6.00	1.30	1.24
1	F	148	ASP	N-CA	5.88	1.54	1.46
1	D	187	GLN	C-O	5.87	1.30	1.23
1	E	119	ASN	N-CA	-5.86	1.39	1.46
1	B	161	PRO	C-O	5.84	1.31	1.24
1	C	204	VAL	CA-CB	-5.81	1.47	1.54
1	C	130	MET	CA-C	5.71	1.59	1.52
1	C	144	ARG	CZ-NH1	5.66	1.40	1.32
1	A	160	ASN	C-O	5.62	1.30	1.24
1	E	192	PHE	C-O	5.59	1.30	1.23
1	E	181	TRP	C-O	5.57	1.30	1.23
1	F	202	VAL	CA-C	-5.57	1.45	1.52
1	A	171	ILE	C-O	5.51	1.30	1.24
1	A	212	ALA	N-CA	5.47	1.52	1.46
1	C	200	ILE	C-O	5.46	1.29	1.24
1	D	236	ILE	C-O	5.45	1.30	1.24
1	C	164	ASN	C-O	5.39	1.29	1.23
1	B	234	LEU	N-CA	5.37	1.52	1.46
1	E	169	ARG	CD-NE	-5.32	1.38	1.46
1	A	115	ILE	C-O	-5.30	1.18	1.24
1	B	131	LEU	N-CA	-5.25	1.40	1.46
1	F	173	CYS	C-O	5.24	1.30	1.24
1	F	126	VAL	CA-CB	5.22	1.62	1.54
1	E	197	PRO	N-CA	5.20	1.53	1.47
1	A	147	LEU	C-O	5.20	1.30	1.24
1	B	235	GLY	C-O	-5.19	1.18	1.23
1	C	185	GLU	N-CA	5.18	1.52	1.46
1	B	193	GLU	CA-C	-5.14	1.46	1.52
1	C	155	VAL	CA-CB	5.11	1.59	1.53
1	A	128	PRO	CA-C	5.08	1.58	1.52
1	F	199	LYS	C-O	5.07	1.29	1.24
1	A	169	ARG	CD-NE	-5.07	1.39	1.46
1	A	224	ARG	N-CA	-5.07	1.39	1.46
1	F	231	ILE	N-CA	5.06	1.51	1.46
1	B	149	PHE	C-O	5.06	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	127	VAL	CA-C	-5.04	1.46	1.52
1	B	141	ASN	C-O	-5.03	1.16	1.23

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	169	ARG	NE-CZ-NH2	-9.72	110.45	119.20
1	E	169	ARG	NE-CZ-NH1	8.79	130.29	121.50
1	A	169	ARG	CB-CG-CD	8.63	131.16	111.30
1	F	156	ALA	N-CA-C	8.13	120.14	111.28
1	B	127	VAL	N-CA-C	-8.00	102.63	109.19
1	A	127	VAL	CA-C-N	-7.62	112.13	119.90
1	A	127	VAL	C-N-CA	-7.62	112.13	119.90
1	A	169	ARG	NE-CZ-NH1	7.40	128.90	121.50
1	B	127	VAL	CA-C-N	-7.28	112.82	120.03
1	B	127	VAL	C-N-CA	-7.28	112.82	120.03
1	E	186	ARG	CD-NE-CZ	-7.12	114.44	124.40
1	F	144	ARG	NE-CZ-NH1	-7.00	114.50	121.50
1	E	169	ARG	NE-CZ-NH2	-6.83	113.06	119.20
1	E	169	ARG	CB-CG-CD	6.71	126.74	111.30
1	D	205	GLU	CA-C-N	-6.53	112.27	119.19
1	D	205	GLU	C-N-CA	-6.53	112.27	119.19
1	D	151	ARG	CA-CB-CG	-6.48	101.14	114.10
1	A	196	LYS	CA-C-N	6.41	126.38	119.78
1	A	196	LYS	C-N-CA	6.41	126.38	119.78
1	E	127	VAL	CA-C-N	-6.25	113.32	119.76
1	E	127	VAL	C-N-CA	-6.25	113.32	119.76
1	E	126	VAL	CB-CA-C	6.11	119.60	110.98
1	C	190	PHE	CA-C-N	-6.10	113.51	120.89
1	C	190	PHE	C-N-CA	-6.10	113.51	120.89
1	B	167	ASN	N-CA-C	6.02	119.95	112.24
1	E	250	ILE	CA-C-O	5.96	130.94	120.80
1	A	237	SER	N-CA-C	5.94	117.24	108.86
1	E	139	LYS	CA-C-N	-5.84	113.76	119.78
1	E	139	LYS	C-N-CA	-5.84	113.76	119.78
1	D	151	ARG	CD-NE-CZ	-5.82	116.25	124.40
1	B	136	GLY	CA-C-O	-5.74	116.03	121.60
1	A	186	ARG	CD-NE-CZ	-5.68	116.44	124.40
1	D	156	ALA	N-CA-C	5.68	117.47	111.28
1	D	182	GLY	CA-C-N	5.67	129.42	121.02
1	D	182	GLY	C-N-CA	5.67	129.42	121.02
1	C	250	ILE	CA-C-O	-5.58	111.31	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	141	ASN	CA-C-N	5.57	128.62	120.71
1	A	141	ASN	C-N-CA	5.57	128.62	120.71
1	D	168	ARG	NE-CZ-NH1	-5.54	115.95	121.50
1	F	161	PRO	N-CA-C	5.52	119.53	111.03
1	E	167	ASN	N-CA-C	5.51	119.30	112.24
1	B	169	ARG	NE-CZ-NH1	-5.48	116.02	121.50
1	F	164	ASN	N-CA-C	5.34	117.74	107.44
1	B	144	ARG	N-CA-C	5.33	116.95	108.79
1	C	183	ARG	NE-CZ-NH2	5.33	124.00	119.20
1	F	180	ASN	N-CA-C	5.31	117.17	108.52
1	F	189	VAL	N-CA-CB	5.30	116.84	110.31
1	C	180	ASN	N-CA-C	5.29	117.15	108.52
1	E	185	GLU	CA-C-O	-5.27	114.86	120.40
1	A	128	PRO	N-CA-C	5.23	119.41	111.15
1	F	122	LEU	N-CA-C	-5.20	99.51	108.97
1	B	186	ARG	NE-CZ-NH2	5.19	123.87	119.20
1	E	184	GLU	N-CA-C	5.16	117.91	110.28
1	D	226	LYS	CD-CE-NZ	-5.09	95.62	111.90
1	F	186	ARG	NE-CZ-NH2	5.08	123.77	119.20
1	D	231	ILE	N-CA-C	-5.06	99.41	107.15
1	C	241	ASP	N-CA-C	-5.04	101.49	109.96
1	C	174	ASN	N-CA-C	5.04	114.98	107.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1100	0	1114	8	0
1	B	1100	0	1114	9	0
1	C	1100	0	1114	16	0
1	D	1100	0	1114	13	0
1	E	1100	0	1114	14	0
1	F	1100	0	1114	7	0
2	G	23	0	21	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	23	0	21	0	0
2	I	23	0	21	0	0
2	J	23	0	21	0	0
2	K	23	0	21	0	0
2	L	23	0	21	0	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	1	0
3	F	5	0	0	0	0
4	A	84	0	0	1	0
4	B	80	0	0	1	0
4	C	64	0	0	2	0
4	D	76	0	0	2	0
4	E	71	0	0	3	0
4	F	82	0	0	0	0
All	All	7240	0	6810	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:ARG:HD3	4:D:636:HOH:O	1.65	0.95
1:E:178:ASP:HB3	4:E:652:HOH:O	1.79	0.83
1:C:226:LYS:HE2	4:C:644:HOH:O	1.79	0.82
1:F:122:LEU:HD22	1:F:130:MET:HE1	1.63	0.80
1:C:122:LEU:HD22	1:C:130:MET:HE1	1.67	0.76
1:D:127:VAL:CG2	1:D:249:MET:HE1	2.14	0.76
1:A:193:GLU:HB2	1:A:196:LYS:HD3	1.74	0.69
1:D:125:GLY:HA2	1:D:231:ILE:O	2.00	0.61
1:D:126:VAL:HG23	1:D:228:LEU:HB3	1.84	0.59
1:F:151:ARG:HD2	1:F:151:ARG:C	2.28	0.58
1:E:151:ARG:NH2	1:E:154:ASP:OD2	2.33	0.58
1:C:180:ASN:ND2	4:C:601:HOH:O	2.37	0.58
4:A:630:HOH:O	1:D:196:LYS:HG2	2.05	0.57
1:A:126:VAL:HG13	1:A:231:ILE:HB	1.88	0.56
1:C:129:LYS:O	1:C:250:ILE:HD12	2.08	0.55
1:E:116:VAL:HA	1:E:117:PRO:C	2.33	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:PRO:HG2	1:B:213:VAL:HG11	1.88	0.53
1:E:186:ARG:HD2	4:E:657:HOH:O	2.09	0.53
1:A:126:VAL:HG23	1:A:204:VAL:HG11	1.90	0.52
1:C:127:VAL:CG1	1:C:249:MET:HE1	2.40	0.52
1:B:135:LEU:HD21	1:B:199:LYS:HD3	1.92	0.51
1:B:199:LYS:O	1:B:213:VAL:HA	2.11	0.50
1:E:249:MET:O	1:F:246:SER:HA	2.11	0.50
1:C:127:VAL:HG11	1:C:249:MET:HE1	1.93	0.50
1:C:164:ASN:HD21	1:C:167:ASN:HD22	1.60	0.49
1:A:139:LYS:HB3	1:A:140:PRO:HD2	1.94	0.49
1:D:169:ARG:HD3	1:D:190:PHE:CD1	2.48	0.48
1:D:180:ASN:ND2	4:D:601:HOH:O	2.47	0.48
1:B:219:LEU:C	1:B:219:LEU:HD12	2.39	0.47
1:D:191:PRO:HG2	1:D:213:VAL:HG11	1.95	0.47
1:E:145:ILE:HG12	1:E:240:ILE:HG23	1.97	0.47
1:C:125:GLY:HA2	1:C:231:ILE:O	2.15	0.46
1:D:127:VAL:HG21	1:D:249:MET:HE1	1.96	0.46
1:F:165:GLU:OE1	1:F:186:ARG:NH1	2.32	0.45
1:B:126:VAL:HG23	1:B:228:LEU:HB3	1.98	0.45
1:E:177:LEU:O	1:E:178:ASP:HB2	2.16	0.45
1:C:191:PRO:HG2	1:C:213:VAL:HG11	1.97	0.45
1:C:127:VAL:HG12	1:C:128:PRO:O	2.17	0.45
1:C:205:GLU:HB3	1:C:206:PRO:CD	2.46	0.44
1:E:180:ASN:ND2	4:E:603:HOH:O	2.50	0.44
1:E:126:VAL:HG13	1:E:231:ILE:HB	1.98	0.44
1:E:219:LEU:C	1:E:219:LEU:HD12	2.42	0.44
1:C:176:LYS:HE2	1:C:179:ASN:HA	2.00	0.44
1:C:126:VAL:O	1:C:127:VAL:HG23	2.18	0.43
1:E:158:HIS:O	1:E:173:CYS:HA	2.18	0.43
1:A:176:LYS:HD2	1:A:181:TRP:CE2	2.52	0.43
1:A:191:PRO:HG2	1:A:213:VAL:HG11	2.01	0.43
1:B:169:ARG:HD3	1:B:190:PHE:CD1	2.53	0.43
1:A:186:ARG:HH11	1:A:186:ARG:HD3	1.55	0.43
1:D:198:PHE:CD1	1:D:198:PHE:C	2.96	0.43
1:E:151:ARG:NH1	3:E:502:SO4:O2	2.52	0.43
1:F:116:VAL:HA	1:F:117:PRO:C	2.44	0.43
1:B:176:LYS:HB2	1:B:181:TRP:CZ3	2.54	0.42
1:C:164:ASN:HD21	1:C:167:ASN:ND2	2.16	0.42
1:E:248:THR:HA	1:F:247:TYR:O	2.19	0.42
1:F:164:ASN:HD21	1:F:167:ASN:ND2	2.18	0.42
1:C:127:VAL:O	1:C:128:PRO:C	2.61	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:158:HIS:O	1:D:173:CYS:HA	2.20	0.42
1:D:128:PRO:HA	1:D:204:VAL:O	2.20	0.42
1:B:162:ARG:CZ	1:B:172:VAL:HG21	2.51	0.41
1:D:171:ILE:CD1	1:D:218:LEU:HD21	2.51	0.41
1:C:169:ARG:HB3	1:C:190:PHE:CD2	2.56	0.40
1:B:238:GLY:HA2	4:B:624:HOH:O	2.20	0.40
1:E:186:ARG:HH11	1:E:186:ARG:HD3	1.54	0.40
1:D:147:LEU:HB2	1:D:159:PHE:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	135/170 (79%)	128 (95%)	7 (5%)	0	100	100
1	B	135/170 (79%)	130 (96%)	5 (4%)	0	100	100
1	C	135/170 (79%)	128 (95%)	7 (5%)	0	100	100
1	D	135/170 (79%)	132 (98%)	3 (2%)	0	100	100
1	E	135/170 (79%)	132 (98%)	3 (2%)	0	100	100
1	F	135/170 (79%)	131 (97%)	4 (3%)	0	100	100
All	All	810/1020 (79%)	781 (96%)	29 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/146 (85%)	121 (98%)	3 (2%)	43	31
1	B	124/146 (85%)	123 (99%)	1 (1%)	73	70
1	C	124/146 (85%)	122 (98%)	2 (2%)	55	47
1	D	124/146 (85%)	124 (100%)	0	100	100
1	E	124/146 (85%)	122 (98%)	2 (2%)	55	47
1	F	124/146 (85%)	123 (99%)	1 (1%)	73	70
All	All	744/876 (85%)	735 (99%)	9 (1%)	63	57

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	126	VAL
1	A	210	LYS
1	A	225	VAL
1	B	115	ILE
1	C	127	VAL
1	C	128	PRO
1	E	126	VAL
1	E	250	ILE
1	F	205	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	166	ASN
1	A	167	ASN
1	A	180	ASN
1	B	141	ASN
1	B	167	ASN
1	B	180	ASN
1	B	217	HIS
1	B	220	GLN
1	C	167	ASN
1	C	180	ASN
1	D	141	ASN
1	D	166	ASN
1	D	167	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	180	ASN
1	D	201	GLN
1	E	150	GLN
1	E	167	ASN
1	E	180	ASN
1	E	229	ASN
1	F	119	ASN
1	F	150	GLN
1	F	153	ASN
1	F	167	ASN
1	F	187	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	G	1	2	12,12,12	0.85	0	17,17,17	1.21	2 (11%)
2	GAL	G	2	2	11,11,12	0.94	0	15,15,17	1.06	0
2	GLC	H	1	2	12,12,12	0.64	0	17,17,17	1.62	2 (11%)
2	GAL	H	2	2	11,11,12	1.71	3 (27%)	15,15,17	1.39	2 (13%)
2	GLC	I	1	2	12,12,12	1.02	0	17,17,17	1.60	3 (17%)
2	GAL	I	2	2	11,11,12	0.98	0	15,15,17	1.98	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	J	1	2	12,12,12	0.95	0	17,17,17	1.31	1 (5%)
2	GAL	J	2	2	11,11,12	1.56	3 (27%)	15,15,17	1.24	2 (13%)
2	GLC	K	1	2	12,12,12	1.30	2 (16%)	17,17,17	1.55	4 (23%)
2	GAL	K	2	2	11,11,12	0.90	0	15,15,17	1.57	5 (33%)
2	GLC	L	1	2	12,12,12	0.86	0	17,17,17	1.02	1 (5%)
2	GAL	L	2	2	11,11,12	1.30	1 (9%)	15,15,17	1.86	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	G	1	2	-	0/2/22/22	0/1/1/1
2	GAL	G	2	2	-	0/2/19/22	0/1/1/1
2	GLC	H	1	2	-	0/2/22/22	0/1/1/1
2	GAL	H	2	2	-	0/2/19/22	0/1/1/1
2	GLC	I	1	2	-	0/2/22/22	0/1/1/1
2	GAL	I	2	2	-	0/2/19/22	0/1/1/1
2	GLC	J	1	2	-	0/2/22/22	0/1/1/1
2	GAL	J	2	2	-	0/2/19/22	0/1/1/1
2	GLC	K	1	2	-	0/2/22/22	0/1/1/1
2	GAL	K	2	2	-	0/2/19/22	0/1/1/1
2	GLC	L	1	2	-	0/2/22/22	0/1/1/1
2	GAL	L	2	2	-	0/2/19/22	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	2	GAL	O5-C1	-3.03	1.38	1.43
2	H	2	GAL	C2-C3	2.91	1.56	1.52
2	J	2	GAL	O5-C1	-2.79	1.39	1.43
2	K	1	GLC	O5-C5	-2.71	1.37	1.44
2	H	2	GAL	O5-C1	-2.70	1.39	1.43
2	K	1	GLC	C4-C3	2.37	1.58	1.52
2	H	2	GAL	O4-C4	2.36	1.48	1.43
2	J	2	GAL	C4-C3	2.18	1.58	1.52
2	J	2	GAL	O4-C4	2.09	1.48	1.43

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	2	GAL	O2-C2-C3	5.58	121.72	110.15
2	L	2	GAL	C1-C2-C3	4.47	116.15	109.64
2	H	1	GLC	O5-C1-C2	4.24	117.75	110.30
2	I	1	GLC	C1-C2-C3	3.99	118.50	110.36
2	K	1	GLC	O5-C5-C4	-3.97	102.55	109.70
2	J	2	GAL	O2-C2-C3	3.59	117.59	110.15
2	I	2	GAL	C1-C2-C3	3.41	114.60	109.64
2	K	2	GAL	C1-C2-C3	3.18	114.28	109.64
2	H	2	GAL	O3-C3-C2	-3.16	103.60	110.05
2	L	2	GAL	O3-C3-C4	2.87	117.13	110.38
2	I	1	GLC	O2-C2-C1	-2.85	102.66	109.25
2	I	1	GLC	O5-C5-C4	2.69	114.55	109.70
2	J	1	GLC	C1-C2-C3	2.66	115.78	110.36
2	G	1	GLC	O4-C4-C3	-2.64	104.16	110.38
2	L	2	GAL	C2-C3-C4	-2.62	106.26	110.86
2	L	2	GAL	O2-C2-C3	2.61	115.56	110.15
2	K	1	GLC	O5-C5-C6	-2.51	100.22	106.44
2	K	1	GLC	C6-C5-C4	2.45	119.04	113.02
2	G	1	GLC	O5-C5-C4	-2.44	105.31	109.70
2	L	1	GLC	C1-C2-C3	2.32	115.08	110.36
2	H	2	GAL	O2-C2-C3	2.29	114.89	110.15
2	H	1	GLC	C1-C2-C3	2.27	114.98	110.36
2	K	2	GAL	O4-C4-C5	2.26	114.89	109.32
2	K	2	GAL	C2-C3-C4	-2.26	106.89	110.86
2	I	2	GAL	O5-C5-C6	2.13	111.81	107.66
2	J	2	GAL	C1-C2-C3	2.07	112.67	109.64
2	K	2	GAL	O3-C3-C2	-2.06	105.84	110.05
2	K	2	GAL	O3-C3-C4	2.02	115.13	110.38
2	K	1	GLC	O4-C4-C5	2.01	114.28	109.32


There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	E	502	-	4,4,4	0.43	0	6,6,6	0.95	0
3	SO4	A	502	-	4,4,4	0.34	0	6,6,6	1.03	0
3	SO4	B	503	-	4,4,4	0.60	0	6,6,6	1.42	2 (33%)
3	SO4	F	502	-	4,4,4	0.35	0	6,6,6	0.60	0
3	SO4	C	503	-	4,4,4	0.61	0	6,6,6	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	503	-	4,4,4	0.48	0	6,6,6	1.19	1 (16%)
3	SO4	B	502	-	4,4,4	0.43	0	6,6,6	1.05	0
3	SO4	D	502	-	4,4,4	0.52	0	6,6,6	1.11	0
3	SO4	C	502	-	4,4,4	0.27	0	6,6,6	0.60	0

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	SO4	O3-S-O2	2.43	122.25	109.56
3	A	503	SO4	O3-S-O1	-2.37	97.15	109.56
3	B	503	SO4	O3-S-O1	-2.01	99.03	109.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	502	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	137/170 (80%)	-0.00	7 (5%)	33	32	5, 18, 36, 57	26 (18%)
1	B	137/170 (80%)	-0.07	6 (4%)	39	38	5, 18, 33, 52	27 (19%)
1	C	137/170 (80%)	0.01	6 (4%)	39	38	4, 16, 35, 53	27 (19%)
1	D	137/170 (80%)	0.08	9 (6%)	24	23	4, 20, 40, 62	27 (19%)
1	E	137/170 (80%)	-0.07	9 (6%)	24	23	4, 18, 33, 51	27 (19%)
1	F	137/170 (80%)	-0.08	9 (6%)	24	23	5, 18, 32, 56	27 (19%)
All	All	822/1020 (80%)	-0.02	46 (5%)	30	29	4, 18, 35, 62	161 (19%)

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	207	ASP	4.3
1	C	207	ASP	4.2
1	A	229	ASN	4.0
1	D	124	GLY	3.9
1	A	207	ASP	3.8
1	D	229	ASN	3.8
1	A	132	ILE	3.7
1	C	229	ASN	3.5
1	B	229	ASN	3.4
1	E	132	ILE	3.4
1	D	207	ASP	3.3
1	B	134	ILE	3.3
1	C	134	ILE	3.2
1	E	229	ASN	3.2
1	B	207	ASP	3.2
1	F	132	ILE	3.1
1	C	132	ILE	3.0
1	E	134	ILE	3.0
1	A	134	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	207	ASP	2.9
1	C	117	PRO	2.9
1	E	117	PRO	2.9
1	E	140	PRO	2.8
1	F	226	LYS	2.7
1	A	140	PRO	2.7
1	E	123	PRO	2.7
1	B	249	MET	2.6
1	F	229	ASN	2.6
1	D	117	PRO	2.6
1	F	140	PRO	2.6
1	F	187	GLN	2.5
1	A	117	PRO	2.4
1	F	250	ILE	2.4
1	A	147	LEU	2.4
1	E	139	LYS	2.4
1	D	226	LYS	2.4
1	B	132	ILE	2.3
1	F	134	ILE	2.3
1	B	141	ASN	2.3
1	F	249	MET	2.3
1	E	249	MET	2.3
1	D	134	ILE	2.2
1	D	132	ILE	2.2
1	D	139	LYS	2.2
1	D	249	MET	2.2
1	C	127	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	G	1	12/12	0.94	0.06	20,22,24,27	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GAL	H	2	11/12	0.94	0.06	20,23,24,26	0
2	GLC	I	1	12/12	0.94	0.07	21,23,30,32	0
2	GLC	J	1	12/12	0.94	0.06	19,22,25,27	0
2	GAL	J	2	11/12	0.94	0.06	19,21,22,22	0
2	GLC	K	1	12/12	0.94	0.08	19,24,29,29	0
2	GAL	I	2	11/12	0.95	0.06	19,21,24,24	0
2	GLC	H	1	12/12	0.95	0.06	21,24,27,31	0
2	GLC	L	1	12/12	0.95	0.05	20,21,26,27	0
2	GAL	G	2	11/12	0.96	0.05	17,21,23,23	0
2	GAL	L	2	11/12	0.96	0.05	19,20,22,22	0
2	GAL	K	2	11/12	0.97	0.04	20,21,23,23	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	503	5/5	0.97	0.08	28,29,45,48	0
3	SO4	B	503	5/5	0.97	0.07	28,28,39,46	0
3	SO4	E	502	5/5	0.97	0.06	31,41,43,45	0
3	SO4	A	502	5/5	0.98	0.05	32,33,34,46	0
3	SO4	C	503	5/5	0.98	0.08	29,30,42,42	0
3	SO4	D	502	5/5	0.98	0.05	34,35,38,39	0
3	SO4	B	502	5/5	0.98	0.04	32,34,37,38	0
3	SO4	F	502	5/5	0.98	0.04	34,34,36,36	0
3	SO4	C	502	5/5	0.99	0.05	28,28,31,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.