



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:39 PM UTC

PDB ID : 8H6T / pdb_00008h6t
Title : Complex structure of CDK2/Cyclin E1 and a potent, selective small molecule inhibitor
Authors : Ren, X.
Deposited on : 2022-10-18
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	65% 30% 6%
2	B	272	57% 35% 7%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	298	Total	C	N	O	P	S	0	0	0
			2400	1558	408	425	1	8			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	PRO	-	expression tag	UNP P24941

- Molecule 2 is a protein called G1/S-specific cyclin-E1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	272	Total	C	N	O	S	0	0	0
			2227	1449	361	400	17			

- Molecule 3 is (1R,3S)-3-{3-[(pyridin-2-yl)amino]-1H-pyrazol-5-yl}cyclopentyl propan-2-ylcarbamate (CCD ID: WZZ) (formula: C₁₇H₂₃N₅O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			24	17	5	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclin-dependent kinase 2



• Molecule 2: G1/S-specific cyclin-E1



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	101.97Å 101.97Å 151.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.32 – 3.00 45.32 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.1 (45.32-3.00) 98.1 (45.32-3.00)	Depositor EDS
R_{merge}	0.02	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.249 , 0.358 0.253 , 0.368	Depositor DCC
R_{free} test set	797 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	80.3	Xtriage
Anisotropy	0.154	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 62.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4653	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WZZ, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	1/2451 (0.0%)	1.54	6/3325 (0.2%)
2	B	1.11	0/2283	1.60	11/3099 (0.4%)
All	All	1.11	1/4734 (0.0%)	1.57	17/6424 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	169	ARG	C-O	5.48	1.30	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	61	PRO	CB-CA-C	-6.92	102.02	111.85
2	B	166	PHE	CA-CB-CG	-6.57	107.23	113.80
2	B	225	GLU	CA-C-N	6.32	128.75	120.60
2	B	225	GLU	C-N-CA	6.32	128.75	120.60
2	B	241	LEU	CA-C-N	5.72	128.11	122.28
2	B	241	LEU	C-N-CA	5.72	128.11	122.28
2	B	237	LEU	N-CA-C	-5.71	106.08	113.16
2	B	324	ILE	CB-CA-C	5.56	117.95	111.55
1	A	68	ASP	CA-CB-CG	5.44	118.04	112.60
1	A	272	ASN	CB-CA-C	5.34	119.26	110.88
2	B	312	LEU	N-CA-C	-5.24	105.26	110.97
1	A	140	ALA	CA-C-O	-5.16	115.72	121.81
2	B	143	LYS	CA-C-N	5.07	127.33	120.65
2	B	143	LYS	C-N-CA	5.07	127.33	120.65
1	A	258	ASP	CB-CA-C	5.02	118.76	110.88
2	B	198	ILE	N-CA-C	-5.01	105.61	110.42
1	A	166	LEU	CA-C-O	-5.00	115.55	120.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2400	0	2444	54	0
2	B	2227	0	2227	80	0
3	A	24	0	0	0	0
4	A	2	0	0	0	0
All	All	4653	0	4671	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:277:GLN:HG2	2:B:343:SER:HB3	1.64	0.80
2:B:284:LEU:O	2:B:286:VAL:N	2.23	0.72
2:B:150:ASP:OD1	2:B:363:HIS:NE2	2.24	0.71
2:B:302:SER:OG	2:B:327:CYS:SG	2.44	0.70
2:B:298:ILE:HG23	2:B:327:CYS:SG	2.34	0.68
2:B:217:THR:HG21	2:B:221:CYS:HB2	1.77	0.67
2:B:332:VAL:HB	2:B:333:PRO:HD3	1.79	0.65
2:B:163:ARG:NH1	2:B:358:HIS:O	2.29	0.65
2:B:166:PHE:O	2:B:169:ALA:HB3	1.97	0.64
2:B:245:THR:OG1	2:B:248:SER:HB3	1.98	0.64
2:B:298:ILE:CG2	2:B:327:CYS:SG	2.85	0.64
2:B:163:ARG:O	2:B:166:PHE:HB3	1.98	0.63
1:A:117:PHE:CE1	1:A:121:HIS:CE1	2.88	0.62
1:A:62:ASN:ND2	1:A:110:GLN:HB3	2.14	0.62
1:A:9:LYS:HA	1:A:19:TYR:HA	1.84	0.60
2:B:328:VAL:O	2:B:332:VAL:HG23	2.01	0.59
2:B:139:LEU:HD23	2:B:139:LEU:H	1.67	0.59
2:B:324:ILE:O	2:B:326:ASN:N	2.35	0.59
2:B:215:TYR:C	2:B:215:TYR:CD1	2.82	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:PRO:HD3	1:A:187:TRP:CZ2	2.39	0.58
2:B:313:MET:HE1	2:B:319:TYR:O	2.04	0.57
1:A:286:PHE:O	1:A:290:THR:N	2.35	0.57
2:B:153:MET:HE1	2:B:283:ASP:O	2.05	0.57
2:B:354:ASP:C	2:B:356:ASP:H	2.13	0.56
2:B:107:VAL:HA	2:B:113:ARG:HG2	1.87	0.56
1:A:20:LYS:HD3	1:A:82:PHE:CE2	2.41	0.55
2:B:172:PHE:HE1	2:B:241:LEU:HA	1.72	0.55
1:A:101:LEU:N	1:A:102:PRO:HD2	2.23	0.54
2:B:277:GLN:CG	2:B:343:SER:HB3	2.36	0.54
2:B:108:LEU:HG	2:B:113:ARG:HB3	1.90	0.54
1:A:167:TRP:CD2	1:A:204:PRO:HA	2.44	0.53
1:A:168:TYR:OH	1:A:195:GLU:OE1	2.23	0.53
1:A:278:LYS:NZ	2:B:112:ASN:HB2	2.24	0.53
2:B:145:ARG:HD3	2:B:289:VAL:HG22	1.89	0.53
1:A:86:ASP:C	1:A:86:ASP:OD1	2.52	0.53
1:A:3:ASN:ND2	1:A:25:LEU:HD22	2.24	0.53
2:B:215:TYR:C	2:B:215:TYR:HD1	2.17	0.53
2:B:242:SER:N	2:B:243:PRO:CD	2.73	0.52
2:B:364:ARG:CZ	2:B:365:ASP:H	2.23	0.52
2:B:137:HIS:O	2:B:139:LEU:N	2.42	0.52
1:A:203:PHE:CE1	1:A:215:ILE:HA	2.45	0.52
1:A:48:ALA:O	1:A:52:ILE:HG13	2.09	0.51
2:B:364:ARG:O	2:B:365:ASP:C	2.54	0.51
2:B:333:PRO:O	2:B:337:VAL:HG23	2.10	0.51
2:B:125:LYS:O	2:B:127:TYR:N	2.43	0.51
1:A:4:PHE:HA	1:A:22:ARG:O	2.11	0.51
1:A:10:ILE:CD1	1:A:20:LYS:N	2.74	0.50
2:B:302:SER:HB2	2:B:331:MET:HE1	1.92	0.50
1:A:13:GLY:N	1:A:15:TYR:CE1	2.79	0.50
2:B:127:TYR:CD1	2:B:243:PRO:HB3	2.46	0.50
2:B:324:ILE:HG13	2:B:328:VAL:CG1	2.42	0.50
2:B:298:ILE:HD12	2:B:319:TYR:CE2	2.47	0.50
1:A:283:HIS:CG	1:A:284:PRO:HD2	2.47	0.49
2:B:242:SER:N	2:B:243:PRO:HD3	2.27	0.49
2:B:123:LYS:HG2	2:B:244:LEU:HG	1.95	0.49
1:A:51:GLU:HG3	1:A:146:PHE:HB2	1.94	0.49
2:B:251:ASN:ND2	2:B:270:TYR:OH	2.46	0.49
1:A:82:PHE:CD1	1:A:82:PHE:C	2.90	0.48
2:B:170:GLN:O	2:B:173:PHE:HB3	2.13	0.48
1:A:239:SER:O	1:A:240:PHE:C	2.55	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:136:GLN:C	2:B:138:PRO:HD3	2.39	0.48
2:B:324:ILE:HG13	2:B:328:VAL:HG11	1.95	0.48
1:A:159:TYR:O	1:A:160:TPO:C	2.61	0.48
1:A:155:PRO:HG3	2:B:255:GLN:CB	2.43	0.48
1:A:168:TYR:HH	1:A:195:GLU:CD	2.22	0.48
2:B:131:GLN:NE2	2:B:290:ASP:OD1	2.47	0.48
1:A:60:HIS:CG	1:A:61:PRO:HD2	2.49	0.47
2:B:153:MET:HG2	2:B:166:PHE:CE1	2.49	0.47
2:B:332:VAL:HB	2:B:333:PRO:CD	2.43	0.47
1:A:155:PRO:HG3	2:B:255:GLN:HB3	1.95	0.47
1:A:215:ILE:HG23	1:A:219:LEU:HD12	1.96	0.47
2:B:112:ASN:HB3	2:B:115:GLU:HB2	1.97	0.47
2:B:125:LYS:O	2:B:126:THR:C	2.57	0.47
1:A:213:PHE:O	1:A:217:ARG:HG3	2.15	0.46
2:B:150:ASP:OD1	2:B:363:HIS:CD2	2.68	0.46
2:B:169:ALA:O	2:B:170:GLN:C	2.57	0.46
2:B:262:LEU:O	2:B:264:GLU:N	2.46	0.46
2:B:365:ASP:C	2:B:367:LEU:H	2.22	0.46
1:A:3:ASN:HD21	1:A:25:LEU:HD22	1.81	0.46
2:B:166:PHE:CG	2:B:361:GLN:NE2	2.84	0.46
1:A:241:PRO:HB2	1:A:243:TRP:CZ3	2.51	0.46
2:B:173:PHE:HD2	2:B:174:ASP:OD1	1.99	0.46
2:B:172:PHE:CE1	2:B:241:LEU:HA	2.50	0.46
1:A:171:PRO:HD3	1:A:187:TRP:CE2	2.51	0.46
1:A:78:LEU:HB3	1:A:80:PHE:CE1	2.51	0.46
2:B:144:MET:HA	2:B:147:ILE:HD12	1.97	0.46
1:A:5:GLN:HB2	1:A:24:LYS:HE3	1.98	0.45
1:A:161:HIS:CG	1:A:162:GLU:N	2.83	0.45
1:A:244:ALA:C	1:A:245:ARG:O	2.59	0.45
1:A:23:ASN:HB3	1:A:28:GLU:HB2	1.98	0.45
1:A:26:THR:CG2	1:A:28:GLU:HG3	2.47	0.45
2:B:118:LYS:CD	2:B:122:ASN:HD21	2.30	0.45
2:B:189:GLN:O	2:B:193:ILE:HG22	2.16	0.45
2:B:117:TRP:O	2:B:121:LEU:HG	2.16	0.45
1:A:284:PRO:O	1:A:287:GLN:HB2	2.17	0.45
2:B:137:HIS:CB	2:B:140:LEU:HD12	2.46	0.45
2:B:184:VAL:HG22	2:B:186:THR:H	1.82	0.45
2:B:312:LEU:O	2:B:313:MET:C	2.60	0.44
1:A:296:LEU:HD12	1:A:297:ARG:H	1.82	0.44
1:A:209:ILE:HD13	1:A:209:ILE:HA	1.87	0.44
1:A:153:GLY:O	1:A:155:PRO:C	2.61	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:274:ILE:HD11	2:B:278:ILE:HD11	2.00	0.43
1:A:85:GLN:HG3	1:A:89:LYS:HE2	2.00	0.43
2:B:327:CYS:O	2:B:331:MET:HB2	2.18	0.43
2:B:352:VAL:HG21	2:B:360:ILE:HG13	2.00	0.43
1:A:0:PRO:HG2	1:A:72:THR:HG21	2.00	0.43
2:B:324:ILE:O	2:B:325:GLU:C	2.61	0.43
1:A:154:VAL:HB	1:A:155:PRO:HD3	2.01	0.43
2:B:108:LEU:HD12	2:B:116:VAL:HG21	2.00	0.43
2:B:154:GLU:O	2:B:158:VAL:HG23	2.18	0.43
2:B:255:GLN:OE1	2:B:268:PRO:HA	2.19	0.43
2:B:298:ILE:O	2:B:302:SER:OG	2.30	0.42
1:A:26:THR:HG21	1:A:28:GLU:HG3	2.00	0.42
2:B:247:VAL:O	2:B:248:SER:C	2.63	0.42
1:A:61:PRO:O	1:A:142:LYS:HE2	2.18	0.42
2:B:110:TRP:CD1	2:B:110:TRP:H	2.36	0.42
2:B:259:LEU:H	2:B:259:LEU:HD22	1.83	0.42
1:A:189:LEU:HD23	1:A:189:LEU:HA	1.86	0.42
1:A:237:LYS:HD2	1:A:237:LYS:HA	1.80	0.42
1:A:288:ASP:OD1	1:A:288:ASP:N	2.53	0.41
2:B:118:LYS:HD3	2:B:122:ASN:HD21	1.85	0.41
1:A:171:PRO:HA	1:A:174:LEU:HD12	2.02	0.41
2:B:212:GLN:O	2:B:215:TYR:HB3	2.21	0.41
1:A:261:SER:O	1:A:262:LEU:C	2.63	0.41
2:B:259:LEU:H	2:B:259:LEU:HD13	1.85	0.41
1:A:209:ILE:HG22	1:A:210:ASP:N	2.36	0.41
1:A:10:ILE:HD13	1:A:20:LYS:N	2.34	0.40
2:B:313:MET:SD	2:B:317:SER:OG	2.77	0.40
2:B:125:LYS:C	2:B:127:TYR:N	2.80	0.40
1:A:101:LEU:N	1:A:102:PRO:CD	2.84	0.40
2:B:278:ILE:O	2:B:279:ALA:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/298 (99%)	257 (87%)	35 (12%)	3 (1%)	12	45
2	B	270/272 (99%)	220 (82%)	38 (14%)	12 (4%)	2	12
All	All	565/570 (99%)	477 (84%)	73 (13%)	15 (3%)	4	22

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	126	THR
2	B	263	HIS
2	B	285	CYS
2	B	353	ALA
1	A	164	VAL
2	B	173	PHE
2	B	182	ASN
2	B	260	ASN
2	B	325	GLU
2	B	107	VAL
2	B	355	GLU
2	B	367	LEU
1	A	245	ARG
2	B	366	SER
1	A	161	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/262 (100%)	227 (87%)	35 (13%)	4	18
2	B	246/246 (100%)	215 (87%)	31 (13%)	4	20
All	All	508/508 (100%)	442 (87%)	66 (13%)	4	19

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	7	VAL
1	A	10	ILE
1	A	22	ARG
1	A	25	LEU
1	A	26	THR
1	A	36	ARG
1	A	38	ASP
1	A	39	THR
1	A	47	THR
1	A	65	LYS
1	A	72	THR
1	A	73	GLU
1	A	81	GLU
1	A	86	ASP
1	A	88	LYS
1	A	94	SER
1	A	101	LEU
1	A	104	ILE
1	A	156	VAL
1	A	158	THR
1	A	162	GLU
1	A	163	VAL
1	A	199	ARG
1	A	209	ILE
1	A	232	SER
1	A	237	LYS
1	A	239	SER
1	A	257	GLU
1	A	273	LYS
1	A	288	ASP
1	A	289	VAL
1	A	291	LYS
1	A	293	VAL
1	A	297	ARG
2	B	107	VAL
2	B	110	TRP
2	B	113	ARG
2	B	126	THR
2	B	131	GLN
2	B	155	VAL
2	B	185	LYS
2	B	215	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	227	LEU
2	B	228	THR
2	B	231	LEU
2	B	246	ILE
2	B	259	LEU
2	B	262	LEU
2	B	264	GLU
2	B	274	ILE
2	B	277	GLN
2	B	310	SER
2	B	315	LYS
2	B	328	VAL
2	B	337	VAL
2	B	341	THR
2	B	346	LEU
2	B	347	LYS
2	B	349	PHE
2	B	350	ARG
2	B	356	ASP
2	B	364	ARG
2	B	365	ASP
2	B	367	LEU
2	B	368	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	132	ASN
1	A	246	GLN
1	A	265	GLN
2	B	122	ASN
2	B	131	GLN
2	B	180	GLN
2	B	277	GLN
2	B	314	GLN
2	B	348	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	160	1	8,10,11	1.22	1 (12%)	10,14,16	0.92	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	1/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	160	TPO	P-OG1	3.06	1.64	1.59

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	TPO	O-C-CA	-2.31	118.82	124.77

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	160	TPO	O-C-CA-CB

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	160	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	WZZ	A	301	-	26,26,26	3.06	9 (34%)	32,35,35	2.67	14 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	WZZ	A	301	-	-	7/16/25/25	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	WZZ	C12-C11	-9.99	1.30	1.54
3	A	301	WZZ	C12-C08	7.32	1.68	1.52
3	A	301	WZZ	C15-N16	5.00	1.45	1.37
3	A	301	WZZ	C05-N04	3.81	1.44	1.34
3	A	301	WZZ	C09-C08	-3.66	1.33	1.52
3	A	301	WZZ	C15-N24	2.49	1.36	1.33
3	A	301	WZZ	C17-N16	2.42	1.45	1.40
3	A	301	WZZ	C11-C13	2.33	1.58	1.51
3	A	301	WZZ	O07-C05	2.23	1.39	1.35

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	WZZ	C14-C15-N24	-6.94	107.18	112.14
3	A	301	WZZ	O07-C05-N04	6.48	118.53	110.26
3	A	301	WZZ	C15-N24-N23	4.99	107.34	103.71
3	A	301	WZZ	C13-C14-C15	4.93	108.23	104.78
3	A	301	WZZ	N16-C15-N24	3.61	126.05	117.81
3	A	301	WZZ	O07-C05-O06	-3.03	120.09	124.55
3	A	301	WZZ	C12-C11-C10	2.84	104.65	100.75
3	A	301	WZZ	C20-C21-C22	-2.64	116.98	120.24
3	A	301	WZZ	C11-C12-C08	2.31	108.40	103.01
3	A	301	WZZ	N16-C17-N18	2.15	121.32	114.87
3	A	301	WZZ	C19-N18-C17	2.15	120.28	117.21
3	A	301	WZZ	O06-C05-N04	-2.14	121.36	124.86
3	A	301	WZZ	C22-C17-N16	-2.13	116.72	123.02
3	A	301	WZZ	C03-C02-N04	-2.03	105.42	109.80

There are no chirality outliers.


All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	WZZ	C09-C08-O07-C05
3	A	301	WZZ	C22-C17-N16-C15
3	A	301	WZZ	N18-C17-N16-C15
3	A	301	WZZ	O07-C05-N04-C02
3	A	301	WZZ	O06-C05-N04-C02
3	A	301	WZZ	C14-C15-N16-C17
3	A	301	WZZ	N24-C15-N16-C17

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/298 (99%)	-0.11	3 (1%) 79 59	56, 78, 140, 182	0
2	B	272/272 (100%)	0.08	1 (0%) 88 76	60, 97, 139, 166	0
All	All	569/570 (99%)	-0.02	4 (0%) 84 66	56, 88, 140, 182	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	154	VAL	3.0
1	A	30	VAL	2.6
2	B	343	SER	2.4
1	A	148	LEU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	160	11/12	0.79	0.12	114,123,141,153	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	WZZ	A	301	24/24	0.93	0.11	58,67,89,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.