



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 07:07 AM UTC

PDB ID : 1H7X / pdb_00001h7x
Title : Dihydropyrimidine dehydrogenase (DPD) from pig, ternary complex of a mutant enzyme (C671A), NADPH and 5-fluorouracil
Authors : Dobritsch, D.; Schneider, G.; Schnackerz, K.D.; Lindqvist, Y.
Deposited on : 2001-01-19
Resolution : 2.01 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1025	4% 80% 18% ..
1	B	1025	5% 80% 18% ..
1	C	1025	6% 80% 17% ..
1	D	1025	5% 81% 17% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SF4	B	1027	-	-	X	-
2	SF4	D	1027	-	-	X	-
5	NDP	A	1032	X	-	-	-
5	NDP	B	1032	X	-	-	-
5	NDP	C	1032	X	-	-	-
5	NDP	D	1032	X	-	-	-
6	URF	B	1033	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 36037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DIHYDROPYRIMIDINE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1016	Total	C	N	O	S	124	0	0
			7749	4913	1314	1467	55			
1	B	1019	Total	C	N	O	S	95	0	0
			7769	4927	1317	1470	55			
1	C	1019	Total	C	N	O	S	44	0	0
			7769	4927	1317	1470	55			
1	D	1019	Total	C	N	O	S	110	0	0
			7769	4927	1317	1470	55			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	ASP	GLY	conflict	UNP Q28943
A	671	ALA	CYS	engineered mutation	UNP Q28943
B	60	ASP	GLY	conflict	UNP Q28943
B	671	ALA	CYS	engineered mutation	UNP Q28943
C	60	ASP	GLY	conflict	UNP Q28943
C	671	ALA	CYS	engineered mutation	UNP Q28943
D	60	ASP	GLY	conflict	UNP Q28943
D	671	ALA	CYS	engineered mutation	UNP Q28943

- Molecule 2 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	B	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	C	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	Fe	S	0	0
			8	4	4		
2	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
4	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
4	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
4	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 5 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	9	0
			48	21	7	17	3		
5	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
5	C	1	Total	C	N	O	P	9	0
			48	21	7	17	3		
5	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 6 is 5-FLUOROURACIL (CCD ID: URF) (formula: $C_4H_3FN_2O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	F	N	O	0	0
			9	4	1	2	2		
6	B	1	Total	C	F	N	O	0	0
			9	4	1	2	2		
6	C	1	Total	C	F	N	O	0	0
			9	4	1	2	2		
6	D	1	Total	C	F	N	O	0	0
			9	4	1	2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1052	Total	O	0	0
			1052	1052		
7	B	1048	Total	O	0	0
			1048	1048		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1096	Total 1096	O 1096	0	0
7	D	1093	Total 1093	O 1093	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DIHYDROPYRIMIDINE DEHYDROGENASE





• Molecule 1: DIHYDROPYRIMIDINE DEHYDROGENASE







• Molecule 1: DIHYDROPYRIMIDINE DEHYDROGENASE



• Molecule 1: DIHYDROPYRIMIDINE DEHYDROGENASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.95Å 159.29Å 163.57Å 90.00° 96.04° 90.00°	Depositor
Resolution (Å)	25.08 – 2.01 25.08 – 2.01	Depositor EDS
% Data completeness (in resolution range)	98.6 (25.08-2.01) 98.9 (25.08-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.07 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.171 , 0.192 0.168 , 0.190	Depositor DCC
R_{free} test set	5418 reflections (1.98%)	wwPDB-VP
Wilson B-factor (Å ²)	15.5	Xtriage
Anisotropy	0.360	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	36037	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, URF, FMN, SF4, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/7910	0.91	24/10720 (0.2%)
1	B	0.37	0/7931	0.91	28/10750 (0.3%)
1	C	0.39	0/7931	0.91	26/10750 (0.2%)
1	D	0.37	0/7931	0.92	30/10750 (0.3%)
All	All	0.37	0/31703	0.91	108/42970 (0.3%)

There are no bond length outliers.

The worst 5 of 108 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	905	PRO	N-CA-C	11.74	125.02	110.70
1	B	905	PRO	N-CA-C	10.38	123.37	110.70
1	B	285	LEU	CA-C-N	8.93	129.10	119.28
1	B	285	LEU	C-N-CA	8.93	129.10	119.28
1	D	904	PHE	N-CA-C	8.89	123.86	108.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7749	0	7775	167	0
1	B	7769	0	7798	160	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	7769	0	7798	170	0
1	D	7769	0	7798	184	1
2	A	32	0	0	2	0
2	B	32	0	0	2	0
2	C	32	0	0	1	0
2	D	32	0	0	3	0
3	A	31	0	19	0	0
3	B	31	0	19	0	0
3	C	31	0	19	0	0
3	D	31	0	19	1	0
4	A	53	0	31	2	0
4	B	53	0	31	2	0
4	C	53	0	31	0	0
4	D	53	0	31	1	0
5	A	48	0	26	1	0
5	B	48	0	26	3	0
5	C	48	0	26	1	0
5	D	48	0	26	7	0
6	A	9	0	3	0	0
6	B	9	0	3	0	0
6	C	9	0	3	0	0
6	D	9	0	3	0	0
7	A	1052	0	0	35	0
7	B	1048	0	0	32	0
7	C	1096	0	0	26	0
7	D	1093	0	0	29	0
All	All	36037	0	31485	603	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 603 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:22:THR:HG22	7:D:2056:HOH:O	1.62	0.96
1:A:410:ARG:HH21	1:B:427:VAL:HG21	1.30	0.96
1:A:410:ARG:NH2	1:B:427:VAL:HG21	1.81	0.95
1:A:923:ASP:OD1	1:D:937:GLU:HG2	1.67	0.93
1:A:1017:LEU:O	1:A:1017:LEU:HD12	1.68	0.93

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:460:ASP:OD1	1:D:395:LYS:NZ[1_656]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1014/1025 (99%)	972 (96%)	34 (3%)	8 (1%)	16	11
1	B	1017/1025 (99%)	966 (95%)	39 (4%)	12 (1%)	10	6
1	C	1017/1025 (99%)	973 (96%)	37 (4%)	7 (1%)	18	14
1	D	1017/1025 (99%)	974 (96%)	36 (4%)	7 (1%)	18	14
All	All	4065/4100 (99%)	3885 (96%)	146 (4%)	34 (1%)	16	11

5 of 34 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	678	ARG
1	A	903	ALA
1	A	904	PHE
1	A	908	GLU
1	B	416	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	845/853 (99%)	835 (99%)	10 (1%)	63	70
1	B	847/853 (99%)	840 (99%)	7 (1%)	73	80
1	C	847/853 (99%)	833 (98%)	14 (2%)	53	60
1	D	847/853 (99%)	843 (100%)	4 (0%)	81	87
All	All	3386/3412 (99%)	3351 (99%)	35 (1%)	68	75

5 of 35 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	950	GLU
1	C	1017	LEU
1	D	100	PHE
1	B	453	PRO
1	B	167	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 38 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	859	HIS
1	D	878	ASN
1	C	878	ASN
1	D	51	HIS
1	D	972	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SF4	B	1027	-	0,12,12	-	-	-		
2	SF4	C	1027	-	0,12,12	-	-	-		
3	FMN	C	1030	-	33,33,33	1.93	8 (24%)	48,50,50	1.85	11 (22%)
5	NDP	A	1032	-	51,52,52	1.89	11 (21%)	71,80,80	2.51	15 (21%)
5	NDP	B	1032	-	51,52,52	1.91	11 (21%)	71,80,80	2.50	15 (21%)
6	URF	C	1033	-	9,9,9	2.33	4 (44%)	12,12,12	2.25	4 (33%)
3	FMN	D	1030	-	33,33,33	1.89	8 (24%)	48,50,50	1.84	10 (20%)
5	NDP	D	1032	-	51,52,52	2.01	15 (29%)	71,80,80	1.89	18 (25%)
2	SF4	A	1029	-	0,12,12	-	-	-		
2	SF4	D	1028	1	0,12,12	-	-	-		
2	SF4	C	1026	-	0,12,12	-	-	-		
5	NDP	C	1032	-	51,52,52	2.59	16 (31%)	71,80,80	1.91	20 (28%)
2	SF4	D	1026	-	0,12,12	-	-	-		
2	SF4	A	1027	-	0,12,12	-	-	-		
6	URF	A	1033	-	9,9,9	2.24	4 (44%)	12,12,12	2.26	4 (33%)
2	SF4	B	1026	-	0,12,12	-	-	-		
2	SF4	B	1029	-	0,12,12	-	-	-		
4	FAD	B	1031	-	58,58,58	2.41	23 (39%)	85,89,89	1.64	10 (11%)
2	SF4	A	1028	-	0,12,12	-	-	-		
2	SF4	D	1029	1	0,12,12	-	-	-		
6	URF	B	1033	-	9,9,9	2.28	5 (55%)	12,12,12	2.26	4 (33%)
2	SF4	B	1028	-	0,12,12	-	-	-		
2	SF4	A	1026	-	0,12,12	-	-	-		
3	FMN	A	1030	-	33,33,33	1.91	8 (24%)	48,50,50	1.87	11 (22%)
4	FAD	A	1031	-	58,58,58	2.38	26 (44%)	85,89,89	1.68	10 (11%)
3	FMN	B	1030	-	33,33,33	1.92	8 (24%)	48,50,50	1.86	12 (25%)
4	FAD	D	1031	-	58,58,58	2.41	24 (41%)	85,89,89	1.63	8 (9%)
2	SF4	C	1028	-	0,12,12	-	-	-		
6	URF	D	1033	-	9,9,9	2.27	4 (44%)	12,12,12	2.22	4 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SF4	C	1029	-	0,12,12	-	-	-		
2	SF4	D	1027	1	0,12,12	-	-	-		
4	FAD	C	1031	-	58,58,58	2.39	27 (46%)	85,89,89	1.66	10 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SF4	B	1027	-	-	-	0/6/5/5
2	SF4	C	1027	-	-	-	0/6/5/5
3	FMN	C	1030	-	-	1/18/18/18	0/3/3/3
5	NDP	B	1032	-	3/3/14/17	13/34/77/77	0/5/5/5
5	NDP	A	1032	-	3/3/14/17	14/34/77/77	0/5/5/5
6	URF	C	1033	-	-	-	0/1/1/1
5	NDP	D	1032	-	3/3/14/17	10/34/77/77	0/5/5/5
2	SF4	A	1029	-	-	-	0/6/5/5
2	SF4	D	1028	1	-	-	0/6/5/5
2	SF4	C	1026	-	-	-	0/6/5/5
5	NDP	C	1032	-	3/3/14/17	7/34/77/77	0/5/5/5
2	SF4	D	1026	-	-	-	0/6/5/5
2	SF4	A	1027	-	-	-	0/6/5/5
6	URF	A	1033	-	-	-	0/1/1/1
2	SF4	B	1026	-	-	-	0/6/5/5
2	SF4	B	1029	-	-	-	0/6/5/5
4	FAD	B	1031	-	-	3/34/50/50	0/6/6/6
2	SF4	A	1028	-	-	-	0/6/5/5
2	SF4	D	1029	1	-	-	0/6/5/5
6	URF	B	1033	-	-	-	0/1/1/1
2	SF4	B	1028	-	-	-	0/6/5/5
3	FMN	A	1030	-	-	1/18/18/18	0/3/3/3
2	SF4	A	1026	-	-	-	0/6/5/5
4	FAD	A	1031	-	-	3/34/50/50	0/6/6/6
3	FMN	B	1030	-	-	1/18/18/18	0/3/3/3
4	FAD	D	1031	-	-	3/34/50/50	0/6/6/6
2	SF4	C	1029	-	-	-	0/6/5/5
2	SF4	C	1028	-	-	-	0/6/5/5
6	URF	D	1033	-	-	-	0/1/1/1
3	FMN	D	1030	-	-	1/18/18/18	0/3/3/3
2	SF4	D	1027	1	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	C	1031	-	-	3/34/50/50	0/6/6/6

The worst 5 of 202 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	1032	NDP	PN-O3	11.59	1.72	1.59
4	B	1031	FAD	PA-O3P	9.28	1.69	1.59
4	D	1031	FAD	PA-O3P	9.17	1.69	1.59
4	C	1031	FAD	PA-O3P	9.04	1.69	1.59
4	A	1031	FAD	PA-O3P	8.64	1.68	1.59

The worst 5 of 166 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1032	NDP	O2N-PN-O3	-11.83	75.29	107.27
5	B	1032	NDP	O2N-PN-O3	-11.74	75.54	107.27
5	A	1032	NDP	O3-PN-O1N	-9.51	82.11	110.70
5	B	1032	NDP	O3-PN-O1N	-9.34	82.62	110.70
4	A	1031	FAD	O3P-PA-O1A	-8.82	84.16	110.70

5 of 12 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	1032	NDP	C4D
5	A	1032	NDP	C2D
5	A	1032	NDP	C3D
5	B	1032	NDP	C4D
5	B	1032	NDP	C2D

5 of 60 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1031	FAD	C5B-O5B-PA-O1A
4	A	1031	FAD	PA-O3P-P-O5'
4	B	1031	FAD	C5B-O5B-PA-O1A
4	B	1031	FAD	PA-O3P-P-O5'
4	C	1031	FAD	C5B-O5B-PA-O1A


There are no ring outliers.


14 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1027	SF4	2	0
2	C	1027	SF4	1	0
5	A	1032	NDP	1	0
5	B	1032	NDP	3	0
3	D	1030	FMN	1	0
5	D	1032	NDP	7	0
5	C	1032	NDP	1	0
2	D	1026	SF4	1	0
2	A	1027	SF4	1	0
4	B	1031	FAD	2	0
2	A	1026	SF4	1	0
4	A	1031	FAD	2	0
4	D	1031	FAD	1	0
2	D	1027	SF4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FMN C 1030










Ligand FMN D 1030













Ligand FMN A 1030






Ligand FMN B 1030







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	1000/1025 (97%)	-0.10	41 (4%)	41	40	7, 16, 39, 59	0
1	B	1006/1025 (98%)	-0.08	54 (5%)	31	30	9, 17, 41, 64	0
1	C	1013/1025 (98%)	-0.08	64 (6%)	26	24	8, 16, 41, 59	0
1	D	1005/1025 (98%)	-0.15	55 (5%)	30	29	8, 16, 40, 60	0
All	All	4024/4100 (98%)	-0.10	214 (5%)	32	31	7, 16, 40, 64	0

The worst 5 of 214 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2	ALA	9.9
1	A	2	ALA	9.4
1	D	2	ALA	8.5
1	B	2	ALA	8.1
1	C	674	GLY	6.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NDP	A	1032	48/48	0.82	0.13	30,34,48,48	9
5	NDP	C	1032	48/48	0.84	0.15	30,33,50,52	9
5	NDP	D	1032	48/48	0.85	0.16	21,26,52,56	0
5	NDP	B	1032	48/48	0.89	0.12	19,24,42,46	0
6	URF	A	1033	9/9	0.92	0.08	22,23,24,26	0
6	URF	C	1033	9/9	0.93	0.08	19,20,22,23	0
6	URF	D	1033	9/9	0.93	0.07	17,19,20,25	0
6	URF	B	1033	9/9	0.94	0.08	19,20,21,23	0
2	SF4	D	1027	8/8	0.95	0.07	11,12,13,13	0
2	SF4	A	1026	8/8	0.95	0.07	14,14,15,15	0
2	SF4	A	1029	8/8	0.95	0.07	16,17,18,19	0
2	SF4	B	1026	8/8	0.95	0.07	13,14,15,16	0
2	SF4	B	1027	8/8	0.95	0.07	12,14,15,16	0
2	SF4	B	1028	8/8	0.95	0.07	15,16,17,17	0
2	SF4	C	1026	8/8	0.95	0.07	13,14,15,15	0
2	SF4	C	1027	8/8	0.95	0.07	11,13,14,15	0
2	SF4	C	1029	8/8	0.95	0.07	13,14,16,16	0
4	FAD	B	1031	53/53	0.96	0.06	8,13,15,15	0
2	SF4	A	1028	8/8	0.96	0.06	15,15,16,17	0
2	SF4	C	1028	8/8	0.96	0.06	13,14,15,15	0
2	SF4	B	1029	8/8	0.96	0.07	16,16,17,18	0
2	SF4	D	1026	8/8	0.96	0.06	13,13,14,14	0
2	SF4	A	1027	8/8	0.96	0.06	12,14,15,15	0
2	SF4	D	1028	8/8	0.96	0.06	15,16,16,17	0
2	SF4	D	1029	8/8	0.96	0.06	15,16,17,18	0
4	FAD	A	1031	53/53	0.96	0.06	9,12,14,14	0
3	FMN	A	1030	31/31	0.97	0.05	10,13,14,15	0
3	FMN	B	1030	31/31	0.97	0.05	10,14,15,16	0
4	FAD	C	1031	53/53	0.97	0.05	10,13,15,16	0
4	FAD	D	1031	53/53	0.97	0.06	9,12,14,15	0
3	FMN	C	1030	31/31	0.97	0.05	8,12,14,17	0
3	FMN	D	1030	31/31	0.97	0.06	10,12,13,14	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NDP A 1032:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP C 1032:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP D 1032:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP B 1032:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 1031:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 1031:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN A 1030:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN B 1030:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD C 1031:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD D 1031:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN C 1030:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN D 1030:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.