



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:39 PM UTC

PDB ID : 3H72 / pdb_00003h72
Title : Crystal structure of Streptococcus pneumoniae D39 neuraminidase A precursor (NanA) in complex with NANA
Authors : Hsiao, Y.-S.; Tong, L.
Deposited on : 2009-04-24
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	477	3% 79% 18% ..
1	B	477	2% 77% 22% .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9006 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sialidase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	474	Total	C	N	O	S	0	0	0
			3747	2347	661	727	12			
1	B	477	Total	C	N	O	S	0	0	0
			3771	2363	664	732	12			

- Molecule 2 is N-acetyl-alpha-neuraminic acid (CCD ID: SIA) (formula: $C_{11}H_{19}NO_9$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			21	11	1	9		
2	B	1	Total	C	N	O	0	0
			21	11	1	9		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	692	Total 692	O 692	0	0
3	B	754	Total 754	O 754	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sialidase A



• Molecule 1: Sialidase A



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	158.63Å 47.37Å 137.06Å 90.00° 116.41° 90.00°	Depositor
Resolution (Å)	28.34 – 1.70 28.34 – 1.71	Depositor EDS
% Data completeness (in resolution range)	87.2 (28.34-1.70) 87.3 (28.34-1.71)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.65 (at 1.71Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.175 , 0.209 0.171 , 0.203	Depositor DCC
R_{free} test set	6677 reflections (7.55%)	wwPDB-VP
Wilson B-factor (Å ²)	12.0	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 73.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9006	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/3828	0.91	19/5169 (0.4%)
1	B	0.33	0/3853	0.89	17/5204 (0.3%)
All	All	0.33	0/7681	0.90	36/10373 (0.3%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	367	ARG	N-CA-C	8.34	120.00	111.07
1	B	569	GLY	N-CA-C	-7.97	96.08	112.34
1	A	413	PRO	N-CA-C	-7.70	98.97	111.21
1	A	569	GLY	N-CA-C	-7.69	96.66	112.34
1	B	367	ARG	N-CA-C	7.23	118.80	111.07
1	B	414	VAL	N-CA-C	7.14	118.76	108.48
1	A	414	VAL	N-CA-C	6.88	118.39	108.48
1	B	607	ILE	N-CA-C	-6.69	98.55	108.99
1	A	528	PHE	N-CA-C	6.55	120.19	109.72
1	A	368	LEU	N-CA-C	6.40	120.29	112.23
1	B	528	PHE	N-CA-C	6.40	119.96	109.72
1	A	607	ILE	N-CA-C	-6.24	99.25	108.85
1	A	558	VAL	N-CA-C	6.11	119.52	113.71
1	A	662	MET	N-CA-C	6.11	118.91	109.07
1	A	345	SER	N-CA-C	6.09	118.43	109.24
1	A	473	TYR	N-CA-C	-6.01	102.77	110.53
1	B	619	GLY	N-CA-C	-6.00	103.41	112.60
1	A	619	GLY	N-CA-C	-5.81	103.72	112.60
1	B	368	LEU	N-CA-C	5.77	120.46	112.90
1	B	662	MET	N-CA-C	5.70	118.77	109.59
1	B	415	ASN	N-CA-C	-5.50	100.43	109.40
1	A	579	GLY	CA-C-N	5.47	125.14	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	579	GLY	C-N-CA	5.47	125.14	119.56
1	B	767	TYR	N-CA-C	5.45	117.36	109.07
1	A	778	THR	N-CA-C	-5.42	100.35	109.07
1	B	645	ASN	N-CA-C	-5.39	99.14	108.69
1	B	778	THR	N-CA-C	-5.39	100.40	109.07
1	B	345	SER	N-CA-C	5.35	117.52	109.23
1	A	415	ASN	N-CA-C	-5.32	100.72	109.40
1	A	570	PRO	N-CA-C	5.16	119.31	111.11
1	B	473	TYR	N-CA-C	-5.14	103.61	110.55
1	B	650	VAL	N-CA-C	5.13	115.87	108.48
1	A	650	VAL	N-CA-C	5.11	115.84	108.48
1	A	645	ASN	N-CA-C	-5.08	99.34	108.48
1	B	743	ASN	N-CA-C	5.06	116.77	109.48
1	B	413	PRO	N-CA-C	-5.05	103.19	111.21

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3747	0	3664	66	0
1	B	3771	0	3688	90	0
2	A	21	0	18	1	0
2	B	21	0	18	0	0
3	A	692	0	0	18	0
3	B	754	0	0	32	1
All	All	9006	0	7388	156	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:517:ASN:HD22	1:B:519:TYR:H	1.11	0.98
1:A:517:ASN:HD22	1:A:519:TYR:H	1.14	0.95
1:B:336:GLY:H	1:B:775:ASN:HD21	1.25	0.83
1:A:336:GLY:H	1:A:775:ASN:HD21	1.26	0.81
1:B:486:GLY:HA2	3:B:1205:HOH:O	1.81	0.78
1:B:672:ALA:HB3	3:B:1044:HOH:O	1.83	0.77
1:A:671:VAL:HG23	3:A:1108:HOH:O	1.84	0.76
1:B:482:TYR:HB3	3:B:1205:HOH:O	1.87	0.75
1:A:561:ASP:HB2	3:B:1268:HOH:O	1.86	0.74
1:B:517:ASN:ND2	1:B:519:TYR:H	1.84	0.72
1:B:510:LYS:HE3	1:B:515:LEU:HD11	1.72	0.71
1:B:566:LEU:HG	3:B:1222:HOH:O	1.89	0.71
1:B:655:ASN:C	1:B:655:ASN:HD22	1.98	0.71
1:A:517:ASN:ND2	1:A:519:TYR:H	1.88	0.69
1:B:660:LEU:HB3	3:B:1044:HOH:O	1.92	0.69
1:B:421:VAL:HA	3:B:1216:HOH:O	1.92	0.68
1:B:561:ASP:HB2	3:B:1268:HOH:O	1.95	0.66
1:A:339:ASN:ND2	1:A:341:ASP:H	1.95	0.65
1:B:536:LEU:HB2	3:B:1222:HOH:O	1.96	0.65
1:A:419:VAL:HG21	3:A:1090:HOH:O	1.96	0.65
1:A:345:SER:HB3	3:A:1099:HOH:O	1.96	0.65
1:B:435:MET:HE2	1:B:537:TRP:CZ2	2.31	0.64
1:B:532:LYS:HG2	3:B:1192:HOH:O	1.96	0.64
1:B:655:ASN:ND2	1:B:657:ASP:H	1.95	0.64
1:B:367:ARG:HH21	1:B:368:LEU:HD21	1.63	0.64
1:A:339:ASN:C	1:A:339:ASN:HD22	2.05	0.63
1:B:627:GLN:NE2	1:B:630:GLY:H	1.97	0.62
1:B:339:ASN:ND2	1:B:341:ASP:H	1.98	0.62
1:B:339:ASN:C	1:B:339:ASN:HD22	2.08	0.61
1:A:655:ASN:ND2	1:A:657:ASP:H	1.98	0.60
1:B:339:ASN:ND2	1:B:343:ILE:H	2.00	0.59
1:B:536:LEU:HD13	3:B:1222:HOH:O	2.03	0.58
1:A:709:GLU:HG2	1:A:731:VAL:HB	1.85	0.58
1:B:729:ALA:HB2	1:B:739:TRP:CE3	2.39	0.58
1:A:729:ALA:HB2	1:A:739:TRP:CE3	2.39	0.57
1:B:623:ASN:HD21	1:B:626:ARG:HH11	1.53	0.57
1:B:598:LEU:HB3	3:B:875:HOH:O	2.05	0.56
1:A:588:PRO:HD2	3:A:1090:HOH:O	2.05	0.56
1:B:336:GLY:H	1:B:775:ASN:ND2	2.01	0.56
1:B:660:LEU:CB	3:B:1044:HOH:O	2.51	0.56
1:A:556:PRO:HG2	3:A:1087:HOH:O	2.06	0.55
1:B:385:ASP:OD2	1:B:388:LYS:HB3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:339:ASN:ND2	1:A:343:ILE:H	2.03	0.55
1:A:492:ARG:HG2	1:A:509:TYR:HB2	1.89	0.55
1:A:771:GLU:O	1:A:772:LYS:HG2	2.07	0.55
1:B:385:ASP:CG	1:B:388:LYS:HB3	2.31	0.55
1:A:325:GLU:HG2	3:A:836:HOH:O	2.06	0.55
1:B:606:ILE:C	1:B:606:ILE:HD12	2.31	0.54
1:A:512:ASN:HB3	3:A:1120:HOH:O	2.07	0.54
1:B:510:LYS:HB2	1:B:515:LEU:HD11	1.90	0.53
1:B:655:ASN:HD22	1:B:656:GLY:N	2.07	0.53
1:A:344:LYS:HB2	3:A:1099:HOH:O	2.08	0.52
1:B:785:ASN:C	1:B:785:ASN:HD22	2.17	0.52
1:A:623:ASN:HD21	1:A:626:ARG:HH11	1.56	0.52
1:A:679:VAL:HG13	3:A:1168:HOH:O	2.10	0.52
1:B:730:ARG:HB3	3:B:1187:HOH:O	2.10	0.52
1:A:657:ASP:HB3	3:A:1081:HOH:O	2.09	0.51
1:A:689:PRO:HG3	3:A:846:HOH:O	2.09	0.51
1:B:655:ASN:C	1:B:655:ASN:ND2	2.66	0.51
1:A:785:ASN:C	1:A:785:ASN:HD22	2.19	0.51
1:B:321:ALA:HA	1:B:787:ASP:HB2	1.91	0.51
1:B:476:ARG:NH2	3:B:1205:HOH:O	2.44	0.51
1:B:726:VAL:HG23	1:B:726:VAL:O	2.11	0.51
1:B:623:ASN:ND2	1:B:626:ARG:HH11	2.09	0.51
1:B:466:ARG:HD3	1:B:469:GLU:OE2	2.11	0.50
1:B:318:PRO:HD3	1:B:793:LEU:HA	1.92	0.50
1:A:557:MET:HG3	3:A:1087:HOH:O	2.11	0.50
1:A:602:GLN:HB3	1:A:646:THR:HG22	1.93	0.50
1:A:625:ASN:HB2	3:B:931:HOH:O	2.11	0.50
1:B:757:GLU:HG3	1:B:763:TYR:CE1	2.47	0.50
1:B:339:ASN:ND2	1:B:339:ASN:C	2.69	0.49
1:A:655:ASN:HD21	1:A:657:ASP:HB2	1.78	0.49
1:A:339:ASN:ND2	1:A:339:ASN:C	2.64	0.49
1:B:521:THR:HG21	3:B:1192:HOH:O	2.13	0.48
1:A:330:PHE:HB3	1:A:346:TYR:CG	2.48	0.48
1:A:655:ASN:C	1:A:655:ASN:HD22	2.20	0.48
1:B:738:THR:HB	3:B:1187:HOH:O	2.13	0.48
1:B:404:LYS:HE2	3:B:1287:HOH:O	2.14	0.48
1:B:646:THR:OG1	1:B:647:GLU:N	2.47	0.47
1:B:435:MET:HE3	1:B:535:TYR:HB2	1.96	0.47
1:B:445:MET:HB2	3:B:1294:HOH:O	2.14	0.47
1:A:653:LEU:HD22	1:A:731:VAL:HG11	1.97	0.47
1:A:354:THR:HA	3:A:1146:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:PHE:HB3	1:B:346:TYR:CG	2.49	0.47
1:B:334:ARG:HD3	3:B:1107:HOH:O	2.14	0.47
1:B:672:ALA:C	3:B:1044:HOH:O	2.57	0.47
1:B:685:ILE:N	1:B:685:ILE:HD12	2.30	0.47
1:A:623:ASN:ND2	1:A:626:ARG:HH11	2.12	0.47
1:B:651:VAL:HG13	1:B:702:HIS:HB2	1.96	0.46
1:A:606:ILE:C	1:A:606:ILE:HD12	2.40	0.46
1:B:722:GLU:HB3	3:B:1151:HOH:O	2.15	0.46
1:A:344:LYS:HD2	1:A:368:LEU:O	2.15	0.46
1:A:597:HIS:CG	1:A:598:LEU:H	2.33	0.46
1:A:336:GLY:H	1:A:775:ASN:ND2	2.03	0.46
1:B:351:LEU:HD11	1:B:359:LEU:HG	1.98	0.46
1:A:655:ASN:ND2	1:A:655:ASN:C	2.73	0.45
1:B:787:ASP:HB3	1:B:791:LYS:HE3	1.98	0.45
1:B:785:ASN:ND2	1:B:788:PHE:H	2.14	0.45
1:A:565:PHE:CZ	1:A:567:GLY:HA3	2.52	0.45
1:B:555:THR:N	1:B:556:PRO:HD2	2.31	0.45
1:B:552:GLN:HB2	3:B:1243:HOH:O	2.15	0.45
1:B:602:GLN:HB3	1:B:646:THR:HG22	1.99	0.45
1:A:741:LYS:HE2	1:A:790:SER:O	2.16	0.45
1:B:404:LYS:HE3	3:B:1404:HOH:O	2.16	0.45
1:B:537:TRP:N	3:B:936:HOH:O	2.51	0.44
1:B:533:ASP:CG	1:B:534:SER:H	2.26	0.44
1:A:685:ILE:HD12	1:A:685:ILE:N	2.33	0.44
1:A:555:THR:N	1:A:556:PRO:HD2	2.33	0.44
1:A:657:ASP:OD1	1:A:675:LYS:HD3	2.18	0.44
1:B:718:GLY:N	3:B:1090:HOH:O	2.49	0.44
1:A:631:GLN:HB2	3:A:924:HOH:O	2.18	0.43
1:A:788:PHE:CE1	1:A:793:LEU:HD11	2.53	0.43
1:B:729:ALA:HB2	1:B:739:TRP:CZ3	2.53	0.43
1:B:322:ALA:H	1:B:785:ASN:HD21	1.65	0.43
1:A:340:LYS:HE3	3:A:1073:HOH:O	2.18	0.43
1:A:435:MET:HG3	1:A:537:TRP:CZ2	2.53	0.43
1:B:485:ASP:HB2	3:B:1112:HOH:O	2.18	0.43
1:B:627:GLN:HE21	1:B:630:GLY:H	1.64	0.43
1:B:655:ASN:HD21	1:B:657:ASP:HB2	1.84	0.43
1:B:715:ASN:N	1:B:715:ASN:HD22	2.16	0.43
1:B:499:LYS:HD2	1:B:504:ASP:HB3	2.00	0.42
1:B:597:HIS:CG	1:B:598:LEU:N	2.87	0.42
1:B:713:LEU:C	1:B:713:LEU:HD23	2.44	0.42
1:B:730:ARG:HB2	1:B:740:LEU:HD11	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:597:HIS:CG	1:A:598:LEU:N	2.87	0.42
1:B:597:HIS:CG	1:B:598:LEU:H	2.37	0.42
1:A:373:TRP:CH2	1:A:440:LYS:HE2	2.54	0.42
1:A:372:ASP:OD2	2:A:900:SIA:O2	2.36	0.42
1:A:353:LYS:HE3	1:A:357:GLY:HA2	2.02	0.42
1:A:554:ILE:HA	3:A:1087:HOH:O	2.19	0.42
1:A:522:THR:O	1:A:523:ASN:C	2.63	0.42
1:A:321:ALA:HA	1:A:787:ASP:HB3	2.02	0.41
1:A:435:MET:HG3	1:A:537:TRP:CE2	2.55	0.41
1:B:401:ASP:HB3	3:B:881:HOH:O	2.21	0.41
1:A:602:GLN:CB	1:A:646:THR:HG22	2.50	0.41
1:A:730:ARG:HB2	1:A:740:LEU:HD11	2.03	0.41
1:B:435:MET:HE2	1:B:537:TRP:CE2	2.55	0.41
1:B:369:HIS:CE1	1:B:371:SER:HB2	2.55	0.41
1:B:700:ALA:HA	1:B:712:ILE:O	2.21	0.41
1:B:785:ASN:C	1:B:785:ASN:ND2	2.79	0.41
1:A:715:ASN:N	1:A:715:ASN:HD22	2.18	0.41
1:A:774:GLN:HG2	3:A:963:HOH:O	2.19	0.41
1:B:606:ILE:HD12	1:B:606:ILE:O	2.21	0.41
1:B:770:THR:HA	1:B:774:GLN:HE21	1.85	0.41
1:B:334:ARG:CZ	3:B:1194:HOH:O	2.69	0.41
1:A:466:ARG:HD3	1:A:469:GLU:OE2	2.21	0.41
1:B:508:LEU:HD13	1:B:508:LEU:C	2.46	0.41
1:A:771:GLU:O	1:A:772:LYS:CG	2.68	0.40
1:A:383:SER:HB2	1:A:390:TRP:CD2	2.56	0.40
1:B:335:ASN:HB2	1:B:337:LYS:HE2	2.02	0.40
1:B:602:GLN:NE2	3:B:875:HOH:O	2.55	0.40
1:A:414:VAL:HA	3:A:192:HOH:O	2.22	0.40
1:A:586:LEU:HD22	1:A:606:ILE:HD13	2.02	0.40
1:B:367:ARG:NH2	3:B:310:HOH:O	2.54	0.40
1:B:435:MET:HE3	1:B:535:TYR:CB	2.50	0.40
1:B:674:SER:HB2	1:B:681:TRP:CE3	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:1031:HOH:O	3:B:1031:HOH:O[2_655]	1.42	0.78

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/477 (99%)	445 (94%)	25 (5%)	2 (0%)	30	16
1	B	475/477 (100%)	449 (94%)	24 (5%)	2 (0%)	30	16
All	All	947/954 (99%)	894 (94%)	49 (5%)	4 (0%)	30	16

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	417	ASP
1	A	417	ASP
1	B	684	ASP
1	A	719	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	404/407 (99%)	396 (98%)	8 (2%)	48	32
1	B	407/407 (100%)	399 (98%)	8 (2%)	48	32
All	All	811/814 (100%)	795 (98%)	16 (2%)	48	32

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	339	ASN
1	A	345	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	418	MET
1	A	642	ARG
1	A	645	ASN
1	A	655	ASN
1	A	715	ASN
1	A	785	ASN
1	B	317	LEU
1	B	339	ASN
1	B	631	GLN
1	B	645	ASN
1	B	655	ASN
1	B	715	ASN
1	B	785	ASN
1	B	791	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	339	ASN
1	A	448	GLN
1	A	462	GLN
1	A	513	GLN
1	A	517	ASN
1	A	523	ASN
1	A	552	GLN
1	A	594	ASN
1	A	599	ASN
1	A	623	ASN
1	A	627	GLN
1	A	655	ASN
1	A	715	ASN
1	A	723	ASN
1	A	753	ASN
1	A	774	GLN
1	A	775	ASN
1	A	785	ASN
1	B	335	ASN
1	B	339	ASN
1	B	448	GLN
1	B	517	ASN
1	B	523	ASN
1	B	599	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	623	ASN
1	B	627	GLN
1	B	655	ASN
1	B	715	ASN
1	B	753	ASN
1	B	774	GLN
1	B	775	ASN
1	B	785	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SIA	B	901	-	21,21,21	1.93	3 (14%)	24,31,31	1.58	5 (20%)
2	SIA	A	900	-	21,21,21	1.95	3 (14%)	24,31,31	1.55	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SIA	B	901	-	-	0/20/38/38	0/1/1/1
2	SIA	A	900	-	-	0/20/38/38	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	SIA	O10-C10	5.94	1.36	1.23
2	B	901	SIA	O10-C10	5.91	1.36	1.23
2	A	900	SIA	C11-C10	-5.41	1.39	1.50
2	B	901	SIA	C11-C10	-5.38	1.39	1.50
2	A	900	SIA	O2-C2	2.71	1.43	1.39
2	B	901	SIA	O2-C2	2.66	1.43	1.39

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	SIA	O6-C6-C7	4.10	113.06	106.65
2	A	900	SIA	O1A-C1-C2	-4.09	117.02	123.85
2	B	901	SIA	O1A-C1-C2	-4.02	117.14	123.85
2	A	900	SIA	O6-C6-C7	3.68	112.39	106.65
2	A	900	SIA	O6-C6-C5	3.11	112.69	109.84
2	B	901	SIA	O6-C6-C5	2.92	112.52	109.84
2	B	901	SIA	C11-C10-N5	2.37	120.06	116.12
2	A	900	SIA	C11-C10-N5	2.22	119.80	116.12
2	A	900	SIA	C3-C2-C1	-2.22	108.72	112.84
2	B	901	SIA	C3-C2-C1	-2.20	108.75	112.84

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	SIA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	474/477 (99%)	-0.13	15 (3%) 50 54	4, 10, 27, 55	0
1	B	477/477 (100%)	-0.09	10 (2%) 63 68	5, 12, 27, 43	0
All	All	951/954 (99%)	-0.11	25 (2%) 57 61	4, 11, 27, 55	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	321	ALA	11.3
1	A	793	LEU	6.9
1	B	317	LEU	4.9
1	A	320	GLY	4.8
1	B	793	LEU	4.0
1	A	790	SER	3.8
1	B	630	GLY	3.7
1	B	321	ALA	3.6
1	A	685	ILE	3.4
1	A	792	ASP	3.2
1	A	322	ALA	3.1
1	B	319	GLU	3.1
1	A	485	ASP	3.0
1	B	760	ASN	2.8
1	A	456	ILE	2.7
1	B	320	GLY	2.6
1	B	733	GLU	2.6
1	A	512	ASN	2.5
1	A	684	ASP	2.5
1	B	510	LYS	2.5
1	A	458	GLY	2.4
1	B	318	PRO	2.2
1	A	760	ASN	2.1
1	A	455	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	629	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SIA	B	901	21/21	0.93	0.07	8,10,18,23	0
2	SIA	A	900	21/21	0.94	0.07	5,8,16,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SIA B 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SIA A 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.