



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:58 PM UTC

PDB ID : 1H8Y / pdb_00001h8y
Title : Crystal structure of the class D beta-lactamase OXA-13 in complex with meropenem
Authors : Pernot, L.; Frenois, F.; Rybkine, T.; L'Hermite, G.; Petrella, S.; Delettre, J.; Jarlier, V.; Collatz, E.; Sougakoff, W.
Deposited on : 2001-02-17
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	247	
1	B	247	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MER	A	300	X	-	-	-
2	MER	B	300	X	-	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4274 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-LACTAMASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	247	Total	C	N	O	S	0	2	0
			1941	1240	328	367	6			
1	B	247	Total	C	N	O	S	0	1	0
			1937	1238	328	365	6			

- Molecule 2 is (4R,5S)-3-{[(3S,5S)-5-(dimethylcarbamoyl)pyrrolidin-3-yl]sulfanyl}-5-[(2S,3R)-3-hydroxy-1-oxobutan-2-yl]-4-methyl-4,5-dihydro-1H-pyrrole-2-carboxylic acid (CCD ID: MER) (formula: C₁₇H₂₇N₃O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			26	17	3	5	1		
2	B	1	Total	C	N	O	S	0	0
			26	17	3	5	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	157	Total	O	0	0
			157	157		
4	B	167	Total	O	0	0
			167	167		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-LACTAMASE



• Molecule 1: BETA-LACTAMASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	45.34Å 112.30Å 124.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.7 (30.00-2.00) 97.4 (30.00-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 1.89Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.204 , 0.257 0.195 , 0.233	Depositor DCC
R_{free} test set	2299 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.747	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4274	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MER

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.21	1/1991 (0.1%)	1.51	16/2687 (0.6%)
1	B	1.28	0/1982	1.50	19/2675 (0.7%)
All	All	1.24	1/3973 (0.0%)	1.51	35/5362 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	109	ARG	CZ-NH1	5.45	1.40	1.32

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	166	GLN	OE1-CD-NE2	-10.79	111.81	122.60
1	B	133	GLN	OE1-CD-NE2	-10.24	112.36	122.60
1	A	185	GLN	OE1-CD-NE2	-9.41	113.19	122.60
1	A	144	GLN	OE1-CD-NE2	-9.40	113.20	122.60
1	B	104	ARG	CD-NE-CZ	9.12	137.18	124.40
1	A	253	ILE	CA-C-O	7.07	123.43	118.69
1	B	166	GLN	CG-CD-NE2	6.98	126.87	116.40
1	B	133	GLN	CG-CD-NE2	6.93	126.79	116.40
1	B	120	PHE	CA-CB-CG	-6.72	107.08	113.80
1	B	165	ASN	CA-CB-CG	6.71	119.31	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	ALA	CA-C-N	-6.53	114.68	123.10
1	A	36	ALA	C-N-CA	-6.53	114.68	123.10
1	A	165	ASN	OD1-CG-ND2	-6.46	116.14	122.60
1	A	185	GLN	CG-CD-NE2	6.44	126.06	116.40
1	A	144	GLN	CG-CD-NE2	6.44	126.06	116.40
1	B	87	HIS	CA-CB-CG	-6.03	107.77	113.80
1	A	55	ASN	CA-CB-CG	-5.93	106.67	112.60
1	B	208	PHE	CA-CB-CG	5.90	119.70	113.80
1	A	109	ARG	NE-CZ-NH2	5.82	124.44	119.20
1	A	165	ASN	CA-CB-CG	5.69	118.29	112.60
1	B	109	ARG	NE-CZ-NH2	5.46	124.12	119.20
1	B	253	ILE	CA-C-O	5.45	122.34	118.69
1	A	218	GLY	N-CA-C	-5.37	103.96	112.66
1	B	200	TYR	N-CA-C	5.35	116.97	108.79
1	B	36	ALA	CA-C-N	-5.27	115.38	122.91
1	B	36	ALA	C-N-CA	-5.27	115.38	122.91
1	A	56	LEU	O-C-N	-5.24	116.67	122.07
1	B	113	GLN	CA-CB-CG	5.24	124.58	114.10
1	B	113	GLN	N-CA-CB	5.20	117.76	110.12
1	B	26	THR	N-CA-C	-5.18	107.62	114.31
1	B	222	TRP	CB-CA-C	-5.14	105.05	111.43
1	B	24	GLU	O-C-N	5.04	129.04	122.89
1	A	64	LEU	N-CA-C	-5.03	103.25	109.64
1	A	252	SER	CA-C-N	-5.02	116.31	120.33
1	A	252	SER	C-N-CA	-5.02	116.31	120.33

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	221	TRP	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1941	0	1936	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1937	0	1934	38	0
2	A	26	0	25	3	0
2	B	26	0	25	4	0
3	A	10	0	0	1	0
3	B	10	0	0	0	0
4	A	157	0	0	2	0
4	B	167	0	0	4	0
All	All	4274	0	3920	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:LYS:HE2	1:B:115:SER:HA	1.31	1.05
2:B:300:MER:H15	2:B:300:MER:H20A	1.50	0.90
1:A:26:THR:HA	1:A:29:ASN:HD21	1.44	0.82
1:A:70:LYS:HZ2	1:A:115:SER:HB3	1.45	0.82
1:B:70:LYS:HE2	1:B:115:SER:CA	2.10	0.80
1:A:26:THR:HA	1:A:29:ASN:ND2	2.02	0.74
1:A:176:ASN:HA	1:A:185:GLN:NE2	2.03	0.74
1:A:25:ASN:ND2	1:A:27:SER:OG	2.20	0.73
1:A:70:LYS:NZ	1:A:115:SER:HB3	2.05	0.71
1:B:70:LYS:NZ	4:B:2039:HOH:O	2.23	0.71
1:A:145:ASN:HD22	1:A:145:ASN:C	2.03	0.67
1:B:145:ASN:HD22	1:B:147:SER:H	1.46	0.64
1:A:206:THR:HB	1:A:250:ARG:NH1	2.12	0.64
1:B:91:LYS:H	1:B:91:LYS:CD	2.09	0.63
1:A:55:ASN:C	1:A:55:ASN:HD22	2.06	0.63
1:B:45:LYS:O	1:B:46:SER:HB2	1.99	0.60
1:B:70:LYS:HE3	1:B:120:PHE:CD1	2.35	0.60
1:A:22:ILE:HG23	1:A:56:LEU:HD21	1.83	0.60
1:B:145:ASN:ND2	1:B:147:SER:H	2.00	0.60
1:A:142:GLY:H	1:A:165:ASN:HD21	1.50	0.59
1:A:199[B]:GLU:HG3	1:A:200:TYR:HD2	1.67	0.59
1:B:97:ARG:CG	1:B:118:PRO:HG3	2.32	0.59
1:A:145:ASN:HD22	1:A:147:SER:H	1.52	0.58
1:B:23:THR:HG23	4:B:2016:HOH:O	2.03	0.58
2:A:300:MER:O12	2:A:300:MER:H16	2.03	0.57
1:B:250:ARG:HD2	1:B:250:ARG:C	2.29	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:GLN:NE2	1:B:114:VAL:HB	2.21	0.56
1:A:145:ASN:ND2	1:A:147:SER:H	2.04	0.56
1:A:189:LYS:O	1:A:203:HIS:HD2	1.88	0.56
1:B:55:ASN:C	1:B:55:ASN:HD22	2.14	0.56
1:A:142:GLY:H	1:A:165:ASN:ND2	2.04	0.55
1:A:199[B]:GLU:HG2	4:A:2126:HOH:O	2.06	0.54
1:B:102:TRP:CZ3	1:B:117:VAL:HB	2.43	0.54
1:A:198:PRO:HA	1:B:113:GLN:HE21	1.71	0.54
1:A:114:VAL:O	1:A:115:SER:C	2.50	0.54
1:B:189:LYS:O	1:B:203:HIS:HD2	1.90	0.54
1:A:117:VAL:N	1:A:118:PRO:HD2	2.23	0.54
1:A:210:GLY:O	1:A:218:GLY:HA3	2.08	0.53
1:B:145:ASN:HD22	1:B:145:ASN:C	2.17	0.53
2:B:300:MER:H20A	2:B:300:MER:C15	2.27	0.52
1:B:117:VAL:CG2	2:B:300:MER:H9	2.40	0.52
1:B:71:ILE:O	1:B:75:ILE:HG13	2.10	0.52
1:A:25:ASN:ND2	1:A:27:SER:H	2.07	0.51
1:A:253:ILE:HB	1:A:254:PRO:HD3	1.93	0.51
1:B:97:ARG:HG2	1:B:118:PRO:HG3	1.91	0.51
1:A:213:THR:OG1	1:A:216:ASN:N	2.43	0.50
1:B:35:GLU:O	1:B:36:ALA:HB3	2.11	0.50
1:A:45:LYS:O	1:A:46:SER:HB2	2.12	0.49
1:A:221:TRP:O	1:A:250:ARG:HD3	2.13	0.48
2:A:300:MER:H16A	2:A:300:MER:H26A	1.95	0.48
1:A:122:GLN:O	1:A:126:GLU:HG3	2.14	0.47
1:B:56:LEU:HD22	4:B:2025:HOH:O	2.14	0.47
1:B:55:ASN:ND2	1:B:58:ARG:H	2.13	0.47
1:B:247:LEU:HD23	2:B:300:MER:H17	1.95	0.47
1:A:44:CYS:SG	1:A:167:VAL:HG11	2.55	0.47
2:A:300:MER:O12	2:A:300:MER:C16	2.63	0.47
1:A:175:LEU:O	1:A:176:ASN:HB2	2.15	0.46
1:A:228:LYS:NZ	1:A:262:GLY:O	2.49	0.46
1:A:176:ASN:C	1:A:185:GLN:HE22	2.24	0.45
1:B:247:LEU:N	1:B:248:PRO:CD	2.80	0.45
1:B:91:LYS:H	1:B:91:LYS:CE	2.29	0.44
1:A:131:ARG:HD2	3:A:1268:SO4:O1	2.17	0.44
1:A:205:LYS:NZ	1:A:206:THR:O	2.51	0.44
1:A:101:GLN:HE21	1:A:102:TRP:CD1	2.36	0.44
1:A:244:GLU:O	1:A:247:LEU:HB2	2.18	0.44
1:B:138:LYS:HE2	4:B:2049:HOH:O	2.17	0.44
1:A:145:ASN:C	1:A:145:ASN:ND2	2.72	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:ASN:HD21	1:A:27:SER:HG	1.60	0.43
1:B:44:CYS:SG	1:B:167:VAL:HG11	2.59	0.43
1:A:86:GLU:HG3	4:A:2046:HOH:O	2.19	0.43
1:A:70:LYS:NZ	1:A:115:SER:CB	2.79	0.42
1:A:71:ILE:HB	1:A:72:PRO:CD	2.50	0.42
1:A:183:GLU:CD	1:B:182:LYS:HD3	2.45	0.42
1:A:109:ARG:CZ	1:B:201:LEU:HD13	2.49	0.42
1:B:22:ILE:HG23	1:B:56:LEU:HD21	2.01	0.42
1:A:26:THR:CA	1:A:29:ASN:ND2	2.79	0.42
1:B:146:ILE:HD13	1:B:146:ILE:HG21	1.90	0.42
1:A:92:TRP:CD1	1:A:94:GLY:H	2.37	0.42
1:A:203:HIS:HE1	1:A:227:GLU:OE1	2.03	0.42
1:B:76:ILE:HG12	1:B:135:TYR:CG	2.55	0.42
1:A:22:ILE:CG2	1:A:56:LEU:HD21	2.49	0.41
1:A:91:LYS:H	1:A:91:LYS:HG2	1.61	0.41
1:A:252:SER:O	1:A:256:LYS:HG3	2.20	0.41
1:B:203:HIS:HE1	1:B:227:GLU:OE1	2.03	0.41
1:B:244:GLU:O	1:B:247:LEU:HB2	2.19	0.41
1:B:76:ILE:HG12	1:B:135:TYR:CB	2.51	0.41
1:A:104:ARG:NH2	1:B:199:GLU:OE1	2.54	0.40
1:A:247:LEU:N	1:A:248:PRO:CD	2.85	0.40
1:B:109:ARG:O	1:B:113:GLN:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/247 (100%)	235 (95%)	12 (5%)	0	100	100
1	B	246/247 (100%)	237 (96%)	8 (3%)	1 (0%)	30	27
All	All	493/494 (100%)	472 (96%)	20 (4%)	1 (0%)	43	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	46	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/209 (101%)	202 (96%)	9 (4%)	26	25
1	B	210/209 (100%)	200 (95%)	10 (5%)	23	21
All	All	421/418 (101%)	402 (96%)	19 (4%)	24	23

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	VAL
1	A	56	LEU
1	A	101	GLN
1	A	113	GLN
1	A	115	SER
1	A	145	ASN
1	A	179	SER
1	A	201	LEU
1	A	247	LEU
1	B	23	THR
1	B	37	VAL
1	B	55	ASN
1	B	56	LEU
1	B	91	LYS
1	B	97	ARG
1	B	100	LYS
1	B	145	ASN
1	B	183	GLU
1	B	201	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	55	ASN
1	A	121	GLN
1	A	145	ASN
1	A	158	GLN
1	A	165	ASN
1	A	185	GLN
1	A	203	HIS
1	B	55	ASN
1	B	87	HIS
1	B	145	ASN
1	B	185	GLN
1	B	203	HIS
1	B	216	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	1268	-	4,4,4	0.68	0	6,6,6	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	1269	-	4,4,4	0.84	0	6,6,6	0.35	0
2	MER	A	300	1	22,27,27	2.67	8 (36%)	20,39,39	2.61	9 (45%)
3	SO4	A	1269	-	4,4,4	1.27	0	6,6,6	1.00	0
2	MER	B	300	1	22,27,27	2.71	10 (45%)	20,39,39	3.24	10 (50%)
3	SO4	B	1268	-	4,4,4	0.71	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MER	A	300	1	1/1/11/14	16/23/51/51	0/2/2/2
2	MER	B	300	1	1/1/11/14	12/23/51/51	0/2/2/2

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	MER	C22-N23	8.36	1.46	1.34
2	B	300	MER	O13-C11	6.78	1.39	1.22
2	B	300	MER	C22-N23	6.55	1.43	1.34
2	A	300	MER	C3-C1	4.72	1.57	1.50
2	A	300	MER	C5-C11	-3.27	1.43	1.48
2	B	300	MER	C5-C11	-3.08	1.43	1.48
2	B	300	MER	O6-C1	3.04	1.31	1.20
2	A	300	MER	O12-C11	2.93	1.38	1.30
2	B	300	MER	C15-S14	-2.90	1.78	1.82
2	A	300	MER	C4-N10	-2.90	1.40	1.45
2	A	300	MER	O8-C7	-2.88	1.35	1.43
2	B	300	MER	O24-C22	2.75	1.27	1.22
2	A	300	MER	C17-C22	2.60	1.58	1.53
2	B	300	MER	C4-N10	-2.59	1.41	1.45
2	B	300	MER	C18-C4	-2.48	1.49	1.55
2	A	300	MER	C20-C18	2.45	1.58	1.53
2	B	300	MER	O12-C11	-2.44	1.23	1.30
2	B	300	MER	C3-C1	2.33	1.53	1.50

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	300	MER	C17-C22-N23	6.62	126.01	118.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	300	MER	O24-C22-N23	-6.42	113.89	121.89
2	B	300	MER	C5-C2-S14	-5.93	116.02	124.37
2	B	300	MER	O24-C22-N23	-5.91	114.53	121.89
2	B	300	MER	O6-C1-C3	-4.66	114.16	125.27
2	B	300	MER	C22-C17-N19	4.19	119.35	110.98
2	A	300	MER	C5-C2-S14	-3.87	118.93	124.37
2	A	300	MER	O24-C22-C17	-3.49	113.23	119.61
2	A	300	MER	O8-C7-C9	3.46	120.04	109.68
2	B	300	MER	O12-C11-O13	-3.35	115.93	123.90
2	B	300	MER	C18-C4-C3	3.33	124.08	116.06
2	A	300	MER	O6-C1-C3	-3.30	117.38	125.27
2	A	300	MER	O12-C11-C5	3.29	121.94	116.73
2	B	300	MER	C16-C17-N19	-3.28	99.87	106.20
2	B	300	MER	O24-C22-C17	-2.83	114.44	119.61
2	A	300	MER	C20-C18-C4	-2.83	110.25	115.11
2	A	300	MER	O12-C11-O13	-2.52	117.91	123.90
2	B	300	MER	O12-C11-C5	2.51	120.72	116.73
2	A	300	MER	C11-C5-N10	2.41	123.40	120.41

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	300	MER	C17
2	B	300	MER	C17

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	MER	C5-C2-S14-C15
2	A	300	MER	C18-C2-S14-C15
2	A	300	MER	C1-C3-C7-O8
2	A	300	MER	C4-C3-C7-O8
2	A	300	MER	O12-C11-C5-C2
2	A	300	MER	O13-C11-C5-C2
2	A	300	MER	O12-C11-C5-N10
2	A	300	MER	O13-C11-C5-N10
2	A	300	MER	C16-C17-C22-N23
2	A	300	MER	C17-C22-N23-C25
2	A	300	MER	C17-C22-N23-C26
2	A	300	MER	O24-C22-N23-C25
2	A	300	MER	O24-C22-N23-C26
2	B	300	MER	O6-C1-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	300	MER	O12-C11-C5-C2
2	B	300	MER	O12-C11-C5-N10
2	B	300	MER	O13-C11-C5-N10
2	B	300	MER	C17-C22-N23-C25
2	B	300	MER	C17-C22-N23-C26
2	B	300	MER	C16-C17-C22-O24
2	B	300	MER	O13-C11-C5-C2
2	B	300	MER	O24-C22-N23-C25
2	A	300	MER	C21-C15-S14-C2
2	A	300	MER	O6-C1-C3-C7
2	A	300	MER	C16-C15-S14-C2
2	B	300	MER	O6-C1-C3-C7
2	B	300	MER	O24-C22-N23-C26
2	B	300	MER	N19-C17-C22-O24


There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1268	SO4	1	0
2	A	300	MER	3	0
2	B	300	MER	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	247/247 (100%)	0.08	8 (3%)	50	49	18, 30, 52, 77	2 (0%)
1	B	247/247 (100%)	-0.04	12 (4%)	35	34	16, 27, 52, 91	1 (0%)
All	All	494/494 (100%)	0.02	20 (4%)	42	41	16, 28, 52, 91	3 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	266	GLY	5.3
1	B	213	THR	3.7
1	B	214	GLU	3.5
1	A	101	GLN	3.5
1	B	98	ALA	2.9
1	B	25	ASN	2.8
1	A	213	THR	2.8
1	A	265	GLY	2.6
1	B	116	ALA	2.5
1	B	99	MET	2.4
1	A	216	ASN	2.4
1	B	100	LYS	2.4
1	A	214	GLU	2.3
1	B	101	GLN	2.3
1	A	98	ALA	2.2
1	B	102	TRP	2.2
1	B	215	SER	2.2
1	B	148	GLY	2.2
1	B	30	LYS	2.1
1	A	25	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	1268	5/5	0.79	0.12	76,77,79,80	0
2	MER	A	300	26/26	0.82	0.16	31,48,82,84	0
3	SO4	B	1269	5/5	0.83	0.12	54,57,63,63	0
2	MER	B	300	26/26	0.86	0.14	32,46,61,62	0
3	SO4	A	1269	5/5	0.92	0.20	38,46,49,50	0
3	SO4	B	1268	5/5	0.95	0.10	48,49,51,52	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around MER A 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around MER B 300:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.