



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 12, 2026 – 06:38 PM UTC

PDB ID : 5H8L / pdb_00005h8l
Title : Crystal structure of Medicago truncatula N-carbamoylputrescine amidohydrolase (MtCPA) C158S mutant in complex with putrescine
Authors : Sekula, B.; Ruszkowski, M.; Malinska, M.; Dauter, Z.
Deposited on : 2015-12-23
Resolution : 2.29 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	5% 79% 15% • •
1	B	304	88% 9% • •
1	C	304	% 90% 9% •
1	D	304	89% 9% •
1	E	304	91% 6% • •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	304	 89% 8% ..
1	G	304	 3% 82% 14% ..
1	H	304	 17% 75% 16% • 7%
1	I	304	 2% 86% 9% • •
1	J	304	 89% 8% ..
1	K	304	 % 91% 8% •
1	L	304	 91% 7% •
1	M	304	 88% 10% •
1	N	304	 88% 9% • •
1	O	304	 90% 6% • •
1	P	304	 4% 87% 6% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	L	402	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 41665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-carbamoylputrescine amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	0	2	0
			2347	1501	404	433	9			
1	B	298	Total	C	N	O	S	0	1	0
			2372	1514	411	440	7			
1	C	301	Total	C	N	O	S	0	1	0
			2390	1524	412	445	9			
1	D	298	Total	C	N	O	S	0	2	0
			2372	1515	409	440	8			
1	E	297	Total	C	N	O	S	0	0	0
			2357	1505	408	437	7			
1	F	298	Total	C	N	O	S	0	1	0
			2368	1511	409	440	8			
1	G	295	Total	C	N	O	S	0	0	0
			2344	1497	405	435	7			
1	H	282	Total	C	N	O	S	0	1	0
			2248	1440	387	413	8			
1	I	292	Total	C	N	O	S	0	1	0
			2318	1481	400	429	8			
1	J	298	Total	C	N	O	S	0	1	0
			2368	1511	409	440	8			
1	K	301	Total	C	N	O	S	0	1	0
			2390	1524	412	445	9			
1	L	298	Total	C	N	O	S	0	2	0
			2372	1515	409	440	8			
1	M	297	Total	C	N	O	S	0	2	0
			2364	1511	408	437	8			
1	N	298	Total	C	N	O	S	0	0	0
			2365	1509	409	440	7			
1	O	297	Total	C	N	O	S	0	1	0
			2360	1507	408	437	8			
1	P	287	Total	C	N	O	S	0	1	0
			2284	1463	393	420	8			

There are 64 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP G7ITU5
A	-1	ASN	-	expression tag	UNP G7ITU5
A	0	ALA	-	expression tag	UNP G7ITU5
A	158	SER	CYS	engineered mutation	UNP G7ITU5
B	-2	SER	-	expression tag	UNP G7ITU5
B	-1	ASN	-	expression tag	UNP G7ITU5
B	0	ALA	-	expression tag	UNP G7ITU5
B	158	SER	CYS	engineered mutation	UNP G7ITU5
C	-2	SER	-	expression tag	UNP G7ITU5
C	-1	ASN	-	expression tag	UNP G7ITU5
C	0	ALA	-	expression tag	UNP G7ITU5
C	158	SER	CYS	engineered mutation	UNP G7ITU5
D	-2	SER	-	expression tag	UNP G7ITU5
D	-1	ASN	-	expression tag	UNP G7ITU5
D	0	ALA	-	expression tag	UNP G7ITU5
D	158	SER	CYS	engineered mutation	UNP G7ITU5
E	-2	SER	-	expression tag	UNP G7ITU5
E	-1	ASN	-	expression tag	UNP G7ITU5
E	0	ALA	-	expression tag	UNP G7ITU5
E	158	SER	CYS	engineered mutation	UNP G7ITU5
F	-2	SER	-	expression tag	UNP G7ITU5
F	-1	ASN	-	expression tag	UNP G7ITU5
F	0	ALA	-	expression tag	UNP G7ITU5
F	158	SER	CYS	engineered mutation	UNP G7ITU5
G	-2	SER	-	expression tag	UNP G7ITU5
G	-1	ASN	-	expression tag	UNP G7ITU5
G	0	ALA	-	expression tag	UNP G7ITU5
G	158	SER	CYS	engineered mutation	UNP G7ITU5
H	-2	SER	-	expression tag	UNP G7ITU5
H	-1	ASN	-	expression tag	UNP G7ITU5
H	0	ALA	-	expression tag	UNP G7ITU5
H	158	SER	CYS	engineered mutation	UNP G7ITU5
I	-2	SER	-	expression tag	UNP G7ITU5
I	-1	ASN	-	expression tag	UNP G7ITU5
I	0	ALA	-	expression tag	UNP G7ITU5
I	158	SER	CYS	engineered mutation	UNP G7ITU5
J	-2	SER	-	expression tag	UNP G7ITU5
J	-1	ASN	-	expression tag	UNP G7ITU5
J	0	ALA	-	expression tag	UNP G7ITU5
J	158	SER	CYS	engineered mutation	UNP G7ITU5
K	-2	SER	-	expression tag	UNP G7ITU5
K	-1	ASN	-	expression tag	UNP G7ITU5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	0	ALA	-	expression tag	UNP G7ITU5
K	158	SER	CYS	engineered mutation	UNP G7ITU5
L	-2	SER	-	expression tag	UNP G7ITU5
L	-1	ASN	-	expression tag	UNP G7ITU5
L	0	ALA	-	expression tag	UNP G7ITU5
L	158	SER	CYS	engineered mutation	UNP G7ITU5
M	-2	SER	-	expression tag	UNP G7ITU5
M	-1	ASN	-	expression tag	UNP G7ITU5
M	0	ALA	-	expression tag	UNP G7ITU5
M	158	SER	CYS	engineered mutation	UNP G7ITU5
N	-2	SER	-	expression tag	UNP G7ITU5
N	-1	ASN	-	expression tag	UNP G7ITU5
N	0	ALA	-	expression tag	UNP G7ITU5
N	158	SER	CYS	engineered mutation	UNP G7ITU5
O	-2	SER	-	expression tag	UNP G7ITU5
O	-1	ASN	-	expression tag	UNP G7ITU5
O	0	ALA	-	expression tag	UNP G7ITU5
O	158	SER	CYS	engineered mutation	UNP G7ITU5
P	-2	SER	-	expression tag	UNP G7ITU5
P	-1	ASN	-	expression tag	UNP G7ITU5
P	0	ALA	-	expression tag	UNP G7ITU5
P	158	SER	CYS	engineered mutation	UNP G7ITU5

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	L	1	Total	C	O	0	0
			6	3	3		
2	M	1	Total	C	O	0	0
			6	3	3		
2	N	1	Total	C	O	0	0
			6	3	3		
2	N	1	Total	C	O	0	0
			6	3	3		
2	N	1	Total	C	O	0	0
			6	3	3		
2	O	1	Total	C	O	0	0
			6	3	3		
2	P	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	I	1	Total C O 4 2 2	0	0
3	I	1	Total C O 4 2 2	0	0
3	K	1	Total C O 4 2 2	0	0
3	L	1	Total C O 4 2 2	0	0
3	L	1	Total C O 4 2 2	0	0
3	M	1	Total C O 4 2 2	0	0
3	N	1	Total C O 4 2 2	0	0
3	P	1	Total C O 4 2 2	0	0
3	P	1	Total C O 4 2 2	0	0

- Molecule 4 is 1,4-DIAMINOBUTANE (CCD ID: PUT) (formula: C₄H₁₂N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	N	0	0
			6	4	2		
4	C	1	Total	C	N	0	0
			6	4	2		
4	D	1	Total	C	N	0	0
			6	4	2		
4	E	1	Total	C	N	0	0
			6	4	2		
4	F	1	Total	C	N	0	0
			6	4	2		
4	G	1	Total	C	N	0	0
			6	4	2		
4	J	1	Total	C	N	0	0
			6	4	2		
4	K	1	Total	C	N	0	0
			6	4	2		
4	L	1	Total	C	N	0	0
			6	4	2		
4	M	1	Total	C	N	0	0
			6	4	2		
4	N	1	Total	C	N	0	0
			6	4	2		
4	O	1	Total	C	N	0	0
			6	4	2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			7	4	3		
5	K	1	Total	C	O	0	0
			7	4	3		
5	L	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	194	Total	O	0	0
			194	194		
6	B	264	Total	O	0	0
			264	264		
6	C	291	Total	O	0	0
			291	291		
6	D	312	Total	O	0	0
			312	312		
6	E	274	Total	O	0	0
			274	274		
6	F	205	Total	O	0	0
			205	205		
6	G	169	Total	O	0	0
			169	169		
6	H	61	Total	O	0	0
			61	61		
6	I	214	Total	O	0	0
			214	214		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	J	257	Total 257	O 257	0	0
6	K	270	Total 270	O 270	0	0
6	L	292	Total 292	O 292	0	0
6	M	279	Total 279	O 279	0	0
6	N	291	Total 291	O 291	0	0
6	O	226	Total 226	O 226	0	0
6	P	106	Total 106	O 106	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N-carbamoylputrescine amidohydrolase




- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase




- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain E:  91% 6% ..




- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain F:  89% 8% ..




- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain G:  3% 82% 14% ..




- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain H:  17% 75% 16% • 7%



- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain I:  2% 86% 9% ..



- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain J:  89% 8% ..



- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain K:  91% 8% .




- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain L:  91% 7% .




- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain M:  88% 10% .



- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain N:  88% 9% ..





- Molecule 1: N-carbamoylputrescine amidohydrolase

Chain O:  90% 6% ..



- Molecule 1: N-carbamoylputrescine amidohydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	152.21Å 211.08Å 208.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.53 – 2.29 39.53 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.5 (39.53-2.29) 98.0 (39.53-2.29)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.154 , 0.206 0.161 , 0.210	Depositor DCC
R_{free} test set	2944 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.728	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	41665	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.50 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3407e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO, PUT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.15	2/2407 (0.1%)	1.10	11/3253 (0.3%)
1	B	1.17	1/2432 (0.0%)	1.08	2/3290 (0.1%)
1	C	1.19	4/2449 (0.2%)	1.09	4/3312 (0.1%)
1	D	1.16	2/2434 (0.1%)	1.06	3/3293 (0.1%)
1	E	1.10	1/2413 (0.0%)	1.05	4/3264 (0.1%)
1	F	1.10	0/2427	1.07	4/3283 (0.1%)
1	G	1.18	5/2400 (0.2%)	1.10	5/3248 (0.2%)
1	H	1.10	1/2300 (0.0%)	1.10	8/3107 (0.3%)
1	I	1.16	2/2375 (0.1%)	1.07	8/3212 (0.2%)
1	J	1.18	3/2427 (0.1%)	1.07	4/3283 (0.1%)
1	K	1.15	1/2449 (0.0%)	1.06	3/3312 (0.1%)
1	L	1.18	5/2434 (0.2%)	1.06	4/3293 (0.1%)
1	M	1.17	0/2426	1.05	3/3282 (0.1%)
1	N	1.21	3/2421 (0.1%)	1.09	8/3275 (0.2%)
1	O	1.06	0/2419	1.03	3/3272 (0.1%)
1	P	1.03	2/2337 (0.1%)	1.05	3/3157 (0.1%)
All	All	1.14	32/38550 (0.1%)	1.07	77/52136 (0.1%)

The worst 5 of 32 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	185	GLY	C-O	-7.05	1.16	1.23
1	P	126	ASP	CA-C	6.35	1.61	1.52
1	E	99	ASN	C-O	-6.34	1.18	1.24
1	C	38	LYS	C-O	-6.32	1.16	1.24
1	G	260	VAL	CA-C	6.24	1.59	1.52

The worst 5 of 77 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	185	GLY	N-CA-C	7.99	122.32	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	5	LYS	N-CA-C	7.63	121.81	110.52
1	N	237	TYR	N-CA-C	7.43	121.66	112.59
1	D	196	ARG	N-CA-C	7.04	118.95	111.28
1	P	226	GLU	N-CA-C	6.79	120.56	110.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2347	0	2321	41	0
1	B	2372	0	2330	17	0
1	C	2390	0	2351	12	0
1	D	2372	0	2337	15	0
1	E	2357	0	2319	12	0
1	F	2368	0	2328	18	0
1	G	2344	0	2303	25	0
1	H	2248	0	2222	29	0
1	I	2318	0	2281	15	0
1	J	2368	0	2328	11	0
1	K	2390	0	2351	12	0
1	L	2372	0	2337	12	0
1	M	2364	0	2333	19	0
1	N	2365	0	2323	16	0
1	O	2360	0	2324	13	0
1	P	2284	0	2260	8	0
2	A	12	0	16	2	0
2	B	12	0	16	1	0
2	C	12	0	16	1	0
2	D	12	0	16	2	0
2	E	24	0	32	0	0
2	F	6	0	8	0	0
2	G	12	0	16	0	0
2	I	6	0	8	0	0
2	J	18	0	24	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	K	18	0	24	1	0
2	L	6	0	8	4	0
2	M	6	0	8	0	0
2	N	24	0	32	0	0
2	O	6	0	8	0	0
2	P	6	0	8	0	0
3	A	4	0	6	2	0
3	B	8	0	12	1	0
3	C	4	0	6	2	0
3	D	8	0	12	1	0
3	F	8	0	12	1	0
3	I	8	0	12	1	0
3	K	4	0	6	1	0
3	L	8	0	12	2	0
3	M	4	0	6	0	0
3	N	4	0	6	0	0
3	P	8	0	12	0	0
4	B	6	0	12	0	0
4	C	6	0	12	0	0
4	D	6	0	12	0	0
4	E	6	0	12	0	0
4	F	6	0	12	0	0
4	G	6	0	12	0	0
4	J	6	0	12	0	0
4	K	6	0	12	1	0
4	L	6	0	12	0	0
4	M	6	0	12	0	0
4	N	6	0	12	0	0
4	O	6	0	12	0	0
5	D	7	0	10	0	0
5	K	7	0	10	0	0
5	L	7	0	10	0	0
6	A	194	0	0	13	0
6	B	264	0	0	3	0
6	C	291	0	0	5	0
6	D	312	0	0	3	0
6	E	274	0	0	5	0
6	F	205	0	0	2	0
6	G	169	0	0	5	0
6	H	61	0	0	2	0
6	I	214	0	0	4	0
6	J	257	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	K	270	0	0	4	0
6	L	292	0	0	1	0
6	M	279	0	0	3	0
6	N	291	0	0	5	0
6	O	226	0	0	2	0
6	P	106	0	0	2	0
All	All	41665	0	37564	276	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 276 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:245:PRO:HG2	1:M:273:MET:HE1	1.53	0.90
1:A:65:GLN:HB2	6:A:653:HOH:O	1.70	0.89
1:C:21:ASP:HB2	6:C:740:HOH:O	1.73	0.88
1:N:21:ASP:HB2	6:N:739:HOH:O	1.73	0.86
1:N:269:LYS:HE2	6:N:685:HOH:O	1.79	0.83

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/304 (96%)	278 (95%)	14 (5%)	1 (0%)	36	46
1	B	297/304 (98%)	285 (96%)	11 (4%)	1 (0%)	36	46
1	C	300/304 (99%)	291 (97%)	9 (3%)	0	100	100
1	D	298/304 (98%)	290 (97%)	8 (3%)	0	100	100
1	E	295/304 (97%)	285 (97%)	10 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	297/304 (98%)	284 (96%)	12 (4%)	1 (0%)	36	46
1	G	293/304 (96%)	281 (96%)	11 (4%)	1 (0%)	36	46
1	H	275/304 (90%)	254 (92%)	21 (8%)	0	100	100
1	I	289/304 (95%)	277 (96%)	12 (4%)	0	100	100
1	J	297/304 (98%)	286 (96%)	11 (4%)	0	100	100
1	K	300/304 (99%)	291 (97%)	9 (3%)	0	100	100
1	L	298/304 (98%)	290 (97%)	8 (3%)	0	100	100
1	M	297/304 (98%)	286 (96%)	10 (3%)	1 (0%)	36	46
1	N	296/304 (97%)	286 (97%)	9 (3%)	1 (0%)	36	46
1	O	296/304 (97%)	285 (96%)	10 (3%)	1 (0%)	36	46
1	P	280/304 (92%)	271 (97%)	9 (3%)	0	100	100
All	All	4701/4864 (97%)	4520 (96%)	174 (4%)	7 (0%)	48	60

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	158	SER
1	A	158	SER
1	N	158	SER
1	F	158	SER
1	M	158	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/252 (98%)	236 (96%)	11 (4%)	24	37
1	B	249/252 (99%)	241 (97%)	8 (3%)	34	51
1	C	251/252 (100%)	247 (98%)	4 (2%)	55	73
1	D	250/252 (99%)	250 (100%)	0	100	100
1	E	247/252 (98%)	242 (98%)	5 (2%)	48	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	249/252 (99%)	244 (98%)	5 (2%)	48	67
1	G	246/252 (98%)	240 (98%)	6 (2%)	43	62
1	H	236/252 (94%)	225 (95%)	11 (5%)	23	35
1	I	243/252 (96%)	236 (97%)	7 (3%)	37	55
1	J	249/252 (99%)	241 (97%)	8 (3%)	34	51
1	K	251/252 (100%)	248 (99%)	3 (1%)	63	79
1	L	250/252 (99%)	249 (100%)	1 (0%)	84	92
1	M	249/252 (99%)	245 (98%)	4 (2%)	55	73
1	N	248/252 (98%)	247 (100%)	1 (0%)	84	92
1	O	248/252 (98%)	243 (98%)	5 (2%)	48	67
1	P	240/252 (95%)	229 (95%)	11 (5%)	24	36
All	All	3953/4032 (98%)	3863 (98%)	90 (2%)	44	63

5 of 90 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	J	4	ASP
1	M	161	GLN
1	J	211	LEU
1	K	4	ASP
1	O	108	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	137	ASN
1	K	298	ASN
1	P	99	ASN
1	I	161	GLN
1	J	65	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

62 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	K	404	-	5,5,5	0.54	0	5,5,5	0.27	0
2	GOL	I	401	-	5,5,5	0.48	0	5,5,5	0.16	0
2	GOL	O	402	-	5,5,5	0.26	0	5,5,5	0.73	0
3	EDO	P	403	-	3,3,3	0.50	0	2,2,2	0.34	0
3	EDO	A	403	-	3,3,3	0.48	0	2,2,2	0.36	0
2	GOL	J	404	-	5,5,5	0.34	0	5,5,5	0.33	0
2	GOL	N	404	-	5,5,5	0.48	0	5,5,5	0.24	0
5	PEG	K	406	-	6,6,6	0.60	0	5,5,5	0.14	0
2	GOL	E	403	-	5,5,5	0.50	0	5,5,5	0.45	0
4	PUT	M	401	-	5,5,5	0.47	0	4,4,4	0.67	0
4	PUT	N	402	-	5,5,5	0.27	0	4,4,4	0.60	0
4	PUT	D	402	-	5,5,5	0.21	0	4,4,4	0.81	0
2	GOL	N	401	-	5,5,5	0.24	0	5,5,5	0.25	0
3	EDO	I	402	-	3,3,3	0.62	0	2,2,2	0.11	0
5	PEG	D	406	-	6,6,6	0.69	0	5,5,5	0.18	0
2	GOL	G	403	-	5,5,5	0.48	0	5,5,5	0.25	0
3	EDO	I	403	-	3,3,3	0.48	0	2,2,2	0.46	0
2	GOL	K	403	-	5,5,5	0.68	0	5,5,5	0.51	0
3	EDO	K	405	-	3,3,3	0.56	0	2,2,2	0.16	0
4	PUT	B	401	-	5,5,5	0.34	0	4,4,4	0.77	0
2	GOL	L	402	-	5,5,5	0.81	0	5,5,5	0.52	0
2	GOL	C	403	-	5,5,5	0.53	0	5,5,5	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	J	403	-	5,5,5	0.59	0	5,5,5	0.73	0
2	GOL	N	405	-	5,5,5	0.68	0	5,5,5	0.53	0
3	EDO	N	406	-	3,3,3	0.57	0	2,2,2	0.05	0
3	EDO	F	403	-	3,3,3	0.58	0	2,2,2	0.23	0
2	GOL	P	401	-	5,5,5	0.45	0	5,5,5	0.15	0
4	PUT	L	401	-	5,5,5	0.43	0	4,4,4	0.78	0
3	EDO	B	404	-	3,3,3	0.57	0	2,2,2	0.19	0
5	PEG	L	405	-	6,6,6	0.59	0	5,5,5	0.34	0
3	EDO	M	403	-	3,3,3	0.74	0	2,2,2	0.07	0
2	GOL	J	402	-	5,5,5	0.39	0	5,5,5	0.41	0
4	PUT	C	401	-	5,5,5	0.26	0	4,4,4	0.93	0
2	GOL	F	402	-	5,5,5	0.53	0	5,5,5	0.23	0
3	EDO	C	404	-	3,3,3	0.66	0	2,2,2	0.34	0
2	GOL	N	403	-	5,5,5	0.81	0	5,5,5	0.67	0
2	GOL	B	402	-	5,5,5	0.71	0	5,5,5	0.61	0
2	GOL	G	402	-	5,5,5	0.46	0	5,5,5	0.61	0
3	EDO	F	404	-	3,3,3	0.55	0	2,2,2	0.32	0
3	EDO	L	403	-	3,3,3	0.50	0	2,2,2	0.29	0
2	GOL	D	401	-	5,5,5	0.43	0	5,5,5	0.32	0
4	PUT	G	401	-	5,5,5	0.22	0	4,4,4	1.12	1 (25%)
4	PUT	O	401	-	5,5,5	0.34	0	4,4,4	0.80	0
4	PUT	F	401	-	5,5,5	0.35	0	4,4,4	0.45	0
2	GOL	C	402	-	5,5,5	0.44	0	5,5,5	0.51	0
4	PUT	K	401	-	5,5,5	0.37	0	4,4,4	0.62	0
2	GOL	A	401	-	5,5,5	0.61	0	5,5,5	0.67	0
3	EDO	D	404	-	3,3,3	0.59	0	2,2,2	0.23	0
2	GOL	E	404	-	5,5,5	0.37	0	5,5,5	0.34	0
4	PUT	J	401	-	5,5,5	0.41	0	4,4,4	0.99	0
3	EDO	L	404	-	3,3,3	0.51	0	2,2,2	0.16	0
3	EDO	D	405	-	3,3,3	0.47	0	2,2,2	0.39	0
3	EDO	B	405	-	3,3,3	0.65	0	2,2,2	0.08	0
2	GOL	B	403	-	5,5,5	0.31	0	5,5,5	0.40	0
2	GOL	K	402	-	5,5,5	0.63	0	5,5,5	0.44	0
2	GOL	E	402	-	5,5,5	0.39	0	5,5,5	0.40	0
2	GOL	A	402	-	5,5,5	0.49	0	5,5,5	0.24	0
2	GOL	D	403	-	5,5,5	0.83	0	5,5,5	0.53	0
2	GOL	E	405	-	5,5,5	0.60	0	5,5,5	0.44	0
2	GOL	M	402	-	5,5,5	0.41	0	5,5,5	0.22	0
3	EDO	P	402	-	3,3,3	0.56	0	2,2,2	0.26	0
4	PUT	E	401	-	5,5,5	0.20	0	4,4,4	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	K	404	-	-	4/4/4/4	-
2	GOL	I	401	-	-	2/4/4/4	-
2	GOL	O	402	-	-	3/4/4/4	-
3	EDO	P	403	-	-	1/1/1/1	-
3	EDO	A	403	-	-	1/1/1/1	-
2	GOL	J	404	-	-	3/4/4/4	-
2	GOL	N	404	-	-	1/4/4/4	-
5	PEG	K	406	-	-	3/4/4/4	-
2	GOL	E	403	-	-	2/4/4/4	-
4	PUT	M	401	-	-	0/3/3/3	-
4	PUT	N	402	-	-	0/3/3/3	-
4	PUT	D	402	-	-	0/3/3/3	-
2	GOL	N	401	-	-	2/4/4/4	-
3	EDO	I	402	-	-	1/1/1/1	-
5	PEG	D	406	-	-	1/4/4/4	-
2	GOL	G	403	-	-	4/4/4/4	-
3	EDO	I	403	-	-	0/1/1/1	-
2	GOL	K	403	-	-	4/4/4/4	-
3	EDO	K	405	-	-	1/1/1/1	-
4	PUT	B	401	-	-	0/3/3/3	-
2	GOL	L	402	-	-	4/4/4/4	-
2	GOL	C	403	-	-	4/4/4/4	-
2	GOL	J	403	-	-	2/4/4/4	-
2	GOL	N	405	-	-	4/4/4/4	-
3	EDO	N	406	-	-	0/1/1/1	-
3	EDO	F	403	-	-	1/1/1/1	-
2	GOL	P	401	-	-	4/4/4/4	-
4	PUT	L	401	-	-	0/3/3/3	-
3	EDO	B	404	-	-	1/1/1/1	-
5	PEG	L	405	-	-	2/4/4/4	-
3	EDO	M	403	-	-	1/1/1/1	-
2	GOL	J	402	-	-	3/4/4/4	-
4	PUT	C	401	-	-	0/3/3/3	-
2	GOL	F	402	-	-	4/4/4/4	-
3	EDO	C	404	-	-	0/1/1/1	-
2	GOL	N	403	-	-	1/4/4/4	-
2	GOL	B	402	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	G	402	-	-	1/4/4/4	-
3	EDO	F	404	-	-	1/1/1/1	-
3	EDO	L	403	-	-	0/1/1/1	-
2	GOL	D	401	-	-	2/4/4/4	-
4	PUT	G	401	-	-	0/3/3/3	-
4	PUT	O	401	-	-	0/3/3/3	-
4	PUT	F	401	-	-	0/3/3/3	-
2	GOL	C	402	-	-	2/4/4/4	-
4	PUT	K	401	-	-	0/3/3/3	-
2	GOL	A	401	-	-	2/4/4/4	-
3	EDO	D	404	-	-	1/1/1/1	-
2	GOL	E	404	-	-	2/4/4/4	-
4	PUT	J	401	-	-	0/3/3/3	-
3	EDO	L	404	-	-	1/1/1/1	-
3	EDO	D	405	-	-	0/1/1/1	-
3	EDO	B	405	-	-	0/1/1/1	-
2	GOL	B	403	-	-	0/4/4/4	-
2	GOL	K	402	-	-	4/4/4/4	-
2	GOL	E	402	-	-	2/4/4/4	-
2	GOL	A	402	-	-	4/4/4/4	-
2	GOL	D	403	-	-	2/4/4/4	-
2	GOL	E	405	-	-	2/4/4/4	-
2	GOL	M	402	-	-	4/4/4/4	-
3	EDO	P	402	-	-	1/1/1/1	-
4	PUT	E	401	-	-	0/3/3/3	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	401	PUT	C2-C3-C4	-2.05	99.39	113.42

There are no chirality outliers.

5 of 99 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	402	GOL	O1-C1-C2-C3
2	B	402	GOL	O1-C1-C2-C3
2	C	403	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	401	GOL	C1-C2-C3-O3
2	D	401	GOL	O2-C2-C3-O3

There are no ring outliers.

16 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	403	EDO	2	0
3	I	402	EDO	1	0
3	K	405	EDO	1	0
2	L	402	GOL	4	0
2	C	403	GOL	1	0
3	F	403	EDO	1	0
3	C	404	EDO	2	0
3	L	403	EDO	2	0
2	D	401	GOL	1	0
4	K	401	PUT	1	0
2	A	401	GOL	2	0
3	D	404	EDO	1	0
3	B	405	EDO	1	0
2	B	403	GOL	1	0
2	K	402	GOL	1	0
2	D	403	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/304 (97%)	-0.12	14 (4%) 36 38	23, 45, 95, 132	2 (0%)
1	B	298/304 (98%)	-0.56	1 (0%) 90 90	25, 36, 59, 115	1 (0%)
1	C	301/304 (99%)	-0.64	3 (0%) 79 80	23, 35, 54, 112	1 (0%)
1	D	298/304 (98%)	-0.72	0 100 100	18, 33, 49, 92	2 (0%)
1	E	297/304 (97%)	-0.61	1 (0%) 90 90	26, 37, 57, 92	0
1	F	298/304 (98%)	-0.40	1 (0%) 90 90	25, 44, 64, 93	1 (0%)
1	G	295/304 (97%)	0.58	10 (3%) 48 50	47, 65, 84, 101	0
1	H	282/304 (92%)	1.24	52 (18%) 3 4	39, 85, 118, 136	1 (0%)
1	I	292/304 (96%)	-0.31	5 (1%) 69 70	26, 41, 84, 138	1 (0%)
1	J	298/304 (98%)	-0.57	0 100 100	26, 36, 58, 118	1 (0%)
1	K	301/304 (99%)	-0.62	2 (0%) 84 85	24, 37, 59, 111	1 (0%)
1	L	298/304 (98%)	-0.73	0 100 100	24, 34, 50, 91	2 (0%)
1	M	297/304 (97%)	-0.67	1 (0%) 90 90	25, 35, 52, 88	2 (0%)
1	N	298/304 (98%)	-0.65	0 100 100	25, 35, 52, 92	0
1	O	297/304 (97%)	-0.31	1 (0%) 90 90	32, 46, 66, 108	1 (0%)
1	P	287/304 (94%)	0.31	12 (4%) 40 42	27, 61, 104, 119	1 (0%)
All	All	4732/4864 (97%)	-0.31	103 (2%) 62 64	18, 40, 87, 138	17 (0%)

The worst 5 of 103 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	P	127	GLY	5.3
1	P	227	THR	4.8
1	A	193	ILE	4.6
1	H	224	ILE	4.3
1	P	188	PRO	4.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	B	404	4/4	0.81	0.18	71,72,89,91	0
3	EDO	P	402	4/4	0.81	0.17	69,80,85,86	0
3	EDO	L	404	4/4	0.83	0.18	70,78,84,85	0
2	GOL	J	403	6/6	0.84	0.17	62,64,74,80	0
2	GOL	A	402	6/6	0.84	0.16	59,66,75,98	0
2	GOL	P	401	6/6	0.86	0.15	75,79,82,83	0
3	EDO	B	405	4/4	0.86	0.19	49,62,74,83	0
2	GOL	N	405	6/6	0.87	0.16	62,69,85,89	0
2	GOL	E	405	6/6	0.88	0.14	71,83,91,92	0
3	EDO	F	404	4/4	0.88	0.15	71,72,75,79	0
2	GOL	F	402	6/6	0.89	0.14	57,66,70,71	0
2	GOL	D	403	6/6	0.89	0.14	48,60,69,72	0
3	EDO	D	405	4/4	0.89	0.15	69,75,75,80	0
5	PEG	D	406	7/7	0.89	0.16	57,72,84,89	0
5	PEG	L	405	7/7	0.89	0.13	62,68,83,83	0
2	GOL	G	402	6/6	0.90	0.15	79,88,91,94	0
2	GOL	J	404	6/6	0.90	0.14	61,73,77,80	0
5	PEG	K	406	7/7	0.90	0.15	52,81,94,96	0
2	GOL	G	403	6/6	0.90	0.14	46,60,62,65	0
3	EDO	K	405	4/4	0.91	0.15	51,59,62,63	0
3	EDO	L	403	4/4	0.91	0.15	59,59,63,63	0
3	EDO	D	404	4/4	0.91	0.18	62,65,75,75	0
2	GOL	A	401	6/6	0.91	0.13	55,74,75,75	0
3	EDO	P	403	4/4	0.91	0.19	75,77,79,80	0
3	EDO	F	403	4/4	0.91	0.15	54,63,64,73	0
2	GOL	L	402	6/6	0.91	0.11	45,55,58,59	0
3	EDO	I	403	4/4	0.91	0.20	55,82,83,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	K	404	6/6	0.92	0.13	53,58,64,71	0
4	PUT	G	401	6/6	0.92	0.15	66,68,72,76	0
2	GOL	B	403	6/6	0.92	0.13	53,67,70,73	0
3	EDO	M	403	4/4	0.92	0.16	62,65,71,71	0
2	GOL	E	402	6/6	0.92	0.14	51,64,78,84	0
2	GOL	O	402	6/6	0.93	0.11	59,64,68,73	0
2	GOL	E	403	6/6	0.93	0.15	62,71,87,99	0
4	PUT	J	401	6/6	0.93	0.09	38,40,42,43	0
3	EDO	C	404	4/4	0.93	0.13	52,57,63,63	0
3	EDO	I	402	4/4	0.93	0.15	53,58,60,69	0
3	EDO	A	403	4/4	0.93	0.13	52,61,61,65	0
2	GOL	N	403	6/6	0.94	0.11	44,58,71,75	0
2	GOL	E	404	6/6	0.94	0.10	49,54,60,61	0
4	PUT	K	401	6/6	0.94	0.12	41,42,45,45	0
2	GOL	I	401	6/6	0.94	0.10	54,60,69,70	0
2	GOL	C	403	6/6	0.94	0.12	43,57,66,67	0
4	PUT	B	401	6/6	0.94	0.10	39,40,40,40	0
3	EDO	N	406	4/4	0.95	0.13	57,58,64,65	0
2	GOL	N	404	6/6	0.95	0.10	44,51,60,61	0
2	GOL	M	402	6/6	0.95	0.10	44,54,70,70	0
4	PUT	L	401	6/6	0.95	0.11	41,45,50,50	0
4	PUT	M	401	6/6	0.95	0.09	34,35,37,39	0
4	PUT	N	402	6/6	0.95	0.10	47,47,49,51	0
4	PUT	O	401	6/6	0.95	0.10	47,48,50,50	0
2	GOL	B	402	6/6	0.95	0.10	49,55,62,67	0
4	PUT	E	401	6/6	0.95	0.10	36,37,43,45	0
4	PUT	F	401	6/6	0.95	0.12	59,62,67,67	0
2	GOL	N	401	6/6	0.96	0.09	46,58,69,73	0
2	GOL	K	402	6/6	0.96	0.12	48,59,59,69	0
2	GOL	K	403	6/6	0.96	0.10	45,52,63,67	0
2	GOL	J	402	6/6	0.96	0.09	45,52,58,66	0
2	GOL	D	401	6/6	0.96	0.10	49,57,75,78	0
2	GOL	C	402	6/6	0.96	0.09	45,52,69,77	0
4	PUT	C	401	6/6	0.97	0.09	36,38,41,44	0
4	PUT	D	402	6/6	0.97	0.09	37,41,44,45	0

6.5 Other polymers

There are no such residues in this entry.