



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:17 AM UTC

PDB ID : 6H9R / pdb_00006h9r
Title : Dengue-RdRp3-inhibitor complex soaking
Authors : Talapatra, S.K.; Kozielski, F.
Deposited on : 2018-08-05
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	635	9% 69% 18% • 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	A	1011	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Genome polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	558	4515	2855	809	821	30	0	3	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	266	GLY	-	expression tag	UNP Q6YMS4
A	267	SER	-	expression tag	UNP Q6YMS4
A	268	HIS	-	expression tag	UNP Q6YMS4
A	269	MET	-	expression tag	UNP Q6YMS4
A	270	LEU	-	expression tag	UNP Q6YMS4
A	271	ASP	-	expression tag	UNP Q6YMS4
A	366	LEU	MET	variant	UNP Q6YMS4
A	372	VAL	ALA	variant	UNP Q6YMS4
A	480	VAL	ALA	variant	UNP Q6YMS4
A	603	VAL	LEU	variant	UNP Q6YMS4

- Molecule 2 is 2-(4-methoxy-3-thiophen-2-yl-phenyl)ethanoic acid (CCD ID: 5V5) (formula: C₁₃H₁₂O₃S).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			17	13	3	1		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	0
			2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	193	Total O 193 193	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Genome polypeptide



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	164.69Å 181.21Å 57.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.79 – 2.40 48.79 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.0 (48.79-2.40) 99.1 (48.79-2.40)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.39Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.198 , 0.247 0.215 , 0.252	Depositor DCC
R_{free} test set	1775 reflections (5.16%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.718	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4780	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5V5, ZN, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	2/4628 (0.0%)	0.74	0/6278

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	523	LYS	C-O	-6.43	1.15	1.24
1	A	523	LYS	CA-C	-5.24	1.45	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4515	0	4312	95	0
2	A	17	0	0	0	0
3	A	2	0	0	0	0
4	A	53	0	75	5	2
5	A	193	0	0	30	1
All	All	4780	0	4387	97	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:701:HIS:ND1	5:A:1101:HOH:O	1.75	1.10
1:A:355:LYS:HB2	1:A:358:VAL:HB	1.45	0.98
1:A:842:ARG:HD2	5:A:1140:HOH:O	1.69	0.90
1:A:701:HIS:CE1	5:A:1101:HOH:O	2.18	0.88
1:A:737:ARG:HG2	5:A:1171:HOH:O	1.72	0.87
4:A:1007:PEG:H12	5:A:1257:HOH:O	1.76	0.84
1:A:389:ARG:NH2	5:A:1107:HOH:O	2.11	0.83
1:A:591:ILE:O	5:A:1104:HOH:O	2.01	0.78
1:A:639:LEU:O	5:A:1103:HOH:O	2.00	0.78
1:A:495:HIS:ND1	5:A:1102:HOH:O	1.81	0.76
1:A:512:HIS:HB3	1:A:765:MET:HE1	1.67	0.76
1:A:650:LYS:NZ	5:A:1114:HOH:O	2.19	0.74
1:A:819:GLU:OE1	5:A:1105:HOH:O	2.07	0.71
4:A:1007:PEG:O1	5:A:1106:HOH:O	2.09	0.70
1:A:842:ARG:CD	5:A:1140:HOH:O	2.35	0.70
1:A:481:ARG:NH1	5:A:1110:HOH:O	2.18	0.69
1:A:305:HIS:N	5:A:1104:HOH:O	2.26	0.67
1:A:716:LEU:HD21	1:A:839:LEU:HD23	1.78	0.66
1:A:701:HIS:HE1	5:A:1184:HOH:O	1.80	0.64
1:A:507:GLU:OE1	5:A:1102:HOH:O	2.15	0.63
1:A:843:GLU:OE1	1:A:843:GLU:N	2.27	0.63
1:A:559:GLU:N	1:A:559:GLU:OE2	2.28	0.61
1:A:639:LEU:HD22	5:A:1208:HOH:O	2.01	0.60
1:A:640:GLU:OE1	5:A:1108:HOH:O	2.18	0.56
1:A:401:LYS:NZ	1:A:493:GLU:OE2	2.37	0.56
1:A:448:SER:HB2	1:A:476:MET:HG2	1.88	0.55
1:A:512:HIS:O	5:A:1109:HOH:O	2.18	0.55
1:A:702:ASP:OD2	5:A:1111:HOH:O	2.18	0.55
1:A:559:GLU:H	1:A:559:GLU:CD	2.14	0.55
1:A:869:GLN:O	1:A:873:LEU:HD23	2.06	0.55
1:A:683:ASP:OD1	5:A:1112:HOH:O	2.18	0.54
1:A:372:VAL:HG11	1:A:628:LEU:HD11	1.90	0.54
1:A:571:THR:HG22	1:A:572:TYR:CD1	2.42	0.54
1:A:299:TYR:N	5:A:1120:HOH:O	2.39	0.54
1:A:284:LYS:O	1:A:287:HIS:N	2.40	0.54
1:A:336:MET:HE2	1:A:340:MET:HG3	1.89	0.54
1:A:533:ASP:OD1	1:A:689:LYS:HG2	2.07	0.54
1:A:471:ARG:C	1:A:473:ILE:H	2.16	0.52
1:A:732:ASP:OD1	5:A:1113:HOH:O	2.19	0.52
1:A:746:TRP:HE3	1:A:750:GLU:CD	2.17	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:577:VAL:O	1:A:591:ILE:HA	2.11	0.50
1:A:712:HIS:HB3	4:A:1008:PEG:H32	1.94	0.50
1:A:871:ARG:HH21	1:A:879:PHE:HB3	1.75	0.50
1:A:302:TRP:HB3	1:A:592:ILE:CG2	2.42	0.49
1:A:865:THR:O	1:A:868:GLN:HG2	2.12	0.49
1:A:680:ALA:O	1:A:684:MET:HG3	2.13	0.48
1:A:797:ILE:HD11	1:A:798:HIS:CE1	2.49	0.48
1:A:567:ILE:O	1:A:571:THR:HB	2.15	0.47
1:A:329:LYS:NZ	5:A:1135:HOH:O	2.46	0.47
1:A:272:ASN:HA	1:A:595:LYS:NZ	2.31	0.46
1:A:284:LYS:O	1:A:285[B]:GLU:C	2.57	0.46
1:A:299:TYR:CZ	1:A:592:ILE:HD11	2.51	0.46
1:A:589:MET:HE2	1:A:589:MET:HB2	1.81	0.45
1:A:442:LYS:HE3	1:A:562:GLN:OE1	2.17	0.45
1:A:305:HIS:HB2	1:A:591:ILE:CD1	2.47	0.45
1:A:302:TRP:CE3	1:A:592:ILE:HG22	2.51	0.45
1:A:592:ILE:HA	5:A:1104:HOH:O	2.15	0.45
1:A:635:ASN:HD21	4:A:1005:PEG:H32	1.81	0.45
1:A:652:VAL:HG11	4:A:1010:PEG:H22	1.99	0.45
1:A:356:GLU:H	1:A:356:GLU:HG3	1.34	0.45
1:A:427:ASP:OD1	1:A:429:GLU:N	2.42	0.45
1:A:627:VAL:HG21	1:A:646:TRP:CD1	2.51	0.45
1:A:484:GLU:CD	1:A:603:VAL:HG12	2.42	0.44
1:A:756:LYS:NZ	1:A:787:TRP:O	2.44	0.44
1:A:727:PRO:HG3	1:A:765:MET:HE2	1.99	0.44
1:A:307:SER:OG	1:A:590:ASP:OD1	2.35	0.43
1:A:333:VAL:HG12	1:A:334:VAL:N	2.33	0.43
1:A:869:GLN:O	1:A:873:LEU:CD2	2.66	0.43
1:A:747:SER:OG	1:A:750:GLU:HG3	2.19	0.43
1:A:336:MET:CE	1:A:340:MET:HG3	2.49	0.42
1:A:784:PRO:HG2	1:A:787:TRP:CE2	2.54	0.42
1:A:790:THR:O	1:A:791:SER:OG	2.28	0.42
1:A:334:VAL:HA	1:A:335:PRO:HD3	1.93	0.42
1:A:446:CYS:HB2	1:A:570:LEU:HD13	2.02	0.42
1:A:669:PRO:HG3	1:A:674:PHE:CG	2.55	0.42
1:A:556:MET:HB3	1:A:560:HIS:HB3	2.02	0.42
1:A:297:ASN:HA	1:A:298:PRO:HD3	1.90	0.42
1:A:512:HIS:CB	1:A:765:MET:HE1	2.45	0.42
1:A:784:PRO:HD2	1:A:787:TRP:CE3	2.54	0.42
1:A:291:TRP:N	5:A:1127:HOH:O	2.42	0.41
1:A:433:LEU:HD23	1:A:436:ARG:NH1	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:859:TRP:NE1	1:A:863:ILE:CD1	2.83	0.41
1:A:646:TRP:CZ2	1:A:654:ARG:HG3	2.55	0.41
1:A:291:TRP:CH2	1:A:306:GLY:HA3	2.55	0.41
1:A:395:ARG:HG3	1:A:431:TRP:CH2	2.56	0.41
1:A:434:VAL:HG13	1:A:483:LEU:HD21	2.03	0.41
1:A:578:LYS:HA	1:A:590:ASP:O	2.20	0.41
1:A:639:LEU:CD2	5:A:1208:HOH:O	2.64	0.41
1:A:575:LYS:HZ3	1:A:575:LYS:HG2	1.78	0.41
1:A:305:HIS:CD2	5:A:1104:HOH:O	2.73	0.41
1:A:398:PHE:HB2	1:A:485:PHE:CE2	2.56	0.41
1:A:646:TRP:CH2	1:A:654:ARG:HG3	2.56	0.40
1:A:448:SER:CB	1:A:476:MET:HG2	2.51	0.40
1:A:575:LYS:NZ	1:A:596:ASP:O	2.50	0.40
1:A:702:ASP:HB3	1:A:705:GLN:HG2	2.04	0.40
1:A:809:MET:HB2	5:A:1207:HOH:O	2.20	0.40
1:A:543:GLU:HG3	1:A:596:ASP:HB3	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1011:PEG:O2	4:A:1011:PEG:O2[4_554]	0.55	1.65
4:A:1011:PEG:O2	4:A:1011:PEG:C3[4_554]	1.78	0.42
5:A:1194:HOH:O	5:A:1263:HOH:O[6_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	549/635 (86%)	526 (96%)	19 (4%)	4 (1%)	18 28

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	602	GLN
1	A	333	VAL
1	A	600	SER
1	A	791	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	469/552 (85%)	465 (99%)	4 (1%)	70	85

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	285[A]	GLU
1	A	285[B]	GLU
1	A	356	GLU
1	A	420	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	617	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PEG	A	1006	-	6,6,6	0.43	0	5,5,5	0.80	0
4	PEG	A	1005	-	6,6,6	0.53	0	5,5,5	0.55	0
4	PEG	A	1011	-	3,3,6	0.53	0	2,2,5	0.28	0
4	PEG	A	1007	-	6,6,6	0.45	0	5,5,5	0.60	0
4	PEG	A	1010	-	6,6,6	0.50	0	5,5,5	0.48	0
4	PEG	A	1008	-	6,6,6	0.53	0	5,5,5	0.47	0
4	PEG	A	1009	-	6,6,6	0.50	0	5,5,5	0.67	0
2	5V5	A	1001	-	18,18,18	1.34	2 (11%)	24,24,24	1.72	5 (20%)
4	PEG	A	1004	-	6,6,6	0.54	0	5,5,5	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	1006	-	-	1/4/4/4	-
4	PEG	A	1005	-	-	2/4/4/4	-
4	PEG	A	1011	-	-	1/1/1/4	-
4	PEG	A	1007	-	-	1/4/4/4	-
4	PEG	A	1010	-	-	2/4/4/4	-
4	PEG	A	1008	-	-	2/4/4/4	-
4	PEG	A	1009	-	-	4/4/4/4	-
2	5V5	A	1001	-	-	0/10/10/10	0/2/2/2
4	PEG	A	1004	-	-	2/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	5V5	C7-C8	3.48	1.53	1.48
2	A	1001	5V5	O1-C5	2.74	1.41	1.37

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	5V5	C11-S-C8	3.89	99.60	92.68
2	A	1001	5V5	C2-C1-C	-3.85	102.77	113.71
2	A	1001	5V5	C10-C11-S	-3.50	104.47	113.02
2	A	1001	5V5	C5-C7-C8	-2.94	119.07	123.23
2	A	1001	5V5	C7-C8-S	2.84	127.64	121.88

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1009	PEG	O2-C3-C4-O4
4	A	1008	PEG	O2-C3-C4-O4
4	A	1010	PEG	O2-C3-C4-O4
4	A	1005	PEG	O2-C3-C4-O4
4	A	1009	PEG	C1-C2-O2-C3
4	A	1006	PEG	C1-C2-O2-C3
4	A	1005	PEG	C1-C2-O2-C3
4	A	1004	PEG	C4-C3-O2-C2
4	A	1010	PEG	C1-C2-O2-C3
4	A	1009	PEG	C4-C3-O2-C2
4	A	1004	PEG	O1-C1-C2-O2
4	A	1007	PEG	O1-C1-C2-O2
4	A	1008	PEG	C1-C2-O2-C3
4	A	1009	PEG	O1-C1-C2-O2
4	A	1011	PEG	O2-C3-C4-O4

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1005	PEG	1	0
4	A	1011	PEG	0	2
4	A	1007	PEG	2	0
4	A	1010	PEG	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1008	PEG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	558/635 (87%)	0.54	58 (10%) 11 9	22, 46, 88, 110	3 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	419	ASP	5.5
1	A	472	ALA	4.6
1	A	592	ILE	4.5
1	A	291	TRP	3.8
1	A	746	TRP	3.8
1	A	309	GLU	3.8
1	A	310	VAL	3.7
1	A	473	ILE	3.6
1	A	420	SER	3.6
1	A	470	SER	3.4
1	A	591	ILE	3.4
1	A	361	ARG	3.4
1	A	547[A]	HIS	3.4
1	A	289	SER	3.3
1	A	786[A]	HIS	3.2
1	A	453	MET	3.2
1	A	293	TYR	3.1
1	A	342	MET	3.1
1	A	311	LYS	2.9
1	A	745	GLY	2.9
1	A	295	ASP	2.9
1	A	474	TRP	2.9
1	A	601	GLY	2.7
1	A	451	TYR	2.7
1	A	580	GLN	2.7
1	A	296	GLU	2.7
1	A	588	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	285[A]	GLU	2.7
1	A	405	ASN	2.6
1	A	333	VAL	2.6
1	A	742	GLN	2.6
1	A	355	LYS	2.6
1	A	274	ASP	2.6
1	A	319	MET	2.6
1	A	579	VAL	2.6
1	A	587	THR	2.6
1	A	402	VAL	2.5
1	A	471	ARG	2.5
1	A	272	ASN	2.5
1	A	304	TYR	2.5
1	A	599	GLY	2.4
1	A	600	SER	2.3
1	A	292	HIS	2.3
1	A	299	TYR	2.3
1	A	341	ALA	2.2
1	A	452	ASN	2.2
1	A	744	ALA	2.2
1	A	290	THR	2.2
1	A	423	ALA	2.2
1	A	433	LEU	2.2
1	A	590	ASP	2.1
1	A	882	TYR	2.1
1	A	533	ASP	2.1
1	A	854	THR	2.0
1	A	883	MET	2.0
1	A	356	GLU	2.0
1	A	294	ASP	2.0
1	A	305	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PEG	A	1007	7/7	0.72	0.21	65,67,71,73	0
4	PEG	A	1008	7/7	0.78	0.23	53,58,61,65	0
4	PEG	A	1011	4/7	0.79	0.43	20,20,20,20	0
4	PEG	A	1005	7/7	0.80	0.16	53,62,66,68	0
4	PEG	A	1010	7/7	0.83	0.15	59,62,67,77	0
4	PEG	A	1006	7/7	0.83	0.17	51,56,67,73	0
4	PEG	A	1009	7/7	0.86	0.16	59,62,64,71	0
4	PEG	A	1004	7/7	0.87	0.14	57,62,66,70	0
2	5V5	A	1001	17/17	0.93	0.10	35,43,57,59	0
3	ZN	A	1002	1/1	1.00	0.03	51,51,51,51	0
3	ZN	A	1003	1/1	1.00	0.01	48,48,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.