



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:05 AM UTC

PDB ID : 3HAO / pdb_00003hao
Title : Crystal structure of bacteriorhodopsin mutant L94A crystallized from bicelles
Authors : Joh, N.H.; Yang, D.; Bowie, J.U.
Deposited on : 2009-05-02
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	 61% 27% .. 9%
1	B	249	 51% 31% 8% • 9%

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	226	Total 1746	C 1173	N 267	O 297	S 9	0	0	0
1	B	226	Total 1746	C 1173	N 267	O 297	S 9	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	94	ALA	LEU	engineered mutation	UNP P02945
B	94	ALA	LEU	engineered mutation	UNP P02945

- Molecule 2 is RETINAL (CCD ID: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 20 20	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 20 20	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	39	Total O 39 39	0	0
3	B	27	Total O 27 27	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Bacteriorhodopsin



• Molecule 1: Bacteriorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.56Å 108.71Å 56.19Å 90.00° 114.03° 90.00°	Depositor
Resolution (Å)	30.00 – 2.49 30.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	93.0 (30.00-2.49) 95.6 (30.00-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.82 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.209 , 0.245 0.206 , 0.237	Depositor DCC
R_{free} test set	907 reflections (5.45%)	wwPDB-VP
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.437 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.500 for -h,-k,h+l	Depositor
Outliers	0 of 16633 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3598	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.54	33/1794 (1.8%)	1.64	45/2450 (1.8%)
1	B	2.78	131/1794 (7.3%)	1.78	63/2450 (2.6%)
All	All	2.25	164/3588 (4.6%)	1.71	108/4900 (2.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (164) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	140	ILE	CA-CB	-24.87	1.22	1.54
1	B	82	ARG	C-O	-20.01	1.00	1.24
1	A	140	ILE	C-O	-19.39	1.01	1.24
1	B	105	GLN	C-O	-18.93	1.00	1.24
1	B	85	ASP	N-CA	-16.87	1.28	1.46
1	B	41	LYS	C-O	-16.04	1.05	1.24
1	B	174	LEU	C-O	-15.14	1.06	1.24
1	B	43	TYR	C-O	-15.11	1.06	1.24
1	B	169	SER	C-O	-15.01	1.06	1.24
1	B	115	ASP	C-O	-14.69	1.07	1.24
1	B	174	LEU	N-CA	-14.31	1.29	1.46
1	B	172	LYS	C-O	-14.19	1.06	1.24
1	B	209	MET	SD-CE	-14.02	1.44	1.79
1	A	175	ARG	C-O	-14.00	1.07	1.24
1	B	208	PHE	C-O	-13.93	1.05	1.24
1	B	66	LEU	C-O	-13.59	1.07	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	140	ILE	C-O	-13.38	1.08	1.24
1	A	175	ARG	CZ-NH2	-13.33	1.16	1.33
1	A	164	ARG	C-O	-13.19	1.07	1.23
1	B	204	GLU	C-O	-13.03	1.07	1.24
1	B	9	GLU	C-O	-12.73	1.07	1.24
1	B	11	ILE	C-O	-12.06	1.09	1.24
1	B	68	MET	SD-CE	-11.79	1.50	1.79
1	A	160	ALA	C-N	-11.70	1.18	1.34
1	B	209	MET	C-O	-11.70	1.09	1.24
1	B	211	LEU	CG-CD2	-11.58	1.14	1.52
1	B	40	LYS	C-O	-11.52	1.10	1.24
1	A	126	ALA	N-CA	-11.51	1.32	1.46
1	A	175	ARG	CZ-NH1	-11.49	1.16	1.32
1	B	175	ARG	C-N	-11.47	1.18	1.33
1	B	41	LYS	N-CA	-11.44	1.32	1.46
1	B	174	LEU	CG-CD1	-11.41	1.14	1.52
1	B	12	TRP	C-O	-11.36	1.10	1.24
1	B	133	TYR	C-O	-10.97	1.09	1.24
1	A	202	ASN	CA-CB	-10.90	1.36	1.53
1	A	101	VAL	C-N	10.89	1.49	1.33
1	B	66	LEU	C-N	-10.82	1.20	1.33
1	B	82	ARG	CZ-NH1	-10.71	1.17	1.32
1	B	169	SER	N-CA	-10.70	1.33	1.46
1	B	176	ASN	N-CA	-10.69	1.33	1.46
1	B	206	LEU	C-O	-10.67	1.10	1.24
1	B	13	LEU	C-O	-10.65	1.10	1.24
1	B	82	ARG	N-CA	-10.60	1.33	1.46
1	B	209	MET	C-N	-10.49	1.20	1.33
1	B	115	ASP	C-N	-10.44	1.21	1.33
1	B	85	ASP	CG-OD1	-10.38	1.05	1.25
1	B	30	LYS	C-N	-10.25	1.21	1.33
1	A	126	ALA	C-O	-10.20	1.12	1.24
1	B	30	LYS	C-O	-9.80	1.12	1.24
1	B	85	ASP	CG-OD2	-9.79	1.06	1.25
1	B	85	ASP	C-O	-9.74	1.14	1.23
1	B	40	LYS	N-CA	-9.73	1.34	1.46
1	A	105	GLN	C-N	-9.67	1.21	1.33
1	B	7	ARG	CZ-NH2	-9.66	1.20	1.33
1	B	115	ASP	N-CA	-9.23	1.35	1.46
1	A	161	GLU	C-O	-9.13	1.12	1.24
1	A	166	GLU	CA-CB	-9.00	1.39	1.53
1	A	172	LYS	CA-CB	-8.99	1.39	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	7	ARG	C-O	-8.95	1.12	1.23
1	B	85	ASP	CA-C	-8.90	1.43	1.53
1	B	82	ARG	CZ-NH2	-8.84	1.22	1.33
1	A	102	ASP	CA-C	-8.54	1.42	1.53
1	A	102	ASP	C-O	-8.52	1.12	1.23
1	B	159	LYS	N-CA	-8.50	1.34	1.46
1	B	105	GLN	C-N	-8.48	1.22	1.33
1	A	230	PHE	CE2-CZ	-8.46	1.13	1.38
1	B	204	GLU	N-CA	-8.42	1.35	1.46
1	B	158	SER	C-O	-8.41	1.14	1.24
1	B	7	ARG	CZ-NH1	-8.29	1.21	1.32
1	B	133	TYR	N-CA	-8.20	1.35	1.46
1	B	11	ILE	CB-CG2	-8.18	1.25	1.52
1	A	230	PHE	CE1-CZ	-8.08	1.14	1.38
1	A	230	PHE	C-O	-7.99	1.14	1.24
1	B	40	LYS	CG-CD	-7.88	1.28	1.52
1	B	129	LYS	C-O	-7.83	1.13	1.24
1	B	172	LYS	CA-C	-7.83	1.42	1.52
1	B	41	LYS	CE-NZ	-7.80	1.25	1.49
1	B	172	LYS	CB-CG	-7.78	1.29	1.52
1	B	172	LYS	CA-CB	-7.72	1.40	1.53
1	B	211	LEU	N-CA	-7.67	1.36	1.46
1	B	140	ILE	N-CA	-7.65	1.37	1.46
1	B	66	LEU	CG-CD2	-7.64	1.27	1.52
1	B	204	GLU	CD-OE1	-7.64	1.10	1.25
1	B	12	TRP	N-CA	-7.57	1.37	1.46
1	A	166	GLU	C-O	-7.55	1.15	1.24
1	B	176	ASN	CA-C	-7.54	1.43	1.52
1	A	164	ARG	CA-CB	-7.50	1.41	1.53
1	B	68	MET	C-O	-7.49	1.15	1.24
1	B	174	LEU	CG-CD2	-7.44	1.28	1.52
1	B	82	ARG	NE-CZ	-7.44	1.24	1.33
1	B	9	GLU	CD-OE2	-7.42	1.11	1.25
1	B	208	PHE	N-CA	-7.42	1.36	1.46
1	B	208	PHE	CG-CD1	-7.41	1.23	1.38
1	B	140	ILE	C-N	-7.40	1.24	1.33
1	B	133	TYR	CA-C	-7.33	1.42	1.52
1	B	9	GLU	N-CA	-7.24	1.36	1.46
1	B	68	MET	CG-SD	-7.24	1.62	1.80
1	B	208	PHE	CE2-CZ	-7.23	1.17	1.38
1	B	211	LEU	C-O	-7.22	1.15	1.24
1	A	202	ASN	CG-ND2	-7.21	1.18	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	206	LEU	N-CA	-7.14	1.36	1.46
1	B	104	ASP	C-O	-7.13	1.15	1.24
1	B	172	LYS	CG-CD	-7.08	1.31	1.52
1	B	68	MET	CA-CB	-7.01	1.44	1.53
1	B	84	ALA	C-N	-6.95	1.25	1.33
1	B	172	LYS	CE-NZ	-6.95	1.28	1.49
1	B	82	ARG	C-N	-6.94	1.24	1.33
1	B	176	ASN	C-O	-6.93	1.16	1.24
1	B	227	ARG	N-CA	-6.91	1.37	1.46
1	B	203	ILE	C-N	-6.91	1.24	1.34
1	A	125	GLY	C-O	-6.89	1.15	1.23
1	A	161	GLU	CD-OE1	-6.89	1.12	1.25
1	A	226	SER	C-N	-6.83	1.24	1.33
1	B	140	ILE	CB-CG2	-6.82	1.30	1.52
1	B	8	PRO	C-N	-6.78	1.23	1.33
1	B	173	VAL	C-N	-6.76	1.25	1.33
1	B	30	LYS	CA-C	-6.73	1.44	1.52
1	B	104	ASP	N-CA	6.64	1.54	1.46
1	B	204	GLU	CD-OE2	-6.61	1.12	1.25
1	B	209	MET	CG-SD	-6.54	1.64	1.80
1	B	140	ILE	CA-C	-6.51	1.44	1.52
1	B	172	LYS	CD-CE	-6.49	1.32	1.52
1	B	30	LYS	CB-CG	-6.43	1.33	1.52
1	B	9	GLU	C-N	-6.36	1.25	1.34
1	B	115	ASP	CA-C	-6.31	1.44	1.52
1	B	43	TYR	CA-C	-6.24	1.44	1.52
1	B	9	GLU	CD-OE1	-6.19	1.13	1.25
1	B	115	ASP	CG-OD2	-6.12	1.13	1.25
1	B	82	ARG	CD-NE	-6.06	1.37	1.46
1	A	230	PHE	CG-CD2	-6.05	1.26	1.38
1	B	41	LYS	CD-CE	-6.00	1.34	1.52
1	B	68	MET	C-N	6.00	1.40	1.33
1	B	12	TRP	CD2-CE2	-5.96	1.31	1.41
1	B	210	VAL	C-N	-5.91	1.25	1.33
1	B	211	LEU	CG-CD1	-5.89	1.33	1.52
1	B	227	ARG	C-O	-5.89	1.16	1.24
1	B	171	PHE	C-N	-5.87	1.25	1.34
1	B	43	TYR	CD1-CE1	-5.83	1.21	1.38
1	B	68	MET	N-CA	-5.79	1.39	1.46
1	B	6	GLY	C-N	-5.72	1.25	1.33
1	B	204	GLU	CA-C	-5.68	1.45	1.52
1	B	7	ARG	NE-CZ	-5.61	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	208	PHE	CD2-CE2	-5.59	1.21	1.38
1	B	140	ILE	CB-CG1	-5.57	1.42	1.53
1	B	159	LYS	C-O	-5.56	1.16	1.24
1	B	133	TYR	CE1-CZ	-5.52	1.25	1.38
1	B	139	ALA	C-N	-5.51	1.26	1.33
1	A	140	ILE	CG1-CD1	-5.49	1.30	1.51
1	B	39	ALA	C-N	-5.40	1.26	1.33
1	B	208	PHE	CA-CB	-5.35	1.44	1.53
1	A	169	SER	C-N	5.35	1.41	1.33
1	B	12	TRP	CG-CD1	-5.34	1.23	1.36
1	A	125	GLY	C-N	-5.33	1.26	1.33
1	B	12	TRP	CD1-NE1	-5.32	1.26	1.37
1	B	133	TYR	C-N	-5.29	1.26	1.33
1	B	105	GLN	CD-NE2	-5.29	1.22	1.33
1	B	43	TYR	CD2-CE2	-5.27	1.22	1.38
1	A	172	LYS	CD-CE	-5.25	1.36	1.52
1	A	161	GLU	CA-CB	-5.14	1.44	1.53
1	A	227	ARG	C-N	-5.13	1.26	1.33
1	B	30	LYS	CD-CE	-5.11	1.37	1.52
1	A	124	VAL	C-N	-5.09	1.27	1.33
1	B	85	ASP	CB-CG	-5.04	1.39	1.52
1	B	42	PHE	C-N	-5.04	1.27	1.33

All (108) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	ALA	CA-C-N	14.34	140.93	120.28
1	A	160	ALA	C-N-CA	14.34	140.93	120.28
1	A	101	VAL	CA-C-N	-12.94	103.94	122.19
1	A	101	VAL	C-N-CA	-12.94	103.94	122.19
1	A	161	GLU	O-C-N	-12.47	107.63	122.22
1	A	124	VAL	CA-C-N	12.14	133.45	119.98
1	A	124	VAL	C-N-CA	12.14	133.45	119.98
1	B	41	LYS	CA-C-O	-11.68	108.17	120.55
1	B	174	LEU	CA-C-O	-11.37	108.50	120.55
1	B	209	MET	CA-C-O	11.14	132.61	120.24
1	B	176	ASN	N-CA-C	10.91	122.92	111.14
1	B	176	ASN	CB-CA-C	-10.39	94.47	110.90
1	A	166	GLU	N-CA-CB	10.20	125.11	110.12
1	A	125	GLY	CA-C-O	-9.99	110.46	120.75
1	A	161	GLU	N-CA-C	-9.80	100.44	111.71
1	B	66	LEU	CA-C-O	9.40	130.68	120.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	125	GLY	CA-C-N	8.99	132.32	120.28
1	A	125	GLY	C-N-CA	8.99	132.32	120.28
1	B	140	ILE	CB-CA-C	-8.74	100.16	112.22
1	A	226	SER	CA-C-N	8.52	138.04	121.18
1	A	226	SER	C-N-CA	8.52	138.04	121.18
1	A	172	LYS	O-C-N	-8.13	113.50	122.12
1	B	140	ILE	N-CA-C	8.09	118.89	110.72
1	A	164	ARG	CB-CG-CD	8.06	129.83	111.30
1	A	125	GLY	O-C-N	7.70	129.59	122.19
1	A	172	LYS	CB-CA-C	-7.70	98.01	110.79
1	B	169	SER	CA-C-O	-7.70	112.39	120.55
1	A	227	ARG	CB-CG-CD	7.57	128.72	111.30
1	B	132	SER	CA-C-N	7.55	133.34	120.72
1	B	132	SER	C-N-CA	7.55	133.34	120.72
1	B	174	LEU	CA-C-N	7.45	130.26	120.28
1	B	174	LEU	C-N-CA	7.45	130.26	120.28
1	B	68	MET	CA-C-O	-7.33	112.92	120.54
1	A	172	LYS	CA-C-O	7.31	128.30	120.55
1	A	227	ARG	CA-CB-CG	7.26	128.62	114.10
1	B	11	ILE	CA-C-N	7.20	130.51	120.29
1	B	11	ILE	C-N-CA	7.20	130.51	120.29
1	A	164	ARG	CG-CD-NE	7.17	127.78	112.00
1	A	161	GLU	CB-CA-C	6.97	123.53	110.63
1	B	66	LEU	O-C-N	-6.95	114.38	123.21
1	B	206	LEU	N-CA-C	6.94	121.01	112.54
1	B	208	PHE	O-C-N	-6.92	112.59	122.41
1	B	12	TRP	CA-C-N	6.87	130.75	120.31
1	B	12	TRP	C-N-CA	6.87	130.75	120.31
1	B	209	MET	CA-C-N	-6.75	110.83	120.42
1	B	209	MET	C-N-CA	-6.75	110.83	120.42
1	B	174	LEU	CB-CA-C	6.69	121.90	110.79
1	B	129	LYS	CA-C-O	6.56	127.27	119.60
1	A	164	ARG	NH1-CZ-NH2	-6.47	110.88	119.30
1	A	227	ARG	CG-CD-NE	6.44	126.17	112.00
1	B	174	LEU	CD1-CG-CD2	-6.43	96.64	110.80
1	A	102	ASP	CA-C-O	-6.38	113.69	121.28
1	B	204	GLU	N-CA-C	6.28	118.93	111.71
1	A	161	GLU	N-CA-CB	6.19	119.75	110.22
1	A	175	ARG	CG-CD-NE	6.19	125.61	112.00
1	B	169	SER	CB-CA-C	6.17	121.04	110.79
1	A	226	SER	O-C-N	-6.14	116.02	122.96
1	A	227	ARG	NE-CZ-NH2	6.14	124.72	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	227	ARG	NE-CZ-NH1	-6.11	115.39	121.50
1	A	175	ARG	N-CA-CB	6.07	119.05	110.12
1	B	210	VAL	O-C-N	-6.01	115.64	121.83
1	A	229	ILE	CA-C-N	5.99	130.07	121.50
1	A	229	ILE	C-N-CA	5.99	130.07	121.50
1	A	230	PHE	CB-CA-C	5.95	119.54	109.84
1	B	169	SER	N-CA-CB	-5.91	101.44	110.12
1	B	114	ALA	O-C-N	5.90	128.37	122.12
1	B	13	LEU	CB-CG-CD1	5.85	128.25	110.70
1	A	161	GLU	CA-C-O	5.84	126.70	120.10
1	B	30	LYS	CD-CE-NZ	5.80	130.46	111.90
1	B	40	LYS	O-C-N	-5.75	115.59	122.15
1	B	174	LEU	CA-CB-CG	5.74	136.38	116.30
1	B	205	THR	CA-C-N	5.72	130.27	120.72
1	B	205	THR	C-N-CA	5.72	130.27	120.72
1	B	76	ASN	N-CA-C	5.58	118.34	109.64
1	A	76	ASN	N-CA-C	5.54	118.29	109.64
1	B	105	GLN	CA-C-N	5.52	126.10	119.98
1	B	105	GLN	C-N-CA	5.52	126.10	119.98
1	B	104	ASP	N-CA-C	5.49	117.66	109.25
1	B	158	SER	N-CA-C	5.47	117.25	111.28
1	B	85	ASP	N-CA-CB	-5.40	102.43	110.10
1	B	11	ILE	CB-CG1-CD1	5.39	125.12	113.80
1	A	227	ARG	CB-CA-C	-5.38	99.20	110.17
1	B	40	LYS	CA-C-O	-5.37	114.72	120.42
1	B	39	ALA	O-C-N	-5.37	116.43	122.12
1	B	9	GLU	N-CA-CB	-5.37	102.22	110.44
1	B	66	LEU	N-CA-C	5.35	118.20	109.59
1	B	227	ARG	CA-C-N	5.34	129.22	120.63
1	B	227	ARG	C-N-CA	5.34	129.22	120.63
1	B	203	ILE	CA-C-N	5.28	127.88	120.28
1	B	203	ILE	C-N-CA	5.28	127.88	120.28
1	B	211	LEU	CA-C-N	-5.28	113.46	120.79
1	B	211	LEU	C-N-CA	-5.28	113.46	120.79
1	A	175	ARG	O-C-N	-5.27	116.53	122.12
1	B	43	TYR	N-CA-C	5.20	116.95	111.28
1	B	49	VAL	CA-C-N	-5.20	114.47	119.87
1	B	49	VAL	C-N-CA	-5.20	114.47	119.87
1	A	164	ARG	NE-CZ-NH2	5.17	123.85	119.20
1	A	49	VAL	CA-C-N	-5.17	114.49	119.87
1	A	49	VAL	C-N-CA	-5.17	114.49	119.87
1	B	104	ASP	CA-CB-CG	5.14	117.74	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	172	LYS	CD-CE-NZ	-5.10	95.58	111.90
1	B	139	ALA	CA-C-N	5.09	127.65	120.42
1	B	139	ALA	C-N-CA	5.09	127.65	120.42
1	A	140	ILE	CA-C-O	-5.07	115.67	120.95
1	A	105	GLN	CA-C-O	-5.07	115.17	120.55
1	B	85	ASP	OD1-CG-OD2	-5.06	110.76	122.90
1	B	211	LEU	N-CA-C	5.06	117.91	111.69
1	A	166	GLU	CB-CG-CD	5.02	121.14	112.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	140	ILE	Mainchain
1	A	161	GLU	Mainchain
1	A	202	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1746	0	1799	52	0
1	B	1746	0	1800	79	0
2	A	20	0	27	5	0
2	B	20	0	27	6	0
3	A	39	0	0	0	0
3	B	27	0	0	2	0
All	All	3598	0	3653	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:MET:O	1:B:149:LEU:HD23	1.25	1.32

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:MET:O	1:B:149:LEU:CD2	1.77	1.31
1:B:30:LYS:HE3	1:B:30:LYS:HA	1.48	0.92
1:B:142:THR:HB	3:B:259:HOH:O	1.68	0.92
1:B:9:GLU:H	1:B:9:GLU:CD	1.77	0.89
1:B:145:MET:O	1:B:149:LEU:HD22	1.84	0.78
1:B:193:SER:H	1:B:204:GLU:CD	1.92	0.76
1:B:9:GLU:HB3	1:B:202:ASN:HA	1.66	0.76
1:B:192:GLY:HA3	1:B:204:GLU:OE2	1.87	0.74
1:A:164:ARG:HE	1:A:167:VAL:HG23	1.51	0.74
1:B:227:ARG:H	1:B:227:ARG:NE	1.86	0.74
1:B:128:THR:HG21	1:B:133:TYR:HB3	1.69	0.73
1:B:91:PRO:HD3	1:B:115:ASP:OD1	1.89	0.73
1:A:36:ASP:O	1:A:40:LYS:HG3	1.89	0.72
1:B:137:TRP:HA	1:B:140:ILE:HD12	1.70	0.71
1:B:145:MET:C	1:B:149:LEU:HD23	2.14	0.71
1:B:193:SER:N	1:B:204:GLU:OE1	2.22	0.70
1:A:164:ARG:NE	1:A:167:VAL:HG23	2.06	0.70
1:B:112:VAL:O	1:B:115:ASP:HB3	1.93	0.69
1:B:139:ALA:O	1:B:142:THR:HG22	1.93	0.69
1:A:139:ALA:O	1:A:142:THR:HG22	1.93	0.68
1:B:53:ALA:HA	1:B:85:ASP:OD2	1.93	0.68
1:A:164:ARG:HD2	1:A:166:GLU:HB3	1.76	0.66
1:B:149:LEU:HD22	1:B:149:LEU:N	2.10	0.66
1:B:206:LEU:HD22	1:B:206:LEU:O	1.96	0.66
1:B:34:VAL:CG1	1:B:40:LYS:HG2	2.27	0.65
1:A:9:GLU:OE1	1:A:9:GLU:N	2.23	0.65
1:A:34:VAL:HG13	1:A:40:LYS:HG2	1.79	0.65
1:A:65:GLY:HA3	1:A:81:ALA:HB2	1.79	0.63
1:B:65:GLY:HA3	1:B:81:ALA:HB2	1.79	0.63
1:B:9:GLU:OE1	1:B:9:GLU:N	2.30	0.62
1:A:186:PRO:HB3	2:A:301:RET:H183	1.80	0.62
1:B:30:LYS:HA	1:B:30:LYS:CE	2.21	0.62
1:B:149:LEU:HD22	1:B:149:LEU:H	1.65	0.62
1:B:186:PRO:HB3	2:B:301:RET:H183	1.80	0.61
1:B:31:GLY:O	1:B:34:VAL:HG12	2.00	0.61
1:B:34:VAL:HG13	1:B:40:LYS:CG	2.31	0.61
1:A:31:GLY:O	1:A:34:VAL:HG12	2.00	0.61
1:B:136:VAL:O	1:B:140:ILE:CD1	2.49	0.60
1:B:130:VAL:O	1:B:133:TYR:HB2	2.01	0.60
1:B:10:TRP:HA	1:B:13:LEU:HD12	1.84	0.60
1:A:164:ARG:HG3	1:A:165:PRO:N	2.11	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:VAL:O	1:B:140:ILE:HD12	2.02	0.59
1:B:68:MET:HE1	1:B:77:PRO:HB3	1.83	0.59
1:B:227:ARG:H	1:B:227:ARG:HE	1.51	0.58
1:B:140:ILE:O	1:B:140:ILE:HG22	1.96	0.57
1:B:192:GLY:HA3	1:B:204:GLU:CD	2.31	0.56
1:B:149:LEU:CD2	1:B:149:LEU:H	2.19	0.56
1:A:202:ASN:OD1	1:A:203:ILE:N	2.38	0.55
1:A:145:MET:HE2	1:A:186:PRO:HG3	1.88	0.55
1:A:90:THR:OG1	1:A:91:PRO:CD	2.55	0.55
1:B:9:GLU:CD	1:B:9:GLU:N	2.54	0.55
1:B:90:THR:OG1	1:B:91:PRO:CD	2.55	0.55
1:B:145:MET:HE2	1:B:186:PRO:HG3	1.88	0.55
1:B:7:ARG:HH21	1:B:201:LEU:HD23	1.72	0.54
1:B:56:MET:HG3	1:B:85:ASP:HB2	1.88	0.54
1:A:166:GLU:O	1:A:166:GLU:CD	2.51	0.54
1:B:170:THR:HG22	1:B:174:LEU:HD12	1.89	0.53
1:A:164:ARG:HG3	1:A:165:PRO:CD	2.39	0.53
1:B:34:VAL:HG13	1:B:40:LYS:HG3	1.92	0.52
1:B:226:SER:HA	1:B:227:ARG:NH2	2.24	0.52
1:A:37:PRO:O	1:A:41:LYS:HG2	2.10	0.52
1:B:86:TRP:CD1	2:B:301:RET:H14	2.45	0.52
1:B:193:SER:N	1:B:204:GLU:OE2	2.43	0.52
1:A:16:GLY:O	1:A:20:MET:HG2	2.10	0.52
1:A:166:GLU:O	1:A:166:GLU:CG	2.54	0.52
1:A:86:TRP:CD1	2:A:301:RET:H14	2.45	0.52
1:A:164:ARG:NH2	1:A:227:ARG:O	2.43	0.51
1:B:16:GLY:O	1:B:20:MET:HG2	2.10	0.51
1:B:211:LEU:O	1:B:212:ASP:C	2.51	0.51
1:B:226:SER:HA	1:B:227:ARG:HH21	1.77	0.50
1:B:34:VAL:HG13	1:B:40:LYS:HG2	1.92	0.50
1:A:145:MET:CE	1:A:186:PRO:HG3	2.42	0.50
1:B:145:MET:CE	1:B:186:PRO:HG3	2.42	0.50
1:B:139:ALA:O	1:B:142:THR:CG2	2.60	0.49
1:A:139:ALA:O	1:A:142:THR:CG2	2.60	0.49
1:B:108:ILE:O	1:B:112:VAL:HG23	2.13	0.49
1:A:108:ILE:O	1:A:112:VAL:HG23	2.13	0.49
1:B:104:ASP:O	1:B:106:GLY:N	2.46	0.48
1:B:118:MET:O	1:B:141:SER:OG	2.31	0.47
1:A:202:ASN:OD1	1:A:202:ASN:N	2.43	0.47
1:B:142:THR:HA	2:B:301:RET:H182	1.95	0.47
1:A:142:THR:HA	2:A:301:RET:H182	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:MET:O	1:A:141:SER:OG	2.31	0.47
1:A:68:MET:HB3	1:A:75:GLN:HG3	1.97	0.47
1:A:82:ARG:O	1:A:85:ASP:HB3	2.15	0.47
1:B:149:LEU:CD2	1:B:149:LEU:N	2.75	0.47
1:A:164:ARG:HG3	1:A:165:PRO:HD2	1.95	0.46
1:A:139:ALA:C	1:A:142:THR:HG22	2.40	0.46
1:B:95:LEU:O	1:B:99:LEU:HG	2.16	0.46
1:A:91:PRO:HD3	1:A:115:ASP:OD1	2.16	0.46
1:A:95:LEU:O	1:A:99:LEU:HG	2.16	0.46
1:B:104:ASP:O	1:B:105:GLN:C	2.59	0.46
1:B:139:ALA:C	1:B:142:THR:HG22	2.40	0.45
1:A:135:PHE:HE1	1:A:190:LEU:HD12	1.81	0.45
1:A:164:ARG:HE	1:A:167:VAL:CG2	2.27	0.45
1:A:15:LEU:O	1:A:19:LEU:HG	2.16	0.45
1:A:7:ARG:O	1:A:10:TRP:HD1	1.99	0.45
1:B:135:PHE:HE1	1:B:190:LEU:HD12	1.81	0.45
1:B:15:LEU:O	1:B:19:LEU:HG	2.16	0.45
1:A:22:LEU:HD23	1:A:22:LEU:HA	1.79	0.45
1:B:66:LEU:HG	1:B:67:THR:N	2.24	0.45
1:A:85:ASP:OD1	1:A:85:ASP:C	2.59	0.44
1:B:181:LEU:HD22	1:B:211:LEU:HD23	1.99	0.44
1:B:41:LYS:HD3	1:B:99:LEU:HD13	1.99	0.44
1:A:90:THR:OG1	1:A:91:PRO:HD3	2.18	0.43
1:A:193:SER:OG	1:A:204:GLU:OE1	2.30	0.43
1:B:194:GLU:OE1	1:B:194:GLU:N	2.45	0.43
1:A:56:MET:HG3	1:A:85:ASP:HB2	2.01	0.43
1:A:194:GLU:OE1	1:A:194:GLU:N	2.45	0.43
1:B:90:THR:OG1	1:B:91:PRO:HD3	2.18	0.43
1:B:22:LEU:HD23	1:B:22:LEU:HA	1.79	0.42
1:A:27:PHE:HB3	1:A:47:THR:OG1	2.19	0.42
1:B:27:PHE:HB3	1:B:47:THR:OG1	2.19	0.42
1:A:209:MET:O	1:A:213:VAL:HG23	2.19	0.42
1:B:7:ARG:O	1:B:10:TRP:HD1	2.02	0.42
1:B:25:LEU:O	1:B:29:VAL:HG23	2.20	0.42
1:B:145:MET:HG3	2:B:301:RET:H181	2.02	0.42
2:B:301:RET:H42	3:B:259:HOH:O	2.20	0.41
1:A:227:ARG:HH11	1:A:227:ARG:HD3	1.46	0.41
1:B:85:ASP:O	1:B:86:TRP:C	2.61	0.41
1:A:25:LEU:O	1:A:29:VAL:HG23	2.20	0.41
1:A:145:MET:HG3	2:A:301:RET:H181	2.03	0.41
1:A:189:TRP:CD1	2:A:301:RET:H22	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:PRO:HA	1:A:74:GLU:O	2.21	0.41
1:B:189:TRP:CD1	2:B:301:RET:H22	2.56	0.41
1:B:70:PRO:HA	1:B:74:GLU:O	2.21	0.41
1:B:145:MET:SD	1:B:149:LEU:HD21	2.61	0.41
1:A:40:LYS:HE3	1:A:40:LYS:HB3	1.80	0.40
1:B:48:LEU:HD23	1:B:92:LEU:CD1	2.51	0.40
1:B:65:GLY:HA2	1:B:80:TRP:CE2	2.56	0.40
1:A:65:GLY:HA2	1:A:80:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/249 (90%)	219 (98%)	5 (2%)	0	100	100
1	B	224/249 (90%)	216 (96%)	8 (4%)	0	100	100
All	All	448/498 (90%)	435 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/194 (93%)	177 (98%)	3 (2%)	53	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	180/194 (93%)	171 (95%)	9 (5%)	22	44
All	All	360/388 (93%)	348 (97%)	12 (3%)	33	61

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	175	ARG
1	A	227	ARG
1	B	11	ILE
1	B	30	LYS
1	B	41	LYS
1	B	66	LEU
1	B	149	LEU
1	B	206	LEU
1	B	208	PHE
1	B	209	MET
1	B	227	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	ASN
1	A	105	GLN
1	B	76	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	RET	A	301	1	20,20,21	3.13	7 (35%)	27,27,28	2.91	16 (59%)
2	RET	B	301	1	20,20,21	3.13	7 (35%)	27,27,28	2.90	16 (59%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RET	A	301	1	-	0/13/30/31	0/1/1/1
2	RET	B	301	1	-	0/13/30/31	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	RET	C1-C6	8.20	1.64	1.53
2	B	301	RET	C1-C6	8.20	1.64	1.53
2	A	301	RET	C14-C13	8.16	1.39	1.33
2	B	301	RET	C14-C13	8.16	1.39	1.33
2	B	301	RET	C5-C6	5.22	1.43	1.34
2	A	301	RET	C5-C6	5.20	1.43	1.34
2	B	301	RET	C17-C1	2.66	1.58	1.53
2	A	301	RET	C17-C1	2.66	1.58	1.53
2	A	301	RET	C2-C1	2.55	1.59	1.54
2	B	301	RET	C2-C1	2.53	1.59	1.54
2	B	301	RET	C4-C5	2.16	1.55	1.51
2	A	301	RET	C4-C5	2.13	1.55	1.51
2	B	301	RET	C7-C6	2.04	1.52	1.45
2	A	301	RET	C7-C6	2.04	1.52	1.45

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	RET	C18-C5-C6	5.78	130.79	124.48
2	A	301	RET	C18-C5-C6	5.74	130.75	124.48
2	A	301	RET	C8-C9-C10	-5.07	111.03	119.01
2	B	301	RET	C8-C9-C10	-5.00	111.14	119.01
2	A	301	RET	C10-C11-C12	-4.81	109.28	123.20
2	B	301	RET	C10-C11-C12	-4.80	109.28	123.20
2	A	301	RET	C11-C10-C9	-4.13	121.48	127.28
2	B	301	RET	C11-C10-C9	-4.10	121.53	127.28
2	A	301	RET	C1-C6-C7	4.03	126.57	115.65
2	B	301	RET	C1-C6-C7	4.02	126.57	115.65
2	A	301	RET	C19-C9-C8	4.01	124.21	118.09
2	B	301	RET	C19-C9-C8	3.96	124.14	118.09
2	A	301	RET	C7-C6-C5	-3.83	112.73	121.56
2	B	301	RET	C7-C6-C5	-3.83	112.74	121.56
2	A	301	RET	C20-C13-C12	3.33	123.18	118.09
2	A	301	RET	C17-C1-C6	3.30	115.42	110.24
2	B	301	RET	C17-C1-C6	3.30	115.41	110.24
2	B	301	RET	C20-C13-C12	3.29	123.11	118.09
2	B	301	RET	C7-C8-C9	3.04	130.74	126.23
2	A	301	RET	C7-C8-C9	2.97	130.63	126.23
2	B	301	RET	C12-C13-C14	-2.90	110.84	118.55
2	A	301	RET	C12-C13-C14	-2.88	110.89	118.55
2	A	301	RET	C2-C1-C6	2.78	114.47	110.44
2	B	301	RET	C2-C1-C6	2.76	114.45	110.44
2	A	301	RET	C3-C4-C5	2.68	118.83	114.06
2	B	301	RET	C3-C4-C5	2.68	118.83	114.06
2	B	301	RET	C2-C3-C4	2.26	116.25	111.28
2	A	301	RET	C2-C3-C4	2.26	116.25	111.28
2	B	301	RET	C18-C5-C4	-2.20	108.89	113.60
2	A	301	RET	C18-C5-C4	-2.19	108.92	113.60
2	B	301	RET	C8-C7-C6	2.08	132.55	127.00
2	A	301	RET	C8-C7-C6	2.05	132.46	127.00

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	RET	5	0
2	B	301	RET	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	2
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	66:LEU	C	67:THR	N	1.20
1	A	160:ALA	C	161:GLU	N	1.18
1	B	175:ARG	C	176:ASN	N	1.18

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/249 (90%)	-1.37	0 100 100	8, 21, 38, 50	0
1	B	226/249 (90%)	-1.38	0 100 100	10, 22, 38, 53	0
All	All	452/498 (90%)	-1.37	0 100 100	8, 21, 39, 53	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	RET	A	301	20/21	0.98	0.05	20,29,33,33	0
2	RET	B	301	20/21	0.99	0.04	18,20,22,22	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RET A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.