



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:21 AM UTC

PDB ID : 3HD8 / pdb_00003hd8
Title : Crystal structure of the Triticum aestivum xylanase inhibitor-IIA in complex with bacillus subtilis xylanase
Authors : Sansen, S.; Pollet, A.; Raedschelders, G.; Gebruers, K.; Rabijns, A.; Courtin, C.M.
Deposited on : 2009-05-07
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	389	
1	C	389	
2	B	185	
2	D	185	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8282 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Xylanase inhibitor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	0	0
			2682	1711	455	498	18			
1	C	368	Total	C	N	O	S	0	0	0
			2672	1705	453	496	18			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	LYS	SEE REMARK 999	UNP Q53IQ4
A	163	PRO	ALA	SEE REMARK 999	UNP Q53IQ4
A	314	MET	LEU	SEE REMARK 999	UNP Q53IQ4
C	1	GLU	LYS	SEE REMARK 999	UNP Q53IQ4
C	163	PRO	ALA	SEE REMARK 999	UNP Q53IQ4
C	314	MET	LEU	SEE REMARK 999	UNP Q53IQ4

- Molecule 2 is a protein called Endo-1,4-beta-xylanase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	184	Total	C	N	O	S	0	0	0
			1443	909	248	284	2			
2	D	184	Total	C	N	O	S	0	0	0
			1443	909	248	284	2			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	147	THR	SER	SEE REMARK 999	UNP P18429
D	147	THR	SER	SEE REMARK 999	UNP P18429


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	15	Total 15	O 15	0	0
3	B	7	Total 7	O 7	0	0
3	C	13	Total 13	O 13	0	0
3	D	7	Total 7	O 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Xylanase inhibitor




• Molecule 1: Xylanase inhibitor



• Molecule 2: Endo-1,4-beta-xylanase A



• Molecule 2: Endo-1,4-beta-xylanase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.35Å 60.30Å 134.19Å 90.00° 101.49° 90.00°	Depositor
Resolution (Å)	38.52 – 2.39 38.52 – 2.39	Depositor EDS
% Data completeness (in resolution range)	98.8 (38.52-2.39) 99.1 (38.52-2.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.13 (at 2.39Å)	Xtriage
Refinement program	CNS, REFMAC 5.1.19	Depositor
R, R_{free}	0.223 , 0.275 0.236 , 0.278	Depositor DCC
R_{free} test set	2427 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.267	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8282	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.54	21/2746 (0.8%)	1.36	11/3747 (0.3%)
1	C	1.60	25/2736 (0.9%)	1.36	18/3733 (0.5%)
2	B	1.65	13/1491 (0.9%)	1.34	10/2043 (0.5%)
2	D	1.53	11/1491 (0.7%)	1.33	9/2043 (0.4%)
All	All	1.58	70/8464 (0.8%)	1.35	48/11566 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	C	0	5
2	B	0	1
All	All	0	11

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	384	ASN	CA-C	12.60	1.69	1.52
1	C	384	ASN	CA-C	11.47	1.68	1.52
2	D	59	ALA	CA-CB	-9.80	1.41	1.53
1	C	355	MET	SD-CE	-9.03	1.56	1.79
1	A	355	MET	SD-CE	-8.41	1.58	1.79
1	C	187	TRP	C-O	8.17	1.27	1.23
1	A	385	PHE	N-CA	7.71	1.56	1.46
2	B	111	THR	C-O	-7.24	1.14	1.23
2	B	163	ASN	CB-CG	-7.17	1.34	1.52
1	C	195	ASP	CB-CG	7.14	1.69	1.52
1	C	147	GLY	CA-C	-7.13	1.44	1.52
1	A	237	SER	C-O	-7.06	1.15	1.23
1	C	8	PRO	CA-C	-7.03	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	170	ALA	CA-CB	-7.03	1.40	1.53
2	B	141	ASN	CA-C	-7.01	1.43	1.52
2	B	5	TYR	C-O	-6.79	1.16	1.24
1	C	230	ALA	CA-CB	6.56	1.64	1.53
1	C	263	ALA	CA-CB	-6.50	1.43	1.53
2	B	59	ALA	CA-CB	-6.50	1.45	1.53
1	A	384	ASN	N-CA	6.47	1.54	1.46
1	A	384	ASN	CB-CG	-6.37	1.36	1.52
1	C	376	HIS	C-O	-6.26	1.16	1.24
1	A	230	ALA	CA-CB	6.22	1.64	1.53
2	B	81	VAL	C-O	-6.22	1.16	1.24
1	C	148	SER	CA-CB	6.20	1.64	1.53
1	C	213	ARG	CZ-NH2	6.06	1.41	1.33
1	C	331	ALA	CA-CB	6.02	1.61	1.52
1	C	256	ALA	CA-CB	-5.91	1.43	1.53
1	C	199	LEU	CA-C	-5.88	1.45	1.52
2	D	168	VAL	CA-C	-5.84	1.45	1.52
2	D	46	SER	C-O	-5.78	1.17	1.24
1	A	179	ILE	CA-CB	-5.76	1.47	1.54
1	C	215	ILE	C-O	-5.70	1.17	1.24
1	C	329	CYS	C-O	-5.69	1.16	1.23
2	D	58	TRP	N-CA	-5.65	1.40	1.46
1	C	338	VAL	CA-CB	5.64	1.62	1.54
2	B	171	THR	C-O	-5.64	1.17	1.24
2	B	51	ILE	CA-C	-5.61	1.45	1.52
2	B	158	MET	SD-CE	5.59	1.93	1.79
2	B	77	ILE	C-O	-5.56	1.18	1.24
1	A	197	THR	CA-C	5.55	1.57	1.52
1	A	165	LYS	CE-NZ	5.52	1.66	1.49
2	B	128	TYR	C-O	-5.50	1.17	1.24
1	A	7	ALA	C-O	-5.48	1.17	1.24
1	C	213	ARG	CA-C	-5.47	1.45	1.52
2	D	148	ASN	C-O	-5.45	1.17	1.24
1	C	371	PHE	C-O	-5.43	1.17	1.23
1	C	305	GLU	C-O	-5.43	1.16	1.23
2	B	104	THR	N-CA	-5.39	1.39	1.46
2	D	124	THR	C-O	-5.38	1.17	1.24
1	A	148	SER	CA-CB	5.37	1.62	1.53
1	A	118	VAL	CA-CB	5.35	1.61	1.55
1	A	147	GLY	CA-C	-5.32	1.45	1.52
1	C	214	SER	C-O	-5.32	1.17	1.23
1	A	195	ASP	CB-CG	5.30	1.65	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	247	ARG	NE-CZ	5.28	1.38	1.33
1	C	22	PHE	CA-C	5.25	1.57	1.52
2	D	127	GLN	C-O	-5.19	1.17	1.24
2	D	147	THR	CA-C	-5.15	1.46	1.52
1	A	186	PRO	C-O	5.13	1.30	1.23
1	C	7	ALA	CA-CB	-5.13	1.47	1.54
1	A	385	PHE	CD1-CE1	5.11	1.53	1.38
2	D	158	MET	SD-CE	5.10	1.92	1.79
1	A	211	SER	CA-C	-5.09	1.46	1.52
2	B	164	TRP	CB-CG	-5.08	1.34	1.50
1	C	335	MET	SD-CE	-5.07	1.66	1.79
1	A	384	ASN	C-N	5.07	1.39	1.33
1	C	215	ILE	CA-CB	-5.04	1.48	1.54
2	D	182	VAL	CA-CB	-5.04	1.47	1.54
1	A	29	VAL	CA-CB	-5.00	1.48	1.54

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	213	ARG	CA-CB-CG	15.92	145.94	114.10
1	A	213	ARG	CA-CB-CG	12.69	139.49	114.10
1	A	384	ASN	N-CA-C	11.14	134.53	110.80
1	C	384	ASN	N-CA-C	10.87	133.96	110.80
2	B	163	ASN	CB-CA-C	9.89	127.60	109.70
2	D	163	ASN	N-CA-C	7.55	120.72	108.34
2	B	174	TYR	N-CA-C	6.63	119.29	108.55
1	C	213	ARG	CB-CG-CD	-6.62	96.08	111.30
2	B	121	ASP	N-CA-C	-6.58	105.07	113.23
1	A	383	PHE	CA-C-O	-6.58	113.24	120.81
2	B	110	THR	N-CA-CB	-6.53	100.76	111.66
1	C	156	VAL	N-CA-C	-6.52	104.13	110.72
1	C	286	ASP	CB-CA-C	6.47	120.42	109.80
1	C	299	VAL	N-CA-C	-6.37	101.81	109.01
1	A	213	ARG	CB-CA-C	-6.28	98.61	110.67
1	C	165	LYS	CB-CA-C	6.09	119.53	109.72
1	A	165	LYS	CB-CA-C	6.07	119.49	109.72
2	D	83	ASP	N-CA-C	-6.06	106.02	113.41
2	B	165	ALA	N-CA-C	-6.02	100.80	109.29
1	C	8	PRO	CA-C-O	-6.00	114.69	122.12
1	C	146	ALA	CA-C-N	5.96	126.39	120.31
1	C	146	ALA	C-N-CA	5.96	126.39	120.31
1	A	253	LEU	N-CA-C	-5.92	104.75	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	168	VAL	CB-CA-C	-5.88	101.28	110.69
2	D	162	SER	CA-C-N	-5.84	114.54	122.77
2	D	162	SER	C-N-CA	-5.84	114.54	122.77
1	A	203	GLY	N-CA-C	5.75	118.09	111.36
2	B	83	ASP	N-CA-C	-5.75	106.40	113.41
1	A	101	HIS	N-CA-CB	5.73	118.40	109.97
2	B	33	THR	O-C-N	5.68	129.31	122.94
1	C	206	PRO	CB-CA-C	-5.60	102.90	112.64
2	B	123	THR	N-CA-CB	-5.57	102.36	111.66
2	D	110	THR	N-CA-C	-5.56	100.26	108.99
2	D	174	TYR	CE1-CZ-OH	-5.52	103.33	119.90
1	C	172	THR	N-CA-C	-5.51	105.42	111.82
2	D	50	THR	OG1-CB-CG2	-5.46	98.39	109.30
1	A	311	ASP	N-CA-C	5.43	119.09	109.96
2	B	147	THR	OG1-CB-CG2	-5.42	98.46	109.30
1	C	165	LYS	CD-CE-NZ	5.38	129.13	111.90
1	A	228	ALA	N-CA-C	-5.37	105.86	112.90
2	D	174	TYR	OH-CZ-CE2	5.22	135.56	119.90
1	C	213	ARG	N-CA-C	5.18	118.76	112.23
1	A	34	GLY	N-CA-C	5.17	118.57	111.54
1	C	248	ASP	N-CA-C	5.15	119.05	112.87
2	D	163	ASN	CB-CA-C	5.14	118.36	110.14
1	C	383	PHE	CA-C-O	-5.07	115.49	121.16
1	C	253	LEU	N-CA-C	-5.04	105.70	111.14
1	C	50	ILE	N-CA-C	5.00	119.74	109.34

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	GLU	Peptide
1	A	146	ALA	Peptide
1	A	225	SER	Peptide
1	A	384	ASN	Peptide
1	A	48	ALA	Peptide
2	B	33	THR	Peptide
1	C	1	GLU	Peptide
1	C	146	ALA	Peptide
1	C	225	SER	Peptide
1	C	36	LEU	Peptide
1	C	384	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2682	0	2679	78	0
1	C	2672	0	2669	74	0
2	B	1443	0	1314	32	0
2	D	1443	0	1314	32	0
3	A	15	0	0	2	0
3	B	7	0	0	2	0
3	C	13	0	0	3	0
3	D	7	0	0	0	0
All	All	8282	0	7976	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:117:SER:OG	2:D:123:THR:HG21	1.53	1.09
1:C:35:LEU:HD21	1:C:206:PRO:CB	1.81	1.09
1:A:385:PHE:HB3	3:A:404:HOH:O	1.54	1.07
1:A:35:LEU:HD21	1:A:206:PRO:CB	1.85	1.05
1:A:318:ASN:HD21	1:A:373:ARG:HH12	1.06	1.01
2:B:43:THR:HG22	3:B:188:HOH:O	1.59	1.01
1:C:35:LEU:HD21	1:C:206:PRO:CG	1.94	0.96
1:A:35:LEU:HD21	1:A:206:PRO:CG	1.96	0.94
1:C:213:ARG:HB3	1:C:213:ARG:CZ	1.98	0.93
1:C:318:ASN:HD21	1:C:373:ARG:HH12	0.97	0.91
2:D:154:LYS:HG3	2:D:159:ASN:ND2	1.87	0.90
1:A:383:PHE:O	1:A:384:ASN:HB2	1.73	0.89
1:C:213:ARG:NH2	1:C:307:ASP:OD1	2.05	0.89
1:C:383:PHE:O	1:C:384:ASN:HB2	1.71	0.88
1:A:315:THR:H	1:A:318:ASN:HD22	1.21	0.88
2:B:117:SER:OG	2:B:123:THR:HG21	1.74	0.87
1:C:318:ASN:ND2	1:C:373:ARG:HH12	1.73	0.86
1:A:35:LEU:HD21	1:A:206:PRO:HB3	1.58	0.86
1:C:35:LEU:HD11	1:C:206:PRO:HG2	1.58	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ASN:ND2	3:A:396:HOH:O	2.11	0.84
1:C:315:THR:H	1:C:318:ASN:HD22	1.22	0.83
1:C:35:LEU:HD21	1:C:206:PRO:HB3	1.62	0.82
1:A:48:ALA:HB3	1:A:100:PHE:HA	1.63	0.80
1:A:318:ASN:ND2	1:A:373:ARG:HH12	1.80	0.80
1:C:107:ASN:ND2	3:C:395:HOH:O	2.15	0.79
1:C:264:GLN:OE1	1:C:298:TRP:CD1	2.37	0.76
2:B:110:THR:HG22	2:B:127:GLN:OE1	1.85	0.75
2:D:64:GLY:O	2:D:65:TYR:HD1	1.70	0.75
2:B:110:THR:CG2	2:B:127:GLN:OE1	2.35	0.74
1:A:190:PHE:HB3	2:B:174:TYR:OH	1.87	0.74
1:A:35:LEU:HD11	1:A:206:PRO:HG2	1.69	0.73
2:B:95:LYS:O	2:B:156:HIS:CD2	2.41	0.73
1:C:147:GLY:CA	1:C:364:MET:HE3	2.18	0.73
2:D:110:THR:HG22	2:D:127:GLN:OE1	1.88	0.73
1:C:35:LEU:CD2	1:C:206:PRO:HB3	2.18	0.73
1:C:35:LEU:HD21	1:C:206:PRO:HG2	1.70	0.72
1:A:147:GLY:O	1:A:148:SER:HB3	1.89	0.72
2:D:110:THR:CG2	2:D:127:GLN:OE1	2.37	0.72
1:C:264:GLN:OE1	1:C:298:TRP:HD1	1.72	0.72
2:B:95:LYS:O	2:B:156:HIS:HD2	1.71	0.72
1:A:213:ARG:NH2	1:A:307:ASP:OD1	2.24	0.71
1:A:35:LEU:CD2	1:A:206:PRO:HB3	2.22	0.70
2:D:95:LYS:O	2:D:156:HIS:HD2	1.75	0.69
2:D:54:ASN:HD22	2:D:54:ASN:C	2.00	0.69
1:C:318:ASN:HD21	1:C:373:ARG:NH1	1.82	0.68
1:A:35:LEU:HD21	1:A:206:PRO:HG2	1.76	0.68
1:C:147:GLY:O	1:C:148:SER:HB3	1.93	0.68
1:C:286:ASP:HA	1:C:326:GLY:O	1.94	0.68
1:A:147:GLY:CA	1:A:364:MET:HE3	2.24	0.67
1:C:273:ARG:HH11	1:C:273:ARG:HG2	1.59	0.67
2:D:154:LYS:HG3	2:D:159:ASN:HD21	1.59	0.67
1:C:35:LEU:CD2	1:C:206:PRO:CG	2.71	0.66
2:D:64:GLY:O	2:D:65:TYR:CD1	2.49	0.66
1:A:273:ARG:HG2	1:A:273:ARG:HH11	1.61	0.65
2:D:95:LYS:O	2:D:156:HIS:CD2	2.50	0.65
1:C:35:LEU:CD2	1:C:206:PRO:CB	2.65	0.63
2:B:34:GLY:HA2	2:B:175:GLN:NE2	2.14	0.62
2:D:117:SER:HG	2:D:123:THR:HG21	1.59	0.62
1:A:229:LEU:O	1:A:230:ALA:O	2.18	0.62
1:C:35:LEU:HD11	1:C:206:PRO:CG	2.30	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:PRO:O	1:A:70:ALA:HB2	2.01	0.61
1:A:293:ASN:C	1:A:293:ASN:HD22	2.08	0.61
1:C:376:HIS:H	2:D:35:ASN:ND2	1.98	0.61
1:A:163:PRO:HD2	1:A:181:GLY:O	2.01	0.61
1:A:147:GLY:HA2	1:A:364:MET:HE3	1.82	0.61
1:C:213:ARG:CZ	1:C:307:ASP:OD1	2.48	0.61
1:C:376:HIS:H	2:D:35:ASN:HD21	1.49	0.61
1:C:163:PRO:HD2	1:C:181:GLY:O	2.00	0.60
1:A:192:GLN:NE2	2:B:88:TYR:OH	2.34	0.60
1:C:35:LEU:CD1	1:C:206:PRO:HG2	2.29	0.60
1:C:293:ASN:HB2	1:C:294:PRO:CD	2.32	0.59
1:A:35:LEU:CD2	1:A:206:PRO:CG	2.77	0.59
2:D:117:SER:CB	2:D:123:THR:HG21	2.31	0.58
1:C:315:THR:H	1:C:318:ASN:ND2	1.97	0.58
1:A:293:ASN:HB2	1:A:294:PRO:CD	2.34	0.58
1:C:315:THR:N	1:C:318:ASN:HD22	1.99	0.58
1:A:48:ALA:HB1	1:A:101:HIS:CE1	2.39	0.57
1:A:225:SER:OG	1:A:228:ALA:HB2	2.03	0.57
1:C:383:PHE:O	1:C:384:ASN:CB	2.48	0.57
2:B:29:ASN:ND2	1:C:213:ARG:HD3	2.20	0.57
1:A:335:MET:HE1	1:A:345:ALA:HB1	1.86	0.57
1:A:293:ASN:HB2	1:A:294:PRO:HD2	1.87	0.57
1:C:147:GLY:HA3	1:C:364:MET:HE3	1.86	0.56
2:D:34:GLY:HA2	2:D:175:GLN:HE21	1.70	0.56
1:A:293:ASN:ND2	1:A:295:GLY:H	2.04	0.56
1:A:213:ARG:CZ	1:A:307:ASP:OD1	2.54	0.56
1:A:286:ASP:HA	1:A:326:GLY:O	2.06	0.56
1:A:383:PHE:O	1:A:384:ASN:CB	2.52	0.56
1:C:335:MET:HE1	1:C:345:ALA:HB1	1.89	0.55
1:C:317:LYS:NZ	1:C:357:ASP:OD2	2.35	0.55
2:B:54:ASN:C	2:B:54:ASN:HD22	2.15	0.55
1:C:248:ASP:HB3	1:C:340:ALA:HB1	1.89	0.55
1:A:293:ASN:HD22	1:A:295:GLY:H	1.53	0.55
1:C:264:GLN:CD	1:C:298:TRP:HE1	2.15	0.54
1:A:273:ARG:HB2	1:A:289:THR:HG21	1.88	0.54
1:C:147:GLY:HA2	1:C:364:MET:HE3	1.89	0.54
1:A:213:ARG:NH1	1:A:307:ASP:OD1	2.41	0.54
1:C:264:GLN:C	3:C:393:HOH:O	2.52	0.53
1:A:6:LEU:O	1:A:106:ALA:HB1	2.07	0.53
2:B:34:GLY:HA2	2:B:175:GLN:HE21	1.74	0.53
1:A:376:HIS:ND1	1:A:376:HIS:C	2.67	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:229:LEU:C	3:C:402:HOH:O	2.51	0.53
1:A:248:ASP:HB3	1:A:340:ALA:HB1	1.90	0.53
1:A:35:LEU:HD11	1:A:206:PRO:CG	2.38	0.53
2:B:53:TYR:OH	2:B:83:ASP:OD2	2.24	0.53
1:C:273:ARG:HH11	1:C:273:ARG:CG	2.21	0.53
2:D:93:THR:O	2:D:108:TYR:HA	2.09	0.53
1:C:192:GLN:NE2	2:D:88:TYR:OH	2.42	0.52
1:C:225:SER:HB2	1:C:226:GLU:O	2.10	0.52
1:C:225:SER:OG	1:C:228:ALA:HB2	2.09	0.52
1:C:264:GLN:CD	1:C:298:TRP:NE1	2.67	0.52
2:B:94:TYR:OH	2:B:97:THR:HG22	2.10	0.51
2:D:54:ASN:C	2:D:54:ASN:ND2	2.69	0.51
1:C:35:LEU:CD2	1:C:206:PRO:HG2	2.38	0.51
1:C:293:ASN:HB2	1:C:294:PRO:HD2	1.92	0.51
1:C:264:GLN:CD	1:C:298:TRP:CD1	2.89	0.51
1:A:315:THR:H	1:A:318:ASN:ND2	2.00	0.51
2:D:113:TYR:O	2:D:114:ASN:C	2.53	0.51
2:B:117:SER:CB	2:B:123:THR:HG21	2.40	0.51
1:A:376:HIS:C	1:A:376:HIS:HD1	2.19	0.50
1:C:132:LEU:O	1:C:133:ALA:C	2.52	0.50
2:D:47:PRO:O	2:D:147:THR:HG22	2.12	0.50
2:D:110:THR:HG21	2:D:127:GLN:OE1	2.10	0.50
1:C:293:ASN:HD22	1:C:293:ASN:C	2.20	0.49
2:D:34:GLY:HA2	2:D:175:GLN:NE2	2.27	0.49
1:A:187:TRP:N	1:A:188:PRO:CD	2.75	0.49
1:C:293:ASN:HD22	1:C:295:GLY:H	1.59	0.49
1:A:293:ASN:HD22	1:A:295:GLY:N	2.10	0.49
1:A:69:PRO:O	1:A:70:ALA:CB	2.61	0.49
1:A:87:SER:HB3	1:A:94:CYS:HB3	1.95	0.48
1:C:163:PRO:O	1:C:181:GLY:HA2	2.13	0.48
1:A:376:HIS:H	2:B:35:ASN:HD21	1.61	0.48
1:A:133:ALA:O	1:A:134:SER:HB3	2.13	0.48
1:C:69:PRO:O	1:C:70:ALA:HB2	2.13	0.48
1:A:52:CYS:HA	1:A:57:CYS:SG	2.53	0.48
1:A:376:HIS:H	2:B:35:ASN:ND2	2.12	0.48
1:C:229:LEU:O	1:C:230:ALA:O	2.32	0.48
2:B:163:ASN:HD22	2:B:163:ASN:C	2.22	0.47
2:D:64:GLY:C	2:D:65:TYR:CD1	2.93	0.47
1:A:306:LEU:O	1:A:307:ASP:C	2.57	0.47
2:B:85:TRP:CE2	2:B:89:ARG:HB2	2.49	0.47
1:C:213:ARG:NH1	1:C:307:ASP:OD1	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:154:LYS:HG3	2:D:159:ASN:HD22	1.75	0.47
2:B:36:PHE:CD1	2:B:36:PHE:C	2.93	0.47
1:A:35:LEU:CD1	1:A:206:PRO:HG2	2.42	0.47
1:A:375:PRO:HG3	2:B:174:TYR:CZ	2.49	0.46
1:A:208:HIS:HE2	1:A:364:MET:HE1	1.80	0.46
1:A:273:ARG:HH11	1:A:273:ARG:CG	2.26	0.46
1:C:135:LEU:HB3	1:C:136:PRO:CD	2.46	0.46
1:C:297:TYR:CE2	2:D:121:ASP:HB2	2.51	0.46
1:C:224:ILE:HD13	1:C:249:VAL:HG13	1.96	0.46
2:B:64:GLY:O	2:B:65:TYR:HD1	1.98	0.46
2:D:47:PRO:O	2:D:147:THR:CG2	2.65	0.45
1:A:225:SER:OG	1:A:228:ALA:CB	2.65	0.45
2:B:48:PHE:HA	2:B:147:THR:HG23	1.99	0.45
1:C:293:ASN:ND2	1:C:295:GLY:H	2.14	0.45
1:C:293:ASN:HD22	1:C:295:GLY:N	2.15	0.45
1:C:357:ASP:HA	1:C:380:CYS:SG	2.57	0.45
2:D:154:LYS:HZ2	2:D:154:LYS:HB3	1.81	0.45
1:A:297:TYR:OH	1:A:322:ASP:OD1	2.28	0.44
1:A:321:VAL:HG23	1:A:331:ALA:HB2	1.98	0.44
2:B:110:THR:HG21	2:B:127:GLN:OE1	2.16	0.44
1:A:259:LYS:HD3	1:A:259:LYS:HA	1.85	0.44
1:A:215:ILE:HG21	1:A:253:LEU:HD13	1.98	0.44
1:A:208:HIS:HE2	1:A:364:MET:CE	2.31	0.44
2:B:20:ASN:OD1	2:B:40:LYS:CE	2.66	0.44
1:C:6:LEU:O	1:C:106:ALA:HB1	2.18	0.44
1:A:218:GLU:HG2	1:A:300:PRO:HB3	1.99	0.43
1:A:293:ASN:C	1:A:293:ASN:ND2	2.76	0.43
2:B:94:TYR:OH	2:B:97:THR:CG2	2.66	0.43
1:C:167:LEU:C	1:C:167:LEU:HD23	2.43	0.43
1:C:147:GLY:O	1:C:148:SER:CB	2.64	0.43
1:A:50:ILE:HG22	1:A:82:CYS:HB2	2.01	0.43
1:C:298:TRP:CD1	1:C:298:TRP:C	2.97	0.43
1:A:167:LEU:C	1:A:167:LEU:HD23	2.44	0.42
1:C:314:MET:HA	1:C:318:ASN:HD22	1.84	0.42
2:D:74:SER:N	2:D:75:PRO:CA	2.82	0.42
1:A:264:GLN:OE1	1:A:298:TRP:CD1	2.72	0.42
1:A:298:TRP:CD1	1:A:298:TRP:C	2.98	0.42
1:C:304:LEU:HD13	1:C:314:MET:HE3	2.02	0.42
1:C:259:LYS:HD3	1:C:259:LYS:HA	1.89	0.42
2:D:53:TYR:OH	2:D:83:ASP:OD2	2.26	0.42
2:B:48:PHE:HA	2:B:147:THR:CG2	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:78:GLU:O	2:B:127:GLN:HA	2.19	0.42
2:D:31:SER:HA	2:D:177:SER:OG	2.18	0.42
2:D:54:ASN:HD22	2:D:55:ALA:N	2.16	0.42
1:C:293:ASN:OD1	1:C:298:TRP:CE3	2.73	0.42
1:A:132:LEU:O	1:A:133:ALA:C	2.60	0.42
1:C:162:VAL:HG21	1:C:181:GLY:HA3	2.02	0.42
1:A:190:PHE:HB3	2:B:174:TYR:HH	1.82	0.42
2:B:65:TYR:CZ	3:B:192:HOH:O	2.57	0.42
1:A:175:PRO:O	1:A:381:SER:HA	2.20	0.41
1:C:35:LEU:CD1	1:C:206:PRO:CG	2.95	0.41
1:C:273:ARG:CG	1:C:273:ARG:NH1	2.83	0.41
1:A:330:VAL:HG12	1:A:332:PHE:CD2	2.55	0.41
1:C:324:LYS:O	1:C:325:PRO:C	2.63	0.41
1:A:303:LEU:HD23	1:A:311:ASP:HB3	2.03	0.41
2:B:72:THR:HG21	2:B:160:LEU:HB3	2.03	0.41
1:A:50:ILE:HG22	1:A:50:ILE:O	2.21	0.41
1:A:135:LEU:HB3	1:A:136:PRO:CD	2.51	0.41
1:A:222:VAL:HG12	1:A:224:ILE:HG13	2.03	0.40
1:A:212:ALA:O	1:A:229:LEU:HB3	2.21	0.40
1:A:304:LEU:HD13	1:A:314:MET:HE3	2.03	0.40
2:D:36:PHE:CD1	2:D:36:PHE:C	3.00	0.40
2:B:63:ASN:HB2	2:B:174:TYR:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/389 (93%)	334 (92%)	19 (5%)	9 (2%)	4	5
1	C	360/389 (92%)	335 (93%)	17 (5%)	8 (2%)	5	6
2	B	182/185 (98%)	177 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	182/185 (98%)	177 (97%)	5 (3%)	0	100	100
All	All	1086/1148 (95%)	1023 (94%)	46 (4%)	17 (2%)	7	11

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	69	PRO
1	A	230	ALA
1	A	283	LEU
1	A	384	ASN
1	C	69	PRO
1	C	230	ALA
1	C	384	ASN
1	A	50	ILE
1	A	148	SER
1	A	226	GLU
1	C	50	ILE
1	C	148	SER
1	A	66	PRO
1	C	226	GLU
1	A	207	ALA
1	C	66	PRO
1	C	225	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/301 (94%)	253 (89%)	30 (11%)	6	10
1	C	283/301 (94%)	255 (90%)	28 (10%)	7	11
2	B	151/151 (100%)	138 (91%)	13 (9%)	10	16
2	D	151/151 (100%)	139 (92%)	12 (8%)	11	19
All	All	868/904 (96%)	785 (90%)	83 (10%)	8	12

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	CYS
1	A	42	GLU
1	A	59	LEU
1	A	80	LYS
1	A	101	HIS
1	A	116	SER
1	A	126	CYS
1	A	129	SER
1	A	130	LYS
1	A	131	LEU
1	A	137	ARG
1	A	165	LYS
1	A	195	ASP
1	A	213	ARG
1	A	214	SER
1	A	220	THR
1	A	221	ARG
1	A	226	GLU
1	A	237	SER
1	A	259	LYS
1	A	273	ARG
1	A	276	LYS
1	A	293	ASN
1	A	303	LEU
1	A	310	SER
1	A	323	VAL
1	A	336	LYS
1	A	339	ASP
1	A	364	MET
1	A	367	LYS
2	B	2	SER
2	B	7	GLN
2	B	28	VAL
2	B	43	THR
2	B	54	ASN
2	B	97	THR
2	B	110	THR
2	B	123	THR
2	B	147	THR
2	B	163	ASN
2	B	168	VAL
2	B	174	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	180	SER
1	C	41	CYS
1	C	42	GLU
1	C	59	LEU
1	C	80	LYS
1	C	116	SER
1	C	126	CYS
1	C	129	SER
1	C	130	LYS
1	C	131	LEU
1	C	137	ARG
1	C	165	LYS
1	C	195	ASP
1	C	213	ARG
1	C	214	SER
1	C	220	THR
1	C	221	ARG
1	C	237	SER
1	C	259	LYS
1	C	273	ARG
1	C	276	LYS
1	C	286	ASP
1	C	293	ASN
1	C	303	LEU
1	C	310	SER
1	C	323	VAL
1	C	336	LYS
1	C	339	ASP
1	C	367	LYS
2	D	2	SER
2	D	7	GLN
2	D	28	VAL
2	D	43	THR
2	D	54	ASN
2	D	110	THR
2	D	123	THR
2	D	147	THR
2	D	154	LYS
2	D	163	ASN
2	D	174	TYR
2	D	180	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	HIS
1	A	61	ASN
1	A	107	ASN
1	A	192	GLN
1	A	293	ASN
1	A	318	ASN
2	B	8	ASN
2	B	25	ASN
2	B	54	ASN
2	B	148	ASN
2	B	159	ASN
2	B	163	ASN
2	B	175	GLN
1	C	61	ASN
1	C	107	ASN
1	C	112	ASN
1	C	192	GLN
1	C	293	ASN
1	C	318	ASN
2	D	8	ASN
2	D	25	ASN
2	D	35	ASN
2	D	54	ASN
2	D	133	GLN
2	D	148	ASN
2	D	159	ASN
2	D	163	ASN
2	D	175	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/389 (95%)	0.85	52 (14%) 6 5	24, 43, 69, 85	0
1	C	368/389 (94%)	0.95	46 (12%) 8 6	24, 43, 68, 84	0
2	B	184/185 (99%)	0.14	7 (3%) 44 40	23, 32, 40, 52	0
2	D	184/185 (99%)	0.16	4 (2%) 62 58	24, 32, 40, 52	0
All	All	1106/1148 (96%)	0.65	109 (9%) 13 9	23, 37, 63, 85	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	385	PHE	7.3
1	C	70	ALA	6.5
1	C	206	PRO	6.5
1	A	385	PHE	5.9
1	A	70	ALA	5.6
1	A	206	PRO	5.6
1	C	338	VAL	5.4
1	A	48	ALA	5.3
1	C	339	ASP	5.3
1	A	341	GLY	5.3
1	C	230	ALA	4.9
1	A	230	ALA	4.8
1	C	43	GLY	4.8
1	A	386	ALA	4.7
1	C	69	PRO	4.5
1	A	340	ALA	4.5
1	A	298	TRP	4.5
2	D	48	PHE	4.4
1	C	227	ARG	4.4
1	C	49	GLU	4.4
1	C	343	GLY	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	69	PRO	4.2
1	C	67	GLY	4.1
1	C	226	GLU	4.1
1	A	204	GLY	4.1
1	C	298	TRP	4.1
1	C	342	ASP	4.1
1	C	340	ALA	4.0
1	A	337	GLY	4.0
1	C	268	GLY	4.0
1	A	43	GLY	4.0
1	A	49	GLU	3.8
1	C	66	PRO	3.8
1	A	338	VAL	3.8
1	A	342	ASP	3.8
1	C	337	GLY	3.8
1	C	1	GLU	3.7
1	C	213	ARG	3.6
1	A	68	CYS	3.5
1	C	205	SER	3.5
1	A	226	GLU	3.5
1	A	268	GLY	3.4
1	C	80	LYS	3.4
1	A	81	PRO	3.4
1	A	66	PRO	3.3
1	A	247	ARG	3.3
1	A	227	ARG	3.2
1	A	50	ILE	3.2
2	B	163	ASN	3.1
1	C	41	CYS	3.1
1	A	1	GLU	3.0
2	B	122	ARG	3.0
1	A	343	GLY	3.0
1	C	345	ALA	3.0
1	A	101	HIS	2.9
1	C	204	GLY	2.9
1	C	68	CYS	2.9
1	A	344	SER	2.9
1	C	42	GLU	2.9
1	C	158	SER	2.9
1	C	273	ARG	2.9
1	C	229	LEU	2.8
1	C	247	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	81	PRO	2.8
1	A	277	PRO	2.8
1	C	228	ALA	2.8
1	C	341	GLY	2.7
1	A	80	LYS	2.7
1	C	336	LYS	2.7
2	B	65	TYR	2.7
1	C	50	ILE	2.6
1	A	229	LEU	2.6
1	A	384	ASN	2.6
1	A	67	GLY	2.6
1	C	2	GLY	2.6
1	A	345	ALA	2.6
1	A	213	ARG	2.5
1	A	163	PRO	2.5
2	B	88	TYR	2.5
1	C	277	PRO	2.5
1	A	148	SER	2.5
1	C	24	ASP	2.5
1	A	42	GLU	2.4
1	A	24	ASP	2.4
1	A	273	ARG	2.4
2	B	48	PHE	2.4
1	C	282	GLU	2.4
1	A	65	ALA	2.4
1	A	51	ALA	2.3
1	A	100	PHE	2.3
1	A	276	LYS	2.3
2	B	174	TYR	2.3
2	B	185	TRP	2.3
2	D	185	TRP	2.3
2	D	122	ARG	2.3
1	A	162	VAL	2.3
2	D	65	TYR	2.2
1	A	259	LYS	2.2
1	C	65	ALA	2.2
1	A	225	SER	2.2
1	A	228	ALA	2.2
1	C	384	ASN	2.1
1	A	282	GLU	2.1
1	C	148	SER	2.1
1	A	278	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	195	ASP	2.1
1	A	85	TYR	2.0
1	C	121	ARG	2.0
1	C	62	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.