



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 07:07 PM UTC

PDB ID : 4HDR / pdb_00004hdr
Title : Crystal Structure of ArsAB in Complex with 5,6-dimethylbenzimidazole
Authors : Newmister, S.A.; Chan, C.H.; Escalante-Semerena, J.C.; Rayment, I.
Deposited on : 2012-10-02
Resolution : 1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1756 (1.46-1.46)
Clashscore	190562	1795 (1.46-1.46)
Ramachandran outliers	187476	1776 (1.46-1.46)
Sidechain outliers	187428	1776 (1.46-1.46)
RSRZ outliers	180081	1756 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	348	
1	C	348	
2	B	350	
2	D	350	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	B	402	-	-	X	-
4	EDO	C	803	-	-	X	-
4	EDO	D	402	-	-	X	-
4	EDO	D	403	-	-	X	-
4	EDO	D	405	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ArsA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	11	0
			2522	1590	441	471	20			
1	C	331	Total	C	N	O	S	0	11	0
			2492	1571	436	466	19			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP F6MZ55
A	0	GLY	-	expression tag	UNP F6MZ55
C	-1	GLY	-	expression tag	UNP F6MZ55
C	0	GLY	-	expression tag	UNP F6MZ55

- Molecule 2 is a protein called ArsB.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	329	Total	C	N	O	S	0	15	0
			2440	1542	430	442	26			
2	D	328	Total	C	N	O	S	0	17	0
			2439	1547	427	439	26			

- Molecule 3 is 5,6-DIMETHYLBENZIMIDAZOLE (CCD ID: DMD) (formula: C₉H₁₀N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			11	9	2		
3	C	1	Total	C	N	0	0
			11	9	2		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	245	Total O 245 245	0	0
5	B	365	Total O 365 365	0	0
5	C	240	Total O 240 240	0	0
5	D	341	Total O 341 341	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Arsa

Chain A: 




- Molecule 1: Arsa

Chain C: 



- Molecule 2: ArsB

Chain B: 




● Molecule 2: ArsB

Chain D:

69%

21%

• • 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	52.73Å 77.39Å 152.27Å 90.00° 90.17° 90.00°	Depositor
Resolution (Å)	50.00 – 1.45 50.00 – 1.45	Depositor EDS
% Data completeness (in resolution range)	97.3 (50.00-1.45) 96.5 (50.00-1.45)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.23 (at 1.45Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.186 , 0.219 0.186 , 0.217	Depositor DCC
R_{free} test set	10621 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	16.0	Xtriage
Anisotropy	0.464	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 29.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.477 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11158	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DMD, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.52	21/2576 (0.8%)	1.46	23/3489 (0.7%)
1	C	1.54	17/2547 (0.7%)	1.41	13/3452 (0.4%)
2	B	1.66	19/2506 (0.8%)	1.55	19/3397 (0.6%)
2	D	1.66	26/2520 (1.0%)	1.50	23/3416 (0.7%)
All	All	1.59	83/10149 (0.8%)	1.48	78/13754 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

All (83) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	298	HIS	CG-ND1	-8.53	1.28	1.38
1	A	275	ILE	C-O	8.12	1.33	1.24
2	D	275	HIS	ND1-CE1	8.02	1.40	1.32
2	D	112	VAL	CA-C	7.83	1.61	1.52
1	C	275	ILE	C-O	7.42	1.32	1.24
1	C	175	GLY	N-CA	7.30	1.52	1.45
2	B	114	ALA	CA-C	-7.28	1.43	1.52
2	B	65	ALA	CA-C	-7.26	1.43	1.52
2	D	65	ALA	CA-C	-7.25	1.43	1.52
2	B	57	GLU	C-O	-7.05	1.15	1.24
2	B	322	ASN	C-O	-6.69	1.16	1.24
2	B	112	VAL	CA-C	6.58	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	151	ILE	CA-CB	6.50	1.62	1.54
1	A	266	GLY	C-O	6.47	1.29	1.23
2	D	291	VAL	N-CA	6.40	1.51	1.46
1	C	69	HIS	CG-CD2	6.39	1.42	1.35
2	D	114	ALA	CA-C	-6.36	1.44	1.52
1	C	266	GLY	C-O	6.30	1.29	1.23
1	A	263	VAL	C-O	6.18	1.30	1.24
2	D	211	ARG	N-CA	6.18	1.50	1.46
2	B	5	LEU	C-O	-6.17	1.16	1.24
2	B	291	VAL	N-CA	6.16	1.51	1.46
2	D	48	SER	CA-CB	-6.12	1.44	1.53
1	C	258	ASN	N-CA	-6.09	1.38	1.46
2	D	323	ASP	C-O	-6.05	1.16	1.24
2	D	4	GLU	CA-C	6.03	1.60	1.52
1	C	187	THR	C-O	5.99	1.31	1.24
2	D	223	LYS	CA-C	-5.97	1.45	1.52
2	D	230	ALA	N-CA	-5.91	1.39	1.46
2	B	145	ALA	C-O	5.86	1.30	1.24
1	A	66	SER	C-O	5.82	1.31	1.24
1	C	64	VAL	N-CA	5.81	1.53	1.46
2	B	223	LYS	CA-C	-5.74	1.45	1.52
2	B	113	ALA	N-CA	5.71	1.53	1.46
2	B	230	ALA	N-CA	-5.68	1.39	1.46
2	D	325	LYS	C-O	-5.67	1.16	1.23
2	B	220	ILE	CA-C	5.66	1.59	1.52
1	A	44	GLU	N-CA	5.64	1.53	1.46
2	D	279	GLU	CA-C	-5.63	1.46	1.52
2	B	204	ASN	C-O	-5.57	1.17	1.24
2	D	322	ASN	C-O	-5.57	1.17	1.24
1	C	303	ARG	N-CA	5.52	1.53	1.46
1	A	258	ASN	N-CA	-5.51	1.39	1.46
1	A	251	VAL	CA-CB	5.50	1.61	1.54
2	D	275	HIS	CG-CD2	5.49	1.41	1.35
2	B	85	THR	N-CA	5.45	1.52	1.46
2	D	5	LEU	C-O	-5.44	1.17	1.24
1	A	69	HIS	CA-C	-5.41	1.46	1.52
2	D	6	ILE	C-O	-5.40	1.17	1.24
2	B	324	MET	C-O	-5.38	1.17	1.23
2	B	323	ASP	C-O	-5.36	1.17	1.24
2	D	117	PRO	C-O	5.34	1.30	1.23
1	A	269	THR	C-O	5.33	1.30	1.24
2	B	132	ARG	C-O	5.33	1.30	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	105	LEU	C-O	5.32	1.30	1.24
2	D	185	ALA	C-O	5.32	1.30	1.24
1	C	251	VAL	CA-CB	5.30	1.61	1.54
1	A	44	GLU	C-O	5.30	1.30	1.24
1	C	47	ALA	C-O	-5.30	1.17	1.24
1	C	280	HIS	CE1-NE2	5.30	1.37	1.32
1	A	175	GLY	N-CA	5.27	1.50	1.45
2	B	211	ARG	N-CA	5.25	1.50	1.46
2	D	294	TYR	N-CA	5.24	1.53	1.46
2	D	145	ALA	C-O	5.22	1.30	1.24
1	A	72	ALA	N-CA	5.20	1.52	1.46
1	A	231	GLN	C-O	-5.19	1.17	1.24
2	D	113	ALA	N-CA	5.18	1.53	1.46
1	C	20	ASP	C-O	-5.18	1.18	1.24
2	D	319	HIS	ND1-CE1	5.17	1.37	1.32
1	C	166	LYS	N-CA	5.14	1.53	1.46
1	A	87	MET	N-CA	-5.13	1.40	1.46
1	A	280	HIS	CE1-NE2	5.13	1.37	1.32
1	A	187	THR	C-O	5.12	1.30	1.24
2	B	319	HIS	ND1-CE1	5.12	1.37	1.32
1	C	46	TYR	C-O	-5.11	1.18	1.24
1	A	156	THR	CA-C	5.11	1.59	1.52
1	A	20	ASP	C-O	-5.11	1.18	1.24
2	D	290	ASP	CB-CG	-5.11	1.39	1.52
1	C	190	GLY	N-CA	5.09	1.52	1.45
1	A	253	LEU	N-CA	5.07	1.52	1.46
1	C	129	HIS	CD2-NE2	-5.07	1.32	1.37
2	D	61	ILE	C-O	5.06	1.29	1.24
1	A	190	GLY	N-CA	5.04	1.52	1.45

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	ILE	N-CA-C	12.33	123.20	110.62
2	D	6	ILE	N-CA-C	10.63	121.46	110.62
2	B	137	GLY	O-C-N	8.14	129.91	121.77
2	B	190	GLN	CA-C-N	7.69	128.16	119.93
2	B	190	GLN	C-N-CA	7.69	128.16	119.93
1	A	236	VAL	O-C-N	7.08	128.85	121.91
2	B	3	GLU	N-CA-C	6.85	119.33	111.11
2	B	197	GLY	N-CA-C	6.78	123.30	111.50
2	B	183	ILE	CA-C-O	-6.73	113.58	121.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	336[A]	LEU	CA-C-O	-6.72	113.76	120.82
1	A	336[B]	LEU	CA-C-O	-6.72	113.76	120.82
2	D	172	MET	CB-CG-SD	-6.60	92.91	112.70
1	C	292	LEU	N-CA-C	6.59	118.55	111.36
1	C	286	TYR	O-C-N	6.46	130.88	122.42
2	B	172	MET	CB-CG-SD	-6.33	93.72	112.70
2	D	137	GLY	O-C-N	6.29	128.06	121.77
1	A	154	VAL	CA-C-O	6.28	127.83	121.17
1	A	292	LEU	N-CA-C	6.19	118.10	111.36
1	C	236	VAL	O-C-N	6.14	127.93	121.91
1	A	123	TYR	CA-C-N	-6.12	118.44	122.60
1	A	123	TYR	C-N-CA	-6.12	118.44	122.60
2	B	183	ILE	O-C-N	6.03	128.18	121.90
1	A	251	VAL	O-C-N	6.01	128.02	121.83
1	A	307	LEU	O-C-N	5.99	130.82	123.21
1	C	154	VAL	CA-C-O	5.97	127.50	121.17
2	D	183	ILE	CA-C-O	-5.88	114.62	120.85
2	D	220	ILE	CB-CA-C	-5.83	104.38	112.02
1	A	286	TYR	O-C-N	5.81	130.03	122.42
2	D	260	ALA	N-CA-C	5.75	117.22	111.07
2	D	54	ARG	NE-CZ-NH2	5.74	124.36	119.20
2	B	2	LEU	N-CA-C	5.72	117.52	111.28
2	D	190	GLN	O-C-N	5.68	125.79	121.65
2	B	260	ALA	N-CA-C	5.66	117.13	111.07
1	A	307	LEU	CA-C-N	5.65	130.19	122.84
1	A	307	LEU	C-N-CA	5.65	130.19	122.84
1	C	140	THR	N-CA-CB	-5.62	100.96	110.41
1	C	190	GLY	N-CA-C	-5.55	106.06	112.73
2	B	1	MET	CG-SD-CE	-5.55	88.69	100.90
1	A	140	THR	N-CA-CB	-5.54	101.10	110.41
2	D	190	GLN	CA-C-N	5.51	125.83	119.93
2	D	190	GLN	C-N-CA	5.51	125.83	119.93
1	A	124	VAL	CA-C-O	5.51	122.21	119.12
2	D	78	MET	N-CA-C	5.51	117.69	109.59
2	D	288	LEU	N-CA-C	5.44	117.21	111.28
2	D	183	ILE	O-C-N	5.44	127.43	121.83
2	D	190	GLN	N-CA-C	-5.40	101.98	108.25
1	A	148	GLU	O-C-N	5.39	127.83	122.12
1	C	144	ALA	N-CA-C	5.38	117.84	111.33
2	B	209	VAL	N-CA-C	5.37	116.14	110.72
2	D	275	HIS	CB-CG-CD2	-5.34	124.26	131.20
1	A	336[A]	LEU	N-CA-C	-5.31	105.40	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	336[B]	LEU	N-CA-C	-5.31	105.40	111.14
2	D	106[A]	ILE	O-C-N	-5.30	117.58	123.20
2	D	106[B]	ILE	O-C-N	-5.30	117.58	123.20
1	A	77	SER	N-CA-C	-5.28	100.30	108.90
2	D	231	GLY	O-C-N	5.26	127.24	122.19
2	B	231	GLY	O-C-N	5.23	127.21	122.19
1	C	301	ALA	N-CA-C	5.21	116.65	111.07
1	C	251	VAL	O-C-N	5.21	126.92	121.87
1	A	105	PHE	N-CA-C	5.21	116.96	111.28
1	C	274	LEU	N-CA-CB	5.20	117.76	110.12
2	B	281	ALA	O-C-N	5.14	126.44	121.56
1	A	161	VAL	N-CA-C	5.09	115.81	110.62
2	D	104	ARG	NE-CZ-NH2	5.08	123.77	119.20
2	D	209	VAL	N-CA-C	5.08	115.85	110.72
2	D	224	VAL	CA-C-N	-5.08	117.25	122.27
2	D	224	VAL	C-N-CA	-5.08	117.25	122.27
1	C	203	ARG	N-CA-C	5.07	119.18	112.89
2	B	284	THR	CA-C-O	5.07	126.14	120.82
2	D	284	THR	CA-C-O	5.07	125.93	120.55
1	A	27	ALA	N-CA-C	-5.04	105.97	111.82
1	A	151	ILE	N-CA-C	5.04	115.26	110.42
1	C	44	GLU	N-CA-C	-5.04	105.67	111.07
2	B	281	ALA	N-CA-CB	-5.04	108.42	114.17
1	C	13	ARG	CG-CD-NE	-5.04	100.92	112.00
1	A	59	LYS	CA-C-O	5.03	122.56	119.29
2	B	175	GLY	CA-C-N	-5.01	114.49	120.00
2	B	175	GLY	C-N-CA	-5.01	114.49	120.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	204	GLY	Peptide
1	C	77	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2522	0	2615	65	0
1	C	2492	0	2574	61	0
2	B	2440	0	2579	58	0
2	D	2439	0	2597	71	1
3	A	11	0	10	2	0
3	C	11	0	10	2	0
4	A	4	0	6	0	0
4	B	20	0	30	11	0
4	C	8	0	12	7	0
4	D	20	0	30	27	0
5	A	245	0	0	5	0
5	B	365	0	0	18	1
5	C	240	0	0	9	0
5	D	341	0	0	9	0
All	All	11158	0	10463	249	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (249) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:294:GLY:HA2	1:C:316[A]:ARG:HD2	1.23	1.19
1:C:36:LEU:CD2	1:C:40:GLU:HB2	1.75	1.16
2:D:290:ASP:HB2	4:D:405:EDO:H22	1.29	1.15
4:D:402:EDO:H11	5:D:591:HOH:O	1.42	1.14
1:A:1:MET:H2	1:A:2:SER:HA	1.06	1.14
1:C:270[B]:THR:HG21	1:C:298[B]:HIS:NE2	1.62	1.13
2:D:298[B]:LYS:HA	4:D:403:EDO:H11	1.27	1.13
1:A:36:LEU:HB3	1:A:40:GLU:HG3	1.29	1.12
2:D:181[A]:MET:HE1	2:D:280:PRO:HB2	1.22	1.12
2:B:181[A]:MET:HE1	2:B:280:PRO:HB2	1.13	1.08
1:C:316[B]:ARG:HH11	1:C:316[B]:ARG:CG	1.70	1.05
2:D:298[A]:LYS:HA	4:D:403:EDO:H11	1.33	1.03
1:C:270[B]:THR:HG21	1:C:298[B]:HIS:CD2	1.96	1.01
1:A:33:ALA:HB2	2:B:83:ARG:HH12	1.24	1.01
2:D:276:PHE:HE1	4:D:402:EDO:H21	1.26	1.00
2:B:181[A]:MET:CE	2:B:280:PRO:HB2	1.92	1.00
1:C:36:LEU:HD21	1:C:40:GLU:CB	1.91	0.99
3:A:801:DMD:H21	5:A:901:HOH:O	1.63	0.98
2:B:2:LEU:HD23	5:B:541:HOH:O	1.63	0.97
3:C:801:DMD:H21	5:C:904:HOH:O	1.64	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:LEU:HD21	1:C:40:GLU:HB2	0.98	0.95
2:B:298:LYS:HA	4:B:402:EDO:H11	1.45	0.95
2:D:276:PHE:CE1	4:D:402:EDO:H21	2.01	0.94
1:A:1:MET:N	1:A:2:SER:HA	1.77	0.92
1:C:316[B]:ARG:HH11	1:C:316[B]:ARG:HG2	1.34	0.92
2:B:251:LEU:O	2:B:255[A]:THR:HG23	1.71	0.89
1:C:270[B]:THR:CG2	1:C:298[B]:HIS:NE2	2.35	0.89
2:D:298[A]:LYS:H	4:D:403:EDO:H21	1.35	0.88
2:D:298[B]:LYS:H	4:D:403:EDO:H21	1.36	0.88
2:D:18:GLU:HG2	5:D:512:HOH:O	1.73	0.88
1:C:266:GLY:C	4:C:803:EDO:H22	1.97	0.88
2:D:327:PHE:HE2	5:D:794:HOH:O	1.57	0.87
2:B:327:PHE:HE2	5:B:797:HOH:O	1.58	0.85
2:B:298:LYS:H	4:B:402:EDO:H21	1.42	0.84
1:A:259:ARG:HG2	1:A:259:ARG:HH11	1.41	0.84
1:A:36:LEU:HB3	1:A:40:GLU:CG	2.09	0.82
2:B:181[A]:MET:HE1	2:B:280:PRO:CB	2.05	0.82
1:A:42:MET:HE3	1:A:330[B]:LEU:HG	1.63	0.81
1:A:1:MET:N	1:A:2:SER:CA	2.44	0.81
1:C:316[B]:ARG:CG	1:C:316[B]:ARG:NH1	2.36	0.81
1:C:7[A]:THR:HG21	1:C:158:ILE:HG21	1.63	0.81
1:A:33:ALA:CB	2:B:83:ARG:HH12	1.95	0.79
2:D:290:ASP:CB	4:D:405:EDO:H22	2.11	0.79
2:D:198:ARG:CG	2:D:198:ARG:HH11	1.96	0.78
1:C:77:SER:O	1:C:78:ALA:HB3	1.82	0.78
2:B:165:GLN:CD	5:B:524:HOH:O	2.28	0.77
2:D:172:MET:HG3	2:D:303:GLU:HG2	1.66	0.76
2:B:165:GLN:HG3	5:B:524:HOH:O	1.84	0.76
1:C:316[B]:ARG:NH1	1:C:316[B]:ARG:HG3	1.98	0.75
1:A:1:MET:N	1:A:5:GLN:H	1.84	0.75
1:C:259:ARG:HH11	1:C:259:ARG:HG2	1.48	0.75
2:B:106[A]:ILE:HD11	2:B:159:GLU:CD	2.11	0.75
2:D:191:PRO:HA	5:D:775:HOH:O	1.88	0.74
1:A:36:LEU:CB	1:A:40:GLU:HG3	2.14	0.73
1:C:329[B]:MET:HE1	2:D:297:LEU:HD11	1.68	0.73
2:D:184[A]:VAL:HG23	2:D:192:LEU:HD11	1.69	0.73
1:C:130[B]:ARG:NH2	5:C:1079:HOH:O	2.20	0.72
1:A:33:ALA:HB2	2:B:83:ARG:NH1	2.01	0.72
1:A:35:SER:H	2:B:300:ASN:ND2	1.87	0.72
1:A:1:MET:H1	1:A:5:GLN:H	1.39	0.71
2:B:214:ALA:HA	2:B:220:ILE:HD11	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:42[B]:CYS:SG	5:B:507:HOH:O	2.04	0.71
2:B:172:MET:HG3	2:B:303:GLU:HG2	1.73	0.71
2:D:214:ALA:HA	2:D:220:ILE:HD11	1.72	0.71
1:C:7[A]:THR:HG22	5:C:994:HOH:O	1.90	0.71
1:C:270[B]:THR:CG2	1:C:298[B]:HIS:CD2	2.72	0.71
1:C:176:GLU:OE1	4:C:803:EDO:H12	1.91	0.71
1:A:295:GLU:OE1	5:A:936:HOH:O	2.08	0.70
1:C:303:ARG:HD3	5:C:1139:HOH:O	1.91	0.70
2:B:165:GLN:CG	5:B:524:HOH:O	2.37	0.70
2:D:181[A]:MET:HE1	2:D:280:PRO:CB	2.14	0.70
1:A:1:MET:H2	1:A:2:SER:CA	1.93	0.69
2:B:132:ARG:HD2	5:B:817:HOH:O	1.93	0.69
2:D:276:PHE:CE1	4:D:402:EDO:C2	2.77	0.68
2:D:298[A]:LYS:H	4:D:403:EDO:C2	2.06	0.68
2:B:298:LYS:H	4:B:402:EDO:C2	2.06	0.67
1:A:329[B]:MET:HE1	2:B:295:LEU:HD22	1.76	0.67
2:D:298[B]:LYS:H	4:D:403:EDO:C2	2.06	0.67
2:D:181[A]:MET:CE	2:D:280:PRO:HB2	2.13	0.67
1:C:74:ARG:HD2	1:C:140:THR:HG21	1.78	0.66
2:B:138:PRO:HG2	5:B:515:HOH:O	1.94	0.66
1:C:36:LEU:CD2	1:C:40:GLU:CB	2.64	0.66
2:B:166:VAL:HG12	2:B:311[B]:MET:HE1	1.79	0.65
2:B:8:ALA:O	5:B:788:HOH:O	2.15	0.65
1:C:7[A]:THR:CG2	5:C:994:HOH:O	2.44	0.65
4:D:402:EDO:C1	5:D:591:HOH:O	2.17	0.65
2:B:163[B]:GLY:O	5:B:524:HOH:O	2.14	0.65
2:B:190:GLN:HB2	2:B:191:PRO:HD2	1.79	0.65
2:D:42[B]:CYS:SG	5:D:532:HOH:O	2.07	0.65
1:A:32:SER:HG	2:B:77:GLN:N	1.95	0.64
1:C:316[B]:ARG:HH11	1:C:316[B]:ARG:HG3	1.52	0.64
1:C:75:VAL:HG23	1:C:75:VAL:O	1.97	0.64
1:C:77:SER:O	1:C:78:ALA:CB	2.46	0.63
2:D:184[A]:VAL:CG1	2:D:255[A]:THR:HG22	2.27	0.63
1:A:316[B]:ARG:HG3	5:B:530:HOH:O	1.98	0.63
2:D:293:ALA:H	4:D:402:EDO:H22	1.63	0.63
1:A:203:ARG:NH1	5:A:1039:HOH:O	2.30	0.63
1:C:82:GLU:HB2	5:C:947:HOH:O	1.98	0.63
2:D:198:ARG:HH11	2:D:198:ARG:HG3	1.63	0.62
2:D:251:LEU:O	2:D:255[B]:THR:HG22	1.99	0.62
1:A:32:SER:O	1:A:33:ALA:HB3	1.99	0.62
2:D:8:ALA:O	5:D:755:HOH:O	2.16	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:276:PHE:HE1	4:D:402:EDO:C2	2.06	0.62
1:A:267:LEU:O	1:A:270[B]:THR:HG22	2.00	0.61
2:B:298:LYS:HA	4:B:402:EDO:C1	2.27	0.61
1:C:138:ASP:OD1	1:C:140:THR:HB	2.00	0.61
1:A:270[A]:THR:HG22	1:A:301:ALA:HB1	1.82	0.61
2:D:252:ALA:HA	2:D:255[B]:THR:HG22	1.82	0.61
2:D:178:ALA:HA	2:D:181[B]:MET:HG3	1.84	0.60
2:B:280:PRO:O	2:B:281:ALA:HB3	2.02	0.60
2:D:251:LEU:O	2:D:255[A]:THR:HG23	2.01	0.59
1:A:336[B]:LEU:HD11	2:B:97:PHE:CE2	2.38	0.59
1:A:40:GLU:OE1	5:A:934:HOH:O	2.17	0.58
2:B:126:LYS:H	4:B:404:EDO:H22	1.67	0.58
1:A:138:ASP:OD1	1:A:140:THR:HB	2.04	0.57
2:D:195:LEU:HD22	2:D:200:ALA:HA	1.87	0.57
1:C:295:GLU:HB2	1:C:296:PRO:CD	2.35	0.57
1:A:36:LEU:HG	1:A:39:LEU:HB2	1.87	0.57
2:D:180:ALA:HB1	2:D:255[B]:THR:HG21	1.86	0.57
1:C:268:ASN:HB2	4:C:803:EDO:H21	1.86	0.57
1:A:75:VAL:HG23	1:A:75:VAL:O	2.04	0.56
2:D:106[A]:ILE:HD11	2:D:159:GLU:CD	2.30	0.56
2:D:198:ARG:HH11	2:D:198:ARG:HG2	1.70	0.56
1:A:259:ARG:HG2	1:A:259:ARG:NH1	2.16	0.56
2:B:319:HIS:NE2	4:B:401:EDO:O2	2.31	0.56
2:D:184[A]:VAL:HG11	2:D:255[A]:THR:HG22	1.88	0.56
4:B:404:EDO:H22	5:B:537:HOH:O	2.05	0.56
1:C:36:LEU:CD2	5:C:913:HOH:O	2.54	0.56
1:C:325:MET:O	1:C:329[B]:MET:HG2	2.06	0.56
1:C:36:LEU:HD23	5:C:913:HOH:O	2.07	0.55
2:D:180:ALA:CB	2:D:255[B]:THR:HG21	2.37	0.55
2:D:298[B]:LYS:CA	4:D:403:EDO:H11	2.18	0.55
1:A:36:LEU:HD23	1:A:40:GLU:HG2	1.89	0.54
1:A:212:LEU:N	1:A:212:LEU:CD2	2.71	0.54
2:B:308:ALA:O	2:B:311[B]:MET:HB2	2.08	0.54
2:D:252:ALA:HA	2:D:255[B]:THR:CG2	2.37	0.54
2:D:276:PHE:O	4:D:403:EDO:H22	2.09	0.53
2:D:319:HIS:NE2	4:D:401:EDO:O1	2.34	0.53
2:B:276:PHE:O	4:B:402:EDO:C2	2.57	0.52
1:A:35:SER:H	2:B:300:ASN:HD21	1.56	0.51
2:D:166:VAL:HG12	2:D:311[B]:MET:HE1	1.90	0.51
2:B:181[B]:MET:HE1	2:B:195:LEU:HB3	1.93	0.51
2:D:290:ASP:OD2	4:D:405:EDO:C2	2.59	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:200[A]:VAL:HG13	1:C:297:ALA:HB2	1.91	0.51
1:C:339:ASN:HB3	5:C:1080:HOH:O	2.11	0.51
1:A:36:LEU:HD23	1:A:40:GLU:CG	2.42	0.50
1:A:74:ARG:HD2	1:A:140:THR:HG21	1.92	0.50
2:D:184[A]:VAL:HG23	2:D:192:LEU:CD1	2.39	0.50
2:B:165:GLN:HG2	5:B:522:HOH:O	2.10	0.50
2:D:198:ARG:CG	2:D:198:ARG:NH1	2.66	0.50
2:B:126:LYS:H	4:B:404:EDO:C2	2.24	0.50
2:B:276:PHE:O	4:B:402:EDO:H22	2.12	0.50
1:A:214:THR:HG22	1:A:217:GLU:H	1.77	0.50
1:A:329[B]:MET:HE2	5:B:704:HOH:O	2.12	0.50
2:B:298:LYS:N	4:B:402:EDO:H21	2.19	0.50
1:C:76:VAL:HG22	1:C:212:LEU:HB2	1.94	0.49
2:D:290:ASP:HB2	4:D:405:EDO:C2	2.21	0.49
2:B:163[B]:GLY:O	5:B:832:HOH:O	2.20	0.49
2:D:6:ILE:HG12	2:D:264:VAL:HG21	1.94	0.49
1:C:198:GLU:HB2	1:C:216:MET:HE1	1.93	0.49
2:D:77:GLN:N	5:D:836:HOH:O	2.44	0.49
1:C:198:GLU:HB2	1:C:216:MET:CE	2.43	0.49
1:A:42:MET:HE1	1:A:329[B]:MET:C	2.38	0.48
2:B:195:LEU:HD22	2:B:200:ALA:HA	1.94	0.48
1:C:311:LEU:HD21	1:C:329[A]:MET:HE1	1.94	0.48
1:A:212:LEU:N	1:A:212:LEU:HD22	2.28	0.48
1:C:76:VAL:HG22	1:C:212:LEU:CB	2.44	0.48
1:C:295:GLU:HB2	1:C:296:PRO:HD2	1.96	0.48
1:A:186:ALA:O	1:A:200[A]:VAL:HG11	2.14	0.48
1:C:259:ARG:HG2	1:C:259:ARG:NH1	2.25	0.48
2:D:276:PHE:O	4:D:403:EDO:C2	2.61	0.48
1:C:76:VAL:O	1:C:76:VAL:HG12	2.12	0.48
1:A:270[A]:THR:HG22	1:A:301:ALA:CB	2.44	0.47
1:A:339:ASN:HA	5:A:1021:HOH:O	2.14	0.47
1:C:314:GLY:O	1:C:316[B]:ARG:CZ	2.63	0.47
2:D:275:HIS:HD2	5:D:571:HOH:O	1.97	0.47
2:B:188:HIS:O	2:B:190:GLN:HG2	2.15	0.47
1:C:36:LEU:HA	2:D:299[A]:MET:HG3	1.97	0.47
2:B:190:GLN:CB	2:B:191:PRO:HD2	2.40	0.47
2:D:290:ASP:OD2	4:D:405:EDO:H22	2.15	0.46
2:D:186[A]:CYS:SG	2:D:207:ILE:HG12	2.56	0.46
2:B:300:ASN:C	2:B:300:ASN:HD22	2.24	0.46
2:D:308:ALA:O	2:D:311[B]:MET:HB2	2.16	0.46
2:D:146:ILE:O	2:D:150[A]:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:186[B]:CYS:SG	2:B:220:ILE:HG12	2.56	0.45
1:C:72:ALA:O	1:C:75:VAL:HG22	2.16	0.45
1:A:139:PHE:HA	1:A:142:GLY:O	2.16	0.45
2:D:181[B]:MET:HE1	2:D:280:PRO:HB2	1.97	0.45
2:D:177:LEU:O	2:D:181[B]:MET:HG2	2.16	0.45
1:A:213:LYS:HD2	1:A:213:LYS:HA	1.48	0.45
1:A:314:GLY:O	1:A:316[B]:ARG:NE	2.49	0.45
1:C:94[A]:SER:OG	2:D:325:LYS:HD2	2.17	0.45
1:C:266:GLY:CA	4:C:803:EDO:H22	2.47	0.45
1:A:303:ARG:HD2	1:A:303:ARG:HA	1.74	0.44
1:A:317[B]:LEU:HD12	1:A:317[B]:LEU:HA	1.62	0.44
1:C:186:ALA:O	1:C:200[A]:VAL:HG11	2.17	0.44
1:C:266:GLY:O	4:C:803:EDO:H22	2.17	0.44
2:D:286:LEU:HB3	4:D:402:EDO:H12	1.99	0.44
1:A:205:THR:HB	1:A:206:GLY:H	1.46	0.44
1:A:295:GLU:HB2	1:A:296:PRO:CD	2.48	0.44
2:B:192:LEU:O	2:B:194:GLY:HA2	2.16	0.44
1:C:269:THR:HG23	4:C:803:EDO:O2	2.17	0.43
1:A:31:GLN:O	1:A:31:GLN:HG3	2.19	0.43
1:A:75:VAL:O	1:A:75:VAL:CG2	2.67	0.43
2:D:298[B]:LYS:HB2	2:D:298[B]:LYS:HE2	1.70	0.43
1:A:200[A]:VAL:HG13	1:A:297:ALA:HB2	2.01	0.42
1:C:213:LYS:HA	1:C:213:LYS:HD2	1.46	0.42
1:A:295:GLU:HB2	1:A:296:PRO:HD2	2.00	0.42
1:C:75:VAL:O	1:C:75:VAL:CG2	2.64	0.42
1:C:317[B]:LEU:HD11	3:C:801:DMD:C2	2.49	0.42
1:A:317[B]:LEU:HD11	3:A:801:DMD:C2	2.50	0.42
1:C:268:ASN:H	4:C:803:EDO:C1	2.32	0.42
1:C:201:THR:CG2	1:C:219:VAL:HG21	2.50	0.42
2:B:332[A]:VAL:CG1	5:B:712:HOH:O	2.66	0.42
1:A:161:VAL:O	1:A:165:VAL:HG13	2.20	0.42
2:B:134:SER:HA	2:B:137:GLY:O	2.20	0.42
2:D:192:LEU:O	2:D:194:GLY:HA2	2.20	0.42
2:B:85:THR:CG2	5:B:787:HOH:O	2.68	0.41
1:A:311:LEU:HD21	1:A:329[A]:MET:HE1	2.02	0.41
2:B:197:GLY:O	2:B:201:GLU:HG3	2.20	0.41
2:B:140[B]:MET:SD	2:B:145:ALA:HB2	2.61	0.41
1:C:317[B]:LEU:HD12	1:C:317[B]:LEU:HA	1.58	0.41
2:D:181[B]:MET:HE2	2:D:181[B]:MET:HB3	1.78	0.41
1:A:1:MET:H1	1:A:5:GLN:N	2.13	0.41
1:A:226:ASN:O	1:A:227:LYS:C	2.64	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:85:THR:HG23	5:B:787:HOH:O	2.20	0.41
2:B:183:ILE:HD13	2:B:259[A]:ILE:HD11	2.03	0.41
1:A:36:LEU:HD22	1:A:336[A]:LEU:HD23	2.03	0.41
1:C:139:PHE:HA	1:C:142:GLY:O	2.20	0.41
1:C:226:ASN:O	1:C:227:LYS:C	2.63	0.41
2:D:177:LEU:O	2:D:181[B]:MET:CG	2.69	0.41
1:A:214:THR:HB	1:A:217:GLU:OE1	2.21	0.41
1:C:7[A]:THR:HG21	1:C:158:ILE:CG2	2.43	0.41
1:A:42:MET:HE1	1:A:329[A]:MET:CB	2.51	0.41
2:D:184[B]:VAL:HG21	2:D:251:LEU:HD11	2.02	0.41
2:D:276:PHE:O	4:D:403:EDO:H12	2.21	0.41
1:A:1:MET:HB2	1:A:4:LEU:HB3	2.03	0.40
1:A:94[A]:SER:OG	2:B:325:LYS:HD2	2.20	0.40
1:A:311:LEU:HD21	1:A:329[A]:MET:CE	2.51	0.40
2:D:288:LEU:O	4:D:405:EDO:H12	2.20	0.40
2:D:290:ASP:OD2	4:D:405:EDO:H21	2.20	0.40
2:D:195:LEU:O	2:D:195:LEU:HD13	2.21	0.40
2:B:183:ILE:HB	2:B:255[B]:THR:HG21	2.03	0.40
2:D:10:LYS:HA	2:D:10:LYS:HD2	1.77	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:290:ASP:OD2	5:B:538:HOH:O[1_465]	1.93	0.27

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	342/348 (98%)	323 (94%)	15 (4%)	4 (1%)	10 1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	338/348 (97%)	324 (96%)	12 (4%)	2 (1%)	21	6
2	B	340/350 (97%)	330 (97%)	8 (2%)	2 (1%)	21	6
2	D	341/350 (97%)	332 (97%)	6 (2%)	3 (1%)	14	3
All	All	1361/1396 (98%)	1309 (96%)	41 (3%)	11 (1%)	16	3

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	C	78	ALA
1	A	116	GLY
2	B	35	HIS
1	C	116	GLY
2	D	35	HIS
2	D	280	PRO
1	A	32	SER
2	B	111	GLY
2	D	111	GLY
1	A	34	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	268/264 (102%)	259 (97%)	9 (3%)	32	5
1	C	265/264 (100%)	252 (95%)	13 (5%)	22	2
2	B	253/256 (99%)	243 (96%)	10 (4%)	28	3
2	D	255/256 (100%)	246 (96%)	9 (4%)	32	5
All	All	1041/1040 (100%)	1000 (96%)	41 (4%)	28	4

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	53	LEU
1	A	139	PHE
1	A	140	THR
1	A	212	LEU
1	A	213	LYS
1	A	214	THR
1	A	259	ARG
1	A	285	GLU
2	B	1	MET
2	B	10	LYS
2	B	77	GLN
2	B	142	ARG
2	B	195	LEU
2	B	198	ARG
2	B	202	LEU
2	B	300	ASN
2	B	312[A]	SER
2	B	312[B]	SER
1	C	36	LEU
1	C	77	SER
1	C	139	PHE
1	C	140	THR
1	C	203	ARG
1	C	213	LYS
1	C	231	GLN
1	C	259	ARG
1	C	285	GLU
1	C	303	ARG
1	C	316[A]	ARG
1	C	316[B]	ARG
1	C	336	LEU
2	D	1	MET
2	D	77	GLN
2	D	195	LEU
2	D	198	ARG
2	D	199	GLU
2	D	202	LEU
2	D	280	PRO
2	D	290	ASP
2	D	312	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	86	HIS
1	A	268	ASN
1	A	277	ASN
2	B	91	GLN
2	B	188	HIS
2	B	300	ASN
1	C	5	GLN
1	C	104	ASN
1	C	277	ASN
1	C	306	GLN
2	D	32	ASN
2	D	77	GLN
2	D	89	GLN
2	D	262	ASN
2	D	275	HIS
2	D	296	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DMD	A	801	-	12,12,12	2.63	4 (33%)	17,17,17	1.77	5 (29%)
4	EDO	D	405	-	3,3,3	0.40	0	2,2,2	1.30	0
4	EDO	B	401	-	3,3,3	0.96	0	2,2,2	0.71	0
4	EDO	C	802	-	3,3,3	0.78	0	2,2,2	0.79	0
4	EDO	A	802	-	3,3,3	0.73	0	2,2,2	0.48	0
4	EDO	D	402	-	3,3,3	0.68	0	2,2,2	1.33	0
4	EDO	B	404	-	3,3,3	0.95	0	2,2,2	1.38	0
4	EDO	C	803	-	3,3,3	0.19	0	2,2,2	0.96	0
4	EDO	D	404	-	3,3,3	1.02	0	2,2,2	0.26	0
3	DMD	C	801	-	12,12,12	2.49	4 (33%)	17,17,17	1.92	6 (35%)
4	EDO	B	405	-	3,3,3	1.14	0	2,2,2	0.37	0
4	EDO	D	401	-	3,3,3	0.97	0	2,2,2	0.45	0
4	EDO	D	403	-	3,3,3	0.75	0	2,2,2	0.48	0
4	EDO	B	403	-	3,3,3	0.28	0	2,2,2	0.79	0
4	EDO	B	402	-	3,3,3	0.76	0	2,2,2	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	D	405	-	-	0/1/1/1	-
3	DMD	A	801	-	-	-	0/2/2/2
4	EDO	B	401	-	-	1/1/1/1	-
4	EDO	C	802	-	-	1/1/1/1	-
4	EDO	A	802	-	-	1/1/1/1	-
4	EDO	D	402	-	-	1/1/1/1	-
4	EDO	B	404	-	-	1/1/1/1	-
4	EDO	C	803	-	-	1/1/1/1	-
4	EDO	D	404	-	-	0/1/1/1	-
3	DMD	C	801	-	-	-	0/2/2/2
4	EDO	B	405	-	-	1/1/1/1	-
4	EDO	D	401	-	-	1/1/1/1	-
4	EDO	D	403	-	-	1/1/1/1	-
4	EDO	B	403	-	-	0/1/1/1	-
4	EDO	B	402	-	-	1/1/1/1	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	801	DMD	C3A-C7A	7.20	1.50	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	801	DMD	C3A-C7A	5.84	1.48	1.40
3	C	801	DMD	C6-C5	3.86	1.50	1.40
3	A	801	DMD	C6-C5	3.49	1.49	1.40
3	C	801	DMD	C2-N1	3.37	1.39	1.32
3	A	801	DMD	C7A-N1	-2.39	1.35	1.39
3	C	801	DMD	C4-C3A	2.21	1.43	1.39
3	A	801	DMD	C4-C3A	2.15	1.42	1.39

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	801	DMD	C3A-N3-C2	4.86	112.29	106.73
3	A	801	DMD	C7A-C7-C6	-3.66	114.04	120.83
3	A	801	DMD	C7-C7A-C3A	2.84	124.47	120.50
3	A	801	DMD	C4-C3A-C7A	-2.59	118.33	122.17
3	C	801	DMD	C7-C7A-C3A	-2.46	117.07	120.50
3	A	801	DMD	C7-C6-C5	2.36	123.15	119.69
3	C	801	DMD	C9-C6-C5	-2.32	116.03	120.76
3	C	801	DMD	C9-C6-C7	2.18	123.41	119.57
3	A	801	DMD	C7A-N1-C2	2.11	109.27	105.18
3	C	801	DMD	C7-C7A-N1	2.06	133.99	130.51
3	C	801	DMD	N3-C2-N1	-2.01	110.81	113.87

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	802	EDO	O1-C1-C2-O2
4	A	802	EDO	O1-C1-C2-O2
4	C	803	EDO	O1-C1-C2-O2
4	B	404	EDO	O1-C1-C2-O2
4	B	401	EDO	O1-C1-C2-O2
4	B	402	EDO	O1-C1-C2-O2
4	B	405	EDO	O1-C1-C2-O2
4	D	401	EDO	O1-C1-C2-O2
4	D	402	EDO	O1-C1-C2-O2
4	D	403	EDO	O1-C1-C2-O2

There are no ring outliers.

10 monomers are involved in 49 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	DMD	2	0
4	D	405	EDO	7	0
4	B	401	EDO	1	0
4	D	402	EDO	8	0
4	B	404	EDO	3	0
4	C	803	EDO	7	0
3	C	801	DMD	2	0
4	D	401	EDO	1	0
4	D	403	EDO	11	0
4	B	402	EDO	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/348 (96%)	-0.74	0 100 100	7, 21, 40, 88	11 (3%)
1	C	331/348 (95%)	-0.73	0 100 100	7, 21, 39, 84	11 (3%)
2	B	329/350 (94%)	-0.91	0 100 100	7, 15, 41, 73	15 (4%)
2	D	328/350 (93%)	-0.94	0 100 100	7, 15, 41, 83	17 (5%)
All	All	1323/1396 (94%)	-0.83	0 100 100	7, 18, 40, 88	54 (4%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	B	404	4/4	0.95	0.07	28,35,36,36	0
4	EDO	D	405	4/4	0.95	0.09	29,31,34,35	0
4	EDO	C	802	4/4	0.96	0.07	34,34,35,38	0
4	EDO	B	403	4/4	0.96	0.07	41,45,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	401	4/4	0.97	0.06	23,27,29,30	0
4	EDO	B	402	4/4	0.97	0.07	24,24,27,39	0
4	EDO	C	803	4/4	0.97	0.07	19,22,36,38	0
4	EDO	D	403	4/4	0.97	0.07	22,22,30,38	0
3	DMD	C	801	11/11	0.97	0.06	19,22,23,24	0
4	EDO	A	802	4/4	0.98	0.06	37,39,39,44	0
4	EDO	D	401	4/4	0.98	0.05	23,27,29,30	0
4	EDO	D	402	4/4	0.98	0.09	19,23,29,29	0
4	EDO	B	405	4/4	0.98	0.05	23,24,26,27	0
3	DMD	A	801	11/11	0.98	0.05	20,22,24,25	0
4	EDO	D	404	4/4	0.99	0.04	23,26,27,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.