



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:04 PM UTC

PDB ID : 6HEZ / pdb_00006hez
Title : M tuberculosis DprE1 in complex with BTZ043
Authors : Futterer, K.; Batt, S.M.; Besra, G.S.
Deposited on : 2018-08-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	 2% 77% 10% 11%
1	B	481	 4% 73% 12% 14%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Decaprenylphosphoryl-beta-D-ribose oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	427	Total	C	N	O	S	0	0	0
			3231	2056	565	600	10			
1	B	416	Total	C	N	O	S	0	0	0
			3151	1996	556	589	10			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WJF1
A	-18	GLY	-	expression tag	UNP P9WJF1
A	-17	SER	-	expression tag	UNP P9WJF1
A	-16	SER	-	expression tag	UNP P9WJF1
A	-15	HIS	-	expression tag	UNP P9WJF1
A	-14	HIS	-	expression tag	UNP P9WJF1
A	-13	HIS	-	expression tag	UNP P9WJF1
A	-12	HIS	-	expression tag	UNP P9WJF1
A	-11	HIS	-	expression tag	UNP P9WJF1
A	-10	HIS	-	expression tag	UNP P9WJF1
A	-9	SER	-	expression tag	UNP P9WJF1
A	-8	SER	-	expression tag	UNP P9WJF1
A	-7	GLY	-	expression tag	UNP P9WJF1
A	-6	LEU	-	expression tag	UNP P9WJF1
A	-5	VAL	-	expression tag	UNP P9WJF1
A	-4	PRO	-	expression tag	UNP P9WJF1
A	-3	ARG	-	expression tag	UNP P9WJF1
A	-2	GLY	-	expression tag	UNP P9WJF1
A	-1	SER	-	expression tag	UNP P9WJF1
A	0	HIS	-	expression tag	UNP P9WJF1
B	-19	MET	-	initiating methionine	UNP P9WJF1
B	-18	GLY	-	expression tag	UNP P9WJF1
B	-17	SER	-	expression tag	UNP P9WJF1
B	-16	SER	-	expression tag	UNP P9WJF1
B	-15	HIS	-	expression tag	UNP P9WJF1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP P9WJF1
B	-13	HIS	-	expression tag	UNP P9WJF1
B	-12	HIS	-	expression tag	UNP P9WJF1
B	-11	HIS	-	expression tag	UNP P9WJF1
B	-10	HIS	-	expression tag	UNP P9WJF1
B	-9	SER	-	expression tag	UNP P9WJF1
B	-8	SER	-	expression tag	UNP P9WJF1
B	-7	GLY	-	expression tag	UNP P9WJF1
B	-6	LEU	-	expression tag	UNP P9WJF1
B	-5	VAL	-	expression tag	UNP P9WJF1
B	-4	PRO	-	expression tag	UNP P9WJF1
B	-3	ARG	-	expression tag	UNP P9WJF1
B	-2	GLY	-	expression tag	UNP P9WJF1
B	-1	SER	-	expression tag	UNP P9WJF1
B	0	HIS	-	expression tag	UNP P9WJF1

- Molecule 2 is 8-(hydroxyamino)-2-[(2S)-2-methyl-1,4-dioxo-8-azaspiro[4.5]dec-8-yl]-6-(trifluoromethyl)-4H-1,3-benzothiazin-4-one (CCD ID: 0SK) (formula: C₁₇H₁₈F₃N₃O₄S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			28	17	3	3	4	1		
2	B	1	Total	C	F	N	O	S	0	0
			28	17	3	3	4	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 4 is IMIDAZOLE (CCD ID: IMD) (formula: C₃H₅N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			5	3	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	41	Total 41	O 41	0	0
5	B	35	Total 35	O 35	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Decaprenylphosphoryl-beta-D-ribose oxidase



- Molecule 1: Decaprenylphosphoryl-beta-D-ribose oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.54Å 85.00Å 80.50Å 90.00° 103.37° 90.00°	Depositor
Resolution (Å)	29.60 – 2.30 29.60 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.0 (29.60-2.30) 99.0 (29.60-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.200 , 0.248 (Not available) , 0.247	Depositor DCC
R_{free} test set	2361 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 25.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6625	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0SK, FAD, IMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	1/3305 (0.0%)	0.90	0/4493
1	B	0.83	6/3220 (0.2%)	0.94	2/4376 (0.0%)
All	All	0.82	7/6525 (0.1%)	0.92	2/8869 (0.0%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	296	TRP	CZ2-CH2	9.66	1.55	1.37
1	B	296	TRP	NE1-CE2	9.52	1.48	1.37
1	B	296	TRP	CD2-CE2	8.70	1.56	1.41
1	B	296	TRP	CG-CD1	7.05	1.54	1.36
1	B	296	TRP	CG-CD2	5.89	1.54	1.43
1	A	291	PRO	N-CD	5.42	1.55	1.47
1	B	428	HIS	CG-CD2	5.05	1.41	1.35

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	296	TRP	CE2-CD2-CG	-6.26	99.68	107.20
1	B	296	TRP	CD2-CE2-CZ2	-6.22	116.18	122.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3231	0	3153	38	0
1	B	3151	0	3071	48	0
2	A	28	0	17	1	0
2	B	28	0	17	1	0
3	A	53	0	31	0	0
3	B	53	0	31	0	0
4	A	5	0	5	0	0
5	A	41	0	0	3	0
5	B	35	0	0	5	0
All	All	6625	0	6325	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:GLN:HE21	1:B:385:ASN:HD21	1.14	0.92
1:A:83:ILE:HG12	1:A:90:VAL:HG22	1.55	0.86
1:B:267:PHE:O	1:B:268:ASP:HB2	1.73	0.86
1:A:221:GLU:HG2	5:A:602:HOH:O	1.76	0.85
1:B:99:ASP:O	1:B:103:LYS:HG3	1.77	0.85
1:B:417:ALA:HB2	5:B:604:HOH:O	1.78	0.81
1:A:402:GLU:OE2	1:A:405:ARG:NH1	2.16	0.79
1:B:63:ASN:HD22	1:B:63:ASN:H	1.29	0.78
1:B:63:ASN:HD22	1:B:63:ASN:N	1.82	0.78
1:A:336:GLN:HE21	1:A:385:ASN:HD21	1.31	0.77
1:B:129:CYS:SG	5:B:604:HOH:O	2.41	0.76
1:A:99:ASP:HB2	1:A:119:ARG:HB3	1.69	0.75
2:A:501:OSK:SAV	2:A:501:OSK:OAE	2.45	0.74
1:B:346:GLU:HG2	1:B:410:PHE:CD1	2.23	0.73
1:A:63:ASN:HD22	1:A:63:ASN:H	1.36	0.70
1:B:63:ASN:H	1:B:63:ASN:ND2	1.89	0.69
1:B:346:GLU:HG2	1:B:410:PHE:CG	2.28	0.69
1:B:336:GLN:HE21	1:B:385:ASN:ND2	1.90	0.68
1:B:129:CYS:CB	5:B:604:HOH:O	2.42	0.66
1:B:99:ASP:OD2	1:B:119:ARG:HD2	1.94	0.66
1:B:240:LEU:HD22	1:B:355:GLN:HG2	1.77	0.65
1:A:97:ASN:ND2	1:A:100:GLN:H	1.94	0.65
1:B:97:ASN:HD22	1:B:99:ASP:H	1.43	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:MET:HE1	1:B:77:LEU:HD12	1.80	0.62
1:A:386:ILE:HD11	1:A:388:VAL:HG13	1.81	0.61
1:B:166:GLU:O	1:B:167:ASP:HB2	1.99	0.61
1:A:63:ASN:HD22	1:A:63:ASN:N	1.98	0.60
1:B:83:ILE:HG12	1:B:90:VAL:HG22	1.84	0.58
1:A:231:PHE:CZ	1:A:386:ILE:HG13	2.39	0.57
1:B:129:CYS:HB3	5:B:604:HOH:O	2.03	0.56
1:B:116:PRO:HG2	1:B:118:THR:O	2.06	0.56
1:A:416:THR:HB	1:A:454:MET:HE1	1.89	0.55
1:A:97:ASN:HD22	1:A:99:ASP:H	1.54	0.55
1:A:63:ASN:H	1:A:63:ASN:ND2	2.05	0.53
1:A:367:LYS:HG3	1:A:368:LEU:N	2.24	0.53
1:A:90:VAL:HG11	1:A:101:LEU:HD11	1.90	0.52
1:B:97:ASN:ND2	1:B:100:GLN:H	2.08	0.52
1:B:97:ASN:HD21	1:B:99:ASP:HB3	1.75	0.52
1:A:359:HIS:HE1	5:A:630:HOH:O	1.94	0.51
1:B:404:ASP:OD2	1:B:421:ARG:NH2	2.43	0.50
1:B:99:ASP:HB2	1:B:119:ARG:HB3	1.94	0.49
1:B:335:TYR:HB3	1:B:388:VAL:HG23	1.95	0.49
1:B:386:ILE:HD11	1:B:388:VAL:HG13	1.95	0.48
1:A:90:VAL:CG1	1:A:92:ILE:HG23	2.43	0.48
1:A:97:ASN:ND2	1:A:99:ASP:HB3	2.29	0.47
1:A:231:PHE:CE2	1:A:386:ILE:HG13	2.49	0.47
1:A:249:ARG:HB2	1:A:249:ARG:NH1	2.29	0.47
1:B:386:ILE:O	1:B:386:ILE:HD13	2.13	0.47
1:B:364:ASN:ND2	1:B:388:VAL:HG12	2.29	0.47
1:B:62:ASP:HA	1:B:65:GLN:HE21	1.80	0.47
1:A:99:ASP:OD2	1:A:119:ARG:HD2	2.15	0.47
1:B:375:ALA:HB3	1:B:378:SER:HB2	1.97	0.47
1:B:74:MET:CE	1:B:77:LEU:HD12	2.45	0.46
1:A:75:THR:N	1:A:76:PRO:CD	2.79	0.46
1:B:60:TYR:CE2	1:B:418:LYS:HE2	2.50	0.46
1:B:372:ARG:HG2	5:B:616:HOH:O	2.15	0.46
1:B:97:ASN:ND2	1:B:99:ASP:HB3	2.31	0.46
1:B:144:ASN:H	1:B:144:ASN:HD22	1.63	0.46
1:B:364:ASN:HD22	1:B:388:VAL:HG12	1.79	0.46
1:A:375:ALA:HB3	1:A:378:SER:HB2	1.98	0.45
1:B:60:TYR:HE2	1:B:418:LYS:HE2	1.80	0.45
1:A:102:MET:HE1	1:A:310:LEU:HD22	1.98	0.45
2:B:501:OSK:SAV	2:B:501:OSK:OAE	2.75	0.44
1:B:51:ALA:O	1:B:450:PHE:HA	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:SER:O	1:A:404:ASP:HB2	2.18	0.43
1:A:414:LEU:HG	1:A:430:MET:HE1	2.00	0.43
1:A:144:ASN:HD22	1:A:144:ASN:N	2.16	0.43
1:A:249:ARG:HB2	1:A:249:ARG:HH11	1.84	0.43
1:A:392:ILE:HA	1:A:396:LEU:HD12	2.01	0.42
1:B:361:SER:OG	1:B:364:ASN:ND2	2.47	0.42
1:A:386:ILE:HG12	1:A:387:CYS:N	2.33	0.42
1:B:335:TYR:CE2	1:B:403:LEU:HD13	2.55	0.42
1:A:240:LEU:HD22	1:A:355:GLN:CG	2.50	0.42
1:B:314:TYR:O	1:B:315:HIS:C	2.63	0.42
1:A:442:ARG:HH11	1:A:442:ARG:HG2	1.83	0.42
1:A:144:ASN:ND2	1:A:373:ASN:HD22	2.18	0.41
1:B:63:ASN:HB3	1:B:454:MET:SD	2.59	0.41
1:B:366:PHE:CD1	1:B:366:PHE:C	2.98	0.41
1:A:144:ASN:HD22	1:A:144:ASN:H	1.67	0.41
1:B:165:GLY:O	1:B:166:GLU:C	2.63	0.41
1:B:102:MET:HE1	1:B:310:LEU:HD22	2.02	0.41
1:B:144:ASN:ND2	1:B:373:ASN:HD22	2.18	0.41
1:A:102:MET:SD	1:A:310:LEU:HD22	2.61	0.41
1:A:90:VAL:HG13	1:A:92:ILE:HG23	2.03	0.41
1:A:445:ASP:OD1	1:A:449:VAL:N	2.52	0.41
1:B:294:GLU:O	1:B:298:ARG:HG3	2.20	0.41
1:A:294:GLU:CG	5:A:609:HOH:O	2.69	0.41
1:B:416:THR:HB	1:B:454:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	421/481 (88%)	410 (97%)	11 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	402/481 (84%)	393 (98%)	8 (2%)	1 (0%)	43	55
All	All	823/962 (86%)	803 (98%)	19 (2%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	166	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	326/385 (85%)	306 (94%)	20 (6%)	17	24
1	B	319/385 (83%)	301 (94%)	18 (6%)	19	28
All	All	645/770 (84%)	607 (94%)	38 (6%)	18	26

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	90	VAL
1	A	92	ILE
1	A	96	VAL
1	A	121	VAL
1	A	144	ASN
1	A	157	GLU
1	A	200	ILE
1	A	253	VAL
1	A	256	LEU
1	A	260	LEU
1	A	307	VAL
1	A	350	ILE
1	A	355	GLN
1	A	367	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	386	ILE
1	A	389	ASP
1	A	396	LEU
1	A	422	THR
1	A	448	ARG
1	B	63	ASN
1	B	90	VAL
1	B	92	ILE
1	B	96	VAL
1	B	144	ASN
1	B	200	ILE
1	B	239	LYS
1	B	253	VAL
1	B	256	LEU
1	B	260	LEU
1	B	268	ASP
1	B	355	GLN
1	B	386	ILE
1	B	389	ASP
1	B	396	LEU
1	B	419	ASP
1	B	421	ARG
1	B	422	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	63	ASN
1	A	65	GLN
1	A	97	ASN
1	A	144	ASN
1	A	359	HIS
1	A	364	ASN
1	A	385	ASN
1	B	63	ASN
1	B	65	GLN
1	B	97	ASN
1	B	144	ASN
1	B	308	GLN
1	B	336	GLN
1	B	364	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	IMD	A	503	-	5,5,5	0.65	0	5,5,5	0.37	0
2	OSK	A	501	1	30,31,31	1.27	4 (13%)	41,48,48	2.47	9 (21%)
3	FAD	B	502	-	58,58,58	1.57	8 (13%)	85,89,89	1.65	17 (20%)
2	OSK	B	501	1	30,31,31	1.29	3 (10%)	41,48,48	2.26	6 (14%)
3	FAD	A	502	-	58,58,58	1.59	9 (15%)	85,89,89	1.65	16 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IMD	A	503	-	-	-	0/1/1/1
2	OSK	A	501	1	-	0/11/35/35	0/4/4/4
3	FAD	B	502	-	-	1/34/50/50	0/6/6/6
2	OSK	B	501	1	-	0/11/35/35	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	502	-	-	2/34/50/50	0/6/6/6

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	FAD	C9A-C5X	6.05	1.50	1.41
3	A	502	FAD	C9A-C5X	5.94	1.50	1.41
3	A	502	FAD	C5A-C4A	5.09	1.48	1.39
3	B	502	FAD	C5A-C4A	4.68	1.47	1.39
2	B	501	0SK	CBA-CAZ	-4.56	1.40	1.48
3	B	502	FAD	C8-C7	4.20	1.51	1.40
3	A	502	FAD	C8-C7	3.74	1.49	1.40
2	A	501	0SK	CBB-SAV	-3.49	1.70	1.75
2	A	501	0SK	CBA-CAZ	-3.45	1.42	1.48
2	A	501	0SK	CAY-SAV	-3.29	1.69	1.76
2	B	501	0SK	CBB-SAV	-3.23	1.70	1.75
3	B	502	FAD	C4X-N5	2.94	1.37	1.30
2	B	501	0SK	CAY-SAV	-2.76	1.70	1.76
3	B	502	FAD	C5A-N7A	-2.75	1.34	1.39
3	A	502	FAD	C5A-C6A	2.74	1.48	1.41
3	B	502	FAD	C5A-C6A	2.70	1.48	1.41
2	A	501	0SK	OAD-CAZ	2.68	1.28	1.23
3	A	502	FAD	C5A-N7A	-2.42	1.34	1.39
3	A	502	FAD	C4X-N5	2.35	1.35	1.30
3	A	502	FAD	C5'-C4'	2.26	1.54	1.51
3	B	502	FAD	PA-O3P	2.24	1.61	1.59
3	A	502	FAD	C8A-N7A	2.21	1.35	1.31
3	B	502	FAD	C4-N3	-2.16	1.34	1.38
3	A	502	FAD	C4-N3	-2.10	1.34	1.38

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	0SK	SAV-CAY-NBF	10.85	120.55	113.67
2	B	501	0SK	SAV-CAY-NBF	10.48	120.31	113.67
2	A	501	0SK	CAL-NBF-CAM	7.36	127.69	112.68
3	A	502	FAD	C5A-C4A-N3A	-5.94	118.54	126.72
3	B	502	FAD	C5A-C4A-N3A	-5.78	118.76	126.72
3	B	502	FAD	N3A-C4A-N9A	4.98	135.63	127.17
3	A	502	FAD	N3A-C4A-N9A	4.86	135.44	127.17
2	B	501	0SK	CAL-NBF-CAM	4.79	122.46	112.68
3	B	502	FAD	C2A-N3A-C4A	3.88	121.32	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	FAD	C4A-C5A-N7A	-3.84	106.20	110.58
3	A	502	FAD	O4-C4-C4X	-3.80	116.50	126.53
3	A	502	FAD	C2A-N3A-C4A	3.77	121.05	111.83
3	B	502	FAD	N3A-C2A-N1A	-3.73	122.93	128.58
3	B	502	FAD	C4-C4X-N5	3.67	123.28	118.21
3	A	502	FAD	N3A-C2A-N1A	-3.60	123.13	128.58
2	B	501	0SK	CBA-CAZ-NAR	3.57	124.95	118.33
3	B	502	FAD	C4A-C5A-N7A	-3.49	106.60	110.58
3	A	502	FAD	C5A-N7A-C8A	3.21	108.50	103.45
3	B	502	FAD	C5A-N7A-C8A	3.21	108.50	103.45
3	B	502	FAD	C4A-N9A-C8A	2.93	108.82	105.74
2	B	501	0SK	OAD-CAZ-CBA	-2.92	116.63	121.33
2	A	501	0SK	CBA-CAZ-NAR	2.75	123.44	118.33
2	A	501	0SK	FAF-CBG-CAW	-2.72	107.07	112.90
2	A	501	0SK	CAL-NBF-CAY	-2.72	115.21	122.09
3	B	502	FAD	C4X-C10-N10	2.69	120.33	116.48
3	B	502	FAD	C10-N1-C2	2.68	122.65	116.85
2	B	501	0SK	NBF-CAY-NAR	2.63	120.93	115.46
2	B	501	0SK	CBA-CBB-SAV	-2.56	118.57	122.11
3	A	502	FAD	C4X-C4-N3	2.51	119.65	113.25
3	A	502	FAD	C4-C4X-N5	2.48	121.63	118.21
3	B	502	FAD	N9A-C8A-N7A	-2.44	110.47	113.94
3	A	502	FAD	C4A-N9A-C8A	2.42	108.28	105.74
2	A	501	0SK	OAD-CAZ-NAR	-2.35	116.66	120.23
3	A	502	FAD	C10-N1-C2	2.31	121.86	116.85
3	B	502	FAD	C4X-C10-N1	-2.29	118.97	124.59
3	B	502	FAD	O4'-C4'-C5'	-2.28	104.96	109.99
3	A	502	FAD	C6A-C5A-N7A	2.24	136.41	132.09
2	A	501	0SK	CBA-CBB-SAV	-2.22	119.03	122.11
3	B	502	FAD	C6A-C5A-N7A	2.18	136.29	132.09
3	A	502	FAD	O4B-C1B-N9A	2.10	112.12	108.09
2	A	501	0SK	FAF-CBG-FAG	2.08	113.28	105.77
3	A	502	FAD	C2A-N1A-C6A	2.08	122.14	118.73
3	B	502	FAD	C2A-N1A-C6A	2.08	122.14	118.73
3	B	502	FAD	O4-C4-C4X	-2.07	121.07	126.53
3	A	502	FAD	C4X-C10-N1	-2.07	119.52	124.59
3	A	502	FAD	N9A-C8A-N7A	-2.06	111.01	113.94
3	B	502	FAD	C4X-C4-N3	2.06	118.49	113.25
2	A	501	0SK	CAL-CAN-CBH	2.01	115.16	111.43

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	502	FAD	PA-O3P-P-O2P
3	B	502	FAD	PA-O3P-P-O2P
3	A	502	FAD	PA-O3P-P-O1P

There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	0SK	1	0
2	B	501	0SK	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand FAD B 502



Ligand 0SK B 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	427/481 (88%)	-0.06	12 (2%) 55 57	31, 53, 91, 126	0
1	B	416/481 (86%)	0.23	21 (5%) 34 35	34, 67, 119, 152	0
All	All	843/962 (87%)	0.08	33 (3%) 43 45	31, 59, 106, 152	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	292	ILE	4.2
1	B	19	THR	4.2
1	B	23	VAL	4.0
1	B	7	THR	3.7
1	B	20	ALA	3.6
1	B	293	GLY	3.5
1	A	297	TYR	3.4
1	A	7	THR	3.4
1	B	296	TRP	3.3
1	B	295	LEU	2.9
1	B	16	TRP	2.8
1	B	362	PHE	2.8
1	B	315	HIS	2.8
1	B	47	GLY	2.7
1	B	331	GLY	2.6
1	A	287	TYR	2.6
1	B	230	TRP	2.6
1	A	46	GLY	2.4
1	A	317	LEU	2.4
1	A	362	PHE	2.4
1	A	289	PHE	2.3
1	B	360	TYR	2.3
1	B	21	PRO	2.3
1	A	296	TRP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	286	LYS	2.3
1	A	295	LEU	2.2
1	B	46	GLY	2.2
1	B	231	PHE	2.2
1	B	10	ALA	2.1
1	B	17	GLY	2.1
1	B	60	TYR	2.1
1	A	284	ALA	2.0
1	B	460	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	OSK	B	501	28/28	0.88	0.14	56,70,105,107	0
2	OSK	A	501	28/28	0.94	0.09	46,55,79,82	0
4	IMD	A	503	5/5	0.94	0.15	44,46,48,49	0
3	FAD	B	502	53/53	0.96	0.07	40,48,52,55	0
3	FAD	A	502	53/53	0.97	0.06	31,37,44,46	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 0SK B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 0SK A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.