



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 12:58 AM UTC

PDB ID : 1HF3 / pdb_00001hf3
Title : ATOMIC X-RAY STRUCTURE OF LIVER ALCOHOL DEHYDROGENASE CONTAINING Cadmium and a hydroxide adduct to NADH
Authors : Meijers, R.; Morris, R.J.; Adolph, H.W.; Merli, A.; Lamzin, V.S.; Cedergren-Zeppezauer, E.S.
Deposited on : 2000-11-27
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	
1	B	374	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6284 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALCOHOL DEHYDROGENASE E CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	0	40	0
			2953	1885	488	555	25			
1	B	374	Total	C	N	O	S	1	31	0
			2932	1872	488	546	26			

- Molecule 2 is CADMIUM ION (CCD ID: CD) (formula: Cd).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cd	0	0
			2	2		
2	B	2	Total	Cd	0	0
			2	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	1
			54	26	12	14	2		
3	B	1	Total	C	N	O	P	0	1
			54	26	12	14	2		

- Molecule 4 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	118	Total	O	0	2
			118	118		
5	B	153	Total	O	0	2
			153	153		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALCOHOL DEHYDROGENASE E CHAIN



• Molecule 1: ALCOHOL DEHYDROGENASE E CHAIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	43.90Å 179.00Å 50.50Å 90.00° 107.50° 90.00°	Depositor
Resolution (Å)	15.00 – 1.95 15.00 – 1.96	Depositor EDS
% Data completeness (in resolution range)	86.6 (15.00-1.95) 82.5 (15.00-1.96)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.98 (at 1.96Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.164 , 0.214 0.152 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtriage
Anisotropy	0.811	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 55.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6284	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, CD, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	4/3165 (0.1%)	1.91	86/4271 (2.0%)
1	B	3.13	8/3102 (0.3%)	2.12	81/4187 (1.9%)
All	All	2.30	12/6267 (0.2%)	2.02	167/8458 (2.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	5
All	All	0	8

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	107[A]	GLU	CD-OE2	116.47	3.46	1.25
1	B	107[B]	GLU	CD-OE2	116.47	3.46	1.25
1	A	294	VAL	C-O	-8.49	1.14	1.24
1	B	135	LYS	C-O	-7.34	1.15	1.24
1	B	294	VAL	C-O	-6.72	1.16	1.24
1	A	294	VAL	C-N	6.36	1.40	1.33
1	B	105	HIS	C-O	-6.26	1.15	1.24
1	B	135	LYS	C-N	6.07	1.41	1.33
1	B	294	VAL	C-N	5.81	1.40	1.33
1	B	105	HIS	C-N	5.60	1.41	1.33
1	A	135	LYS	C-O	-5.37	1.15	1.24
1	A	135	LYS	C-N	5.36	1.40	1.33

All (167) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	133	ARG	CD-NE-CZ	33.62	171.47	124.40
1	B	107[A]	GLU	CG-CD-OE2	-32.05	44.69	118.40
1	B	107[B]	GLU	CG-CD-OE2	-32.05	44.69	118.40
1	B	294	VAL	CA-C-O	14.07	129.47	119.20
1	B	133	ARG	CA-CB-CG	12.84	139.78	114.10
1	A	101	ARG	CD-NE-CZ	12.77	142.28	124.40
1	A	294	VAL	CA-C-O	11.92	127.90	119.20
1	B	101	ARG	CD-NE-CZ	11.37	140.32	124.40
1	B	98	GLY	CA-C-O	10.89	131.11	119.02
1	B	105	HIS	CA-C-O	10.83	131.95	120.25
1	A	135	LYS	CA-C-O	10.81	130.25	120.19
1	B	99	LYS	CA-C-O	-10.55	107.06	118.77
1	A	99[A]	LYS	CA-C-O	-10.46	107.16	118.77
1	A	99[B]	LYS	CA-C-O	-10.46	107.16	118.77
1	A	98	GLY	CA-C-O	10.28	130.43	119.02
1	A	327	SER	CA-C-N	-10.01	113.93	120.24
1	A	327	SER	C-N-CA	-10.01	113.93	120.24
1	A	130	PHE	CA-CB-CG	9.79	123.59	113.80
1	B	363	ARG	NE-CZ-NH1	-8.77	112.73	121.50
1	A	34	HIS	CA-CB-CG	-8.75	105.05	113.80
1	A	353	GLU	CB-CG-CD	8.33	126.76	112.60
1	B	135	LYS	CA-C-O	8.27	130.71	120.54
1	B	101	ARG	CA-CB-CG	7.95	129.99	114.10
1	B	37	ARG	CA-C-O	7.93	129.02	120.38
1	A	357[A]	GLU	CA-C-N	7.79	128.62	119.98
1	A	357[A]	GLU	C-N-CA	7.79	128.62	119.98
1	A	357[B]	GLU	CA-C-N	7.79	128.62	119.98
1	A	357[B]	GLU	C-N-CA	7.79	128.62	119.98
1	A	244	GLN	OE1-CD-NE2	-7.77	114.83	122.60
1	B	58	VAL	CA-C-O	7.75	128.86	120.57
1	A	251	GLN	OE1-CD-NE2	-7.74	114.86	122.60
1	B	136[A]	PRO	N-CA-CB	7.57	110.04	103.31
1	B	136[B]	PRO	N-CA-CB	7.57	110.04	103.31
1	A	103	CYS	CA-C-O	-7.53	112.56	120.55
1	A	281	CYS	N-CA-CB	-7.42	97.94	110.41
1	B	30	PRO	CB-CA-C	-7.32	101.98	110.92
1	B	251	GLN	O-C-N	7.22	129.78	122.12
1	A	101	ARG	NE-CZ-NH1	7.22	128.72	121.50
1	B	56	THR	CA-C-O	7.19	128.17	120.55
1	A	133	ARG	NE-CZ-NH2	7.08	125.57	119.20
1	B	363	ARG	NH1-CZ-NH2	6.93	128.31	119.30
1	A	218	ARG	CD-NE-CZ	6.91	134.07	124.40
1	B	161	ASP	CA-CB-CG	6.85	119.45	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	136[A]	PRO	N-CA-CB	6.80	109.66	103.34
1	A	136[B]	PRO	N-CA-CB	6.80	109.66	103.34
1	B	239	GLU	CA-C-O	-6.79	113.39	120.99
1	A	99[A]	LYS	CA-C-N	-6.77	109.22	122.02
1	A	99[A]	LYS	C-N-CA	-6.77	109.22	122.02
1	A	99[B]	LYS	CA-C-N	-6.77	109.22	122.02
1	A	99[B]	LYS	C-N-CA	-6.77	109.22	122.02
1	B	342	LEU	CA-C-O	6.75	126.86	119.24
1	A	6	VAL	O-C-N	-6.74	115.79	122.67
1	A	30	PRO	N-CA-CB	6.69	109.57	103.08
1	A	300	ASN	OD1-CG-ND2	-6.68	115.92	122.60
1	B	363	ARG	CA-CB-CG	6.62	127.35	114.10
1	B	229	PHE	N-CA-C	6.60	118.48	111.28
1	A	119	PRO	N-CA-CB	6.55	109.08	103.19
1	B	351	PRO	N-CA-CB	6.42	108.94	103.35
1	A	343	ASP	CA-C-O	6.38	124.53	118.34
1	B	74	GLU	N-CA-C	-6.37	103.60	112.45
1	A	259	ASN	CB-CA-C	-6.34	102.85	112.11
1	B	219	ILE	CB-CG1-CD1	6.33	127.10	113.80
1	B	297	ASP	CA-CB-CG	-6.33	106.27	112.60
1	A	277	THR	CA-CB-OG1	-6.31	100.14	109.60
1	A	249	PRO	N-CA-CB	6.27	108.76	103.25
1	A	305	PRO	O-C-N	-6.23	113.89	122.24
1	B	40[A]	MET	CA-C-N	-6.22	116.63	122.66
1	B	40[A]	MET	C-N-CA	-6.22	116.63	122.66
1	B	40[B]	MET	CA-C-N	-6.22	116.63	122.66
1	B	40[B]	MET	C-N-CA	-6.22	116.63	122.66
1	A	105	HIS	CA-C-N	6.06	125.94	119.28
1	A	105	HIS	C-N-CA	6.06	125.94	119.28
1	B	323	LYS	N-CA-C	-6.02	100.48	109.15
1	A	304	ASN	CA-C-N	6.02	125.70	119.56
1	A	304	ASN	C-N-CA	6.02	125.70	119.56
1	A	30	PRO	N-CA-C	-6.01	103.37	110.70
1	A	50	ASP	CA-C-O	6.00	126.86	119.97
1	B	201	GLY	N-CA-C	-5.99	102.79	112.31
1	B	328	VAL	CA-C-N	5.95	125.65	119.05
1	B	328	VAL	C-N-CA	5.95	125.65	119.05
1	B	316	GLY	N-CA-C	-5.94	102.43	111.10
1	B	207	VAL	CB-CA-C	-5.92	104.05	112.22
1	B	324	SER	CA-C-O	-5.88	114.64	120.82
1	B	106[A]	PRO	N-CA-CB	5.88	109.74	103.39
1	B	106[B]	PRO	N-CA-CB	5.88	109.74	103.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	PHE	CA-CB-CG	5.87	119.67	113.80
1	A	133	ARG	NH1-CZ-NH2	-5.80	111.76	119.30
1	B	129	ARG	NE-CZ-NH1	-5.78	115.72	121.50
1	B	324	SER	O-C-N	5.75	127.99	122.07
1	B	9	CYS	CA-C-O	-5.74	115.27	121.36
1	B	343	ASP	CA-C-O	5.74	123.91	118.63
1	A	103	CYS	N-CA-C	-5.72	105.04	111.28
1	A	349	VAL	N-CA-CB	5.69	119.83	111.52
1	B	303	MET	CA-C-O	5.69	127.83	121.40
1	B	249	PRO	N-CA-CB	5.68	108.29	103.35
1	A	56	THR	CA-CB-OG1	-5.65	101.12	109.60
1	A	326	ASP	CA-CB-CG	5.62	118.22	112.60
1	B	335	PHE	CA-C-N	5.61	128.35	120.28
1	B	335	PHE	C-N-CA	5.61	128.35	120.28
1	B	372	LEU	CA-C-O	5.58	127.33	120.92
1	A	123	MET	N-CA-C	-5.57	102.66	110.35
1	A	24	GLU	CB-CA-C	-5.55	99.80	110.24
1	A	312	ARG	CD-NE-CZ	5.51	132.11	124.40
1	A	324	SER	N-CA-C	5.49	117.72	111.02
1	B	176	PHE	CA-CB-CG	-5.49	108.31	113.80
1	B	133	ARG	CB-CA-C	-5.49	103.94	111.73
1	B	38	ILE	N-CA-C	5.47	115.77	108.11
1	B	201	GLY	CA-C-N	5.47	126.17	119.99
1	B	201	GLY	C-N-CA	5.47	126.17	119.99
1	A	184[A]	VAL	N-CA-C	5.46	116.95	111.00
1	A	184[B]	VAL	N-CA-C	5.46	116.95	111.00
1	A	193	SER	CA-C-O	5.45	128.20	121.99
1	B	90	ILE	CA-C-O	5.45	122.77	119.94
1	B	30	PRO	N-CA-CB	5.44	108.36	103.08
1	A	103	CYS	O-C-N	5.42	127.87	122.12
1	B	148[A]	GLN	O-C-N	-5.41	115.61	122.27
1	B	148[B]	GLN	O-C-N	-5.41	115.61	122.27
1	B	41	VAL	CA-C-O	5.41	125.39	120.30
1	A	352	PHE	CA-C-O	5.40	126.46	120.63
1	B	77	GLY	N-CA-C	-5.39	104.37	112.89
1	A	315[A]	LYS	CA-C-N	-5.39	117.29	121.82
1	A	315[A]	LYS	C-N-CA	-5.39	117.29	121.82
1	A	315[B]	LYS	CA-C-N	-5.39	117.29	121.82
1	A	315[B]	LYS	C-N-CA	-5.39	117.29	121.82
1	A	282[A]	CYS	CB-CA-C	5.37	119.34	109.46
1	A	282[B]	CYS	CB-CA-C	5.37	119.34	109.46
1	A	304	ASN	CA-C-O	5.37	123.29	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	8	LYS	CA-C-N	-5.35	113.60	122.11
1	A	8	LYS	C-N-CA	-5.35	113.60	122.11
1	A	323	LYS	N-CA-C	-5.34	101.46	109.15
1	A	313	THR	CA-CB-OG1	-5.32	101.62	109.60
1	A	283	GLN	OE1-CD-NE2	5.30	127.90	122.60
1	B	238	THR	CA-C-O	5.28	125.44	119.27
1	B	193	SER	CA-C-O	5.26	127.99	121.94
1	A	201	GLY	N-CA-C	-5.25	103.31	112.55
1	B	72	ILE	O-C-N	-5.24	117.52	123.18
1	A	294	VAL	CA-C-N	-5.24	114.99	120.38
1	A	294	VAL	C-N-CA	-5.24	114.99	120.38
1	A	349	VAL	CB-CA-C	5.23	117.97	110.33
1	A	297[A]	ASP	CA-C-O	5.21	126.76	121.13
1	A	297[B]	ASP	CA-C-O	5.21	126.76	121.13
1	B	309[A]	LEU	N-CA-C	5.21	117.70	111.71
1	B	309[B]	LEU	N-CA-C	5.21	117.70	111.71
1	A	271	ARG	NE-CZ-NH1	-5.18	116.31	121.50
1	A	373	THR	CA-C-O	5.16	127.00	121.16
1	B	357[A]	GLU	CA-C-N	5.12	125.66	119.98
1	B	357[A]	GLU	C-N-CA	5.12	125.66	119.98
1	B	357[B]	GLU	CA-C-N	5.12	125.66	119.98
1	B	357[B]	GLU	C-N-CA	5.12	125.66	119.98
1	B	51	HIS	CA-C-O	-5.10	114.34	120.10
1	A	82	THR	N-CA-C	5.09	119.54	113.23
1	B	164	SER	CA-C-O	5.09	125.42	120.23
1	A	6	VAL	N-CA-CB	5.08	116.94	110.13
1	B	120	ARG	N-CA-C	-5.07	107.22	113.41
1	A	328	VAL	CA-C-O	5.07	123.16	118.85
1	B	324	SER	N-CA-C	5.06	116.48	111.07
1	B	117	SER	CA-C-O	-5.05	115.51	120.82
1	A	191	GLN	O-C-N	-5.05	116.69	122.95
1	A	135	LYS	CA-C-N	-5.04	114.72	119.76
1	A	135	LYS	C-N-CA	-5.04	114.72	119.76
1	B	294	VAL	CA-C-N	-5.04	115.19	120.38
1	B	294	VAL	C-N-CA	-5.04	115.19	120.38
1	A	368	ILE	N-CA-C	-5.04	98.86	109.34
1	B	352	PHE	CA-C-O	5.03	126.07	120.63
1	A	350	LEU	CA-C-O	5.03	125.46	120.03
1	A	53	VAL	CB-CA-C	-5.01	105.46	112.02
1	B	304	ASN	OD1-CG-ND2	5.01	127.61	122.60

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	59	THR	Mainchain
1	A	99[A]	LYS	Mainchain
1	A	99[B]	LYS	Mainchain
1	B	107[A]	GLU	Sidechain
1	B	107[B]	GLU	Sidechain
1	B	295[A]	PRO	Mainchain
1	B	329	PRO	Mainchain
1	B	354	LYS	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2953	0	3012	37	0
1	B	2932	0	2997	51	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	54	0	10	1	0
3	B	54	0	10	0	0
4	A	8	0	14	1	0
4	B	8	0	14	4	0
5	A	118	0	0	6	0
5	B	153	0	0	12	0
All	All	6284	0	6057	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:403:MRD:H1C3	5:A:2024[A]:HOH:O	1.07	1.25
4:B:403:MRD:H1C3	5:B:2020[B]:HOH:O	1.08	1.25
4:B:403:MRD:C1	5:B:2020[B]:HOH:O	1.64	1.11
1:B:116:LEU:HD12	1:B:141:LEU:HD22	1.40	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107[A]:GLU:OE2	1:B:107[A]:GLU:HG3	1.69	0.92
1:B:251:GLN:HE21	1:B:251:GLN:H	1.36	0.73
1:B:209[A]:MET:HE1	1:B:341:ALA:H	1.55	0.69
1:A:170:CYS:SG	1:A:371:ILE:HD12	2.34	0.67
1:B:116:LEU:CD1	1:B:141:LEU:HD22	2.23	0.66
1:B:107[A]:GLU:OE2	1:B:107[A]:GLU:CG	2.43	0.65
1:B:338:LYS:HA	5:B:2133:HOH:O	1.96	0.65
1:B:239:GLU:OE1	5:B:2093:HOH:O	2.13	0.65
1:B:40[A]:MET:HE3	1:B:145:THR:HA	1.80	0.64
1:B:40[B]:MET:HE1	1:B:69:ALA:HB1	1.79	0.64
1:B:40[B]:MET:CE	1:B:69:ALA:HB1	2.28	0.63
1:A:68[B]:GLU:OE1	1:A:174:CYS:HB3	2.01	0.61
1:B:131[A]:THR:HG23	5:B:2061:HOH:O	2.02	0.59
1:A:56:THR:HG23	1:A:296[B]:PRO:HA	1.86	0.58
1:B:248:LYS:HB2	1:B:249:PRO:HD2	1.86	0.57
1:B:56:THR:HG23	1:B:296:PRO:HA	1.85	0.57
1:A:101:ARG:HD2	1:B:286:TYR:OH	2.04	0.57
1:A:224:ILE:HG23	3:A:402[A]:NAD:C2A	2.35	0.56
1:B:17[A]:GLU:CD	1:B:18:LYS:NZ	2.65	0.55
4:B:403:MRD:H1C2	5:B:2020[B]:HOH:O	1.60	0.55
1:A:171:LEU:HD21	1:A:371:ILE:HD11	1.89	0.53
1:A:231:LYS:HE3	1:A:344:PRO:O	2.07	0.53
1:A:32[A]:LYS:HE3	1:A:129:ARG:CZ	2.40	0.52
1:B:40[A]:MET:CE	1:B:145:THR:HA	2.40	0.52
1:A:328:VAL:N	1:A:329:PRO:CD	2.73	0.52
1:B:27[A]:GLU:HB2	1:B:131[A]:THR:OG1	2.10	0.51
1:B:100:CYS:HB2	1:B:112:LEU:HD12	1.92	0.51
1:A:343:ASP:N	1:A:344:PRO:CD	2.73	0.51
1:B:17[A]:GLU:OE2	1:B:18:LYS:NZ	2.44	0.51
1:A:40[B]:MET:HG3	1:A:147:SER:O	2.10	0.50
1:A:16[A]:GLU:HG3	1:A:19:LYS:HG3	1.93	0.50
1:B:23:ILE:HD11	1:B:355:ILE:HG22	1.93	0.50
1:B:83:VAL:HG12	1:B:159:LYS:HB2	1.92	0.49
4:B:403:MRD:H5C2	5:B:2152:HOH:O	2.12	0.49
1:A:92:LEU:HA	5:A:2060:HOH:O	2.12	0.49
1:B:282[B]:CYS:HB3	1:B:287:GLY:HA3	1.95	0.49
1:B:101:ARG:NH1	1:B:112:LEU:CD1	2.76	0.48
1:B:8[A]:LYS:HG2	1:B:27[A]:GLU:HG3	1.96	0.47
1:A:29:ALA:HB1	1:A:30:PRO:HD2	1.96	0.47
1:A:16[A]:GLU:HG3	1:A:19:LYS:CG	2.45	0.47
1:B:11:ALA:HA	1:B:147:SER:HA	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:MET:SD	1:A:309[A]:LEU:HD12	2.55	0.47
1:A:70:ALA:HB1	1:A:166[A]:LEU:HD22	1.98	0.46
1:A:26:VAL:HG12	1:A:132:CYS:HB2	1.98	0.46
1:A:32[A]:LYS:NZ	1:A:125:ASP:OD2	2.42	0.46
1:B:17[A]:GLU:CD	1:B:18:LYS:HZ2	2.24	0.46
1:B:153:ASP:HB3	5:B:2069:HOH:O	2.15	0.46
1:B:40[A]:MET:HE3	1:B:145:THR:CA	2.46	0.46
1:A:136[A]:PRO:HB3	5:A:2053:HOH:O	2.15	0.45
1:B:187:ALA:O	1:B:188[B]:LYS:HB2	2.17	0.45
1:B:61:LEU:HD22	1:B:63:VAL:HG12	1.97	0.45
1:B:29:ALA:HB1	1:B:30:PRO:HD2	1.97	0.45
1:B:350:LEU:O	1:B:372:LEU:HA	2.16	0.45
1:B:365:GLY:HA2	5:B:2145:HOH:O	2.17	0.44
1:A:83:VAL:HG12	1:A:159:LYS:HB2	1.98	0.44
1:B:63:VAL:HG22	1:B:64:ILE:N	2.34	0.43
1:A:88:LYS:HD3	1:A:166[B]:LEU:HD21	2.01	0.43
1:B:32:LYS:HE3	1:B:129:ARG:CZ	2.50	0.42
1:B:301:LEU:C	1:B:301:LEU:HD12	2.44	0.42
1:B:124:GLN:HG2	1:B:153:ASP:OD2	2.20	0.42
1:A:234[B]:GLU:OE2	1:A:344:PRO:HB3	2.20	0.42
1:A:282[A]:CYS:SG	1:A:312:ARG:HD3	2.60	0.42
1:A:350:LEU:O	1:A:372:LEU:HA	2.20	0.42
1:B:170:CYS:SG	1:B:371:ILE:HD12	2.60	0.42
1:B:271:ARG:HB2	1:B:274:THR:OG1	2.19	0.42
1:B:84:ARG:O	1:B:85:PRO:C	2.63	0.41
1:B:110:PHE:HE1	1:B:116:LEU:HD23	1.84	0.41
1:A:9:CYS:HB2	1:A:148:GLN:OE1	2.20	0.41
1:A:205:LEU:HD11	1:A:368:ILE:HD12	2.02	0.41
1:A:304:ASN:HA	1:A:305:PRO:HD2	1.85	0.41
1:B:40[B]:MET:HE2	1:B:69:ALA:HB1	2.00	0.41
1:B:59:THR:HA	1:B:60:PRO:HD3	1.88	0.41
1:B:350:LEU:HB3	1:B:351:PRO:HD2	2.01	0.41
1:A:5:LYS:HE2	5:A:2002:HOH:O	2.19	0.41
1:B:253:VAL:O	1:B:257:MET:HG3	2.21	0.41
1:A:195:CYS:HA	1:A:264:PHE:O	2.21	0.40
1:B:248:LYS:HB3	1:B:248:LYS:HE2	1.95	0.40
1:B:343:ASP:N	1:B:344:PRO:CD	2.84	0.40
1:A:328:VAL:O	1:A:332:VAL:HG23	2.21	0.40
1:B:271:ARG:HB3	1:B:273[B]:ASP:OD1	2.22	0.40
1:B:343:ASP:HB2	1:B:344:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	412/374 (110%)	393 (95%)	18 (4%)	1 (0%)	43	36
1	B	403/374 (108%)	385 (96%)	18 (4%)	0	100	100
All	All	815/748 (109%)	778 (96%)	36 (4%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	174	CYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	348/308 (113%)	333 (96%)	15 (4%)	26	15
1	B	339/308 (110%)	334 (98%)	5 (2%)	57	54
All	All	687/616 (112%)	667 (97%)	20 (3%)	40	29

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16[A]	GLU
1	A	16[B]	GLU
1	A	23[A]	ILE
1	A	23[B]	ILE
1	A	101	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	104	LYS
1	A	107	GLU
1	A	164[A]	SER
1	A	164[B]	SER
1	A	184[A]	VAL
1	A	184[B]	VAL
1	A	231	LYS
1	A	239	GLU
1	A	281	CYS
1	A	349	VAL
1	B	23	ILE
1	B	101	ARG
1	B	116	LEU
1	B	251	GLN
1	B	268	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	244	GLN
1	A	348	HIS
1	B	244	GLN
1	B	251	GLN
1	B	300	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAD	A	402[B]	-	46,48,48	2.45	20 (43%)	64,73,73	2.51	25 (39%)
3	NAD	B	402[A]	-	46,48,48	2.36	19 (41%)	64,73,73	2.62	20 (31%)
4	MRD	B	403	-	7,7,7	0.37	0	9,10,10	2.43	5 (55%)
3	NAD	B	402[B]	-	46,48,48	2.36	19 (41%)	64,73,73	2.63	22 (34%)
4	MRD	A	403	-	7,7,7	0.79	0	9,10,10	1.74	2 (22%)
3	NAD	A	402[A]	-	46,48,48	2.40	19 (41%)	64,73,73	2.56	25 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	402[B]	-	-	4/30/62/62	0/5/5/5
3	NAD	B	402[A]	-	-	6/30/62/62	0/5/5/5
4	MRD	B	403	-	-	1/5/5/5	-
3	NAD	B	402[B]	-	-	6/30/62/62	0/5/5/5
4	MRD	A	403	-	-	0/5/5/5	-
3	NAD	A	402[A]	-	-	4/30/62/62	0/5/5/5

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402[A]	NAD	C4N-C3N	8.88	1.52	1.39
3	A	402[B]	NAD	C4N-C3N	8.88	1.52	1.39
3	B	402[A]	NAD	C5N-C4N	7.77	1.52	1.38
3	B	402[B]	NAD	C5N-C4N	7.77	1.52	1.38
3	A	402[A]	NAD	C7N-N7N	5.10	1.42	1.33
3	A	402[B]	NAD	C7N-N7N	5.10	1.42	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402[A]	NAD	C6N-N1N	4.89	1.46	1.35
3	B	402[B]	NAD	C6N-N1N	4.89	1.46	1.35
3	B	402[A]	NAD	O4D-C4D	4.00	1.53	1.45
3	B	402[B]	NAD	O4D-C4D	4.00	1.53	1.45
3	A	402[A]	NAD	C5N-C4N	3.72	1.45	1.38
3	A	402[B]	NAD	C5N-C4N	3.72	1.45	1.38
3	A	402[B]	NAD	C2A-N3A	3.61	1.40	1.33
3	B	402[A]	NAD	C6N-C5N	-3.52	1.31	1.38
3	B	402[B]	NAD	C6N-C5N	-3.52	1.31	1.38
3	A	402[A]	NAD	O7N-C7N	3.22	1.30	1.24
3	A	402[B]	NAD	O7N-C7N	3.22	1.30	1.24
3	B	402[A]	NAD	C4A-N3A	3.09	1.40	1.34
3	B	402[A]	NAD	PN-O3	3.07	1.62	1.59
3	B	402[B]	NAD	PN-O3	3.07	1.62	1.59
3	A	402[B]	NAD	C4A-N3A	3.04	1.40	1.34
3	B	402[A]	NAD	O3D-C3D	-3.03	1.35	1.43
3	B	402[B]	NAD	O3D-C3D	-3.03	1.35	1.43
3	B	402[A]	NAD	C2A-N3A	3.02	1.39	1.33
3	B	402[B]	NAD	C4A-N3A	3.02	1.40	1.34
3	B	402[A]	NAD	O2B-C2B	-3.01	1.35	1.43
3	B	402[B]	NAD	O2B-C2B	-3.01	1.35	1.43
3	A	402[A]	NAD	O4D-C4D	3.00	1.51	1.45
3	A	402[B]	NAD	O4D-C4D	3.00	1.51	1.45
3	A	402[A]	NAD	O2B-C2B	-2.98	1.35	1.43
3	A	402[B]	NAD	O2B-C2B	-2.98	1.35	1.43
3	B	402[B]	NAD	C5A-N7A	-2.97	1.33	1.39
3	A	402[A]	NAD	C3B-C4B	2.95	1.60	1.53
3	A	402[B]	NAD	C3B-C4B	2.95	1.60	1.53
3	B	402[A]	NAD	C3B-C4B	2.86	1.60	1.53
3	B	402[B]	NAD	C3B-C4B	2.86	1.60	1.53
3	A	402[A]	NAD	C4A-N3A	2.86	1.39	1.34
3	B	402[A]	NAD	C3N-C7N	2.82	1.54	1.50
3	B	402[B]	NAD	C3N-C7N	2.82	1.54	1.50
3	A	402[B]	NAD	C5A-N7A	-2.78	1.34	1.39
3	B	402[A]	NAD	C5A-N7A	-2.76	1.34	1.39
3	A	402[A]	NAD	PN-O3	2.67	1.62	1.59
3	A	402[B]	NAD	PN-O3	2.67	1.62	1.59
3	B	402[A]	NAD	O2D-C2D	-2.65	1.36	1.43
3	B	402[B]	NAD	O2D-C2D	-2.65	1.36	1.43
3	B	402[A]	NAD	O3B-C3B	2.61	1.49	1.43
3	B	402[B]	NAD	O3B-C3B	2.61	1.49	1.43
3	A	402[A]	NAD	O3B-C3B	2.59	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402[B]	NAD	O3B-C3B	2.59	1.49	1.43
3	A	402[A]	NAD	C5A-N7A	-2.56	1.34	1.39
3	B	402[A]	NAD	C4N-C3N	2.55	1.43	1.39
3	B	402[B]	NAD	C4N-C3N	2.55	1.43	1.39
3	A	402[A]	NAD	C6N-N1N	2.53	1.41	1.35
3	A	402[B]	NAD	C6N-N1N	2.53	1.41	1.35
3	A	402[A]	NAD	C2A-N3A	2.52	1.38	1.33
3	B	402[B]	NAD	C2A-N3A	2.51	1.38	1.33
3	B	402[A]	NAD	PN-O1N	-2.50	1.42	1.50
3	B	402[B]	NAD	PN-O1N	-2.50	1.42	1.50
3	A	402[A]	NAD	PN-O1N	-2.44	1.42	1.50
3	A	402[B]	NAD	PN-O1N	-2.44	1.42	1.50
3	A	402[A]	NAD	C5A-C6A	2.40	1.47	1.41
3	A	402[A]	NAD	C6N-C5N	-2.35	1.33	1.38
3	A	402[B]	NAD	C6N-C5N	-2.35	1.33	1.38
3	A	402[B]	NAD	C5A-C6A	2.33	1.47	1.41
3	B	402[A]	NAD	C5A-C6A	2.30	1.47	1.41
3	B	402[B]	NAD	C5A-C6A	2.29	1.47	1.41
3	B	402[A]	NAD	O4D-C1D	2.29	1.43	1.40
3	B	402[B]	NAD	O4D-C1D	2.29	1.43	1.40
3	A	402[A]	NAD	C3D-C4D	2.26	1.58	1.53
3	A	402[B]	NAD	C3D-C4D	2.26	1.58	1.53
3	A	402[A]	NAD	O2D-C2D	-2.23	1.37	1.43
3	A	402[B]	NAD	O2D-C2D	-2.23	1.37	1.43
3	A	402[A]	NAD	C3N-C7N	-2.22	1.47	1.50
3	A	402[B]	NAD	C3N-C7N	-2.22	1.47	1.50
3	B	402[A]	NAD	C2N-N1N	-2.04	1.32	1.35
3	B	402[B]	NAD	C2N-N1N	-2.04	1.32	1.35
3	A	402[B]	NAD	C4A-N9A	2.00	1.41	1.37

All (99) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402[A]	NAD	C5N-C4N-C3N	-12.26	108.31	120.36
3	B	402[B]	NAD	C5N-C4N-C3N	-12.26	108.31	120.36
3	A	402[A]	NAD	C5N-C4N-C3N	-9.19	111.33	120.36
3	A	402[B]	NAD	C5N-C4N-C3N	-9.19	111.33	120.36
3	B	402[A]	NAD	C2N-C3N-C4N	6.54	125.86	118.26
3	B	402[B]	NAD	C2N-C3N-C4N	6.54	125.86	118.26
3	A	402[B]	NAD	C2A-N1A-C6A	5.99	128.57	118.73
3	B	402[B]	NAD	C2A-N1A-C6A	5.95	128.51	118.73
3	A	402[A]	NAD	C2A-N1A-C6A	5.88	128.39	118.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402[A]	NAD	C2A-N1A-C6A	5.72	128.12	118.73
3	A	402[A]	NAD	O7N-C7N-N7N	-5.72	114.36	122.62
3	A	402[B]	NAD	O7N-C7N-N7N	-5.72	114.36	122.62
3	A	402[A]	NAD	C2N-C3N-C4N	4.86	123.92	118.26
3	A	402[B]	NAD	C2N-C3N-C4N	4.86	123.92	118.26
3	A	402[A]	NAD	N3A-C2A-N1A	-4.54	121.70	128.58
3	B	402[A]	NAD	C3N-C7N-N7N	4.43	123.20	117.74
3	B	402[B]	NAD	C3N-C7N-N7N	4.43	123.20	117.74
4	B	403	MRD	CM-C2-C1	-4.42	100.73	110.63
3	B	402[A]	NAD	C4A-N9A-C8A	-4.30	101.22	105.74
3	B	402[B]	NAD	N3A-C2A-N1A	-4.20	122.23	128.58
3	A	402[A]	NAD	O2A-PA-O1A	4.19	131.95	112.44
3	A	402[B]	NAD	O2A-PA-O1A	4.19	131.95	112.44
3	B	402[A]	NAD	N3A-C2A-N1A	-4.10	122.38	128.58
3	A	402[A]	NAD	C4A-N9A-C8A	-4.10	101.43	105.74
3	A	402[B]	NAD	N3A-C2A-N1A	-4.07	122.42	128.58
3	A	402[A]	NAD	C6N-N1N-C2N	4.03	125.30	121.88
3	A	402[B]	NAD	C6N-N1N-C2N	4.03	125.30	121.88
3	B	402[B]	NAD	C4A-N9A-C8A	-3.93	101.61	105.74
3	A	402[A]	NAD	C3N-C7N-N7N	3.72	122.32	117.74
3	A	402[B]	NAD	C3N-C7N-N7N	3.72	122.32	117.74
3	A	402[A]	NAD	C6N-C5N-C4N	3.69	124.77	119.45
3	A	402[B]	NAD	C6N-C5N-C4N	3.69	124.77	119.45
4	B	403	MRD	O2-C2-CM	3.65	119.37	107.99
3	A	402[B]	NAD	C4A-N9A-C8A	-3.59	101.97	105.74
4	A	403	MRD	C5-C4-C3	-3.40	95.87	111.67
3	A	402[A]	NAD	C5A-C4A-N3A	-3.33	122.14	126.72
3	B	402[A]	NAD	O7N-C7N-C3N	-3.29	115.58	119.60
3	B	402[B]	NAD	O7N-C7N-C3N	-3.29	115.58	119.60
3	B	402[A]	NAD	O2A-PA-O1A	3.19	127.27	112.44
3	B	402[B]	NAD	O2A-PA-O1A	3.19	127.27	112.44
3	B	402[A]	NAD	C5A-C4A-N3A	-3.15	122.37	126.72
3	B	402[B]	NAD	C2B-C1B-N9A	-3.09	105.62	113.30
3	A	402[B]	NAD	C5A-C4A-N3A	-3.05	122.52	126.72
3	B	402[A]	NAD	O2N-PN-O1N	2.94	126.14	112.44
3	B	402[B]	NAD	O2N-PN-O1N	2.94	126.14	112.44
3	A	402[B]	NAD	C6A-C5A-C4A	2.80	121.00	117.18
4	B	403	MRD	C1-C2-C3	2.75	122.05	110.20
3	B	402[B]	NAD	C5A-C4A-N3A	-2.74	122.94	126.72
3	A	402[A]	NAD	O3D-C3D-C4D	-2.71	103.30	111.08
3	A	402[B]	NAD	O3D-C3D-C4D	-2.71	103.30	111.08
3	A	402[A]	NAD	O7N-C7N-C3N	2.71	122.91	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402[B]	NAD	O7N-C7N-C3N	2.71	122.91	119.60
3	B	402[A]	NAD	C6A-C5A-C4A	2.62	120.75	117.18
3	A	402[A]	NAD	C2B-C1B-N9A	-2.61	106.83	113.30
4	A	403	MRD	O4-C4-C5	-2.60	98.25	109.45
4	B	403	MRD	O4-C4-C3	2.59	121.64	111.35
3	A	402[A]	NAD	C4D-O4D-C1D	-2.57	107.57	109.92
3	A	402[B]	NAD	C4D-O4D-C1D	-2.57	107.57	109.92
3	A	402[B]	NAD	C5A-C6A-N1A	-2.52	111.11	117.51
3	B	402[B]	NAD	C5A-C6A-N6A	2.49	129.46	123.29
3	A	402[A]	NAD	O2N-PN-O1N	2.49	124.01	112.44
3	A	402[B]	NAD	O2N-PN-O1N	2.49	124.01	112.44
3	B	402[A]	NAD	O3-PA-O1A	-2.47	103.27	110.70
3	B	402[B]	NAD	O3-PA-O1A	-2.47	103.27	110.70
3	A	402[A]	NAD	C5A-C6A-N1A	-2.45	111.29	117.51
3	A	402[B]	NAD	N6A-C6A-N1A	2.44	123.81	118.38
3	B	402[B]	NAD	C5A-C6A-N1A	-2.44	111.33	117.51
3	B	402[A]	NAD	C5N-C6N-N1N	-2.38	117.14	120.38
3	B	402[B]	NAD	C5N-C6N-N1N	-2.38	117.14	120.38
3	B	402[A]	NAD	C5A-C6A-N1A	-2.38	111.48	117.51
3	A	402[A]	NAD	C6A-C5A-C4A	2.38	120.42	117.18
3	B	402[A]	NAD	O4D-C4D-C3D	-2.36	100.48	105.15
3	B	402[B]	NAD	O4D-C4D-C3D	-2.36	100.48	105.15
3	B	402[A]	NAD	O2B-C2B-C3B	2.32	119.27	111.82
3	B	402[B]	NAD	O2B-C2B-C3B	2.32	119.27	111.82
4	B	403	MRD	CM-C2-C3	-2.32	100.18	110.20
3	B	402[A]	NAD	O5B-C5B-C4B	-2.31	101.12	108.99
3	B	402[B]	NAD	O5B-C5B-C4B	-2.31	101.12	108.99
3	A	402[A]	NAD	O4B-C4B-C5B	-2.29	102.00	109.33
3	A	402[B]	NAD	O4B-C4B-C5B	-2.29	102.00	109.33
3	B	402[A]	NAD	C6N-N1N-C1D	-2.25	115.31	119.73
3	B	402[B]	NAD	C6N-N1N-C1D	-2.25	115.31	119.73
3	A	402[B]	NAD	C1B-N9A-C8A	2.19	131.96	127.09
3	B	402[A]	NAD	O4B-C4B-C5B	-2.18	102.34	109.33
3	B	402[B]	NAD	O4B-C4B-C5B	-2.18	102.34	109.33
3	A	402[A]	NAD	O4D-C4D-C5D	-2.17	102.39	109.33
3	A	402[B]	NAD	O4D-C4D-C5D	-2.17	102.39	109.33
3	B	402[A]	NAD	O3D-C3D-C4D	2.12	117.16	111.08
3	B	402[B]	NAD	O3D-C3D-C4D	2.12	117.16	111.08
3	A	402[A]	NAD	O3B-C3B-C4B	-2.09	105.08	111.08
3	A	402[B]	NAD	O3B-C3B-C4B	-2.09	105.08	111.08
3	A	402[A]	NAD	O4B-C1B-N9A	-2.04	104.17	108.09
3	A	402[A]	NAD	O2B-C2B-C3B	2.04	118.35	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402[B]	NAD	O2B-C2B-C3B	2.04	118.35	111.82
3	A	402[A]	NAD	C3B-C2B-C1B	-2.02	97.63	101.46
3	A	402[B]	NAD	C3B-C2B-C1B	-2.02	97.63	101.46
3	A	402[A]	NAD	C4B-O4B-C1B	-2.02	105.02	109.47
3	A	402[B]	NAD	C4B-O4B-C1B	-2.02	105.02	109.47
3	B	402[B]	NAD	C6A-C5A-C4A	2.01	119.92	117.18

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	402[A]	NAD	O4D-C1D-N1N-C2N
3	A	402[A]	NAD	O4D-C1D-N1N-C6N
3	A	402[A]	NAD	C2D-C1D-N1N-C2N
3	A	402[A]	NAD	C2D-C1D-N1N-C6N
3	A	402[B]	NAD	O4D-C1D-N1N-C2N
3	A	402[B]	NAD	O4D-C1D-N1N-C6N
3	A	402[B]	NAD	C2D-C1D-N1N-C2N
3	A	402[B]	NAD	C2D-C1D-N1N-C6N
3	B	402[A]	NAD	O4D-C1D-N1N-C2N
3	B	402[A]	NAD	O4D-C1D-N1N-C6N
3	B	402[A]	NAD	C2D-C1D-N1N-C2N
3	B	402[B]	NAD	O4D-C1D-N1N-C2N
3	B	402[B]	NAD	O4D-C1D-N1N-C6N
3	B	402[B]	NAD	C2D-C1D-N1N-C2N
4	B	403	MRD	C2-C3-C4-O4
3	B	402[A]	NAD	C2D-C1D-N1N-C6N
3	B	402[B]	NAD	C2D-C1D-N1N-C6N
3	B	402[A]	NAD	PN-O3-PA-O2A
3	B	402[B]	NAD	PN-O3-PA-O2A
3	B	402[A]	NAD	O4B-C4B-C5B-O5B
3	B	402[B]	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.


3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	403	MRD	4	0
4	A	403	MRD	1	0
3	A	402[A]	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand NAD B 402 (A)



Ligand NAD B 402 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	374/374 (100%)	-0.34	0 100 100	12, 30, 45, 65	40 (10%)
1	B	374/374 (100%)	-0.52	1 (0%) 90 92	12, 25, 40, 56	31 (8%)
All	All	748/748 (100%)	-0.43	1 (0%) 92 93	12, 28, 44, 65	71 (9%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	84	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MRD	B	403	8/8	0.76	0.14	37,40,43,44	0
4	MRD	A	403	8/8	0.83	0.14	17,19,19,21	0
3	NAD	A	402[A]	44/44	0.99	0.04	17,22,25,25	10
3	NAD	A	402[B]	44/44	0.99	0.04	17,21,23,25	10

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAD	B	402[A]	44/44	0.99	0.04	15,19,22,24	10
3	NAD	B	402[B]	44/44	0.99	0.04	15,19,22,24	10
2	CD	A	401	1/1	0.99	0.02	29,29,29,29	0
2	CD	B	401	1/1	0.99	0.01	25,25,25,25	0
2	CD	B	400	1/1	1.00	0.01	24,24,24,24	0
2	CD	A	400	1/1	1.00	0.01	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD A 402 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 402 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 402 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD B 402 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.