



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:17 PM UTC

PDB ID : 3HF3 / pdb_00003hf3
Title : Old Yellow Enzyme from *Thermus scotoductus* SA-01
Authors : Opperman, D.J.; Sewell, B.T.; Litthauer, D.; Isupov, M.N.; Littlechild, J.A.;
van Heerden, E.
Deposited on : 2009-05-11
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	
1	B	349	
1	C	349	
1	D	349	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	1101	-	-	X	-
3	SO4	B	1102	-	-	X	-
3	SO4	C	1103	-	-	X	-
3	SO4	D	1104	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chromate reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	1	0
			2680	1716	481	476	7			
1	B	348	Total	C	N	O	S	0	0	0
			2674	1712	481	474	7			
1	C	348	Total	C	N	O	S	0	0	0
			2674	1712	481	474	7			
1	D	348	Total	C	N	O	S	0	0	0
			2674	1712	481	474	7			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	234	Total	O	0	0
			234	234		
4	B	234	Total	O	0	0
			234	234		
4	C	190	Total	O	0	0
			190	190		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	190	Total 190	O 190	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chromate reductase



- Molecule 1: Chromate reductase



- Molecule 1: Chromate reductase




- Molecule 1: Chromate reductase

Chain D:

81%

16%



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	101.78Å 101.88Å 180.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.28 – 2.20 38.28 – 2.20	Depositor EDS
% Data completeness (in resolution range)	94.4 (38.28-2.20) 94.2 (38.28-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.174 , 0.214 0.159 , 0.155	Depositor DCC
R_{free} test set	4538 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 23.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.278 for k,h,-l	Xtriage
Reported twinning fraction	0.733 for H, K, L 0.267 for K, H, -L	Depositor
Outliers	1 of 90665 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11694	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.5167e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/2748 (0.0%)	0.91	3/3737 (0.1%)
1	B	0.81	1/2739 (0.0%)	0.94	4/3725 (0.1%)
1	C	0.69	0/2739	0.93	5/3725 (0.1%)
1	D	0.69	0/2739	0.92	3/3725 (0.1%)
All	All	0.74	2/10965 (0.0%)	0.92	15/14912 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	277	VAL	CA-CB	10.09	1.60	1.53
1	A	277	VAL	CA-CB	6.72	1.58	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	342	PRO	CA-C-N	6.23	126.42	119.32
1	D	342	PRO	C-N-CA	6.23	126.42	119.32
1	C	313	ASP	N-CA-C	-5.88	106.44	113.97
1	A	50	GLY	N-CA-C	5.77	122.71	114.64
1	B	126	GLY	CA-C-N	-5.75	112.66	119.84
1	B	126	GLY	C-N-CA	-5.75	112.66	119.84
1	C	96	VAL	CB-CA-C	-5.68	105.65	110.94
1	C	319	ARG	N-CA-C	5.35	117.81	111.33
1	D	50	GLY	N-CA-C	5.31	122.65	115.00
1	C	342	PRO	CA-C-N	5.20	125.00	119.28
1	C	342	PRO	C-N-CA	5.20	125.00	119.28
1	A	154	PHE	N-CA-C	-5.06	105.84	111.36
1	B	342	PRO	CA-C-N	-5.02	114.44	119.56
1	B	342	PRO	C-N-CA	-5.02	114.44	119.56
1	A	277	VAL	N-CA-CB	5.00	113.65	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2680	0	2725	54	0
1	B	2674	0	2719	52	0
1	C	2674	0	2719	72	0
1	D	2674	0	2719	42	0
2	A	31	0	19	2	0
2	B	31	0	19	2	0
2	C	31	0	19	4	0
2	D	31	0	19	3	0
3	A	5	0	0	2	0
3	B	5	0	0	4	0
3	C	5	0	0	3	0
3	D	5	0	0	3	0
4	A	234	0	0	13	0
4	B	234	0	0	12	0
4	C	190	0	0	13	0
4	D	190	0	0	7	0
All	All	11694	0	10958	220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1003:FMN:C10	3:C:1103:SO4:O2	1.93	1.17
1:C:266:ARG:HH11	1:C:266:ARG:HG3	1.04	1.14
1:B:177:TYR:HE2	3:B:1102:SO4:O3	1.27	1.12
1:C:89:ARG:HG2	1:C:89:ARG:HH11	1.12	1.10
1:B:177:TYR:CE2	3:B:1102:SO4:O3	2.05	1.08
1:C:266:ARG:HH11	1:C:266:ARG:CG	1.83	0.92
1:A:266:ARG:HG2	4:A:351:HOH:O	1.74	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:204:PHE:HB3	1:D:205:PRO:HD3	1.60	0.83
1:C:89:ARG:HH11	1:C:89:ARG:CG	1.91	0.82
2:C:1003:FMN:C4A	3:C:1103:SO4:O2	2.26	0.82
1:D:13:LEU:HD12	1:D:13:LEU:C	2.05	0.81
1:C:266:ARG:HG3	1:C:266:ARG:NH1	1.86	0.81
1:D:299:THR:HG22	1:D:302:GLN:H	1.45	0.80
1:B:89:ARG:HG2	1:B:89:ARG:HH11	1.46	0.80
1:D:144:GLU:HG3	4:D:773:HOH:O	1.82	0.79
2:D:1004:FMN:C10	3:D:1104:SO4:O2	2.31	0.79
1:C:246:ARG:HD2	4:C:921:HOH:O	1.82	0.78
1:C:242:LEU:O	1:C:246:ARG:HG3	1.84	0.78
1:C:219:GLU:OE2	4:C:731:HOH:O	2.02	0.78
1:C:89:ARG:HG2	1:C:89:ARG:NH1	1.93	0.77
1:A:218:ARG:HD3	4:A:873:HOH:O	1.84	0.77
2:C:1003:FMN:N1	3:C:1103:SO4:O2	2.18	0.76
1:C:91:ARG:HD3	4:C:787:HOH:O	1.86	0.74
1:D:2:ALA:O	1:D:6:THR:HG23	1.88	0.73
1:D:34:GLU:CD	4:D:934:HOH:O	2.33	0.72
1:A:346:GLN:OE1	4:A:890:HOH:O	2.10	0.70
1:D:147:MET:HE1	1:D:194:TYR:CZ	2.27	0.69
1:A:218:ARG:CD	4:A:873:HOH:O	2.41	0.68
1:D:218:ARG:HB3	4:D:923:HOH:O	1.93	0.68
1:B:24:MET:HA	2:B:1002:FMN:N5	2.09	0.68
1:C:116:GLY:HA2	4:C:880:HOH:O	1.94	0.67
1:B:210:GLN:O	1:B:214:GLU:HG3	1.94	0.67
1:B:346:GLN:HG2	4:B:531:HOH:O	1.94	0.67
1:B:113:PRO:O	4:B:901:HOH:O	2.13	0.66
1:D:77:GLU:OE2	1:D:163:ARG:NH1	2.27	0.66
1:A:177:TYR:HE2	3:A:1101:SO4:O3	1.79	0.65
1:A:2:ALA:N	4:A:424:HOH:O	2.29	0.64
1:C:2:ALA:O	1:C:6:THR:HG23	1.97	0.64
1:D:111:ALA:O	1:D:117:GLY:HA2	1.98	0.64
1:A:144:GLU:HA	1:A:147:MET:HE3	1.80	0.64
1:C:277:VAL:N	1:C:278:PRO:HD2	2.13	0.63
1:D:13:LEU:C	1:D:13:LEU:CD1	2.72	0.63
1:C:159:ARG:HD2	4:C:917:HOH:O	1.98	0.62
1:C:159:ARG:CD	4:C:917:HOH:O	2.48	0.62
1:A:266:ARG:CG	4:A:351:HOH:O	2.38	0.62
1:A:80:LEU:HB3	1:A:81:PRO:HD3	1.80	0.62
1:D:219:GLU:OE2	4:D:856:HOH:O	2.15	0.62
1:A:277:VAL:N	1:A:278:PRO:HD2	2.15	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:210:GLN:O	1:C:214:GLU:HG3	1.99	0.62
1:A:299:THR:HG22	1:A:302:GLN:H	1.64	0.62
1:C:266:ARG:CG	1:C:266:ARG:NH1	2.50	0.61
1:B:194:TYR:CE1	1:B:203:ARG:HD2	2.34	0.61
1:A:333:LYS:HE3	1:A:349:PHE:OXT	2.01	0.61
1:D:85:GLU:O	1:D:89:ARG:HG2	2.01	0.61
1:A:346:GLN:HG2	4:A:527:HOH:O	2.01	0.60
1:D:147:MET:HE1	1:D:194:TYR:CE2	2.38	0.59
1:B:272:ALA:O	1:B:273:PRO:C	2.45	0.59
1:A:299:THR:HG23	1:A:301:GLU:OE2	2.03	0.58
1:D:290:ARG:HG3	4:D:378:HOH:O	2.03	0.58
1:B:156:GLU:OE1	1:B:159:ARG:NH1	2.36	0.58
1:C:194:TYR:CE1	1:C:203:ARG:HG2	2.39	0.57
1:B:277:VAL:N	1:B:278:PRO:HD2	2.19	0.57
1:A:177:TYR:CE2	3:A:1101:SO4:O3	2.57	0.57
1:B:299:THR:HG22	1:B:302:GLN:H	1.70	0.57
1:A:348:GLY:O	1:D:323:ARG:HD3	2.04	0.57
1:B:203:ARG:HH21	1:B:203:ARG:HG3	1.70	0.57
1:D:242:LEU:O	1:D:246:ARG:HG3	2.06	0.56
1:B:159:ARG:NE	4:B:829:HOH:O	2.37	0.56
1:B:266:ARG:HB2	4:B:458:HOH:O	2.05	0.56
1:C:162:LEU:HD21	1:C:169:ILE:HD11	1.87	0.56
1:D:204:PHE:HB3	1:D:205:PRO:CD	2.32	0.56
1:C:85:GLU:OE2	1:C:88:ARG:NH2	2.38	0.56
1:B:177:TYR:CZ	3:B:1102:SO4:O3	2.56	0.56
1:A:198:LEU:HG	1:A:202:MET:HE2	1.88	0.56
1:C:204:PHE:HB3	1:C:205:PRO:HD3	1.89	0.55
1:A:199[A]:GLU:H	1:A:199[A]:GLU:CD	2.15	0.55
1:C:299:THR:HG22	1:C:302:GLN:H	1.71	0.55
1:A:88:ARG:HD2	4:B:368:HOH:O	2.07	0.54
1:B:3:LEU:HA	1:B:6:THR:HG23	1.88	0.54
1:A:49:GLY:O	1:A:329:LEU:HG	2.07	0.54
1:B:128:SER:O	1:B:139:PRO:HG2	2.08	0.54
1:A:333:LYS:CE	1:A:349:PHE:OXT	2.56	0.54
1:C:287:VAL:HG12	1:C:287:VAL:O	2.08	0.54
1:A:333:LYS:NZ	1:A:349:PHE:OXT	2.39	0.53
1:D:277:VAL:N	1:D:278:PRO:HD2	2.23	0.53
1:A:24:MET:HA	2:A:1001:FMN:C5A	2.38	0.53
1:C:327:PHE:HB3	1:C:328:PRO:HD3	1.90	0.53
1:B:77:GLU:CD	1:B:163:ARG:HH21	2.16	0.53
1:C:199:GLU:OE1	1:C:247:ARG:NH1	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:156:GLU:OE1	1:D:159:ARG:NH1	2.41	0.53
1:C:299:THR:HG23	1:C:301:GLU:OE2	2.10	0.52
1:C:190:ARG:HE	1:C:194:TYR:HB2	1.74	0.52
1:B:198:LEU:HG	1:B:202:MET:HE2	1.91	0.52
1:C:218:ARG:HD2	4:C:864:HOH:O	2.08	0.52
1:A:85:GLU:O	1:A:89:ARG:HG3	2.10	0.52
1:A:218:ARG:NH2	4:A:873:HOH:O	2.30	0.52
1:B:203:ARG:O	1:B:207:GLN:HG3	2.10	0.52
1:C:85:GLU:CD	1:C:88:ARG:HH21	2.17	0.51
1:C:19:LEU:HD22	1:C:317:LEU:HD11	1.91	0.51
1:B:162:LEU:HD22	1:B:220:LEU:CD1	2.40	0.51
1:C:346:GLN:HG2	4:C:831:HOH:O	2.10	0.51
1:A:8:LEU:HD23	1:A:15:LEU:HD12	1.92	0.51
1:C:2:ALA:O	1:C:6:THR:CG2	2.60	0.50
1:A:123:ARG:HG3	1:C:14:ARG:CZ	2.40	0.50
1:B:162:LEU:HD22	1:B:220:LEU:HD12	1.93	0.50
1:D:13:LEU:HD12	1:D:13:LEU:O	2.12	0.50
1:C:147:MET:HE1	1:C:194:TYR:CE2	2.46	0.50
1:A:242:LEU:O	1:A:246:ARG:HG3	2.10	0.50
1:D:230:ASP:O	1:D:231:TRP:HB2	2.11	0.50
1:A:246:ARG:NE	4:A:951:HOH:O	2.28	0.50
1:B:89:ARG:HG2	1:B:89:ARG:NH1	2.19	0.50
1:C:147:MET:HE1	1:C:194:TYR:CD2	2.47	0.50
1:A:27:TYR:HB3	1:A:112:ARG:HG2	1.94	0.49
1:C:151:LEU:O	1:C:155:VAL:HG23	2.12	0.49
1:D:88:ARG:NH1	4:D:374:HOH:O	2.46	0.49
1:B:346:GLN:CG	4:B:531:HOH:O	2.55	0.49
1:C:3:LEU:HA	1:C:6:THR:HG23	1.95	0.48
1:B:2:ALA:O	1:B:6:THR:HG23	2.13	0.48
1:A:24:MET:HA	2:A:1001:FMN:N5	2.29	0.48
1:D:62:GLU:HG3	4:D:359:HOH:O	2.13	0.48
1:B:144:GLU:HA	1:B:147:MET:HE3	1.94	0.48
1:C:156:GLU:OE1	1:C:159:ARG:NH1	2.46	0.48
1:D:218:ARG:HG3	1:D:219:GLU:N	2.28	0.48
1:B:24:MET:HA	2:B:1002:FMN:C5A	2.44	0.48
1:B:299:THR:HG23	1:B:301:GLU:OE2	2.14	0.48
1:D:24:MET:HA	2:D:1004:FMN:N5	2.29	0.48
1:B:249:LYS:NZ	4:B:944:HOH:O	2.47	0.47
1:C:282:ALA:HA	4:C:500:HOH:O	2.13	0.47
1:D:225:ARG:HA	1:D:257:ASP:HB3	1.95	0.47
1:B:21:MET:HG3	1:B:321:LEU:HD12	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:TYR:HB2	1:B:44:PRO:HD3	1.96	0.47
1:B:203:ARG:HG3	1:B:203:ARG:NH2	2.30	0.47
1:C:162:LEU:CD2	1:C:169:ILE:HD11	2.44	0.47
1:C:266:ARG:N	1:C:266:ARG:HD3	2.29	0.47
1:D:151:LEU:HD21	1:D:211:ALA:CB	2.45	0.47
1:C:89:ARG:CG	1:C:89:ARG:NH1	2.58	0.47
1:A:202:MET:HB3	1:A:206:LEU:HD12	1.97	0.46
1:A:346:GLN:CG	4:A:527:HOH:O	2.60	0.46
1:C:80:LEU:CB	1:C:81:PRO:HD3	2.44	0.46
1:B:63:PRO:HG3	1:B:75:TRP:CE2	2.50	0.46
1:A:163:ARG:HD3	4:A:825:HOH:O	2.16	0.46
1:A:327:PHE:HB3	1:A:328:PRO:HD3	1.96	0.46
1:A:156:GLU:OE1	1:A:159:ARG:NH1	2.49	0.46
1:C:190:ARG:NH2	1:C:192:ASP:OD2	2.43	0.46
1:A:63:PRO:HD3	1:A:75:TRP:CG	2.51	0.46
1:A:221:PRO:HA	1:A:254:ASP:OD1	2.15	0.46
1:A:202:MET:HB3	1:A:206:LEU:CD1	2.46	0.45
1:B:107:LYS:HE3	1:B:132:PHE:CZ	2.51	0.45
1:B:333:LYS:HE2	4:B:852:HOH:O	2.14	0.45
1:A:156:GLU:HG3	4:A:392:HOH:O	2.16	0.45
1:C:159:ARG:O	1:C:163:ARG:HG3	2.15	0.45
1:C:282:ALA:O	1:C:286:ARG:HB2	2.17	0.45
1:D:324:ASP:CG	1:D:330:ARG:HH22	2.24	0.45
1:C:167:GLN:O	1:C:221:PRO:HD2	2.17	0.45
1:A:77:GLU:OE1	1:A:163:ARG:NH1	2.50	0.45
1:C:218:ARG:NE	4:C:731:HOH:O	2.46	0.45
1:D:177:TYR:O	1:D:178:LEU:C	2.59	0.45
2:D:1004:FMN:C4A	3:D:1104:SO4:O2	2.64	0.45
1:C:188:ASN:OD1	1:C:188:ASN:C	2.59	0.44
1:C:131:PRO:HG3	1:C:138:VAL:HG22	1.98	0.44
1:B:13:LEU:HD21	1:B:167:GLN:HE21	1.83	0.44
1:B:89:ARG:HD3	4:B:570:HOH:O	2.17	0.44
1:C:151:LEU:C	1:C:151:LEU:HD23	2.43	0.44
1:B:218:ARG:HG3	1:B:219:GLU:N	2.33	0.44
1:C:24:MET:HA	2:C:1003:FMN:N5	2.33	0.44
1:C:9:GLU:OE2	1:C:14:ARG:NH2	2.49	0.43
1:D:174:ALA:HB2	1:D:225:ARG:HG2	2.00	0.43
1:B:10:LEU:O	1:B:11:GLY:C	2.62	0.43
1:B:170:GLU:OE1	1:B:257:ASP:OD1	2.36	0.43
1:A:19:LEU:HD22	1:A:317:LEU:HD11	2.00	0.43
1:C:159:ARG:HD3	4:C:917:HOH:O	2.13	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:THR:HG22	1:B:119:PRO:HA	2.01	0.43
1:B:159:ARG:NH2	4:B:829:HOH:O	2.50	0.43
1:A:111:ALA:O	1:A:117:GLY:HA2	2.19	0.43
1:A:84:LYS:HB2	1:A:84:LYS:HE3	1.82	0.42
1:A:162:LEU:HD22	1:A:220:LEU:CD1	2.49	0.42
1:C:133:ASP:OD1	1:C:134:GLU:N	2.52	0.42
1:B:43:TYR:CD2	1:B:86:LEU:HD11	2.54	0.42
1:A:8:LEU:HB2	1:A:18:ARG:HD3	2.00	0.42
1:C:162:LEU:HD21	1:C:169:ILE:CD1	2.49	0.42
1:C:176:GLY:HA3	1:C:263:VAL:HA	2.00	0.42
1:D:342:PRO:HA	1:D:343:PRO:HD2	1.71	0.42
1:C:277:VAL:N	1:C:278:PRO:CD	2.83	0.42
1:B:220:LEU:HA	1:B:221:PRO:HD3	1.74	0.42
1:C:212:VAL:O	1:C:216:VAL:HG23	2.20	0.42
1:B:88:ARG:NH1	1:B:88:ARG:HG2	2.34	0.42
1:C:342:PRO:HA	1:C:343:PRO:HD3	1.84	0.42
1:D:48:LEU:HD23	1:D:93:ALA:HB1	2.00	0.42
1:C:287:VAL:O	1:C:287:VAL:CG1	2.68	0.42
1:B:7:PRO:HB3	1:B:14:ARG:CG	2.50	0.42
1:C:169:ILE:O	1:C:222:LEU:HD12	2.19	0.42
1:D:203:ARG:O	1:D:207:GLN:HG3	2.19	0.42
1:B:333:LYS:CE	4:B:852:HOH:O	2.68	0.41
1:C:85:GLU:OE2	1:C:89:ARG:NE	2.53	0.41
1:D:85:GLU:O	1:D:89:ARG:CG	2.68	0.41
1:C:265:LEU:HA	1:C:265:LEU:HD12	1.77	0.41
1:D:4:LEU:HD11	1:D:19:LEU:CD2	2.51	0.41
1:D:177:TYR:HE2	3:D:1104:SO4:O3	2.03	0.41
1:D:256:LEU:HD23	1:D:283:VAL:HG21	2.02	0.41
1:C:77:GLU:OE1	1:C:160:ARG:NH2	2.47	0.41
1:B:40:LEU:O	1:B:44:PRO:HG2	2.20	0.41
1:C:129:PRO:HD3	1:C:141:PRO:HG3	2.02	0.41
1:A:151:LEU:C	1:A:151:LEU:HD23	2.45	0.41
1:D:265:LEU:HD12	1:D:265:LEU:HA	1.94	0.41
1:A:158:ALA:O	1:A:162:LEU:HG	2.20	0.41
1:A:212:VAL:O	1:A:216:VAL:HG23	2.21	0.41
1:B:143:ASP:C	1:B:143:ASP:OD1	2.64	0.41
1:B:218:ARG:CB	4:B:855:HOH:O	2.69	0.41
1:C:192:ASP:HB2	4:C:386:HOH:O	2.20	0.41
1:A:41:LEU:HD12	1:D:41:LEU:HD12	2.03	0.41
1:B:172:HIS:NE2	3:B:1102:SO4:O4	2.39	0.41
1:A:77:GLU:OE2	1:A:80:LEU:HD22	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:13:LEU:HD21	1:C:167:GLN:NE2	2.36	0.40
1:C:64:LEU:HB2	4:C:775:HOH:O	2.21	0.40
1:A:41:LEU:HD12	1:D:41:LEU:CD1	2.51	0.40
1:A:163:ARG:CD	4:A:825:HOH:O	2.69	0.40
1:C:111:ALA:O	1:C:117:GLY:HA2	2.20	0.40
1:C:306:LEU:C	1:C:306:LEU:HD12	2.47	0.40
1:A:123:ARG:HD2	1:C:9:GLU:HG2	2.04	0.40
1:D:220:LEU:HA	1:D:221:PRO:HD3	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/349 (99%)	331 (95%)	15 (4%)	1 (0%)	36	42
1	B	346/349 (99%)	334 (96%)	10 (3%)	2 (1%)	21	23
1	C	346/349 (99%)	334 (96%)	10 (3%)	2 (1%)	21	23
1	D	346/349 (99%)	335 (97%)	9 (3%)	2 (1%)	21	23
All	All	1385/1396 (99%)	1334 (96%)	44 (3%)	7 (0%)	24	27

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	57	GLU
1	C	57	GLU
1	B	11	GLY
1	B	57	GLU
1	D	57	GLU
1	D	67	ILE
1	C	272	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/275 (100%)	263 (96%)	12 (4%)	25	34
1	B	274/275 (100%)	269 (98%)	5 (2%)	51	68
1	C	274/275 (100%)	265 (97%)	9 (3%)	33	45
1	D	274/275 (100%)	260 (95%)	14 (5%)	21	27
All	All	1097/1100 (100%)	1057 (96%)	40 (4%)	31	42

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	GLU
1	A	89	ARG
1	A	91	ARG
1	A	144	GLU
1	A	229	THR
1	A	233	GLU
1	A	264	VAL
1	A	266	ARG
1	A	268	ARG
1	A	286	ARG
1	A	299	THR
1	A	340	GLU
1	B	9	GLU
1	B	134	GLU
1	B	233	GLU
1	B	247	ARG
1	B	299	THR
1	C	6	THR
1	C	64	LEU
1	C	89	ARG
1	C	92	GLU
1	C	233	GLU
1	C	265	LEU
1	C	266	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	286	ARG
1	C	299	THR
1	D	13	LEU
1	D	62	GLU
1	D	89	ARG
1	D	134	GLU
1	D	205	PRO
1	D	214	GLU
1	D	233	GLU
1	D	265	LEU
1	D	266	ARG
1	D	268	ARG
1	D	290	ARG
1	D	299	THR
1	D	340	GLU
1	D	341	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	167	GLN
1	A	276	GLN
1	B	167	GLN
1	B	189	GLN
1	B	200	ASN
1	C	167	GLN
1	C	276	GLN
1	D	167	GLN
1	D	276	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	1102	-	4,4,4	0.23	0	6,6,6	0.35	0
3	SO4	C	1103	-	4,4,4	0.25	0	6,6,6	0.17	0
2	FMN	C	1003	-	33,33,33	1.04	1 (3%)	48,50,50	1.55	9 (18%)
2	FMN	D	1004	-	33,33,33	1.05	1 (3%)	48,50,50	1.54	10 (20%)
2	FMN	A	1001	-	33,33,33	1.12	2 (6%)	48,50,50	1.68	13 (27%)
2	FMN	B	1002	-	33,33,33	1.09	2 (6%)	48,50,50	1.34	9 (18%)
3	SO4	D	1104	-	4,4,4	0.25	0	6,6,6	0.27	0
3	SO4	A	1101	-	4,4,4	0.25	0	6,6,6	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	C	1003	-	-	1/18/18/18	0/3/3/3
2	FMN	A	1001	-	-	1/18/18/18	0/3/3/3
2	FMN	B	1002	-	-	1/18/18/18	0/3/3/3
2	FMN	D	1004	-	-	2/18/18/18	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	FMN	C4A-N5	3.91	1.39	1.30
2	C	1003	FMN	C4A-N5	3.74	1.38	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1004	FMN	C4A-N5	3.64	1.38	1.30
2	B	1002	FMN	C4A-N5	3.62	1.38	1.30
2	B	1002	FMN	C10-N1	2.66	1.38	1.33
2	A	1001	FMN	C10-N1	2.37	1.38	1.33

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1004	FMN	C4-N3-C2	-4.13	118.31	125.64
2	C	1003	FMN	C4A-C10-N10	4.04	122.27	116.48
2	A	1001	FMN	C9A-C5A-N5	-3.84	118.38	122.45
2	A	1001	FMN	C4-N3-C2	-3.77	118.95	125.64
2	C	1003	FMN	C4-N3-C2	-3.76	118.97	125.64
2	A	1001	FMN	C5A-C9A-N10	3.64	121.26	117.97
2	C	1003	FMN	O2P-P-O5'	3.23	115.09	106.67
2	D	1004	FMN	C4A-C10-N10	3.19	121.05	116.48
2	A	1001	FMN	O4-C4-C4A	-3.10	118.35	126.53
2	C	1003	FMN	C10-C4A-N5	-3.08	118.51	124.81
2	B	1002	FMN	C4-N3-C2	-3.02	120.28	125.64
2	D	1004	FMN	C5A-C9A-N10	2.87	120.56	117.97
2	A	1001	FMN	O2-C2-N1	-2.87	117.03	121.80
2	D	1004	FMN	C4A-C10-N1	-2.79	117.75	124.59
2	C	1003	FMN	C4A-C4-N3	2.78	120.32	113.25
2	B	1002	FMN	C4A-C10-N10	2.73	120.39	116.48
2	D	1004	FMN	C10-C4A-N5	-2.72	119.26	124.81
2	C	1003	FMN	C4-C4A-N5	2.65	121.86	118.21
2	A	1001	FMN	C4A-C4-N3	2.63	119.94	113.25
2	B	1002	FMN	C10-C4A-N5	-2.58	119.53	124.81
2	B	1002	FMN	C5'-C4'-C3'	-2.58	107.35	112.22
2	D	1004	FMN	C9A-C5A-N5	-2.54	119.76	122.45
2	A	1001	FMN	C4A-C10-N10	2.53	120.10	116.48
2	A	1001	FMN	C9-C9A-N10	-2.48	118.52	121.85
2	D	1004	FMN	C4-C4A-C10	2.48	121.18	116.93
2	D	1004	FMN	C4A-C4-N3	2.47	119.55	113.25
2	A	1001	FMN	O5'-P-O1P	2.45	113.06	106.44
2	B	1002	FMN	C4-C4A-C10	2.44	121.11	116.93
2	C	1003	FMN	C9A-C5A-N5	-2.42	119.89	122.45
2	D	1004	FMN	O4-C4-C4A	-2.35	120.33	126.53
2	A	1001	FMN	C10-C4A-N5	-2.34	120.02	124.81
2	A	1001	FMN	O2-C2-N3	2.32	123.03	118.58
2	A	1001	FMN	C10-N1-C2	2.31	121.85	116.85
2	C	1003	FMN	C4A-C10-N1	-2.30	118.94	124.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1002	FMN	C4A-C10-N1	-2.30	118.95	124.59
2	C	1003	FMN	O4-C4-N3	-2.30	115.80	120.11
2	B	1002	FMN	C4A-C4-N3	2.23	118.92	113.25
2	A	1001	FMN	C4A-C10-N1	-2.13	119.38	124.59
2	B	1002	FMN	O4-C4-C4A	-2.11	120.97	126.53
2	D	1004	FMN	O2-C2-N1	-2.08	118.35	121.80
2	B	1002	FMN	O2P-P-O5'	2.01	111.90	106.67

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1003	FMN	C4'-C5'-O5'-P
2	D	1004	FMN	C4'-C5'-O5'-P
2	A	1001	FMN	C4'-C5'-O5'-P
2	B	1002	FMN	C4'-C5'-O5'-P
2	D	1004	FMN	C2'-C3'-C4'-O4'


There are no ring outliers.


8 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1102	SO4	4	0
3	C	1103	SO4	3	0
2	C	1003	FMN	4	0
2	D	1004	FMN	3	0
2	A	1001	FMN	2	0
2	B	1002	FMN	2	0
3	D	1104	SO4	3	0
3	A	1101	SO4	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/349 (99%)	-1.71	0 100 100	10, 19, 33, 45	1 (0%)
1	B	348/349 (99%)	-1.72	0 100 100	5, 18, 33, 46	0
1	C	348/349 (99%)	-1.65	0 100 100	12, 24, 38, 47	0
1	D	348/349 (99%)	-1.66	0 100 100	12, 23, 38, 53	0
All	All	1392/1396 (99%)	-1.69	0 100 100	5, 21, 36, 53	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	C	1103	5/5	0.99	0.05	44,47,48,51	5
3	SO4	D	1104	5/5	0.99	0.05	29,36,41,44	5
2	FMN	C	1003	31/31	1.00	0.02	6,16,21,21	0
2	FMN	D	1004	31/31	1.00	0.02	9,12,19,20	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	1101	5/5	1.00	0.05	17,28,32,38	5
3	SO4	B	1102	5/5	1.00	0.04	2,18,21,31	5
2	FMN	A	1001	31/31	1.00	0.02	8,12,15,16	0
2	FMN	B	1002	31/31	1.00	0.02	6,16,19,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN C 1003:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN D 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.