



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:21 PM UTC

PDB ID : 5HFN / pdb_00005hfn
Title : Crystal structure of a loop truncation variant of Thermotoga maritima Acetyl Esterase TM0077 (apo structure) at 2.75 Angstrom resolution
Authors : Manoj, N.; Singh, M.K.
Deposited on : 2016-01-07
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	3% 83% 7% 10%
1	B	311	3% 81% 7% 11%
1	C	311	3% 82% 7% 10%
1	D	311	3% 84% 7% 9%
1	E	311	2% 82% 8% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	311	2% 83% 6% 10%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cephalosporin-C deacetylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	280	Total	C	N	O	S	0	0	0
			2187	1425	363	390	9			
1	B	278	Total	C	N	O	S	0	1	0
			2196	1436	361	390	9			
1	C	279	Total	C	N	O	S	0	1	0
			2195	1436	360	390	9			
1	D	283	Total	C	N	O	S	0	1	0
			2201	1444	356	391	10			
1	E	279	Total	C	N	O	S	0	1	0
			2222	1450	365	398	9			
1	F	279	Total	C	N	O	S	0	1	0
			2240	1461	370	400	9			

There are 228 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	initiating methionine	UNP Q9WXT2
A	-10	GLY	-	expression tag	UNP Q9WXT2
A	-9	SER	-	expression tag	UNP Q9WXT2
A	-8	ASP	-	expression tag	UNP Q9WXT2
A	-7	LYS	-	expression tag	UNP Q9WXT2
A	-6	ILE	-	expression tag	UNP Q9WXT2
A	-5	HIS	-	expression tag	UNP Q9WXT2
A	-4	HIS	-	expression tag	UNP Q9WXT2
A	-3	HIS	-	expression tag	UNP Q9WXT2
A	-2	HIS	-	expression tag	UNP Q9WXT2
A	-1	HIS	-	expression tag	UNP Q9WXT2
A	0	HIS	-	expression tag	UNP Q9WXT2
A	?	-	GLN	deletion	UNP Q9WXT2
A	?	-	GLY	deletion	UNP Q9WXT2
A	?	-	SER	deletion	UNP Q9WXT2
A	?	-	GLY	deletion	UNP Q9WXT2
A	?	-	TRP	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	deletion	UNP Q9WXT2
A	?	-	LYS	deletion	UNP Q9WXT2
A	?	-	GLY	deletion	UNP Q9WXT2
A	?	-	ASP	deletion	UNP Q9WXT2
A	?	-	THR	deletion	UNP Q9WXT2
A	?	-	PRO	deletion	UNP Q9WXT2
A	?	-	ASP	deletion	UNP Q9WXT2
A	?	-	TYR	deletion	UNP Q9WXT2
A	?	-	PRO	deletion	UNP Q9WXT2
A	?	-	GLU	deletion	UNP Q9WXT2
A	?	-	GLY	deletion	UNP Q9WXT2
A	?	-	PRO	deletion	UNP Q9WXT2
A	?	-	VAL	deletion	UNP Q9WXT2
A	?	-	ASP	deletion	UNP Q9WXT2
A	?	-	PRO	deletion	UNP Q9WXT2
A	?	-	GLN	deletion	UNP Q9WXT2
A	?	-	TYR	deletion	UNP Q9WXT2
A	?	-	PRO	deletion	UNP Q9WXT2
A	?	-	GLY	deletion	UNP Q9WXT2
A	?	-	PHE	deletion	UNP Q9WXT2
A	?	-	MET	deletion	UNP Q9WXT2
B	-11	MET	-	initiating methionine	UNP Q9WXT2
B	-10	GLY	-	expression tag	UNP Q9WXT2
B	-9	SER	-	expression tag	UNP Q9WXT2
B	-8	ASP	-	expression tag	UNP Q9WXT2
B	-7	LYS	-	expression tag	UNP Q9WXT2
B	-6	ILE	-	expression tag	UNP Q9WXT2
B	-5	HIS	-	expression tag	UNP Q9WXT2
B	-4	HIS	-	expression tag	UNP Q9WXT2
B	-3	HIS	-	expression tag	UNP Q9WXT2
B	-2	HIS	-	expression tag	UNP Q9WXT2
B	-1	HIS	-	expression tag	UNP Q9WXT2
B	0	HIS	-	expression tag	UNP Q9WXT2
B	?	-	GLN	deletion	UNP Q9WXT2
B	?	-	GLY	deletion	UNP Q9WXT2
B	?	-	SER	deletion	UNP Q9WXT2
B	?	-	GLY	deletion	UNP Q9WXT2
B	?	-	TRP	deletion	UNP Q9WXT2
B	?	-	LEU	deletion	UNP Q9WXT2
B	?	-	LYS	deletion	UNP Q9WXT2
B	?	-	GLY	deletion	UNP Q9WXT2
B	?	-	ASP	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	THR	deletion	UNP Q9WXT2
B	?	-	PRO	deletion	UNP Q9WXT2
B	?	-	ASP	deletion	UNP Q9WXT2
B	?	-	TYR	deletion	UNP Q9WXT2
B	?	-	PRO	deletion	UNP Q9WXT2
B	?	-	GLU	deletion	UNP Q9WXT2
B	?	-	GLY	deletion	UNP Q9WXT2
B	?	-	PRO	deletion	UNP Q9WXT2
B	?	-	VAL	deletion	UNP Q9WXT2
B	?	-	ASP	deletion	UNP Q9WXT2
B	?	-	PRO	deletion	UNP Q9WXT2
B	?	-	GLN	deletion	UNP Q9WXT2
B	?	-	TYR	deletion	UNP Q9WXT2
B	?	-	PRO	deletion	UNP Q9WXT2
B	?	-	GLY	deletion	UNP Q9WXT2
B	?	-	PHE	deletion	UNP Q9WXT2
B	?	-	MET	deletion	UNP Q9WXT2
C	-11	MET	-	initiating methionine	UNP Q9WXT2
C	-10	GLY	-	expression tag	UNP Q9WXT2
C	-9	SER	-	expression tag	UNP Q9WXT2
C	-8	ASP	-	expression tag	UNP Q9WXT2
C	-7	LYS	-	expression tag	UNP Q9WXT2
C	-6	ILE	-	expression tag	UNP Q9WXT2
C	-5	HIS	-	expression tag	UNP Q9WXT2
C	-4	HIS	-	expression tag	UNP Q9WXT2
C	-3	HIS	-	expression tag	UNP Q9WXT2
C	-2	HIS	-	expression tag	UNP Q9WXT2
C	-1	HIS	-	expression tag	UNP Q9WXT2
C	0	HIS	-	expression tag	UNP Q9WXT2
C	?	-	GLN	deletion	UNP Q9WXT2
C	?	-	GLY	deletion	UNP Q9WXT2
C	?	-	SER	deletion	UNP Q9WXT2
C	?	-	GLY	deletion	UNP Q9WXT2
C	?	-	TRP	deletion	UNP Q9WXT2
C	?	-	LEU	deletion	UNP Q9WXT2
C	?	-	LYS	deletion	UNP Q9WXT2
C	?	-	GLY	deletion	UNP Q9WXT2
C	?	-	ASP	deletion	UNP Q9WXT2
C	?	-	THR	deletion	UNP Q9WXT2
C	?	-	PRO	deletion	UNP Q9WXT2
C	?	-	ASP	deletion	UNP Q9WXT2
C	?	-	TYR	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	PRO	deletion	UNP Q9WXT2
C	?	-	GLU	deletion	UNP Q9WXT2
C	?	-	GLY	deletion	UNP Q9WXT2
C	?	-	PRO	deletion	UNP Q9WXT2
C	?	-	VAL	deletion	UNP Q9WXT2
C	?	-	ASP	deletion	UNP Q9WXT2
C	?	-	PRO	deletion	UNP Q9WXT2
C	?	-	GLN	deletion	UNP Q9WXT2
C	?	-	TYR	deletion	UNP Q9WXT2
C	?	-	PRO	deletion	UNP Q9WXT2
C	?	-	GLY	deletion	UNP Q9WXT2
C	?	-	PHE	deletion	UNP Q9WXT2
C	?	-	MET	deletion	UNP Q9WXT2
D	-11	MET	-	initiating methionine	UNP Q9WXT2
D	-10	GLY	-	expression tag	UNP Q9WXT2
D	-9	SER	-	expression tag	UNP Q9WXT2
D	-8	ASP	-	expression tag	UNP Q9WXT2
D	-7	LYS	-	expression tag	UNP Q9WXT2
D	-6	ILE	-	expression tag	UNP Q9WXT2
D	-5	HIS	-	expression tag	UNP Q9WXT2
D	-4	HIS	-	expression tag	UNP Q9WXT2
D	-3	HIS	-	expression tag	UNP Q9WXT2
D	-2	HIS	-	expression tag	UNP Q9WXT2
D	-1	HIS	-	expression tag	UNP Q9WXT2
D	0	HIS	-	expression tag	UNP Q9WXT2
D	?	-	GLN	deletion	UNP Q9WXT2
D	?	-	GLY	deletion	UNP Q9WXT2
D	?	-	SER	deletion	UNP Q9WXT2
D	?	-	GLY	deletion	UNP Q9WXT2
D	?	-	TRP	deletion	UNP Q9WXT2
D	?	-	LEU	deletion	UNP Q9WXT2
D	?	-	LYS	deletion	UNP Q9WXT2
D	?	-	GLY	deletion	UNP Q9WXT2
D	?	-	ASP	deletion	UNP Q9WXT2
D	?	-	THR	deletion	UNP Q9WXT2
D	?	-	PRO	deletion	UNP Q9WXT2
D	?	-	ASP	deletion	UNP Q9WXT2
D	?	-	TYR	deletion	UNP Q9WXT2
D	?	-	PRO	deletion	UNP Q9WXT2
D	?	-	GLU	deletion	UNP Q9WXT2
D	?	-	GLY	deletion	UNP Q9WXT2
D	?	-	PRO	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	VAL	deletion	UNP Q9WXT2
D	?	-	ASP	deletion	UNP Q9WXT2
D	?	-	PRO	deletion	UNP Q9WXT2
D	?	-	GLN	deletion	UNP Q9WXT2
D	?	-	TYR	deletion	UNP Q9WXT2
D	?	-	PRO	deletion	UNP Q9WXT2
D	?	-	GLY	deletion	UNP Q9WXT2
D	?	-	PHE	deletion	UNP Q9WXT2
D	?	-	MET	deletion	UNP Q9WXT2
E	-11	MET	-	initiating methionine	UNP Q9WXT2
E	-10	GLY	-	expression tag	UNP Q9WXT2
E	-9	SER	-	expression tag	UNP Q9WXT2
E	-8	ASP	-	expression tag	UNP Q9WXT2
E	-7	LYS	-	expression tag	UNP Q9WXT2
E	-6	ILE	-	expression tag	UNP Q9WXT2
E	-5	HIS	-	expression tag	UNP Q9WXT2
E	-4	HIS	-	expression tag	UNP Q9WXT2
E	-3	HIS	-	expression tag	UNP Q9WXT2
E	-2	HIS	-	expression tag	UNP Q9WXT2
E	-1	HIS	-	expression tag	UNP Q9WXT2
E	0	HIS	-	expression tag	UNP Q9WXT2
E	?	-	GLN	deletion	UNP Q9WXT2
E	?	-	GLY	deletion	UNP Q9WXT2
E	?	-	SER	deletion	UNP Q9WXT2
E	?	-	GLY	deletion	UNP Q9WXT2
E	?	-	TRP	deletion	UNP Q9WXT2
E	?	-	LEU	deletion	UNP Q9WXT2
E	?	-	LYS	deletion	UNP Q9WXT2
E	?	-	GLY	deletion	UNP Q9WXT2
E	?	-	ASP	deletion	UNP Q9WXT2
E	?	-	THR	deletion	UNP Q9WXT2
E	?	-	PRO	deletion	UNP Q9WXT2
E	?	-	ASP	deletion	UNP Q9WXT2
E	?	-	TYR	deletion	UNP Q9WXT2
E	?	-	PRO	deletion	UNP Q9WXT2
E	?	-	GLU	deletion	UNP Q9WXT2
E	?	-	GLY	deletion	UNP Q9WXT2
E	?	-	PRO	deletion	UNP Q9WXT2
E	?	-	VAL	deletion	UNP Q9WXT2
E	?	-	ASP	deletion	UNP Q9WXT2
E	?	-	PRO	deletion	UNP Q9WXT2
E	?	-	GLN	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	?	-	TYR	deletion	UNP Q9WXT2
E	?	-	PRO	deletion	UNP Q9WXT2
E	?	-	GLY	deletion	UNP Q9WXT2
E	?	-	PHE	deletion	UNP Q9WXT2
E	?	-	MET	deletion	UNP Q9WXT2
F	-11	MET	-	initiating methionine	UNP Q9WXT2
F	-10	GLY	-	expression tag	UNP Q9WXT2
F	-9	SER	-	expression tag	UNP Q9WXT2
F	-8	ASP	-	expression tag	UNP Q9WXT2
F	-7	LYS	-	expression tag	UNP Q9WXT2
F	-6	ILE	-	expression tag	UNP Q9WXT2
F	-5	HIS	-	expression tag	UNP Q9WXT2
F	-4	HIS	-	expression tag	UNP Q9WXT2
F	-3	HIS	-	expression tag	UNP Q9WXT2
F	-2	HIS	-	expression tag	UNP Q9WXT2
F	-1	HIS	-	expression tag	UNP Q9WXT2
F	0	HIS	-	expression tag	UNP Q9WXT2
F	?	-	GLN	deletion	UNP Q9WXT2
F	?	-	GLY	deletion	UNP Q9WXT2
F	?	-	SER	deletion	UNP Q9WXT2
F	?	-	GLY	deletion	UNP Q9WXT2
F	?	-	TRP	deletion	UNP Q9WXT2
F	?	-	LEU	deletion	UNP Q9WXT2
F	?	-	LYS	deletion	UNP Q9WXT2
F	?	-	GLY	deletion	UNP Q9WXT2
F	?	-	ASP	deletion	UNP Q9WXT2
F	?	-	THR	deletion	UNP Q9WXT2
F	?	-	PRO	deletion	UNP Q9WXT2
F	?	-	ASP	deletion	UNP Q9WXT2
F	?	-	TYR	deletion	UNP Q9WXT2
F	?	-	PRO	deletion	UNP Q9WXT2
F	?	-	GLU	deletion	UNP Q9WXT2
F	?	-	GLY	deletion	UNP Q9WXT2
F	?	-	PRO	deletion	UNP Q9WXT2
F	?	-	VAL	deletion	UNP Q9WXT2
F	?	-	ASP	deletion	UNP Q9WXT2
F	?	-	PRO	deletion	UNP Q9WXT2
F	?	-	GLN	deletion	UNP Q9WXT2
F	?	-	TYR	deletion	UNP Q9WXT2
F	?	-	PRO	deletion	UNP Q9WXT2
F	?	-	GLY	deletion	UNP Q9WXT2
F	?	-	PHE	deletion	UNP Q9WXT2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	?	-	MET	deletion	UNP Q9WXT2

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	12	Total O 12 12	0	0
2	B	12	Total O 12 12	0	0
2	C	12	Total O 12 12	0	0
2	D	15	Total O 15 15	0	0
2	E	20	Total O 20 20	0	0
2	F	14	Total O 14 14	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cephalosporin-C deacetylase

Chain A: 




- Molecule 1: Cephalosporin-C deacetylase

Chain B: 



- Molecule 1: Cephalosporin-C deacetylase


Chain C: 





- Molecule 1: Cephalosporin-C deacetylase

Chain D: 







● Molecule 1: Cephalosporin-C deacetylase



● Molecule 1: Cephalosporin-C deacetylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	155.08Å 155.08Å 165.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	52.09 – 2.75 52.09 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (52.09-2.75) 99.9 (52.09-2.75)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, R_{free}	0.198 , 0.231 0.205 , 0.236	Depositor DCC
R_{free} test set	3032 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.362	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.010 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13326	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.26	5/2249 (0.2%)	1.12	3/3057 (0.1%)
1	B	1.33	7/2263 (0.3%)	1.16	6/3076 (0.2%)
1	C	1.15	3/2262 (0.1%)	1.06	3/3076 (0.1%)
1	D	1.21	4/2269 (0.2%)	1.12	4/3088 (0.1%)
1	E	1.30	6/2290 (0.3%)	1.14	4/3111 (0.1%)
1	F	1.27	4/2308 (0.2%)	1.12	5/3132 (0.2%)
All	All	1.26	29/13641 (0.2%)	1.12	25/18540 (0.1%)

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	79	GLU	CA-C	9.03	1.64	1.52
1	D	-1	HIS	CA-C	8.95	1.63	1.52
1	E	80	GLU	CA-C	8.89	1.63	1.52
1	A	80	GLU	CA-C	8.02	1.63	1.52
1	B	41	ASP	N-CA	7.31	1.51	1.46
1	B	58	ASP	C-O	-7.20	1.15	1.24
1	F	5	ASP	N-CA	6.57	1.54	1.45
1	F	278	PRO	C-O	-6.29	1.19	1.24
1	B	116	ASP	N-CA	6.22	1.53	1.46
1	B	47	MET	C-O	6.18	1.31	1.23
1	D	1	MET	C-O	6.13	1.31	1.24
1	F	237	LYS	N-CA	5.75	1.53	1.46
1	B	115	MET	CA-C	5.68	1.59	1.52
1	E	96	ARG	CA-CB	5.59	1.64	1.53
1	C	116	ASP	N-CA	5.56	1.53	1.46
1	F	202	LYS	CA-C	5.55	1.60	1.52
1	D	116	ASP	N-CA	5.53	1.53	1.46
1	D	19	TYR	C-O	-5.52	1.17	1.24
1	B	117	THR	CA-C	5.49	1.59	1.52
1	E	311	ALA	CA-C	5.46	1.59	1.52
1	A	79	GLU	N-CA	5.36	1.53	1.46
1	A	116	ASP	N-CA	5.29	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	43	VAL	C-O	-5.27	1.18	1.24
1	A	202	LYS	CA-C	5.25	1.59	1.52
1	B	80	GLU	C-O	-5.24	1.17	1.23
1	A	38	PHE	CA-C	5.21	1.60	1.52
1	E	75	VAL	CA-CB	5.19	1.58	1.54
1	E	58	ASP	C-O	-5.13	1.17	1.24
1	C	302	ASN	CG-OD1	5.06	1.33	1.23

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	-2	HIS	CA-C-N	7.42	132.64	122.77
1	D	-2	HIS	C-N-CA	7.42	132.64	122.77
1	B	188	SER	CB-CA-C	-6.95	108.56	116.63
1	F	188	SER	CB-CA-C	-6.82	107.95	117.23
1	A	188	SER	CB-CA-C	-6.65	108.18	117.23
1	C	188	SER	CB-CA-C	-6.51	108.37	117.23
1	D	188	SER	CB-CA-C	-6.50	108.39	117.23
1	E	188	SER	CB-CA-C	-6.36	108.58	117.23
1	B	115	MET	CB-CG-SD	-6.24	93.99	112.70
1	A	189	GLN	N-CA-C	-6.17	104.55	111.28
1	F	180	GLU	CG-CD-OE1	5.98	132.16	118.40
1	B	97	GLY	N-CA-C	5.88	122.11	110.77
1	E	96	ARG	N-CA-CB	5.86	120.47	110.50
1	E	9	GLU	CB-CA-C	-5.67	101.74	110.81
1	B	70	LYS	N-CA-C	5.65	118.42	109.50
1	C	90	ILE	N-CA-CB	-5.64	101.91	111.50
1	B	48	GLU	N-CA-C	-5.61	101.54	109.96
1	B	9	GLU	CB-CA-C	-5.48	102.04	110.81
1	F	118	ARG	NE-CZ-NH2	5.34	124.00	119.20
1	F	313	GLU	CG-CD-OE1	5.33	130.67	118.40
1	D	189	GLN	N-CA-C	-5.29	105.52	111.28
1	A	38	PHE	CB-CA-C	5.26	115.97	108.76
1	C	276	ILE	N-CA-C	-5.14	106.79	111.67
1	E	164	ALA	N-CA-C	5.10	116.92	111.36
1	F	90	ILE	N-CA-CB	-5.08	102.87	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2187	0	2067	7	0
1	B	2196	0	2086	7	0
1	C	2195	0	2079	8	0
1	D	2201	0	2069	8	0
1	E	2222	0	2107	11	0
1	F	2240	0	2150	8	0
2	A	12	0	0	1	0
2	B	12	0	0	0	0
2	C	12	0	0	0	0
2	D	15	0	0	0	0
2	E	20	0	0	0	0
2	F	14	0	0	0	0
All	All	13326	0	12558	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:PHE:CD2	1:E:222:GLN:HB2	2.22	0.75
1:C:118:ARG:HH21	1:C:159:ARG:CB	2.06	0.67
1:B:47:MET:HE1	1:B:72:TRP:CD1	2.33	0.64
1:B:69:ILE:HG21	1:B:115:MET:HE1	1.83	0.60
1:A:47:MET:HE1	1:A:72:TRP:CE3	2.44	0.53
1:D:188:SER:OG	1:D:303:HIS:NE2	2.43	0.49
1:C:188:SER:OG	1:C:303:HIS:NE2	2.45	0.49
1:E:47:MET:HE1	1:E:72:TRP:CE3	2.47	0.49
1:A:188:SER:OG	1:A:303:HIS:NE2	2.45	0.48
1:F:188:SER:OG	1:F:303:HIS:NE2	2.46	0.47
1:D:3:PHE:CE2	1:E:222:GLN:HB2	2.50	0.46
1:E:81:GLU:OE1	1:E:81:GLU:N	2.48	0.46
1:B:188:SER:OG	1:B:303:HIS:NE2	2.50	0.44
1:A:213:PHE:CZ	1:A:228:PRO:HB2	2.52	0.44
1:D:265:PRO:HA	1:D:292:PRO:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:188:SER:OG	1:E:303:HIS:NE2	2.43	0.44
1:E:265:PRO:HA	1:E:292:PRO:O	2.19	0.43
1:E:3:PHE:CD2	1:F:222:GLN:HB2	2.54	0.43
1:E:57:TYR:HB2	1:E:73:LEU:HB3	2.00	0.43
1:B:239:HIS:HB3	1:B:242:LYS:HG3	2.00	0.43
1:D:47:MET:HE1	1:D:72:TRP:CE3	2.53	0.43
1:E:239:HIS:HB3	1:E:242:LYS:HG3	2.00	0.43
1:F:239:HIS:HB3	1:F:242:LYS:HG3	2.01	0.43
1:F:265:PRO:HA	1:F:292:PRO:O	2.19	0.42
1:A:239:HIS:HB3	1:A:242:LYS:HG3	2.00	0.42
1:B:213:PHE:CZ	1:B:228:PRO:HB2	2.54	0.42
1:E:3:PHE:CE2	1:F:222:GLN:HB2	2.54	0.42
1:B:265:PRO:HA	1:B:292:PRO:O	2.19	0.42
1:B:227[A]:HIS:NE2	1:B:231:GLU:OE2	2.52	0.41
1:C:58:ASP:OD2	1:C:70:LYS:NZ	2.53	0.41
1:D:227[A]:HIS:NE2	1:D:231:GLU:OE2	2.54	0.41
1:A:23:ASP:O	1:A:24:PHE:C	2.61	0.41
1:C:239:HIS:HB3	1:C:242:LYS:HG3	2.03	0.41
1:C:265:PRO:HA	1:C:292:PRO:O	2.21	0.41
1:F:227[A]:HIS:CG	1:F:228:PRO:HA	2.55	0.41
1:F:235:PHE:CE1	1:F:239:HIS:CD2	3.08	0.41
1:E:227[A]:HIS:NE2	1:E:231:GLU:OE2	2.54	0.41
1:C:278:PRO:HA	1:C:279:PRO:HD3	1.94	0.41
1:D:239:HIS:HB3	1:D:242:LYS:HG3	2.03	0.41
1:C:213:PHE:CZ	1:C:228:PRO:HB2	2.56	0.41
1:D:227[A]:HIS:CG	1:D:228:PRO:HA	2.56	0.40
1:A:265:PRO:HA	1:A:292:PRO:O	2.22	0.40
1:A:218:ARG:HG2	2:A:402:HOH:O	2.21	0.40
1:F:188:SER:HB3	1:F:189:GLN:H	1.62	0.40
1:C:227[A]:HIS:NE2	1:C:231:GLU:OE2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/311 (88%)	264 (96%)	9 (3%)	1 (0%)	30	50
1	B	273/311 (88%)	267 (98%)	6 (2%)	0	100	100
1	C	274/311 (88%)	265 (97%)	8 (3%)	1 (0%)	30	50
1	D	278/311 (89%)	267 (96%)	10 (4%)	1 (0%)	30	50
1	E	274/311 (88%)	266 (97%)	7 (3%)	1 (0%)	30	50
1	F	274/311 (88%)	268 (98%)	5 (2%)	1 (0%)	30	50
All	All	1647/1866 (88%)	1597 (97%)	45 (3%)	5 (0%)	36	56

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	97	GLY
1	F	97	GLY
1	A	97	GLY
1	D	97	GLY
1	C	97	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/264 (82%)	215 (99%)	2 (1%)	70	82
1	B	221/264 (84%)	218 (99%)	3 (1%)	59	75
1	C	220/264 (83%)	219 (100%)	1 (0%)	81	89
1	D	217/264 (82%)	214 (99%)	3 (1%)	59	75
1	E	225/264 (85%)	224 (100%)	1 (0%)	84	91
1	F	230/264 (87%)	228 (99%)	2 (1%)	70	82
All	All	1330/1584 (84%)	1318 (99%)	12 (1%)	70	82

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	221	VAL
1	A	295	ILE
1	B	115	MET
1	B	221	VAL
1	B	238	THR
1	C	221	VAL
1	D	203	LYS
1	D	221	VAL
1	D	323	GLU
1	E	221	VAL
1	F	118	ARG
1	F	221	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	222	GLN
1	B	100	HIS
1	B	234	ASN
1	F	239	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	280/311 (90%)	0.02	9 (3%)	50	48	34, 49, 81, 99	0
1	B	278/311 (89%)	-0.00	8 (2%)	53	52	25, 50, 72, 94	1 (0%)
1	C	279/311 (89%)	0.19	10 (3%)	46	44	30, 60, 89, 109	1 (0%)
1	D	283/311 (90%)	0.13	10 (3%)	47	44	27, 56, 86, 102	1 (0%)
1	E	279/311 (89%)	-0.11	6 (2%)	62	60	25, 44, 65, 85	1 (0%)
1	F	279/311 (89%)	-0.10	5 (1%)	67	65	27, 49, 77, 93	1 (0%)
All	All	1678/1866 (89%)	0.02	48 (2%)	53	52	25, 51, 81, 109	5 (0%)

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	117	THR	5.5
1	E	116	ASP	4.3
1	A	90	ILE	4.1
1	A	2	ALA	4.1
1	C	3	PHE	4.0
1	A	117	THR	3.9
1	D	116	ASP	3.8
1	D	-2	HIS	3.6
1	A	116	ASP	3.6
1	D	81	GLU	3.6
1	E	2	ALA	3.1
1	B	323	GLU	3.1
1	D	-1	HIS	3.0
1	B	118	ARG	3.0
1	A	37	LYS	2.9
1	C	81	GLU	2.9
1	B	156	TYR	2.8
1	A	156	TYR	2.8
1	C	323	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	79	GLU	2.6
1	F	81	GLU	2.6
1	D	1	MET	2.5
1	B	263	LYS	2.5
1	A	3	PHE	2.5
1	D	156	TYR	2.5
1	F	95	GLY	2.4
1	C	82	LYS	2.4
1	C	116	ASP	2.4
1	C	158	ARG	2.4
1	E	90	ILE	2.3
1	F	46	ARG	2.3
1	C	9	GLU	2.3
1	C	202	LYS	2.3
1	D	37	LYS	2.3
1	A	323	GLU	2.3
1	C	90	ILE	2.2
1	B	97	GLY	2.2
1	C	117	THR	2.2
1	F	70	LYS	2.2
1	D	323	GLU	2.1
1	F	48	GLU	2.1
1	A	95	GLY	2.1
1	B	4	PHE	2.1
1	D	90	ILE	2.1
1	E	97	GLY	2.1
1	D	158	ARG	2.0
1	B	81	GLU	2.0
1	B	117	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.